

$\eta_2(1645)$

$$I^G(J^{PC}) = 0^+(2^{-+})$$

OMITTED FROM SUMMARY TABLE

$\eta_2(1645)$ MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
1632 ± 14 OUR AVERAGE				
1620 ± 20	BARBERIS	97B OMEG		450 $pp \rightarrow$ $pp2(\pi^+ \pi^-)$
$1645 \pm 14 \pm 15$	ADOMEIT	96 CBAR 0		1.94 $\bar{p}p \rightarrow \eta_3 \pi^0$

$\eta_2(1645)$ WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
180^{+22}_{-20} OUR AVERAGE				
180 ± 25	BARBERIS	97B OMEG		450 $pp \rightarrow$ $pp2(\pi^+ \pi^-)$
$180^{+40}_{-21} \pm 25$	ADOMEIT	96 CBAR 0		1.94 $\bar{p}p \rightarrow \eta_3 \pi^0$

$\eta_2(1645)$ DECAY MODES

Mode	
Γ_1	$a_2(1320)\pi$
Γ_2	$K\bar{K}\pi$
Γ_3	$K^*\bar{K}$

$\eta_2(1645)$ BRANCHING RATIOS

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_2/Γ_1
0.07 ± 0.03	¹ BARBERIS	97C OMEG	450 $pp \rightarrow ppK\bar{K}\pi$	

¹ Using $2(\pi^+ \pi^-)$ data from BARBERIS 97B.

$\eta_2(1645)$ REFERENCES

BARBERIS	97B	PL B413 217	D. Barberis+	(WA102 Collab.)
BARBERIS	97C	PL B413 225	D. Barberis+	(WA102 Collab.)
ADOMEIT	96	ZPHY C71 227	+Amsler, Armstrong+	(Crystal Barrel Collab.)