

$b(E) \times 10^6$  [cm<sup>2</sup>g<sup>-1</sup>] for  
polyoxymethylene [(CH<sub>2</sub>O)<sub>n</sub>]  
 $\langle Z/A \rangle = 0.53287$

E [GeV]	$b_{\text{brems}}$	$b_{\text{pair}}$	$b_{\text{nucl}}$	$b_{\text{tot}}$
2.	0.2710	0.1186	0.4699	0.8596
5.	0.3675	0.2931	0.4972	1.1578
10.	0.4473	0.4431	0.4823	1.3728
20.	0.5315	0.6067	0.4601	1.5983
50.	0.6461	0.8367	0.4358	1.9187
100.	0.7317	0.9996	0.4240	2.1552
200.	0.8129	1.1497	0.4179	2.3805
500.	0.9090	1.3042	0.4170	2.6301
1000.	0.9706	1.3989	0.4238	2.7933
2000.	1.0218	1.4656	0.4351	2.9225
5000.	1.0730	1.5244	0.4563	3.0537
10000.	1.1002	1.5522	0.4778	3.1302
20000.	1.1193	1.5697	0.5031	3.1921
50000.	1.1359	1.5836	0.5426	3.2620
100000.	1.1435	1.5892	0.5765	3.3093