

$b(E) \times 10^6$ [cm²g⁻¹] for
terbium (Tb), $Z = 65$, $A = 158.92535(2)$

E [GeV]	b_{brems}	b_{pair}	b_{nucl}	b_{tot}
2.	1.6383	0.5241	0.3723	2.5347
5.	2.2654	1.7781	0.3977	4.4412
10.	2.7764	2.7501	0.3899	5.9164
20.	3.3007	3.6711	0.3708	7.3427
50.	3.9877	5.0602	0.3601	9.4080
100.	4.4772	5.9821	0.3527	10.8120
200.	4.9251	6.8033	0.3491	12.0775
500.	5.4298	7.5591	0.3493	13.3382
1000.	5.7351	7.9612	0.3547	14.0511
2000.	5.9736	8.2520	0.3633	14.5889
5000.	6.1958	8.4955	0.3790	15.0704
10000.	6.3063	8.6083	0.3947	15.3093
20000.	6.3798	8.6819	0.4129	15.4745
50000.	6.4406	8.7368	0.4412	15.6186
100000.	6.4678	8.7597	0.4654	15.6930