

$b(E) \times 10^6$ [cm²g⁻¹] for
 terphenyl (C₁₈H₁₀)
 $\langle Z/A \rangle = 0.52148$

| E [GeV] | b_{brems} | b_{pair} | b_{nucl} | b_{tot} |
|---------|--------------------|-------------------|-------------------|------------------|
| 2. | 0.2363 | 0.1018 | 0.4739 | 0.8120 |
| 5. | 0.3204 | 0.2526 | 0.5008 | 1.0737 |
| 10. | 0.3902 | 0.3844 | 0.4855 | 1.2601 |
| 20. | 0.4642 | 0.5285 | 0.4629 | 1.4556 |
| 50. | 0.5654 | 0.7309 | 0.4383 | 1.7347 |
| 100. | 0.6420 | 0.8749 | 0.4263 | 1.9432 |
| 200. | 0.7134 | 1.0081 | 0.4202 | 2.1417 |
| 500. | 0.7991 | 1.1465 | 0.4192 | 2.3649 |
| 1000. | 0.8544 | 1.2320 | 0.4261 | 2.5125 |
| 2000. | 0.9004 | 1.2925 | 0.4377 | 2.6305 |
| 5000. | 0.9465 | 1.3461 | 0.4591 | 2.7518 |
| 10000. | 0.9712 | 1.3715 | 0.4808 | 2.8235 |
| 20000. | 0.9885 | 1.3875 | 0.5064 | 2.8824 |
| 50000. | 1.0035 | 1.4000 | 0.5464 | 2.9499 |
| 100000. | 1.0099 | 1.4052 | 0.5808 | 2.9959 |