

$b(E) \times 10^6$ [cm²g⁻¹] for
ferrous oxide (FeO)
 $\langle Z/A \rangle = 0.47323$

| E [GeV] | b_{brems} | b_{pair} | b_{nucl} | b_{tot} |
|---------|--------------------|-------------------|-------------------|------------------|
| 2. | 0.7159 | 0.3350 | 0.4220 | 1.4729 |
| 5. | 0.9770 | 0.8371 | 0.4497 | 2.2638 |
| 10. | 1.1892 | 1.2335 | 0.4390 | 2.8617 |
| 20. | 1.4077 | 1.6398 | 0.4212 | 3.4687 |
| 50. | 1.6973 | 2.2319 | 0.4014 | 4.3307 |
| 100. | 1.9065 | 2.6360 | 0.3919 | 4.9345 |
| 200. | 2.1013 | 3.0042 | 0.3872 | 5.4927 |
| 500. | 2.3256 | 3.3553 | 0.3868 | 6.0678 |
| 1000. | 2.4650 | 3.5490 | 0.3930 | 6.4070 |
| 2000. | 2.5765 | 3.6902 | 0.4031 | 6.6700 |
| 5000. | 2.6836 | 3.8103 | 0.4216 | 6.9156 |
| 10000. | 2.7384 | 3.8666 | 0.4403 | 7.0453 |
| 20000. | 2.7756 | 3.9032 | 0.4620 | 7.1408 |
| 50000. | 2.8069 | 3.9312 | 0.4959 | 7.2340 |
| 100000. | 2.8213 | 3.9428 | 0.5249 | 7.2891 |