

$b(E) \times 10^6$  [cm<sup>2</sup>g<sup>-1</sup>] for  
 viton fluoroelastomer [(C<sub>5</sub>H<sub>2</sub>F<sub>8</sub>)<sub>n</sub>]  
 $\langle Z/A \rangle = 0.48585$

E [GeV]	$b_{\text{brems}}$	$b_{\text{pair}}$	$b_{\text{nucl}}$	$b_{\text{tot}}$
2.	0.3017	0.1351	0.4588	0.8957
5.	0.4092	0.3315	0.4859	1.2266
10.	0.4975	0.4966	0.4720	1.4662
20.	0.5900	0.6759	0.4510	1.7170
50.	0.7151	0.9287	0.4280	2.0719
100.	0.8079	1.1069	0.4168	2.3317
200.	0.8957	1.2707	0.4112	2.5775
500.	0.9990	1.4369	0.4104	2.8462
1000.	1.0646	1.5381	0.4172	3.0200
2000.	1.1190	1.6084	0.4284	3.1557
5000.	1.1726	1.6704	0.4490	3.2920
10000.	1.2009	1.6996	0.4698	3.3704
20000.	1.2206	1.7181	0.4943	3.4329
50000.	1.2374	1.7328	0.5325	3.5027
100000.	1.2451	1.7388	0.5653	3.5493