

$b(E) \times 10^6$ [cm²g⁻¹] for
terbium (Tb), $Z = 65$, $A = 158.92535(2)$

E [GeV]	b_{brems}	b_{pair}	b_{nucl}	b_{tot}
2.	1.6383	0.5241	0.3723	2.5347
5.	2.2654	1.7781	0.3977	4.4411
10.	2.7764	2.7501	0.3899	5.9164
20.	3.3007	3.6711	0.3708	7.3426
50.	3.9877	5.0601	0.3601	9.4079
100.	4.4771	5.9821	0.3527	10.8119
200.	4.9251	6.8032	0.3491	12.0774
500.	5.4298	7.5591	0.3493	13.3381
1000.	5.7351	7.9611	0.3547	14.0509
2000.	5.9735	8.2517	0.3633	14.5885
5000.	6.1958	8.4955	0.3790	15.0703
10000.	6.3063	8.6080	0.3947	15.3089
20000.	6.3797	8.6819	0.4129	15.4744
50000.	6.4406	8.7367	0.4412	15.6185
100000.	6.4677	8.7596	0.4654	15.6928