

5. Electronic Structure of the Elements

Table 5.1. Reviewed 2011 by J.E. Sansonetti (NIST). The electronic configurations and the ionization energies are from the NIST database, “Ground Levels and Ionization Energies for the Neutral Atoms,” W.C. Martin, A. Musgrave, S. Kotochigova, and J.E. Sansonetti, http://www.nist.gov/pml/data/ion_energy.cfm. The electron configuration for, say, iron indicates an argon electronic core (see argon) plus six $3d$ electrons and two $4s$ electrons.

	Element	Electron configuration ($3d^5$ = five $3d$ electrons, etc.)		Ground state $2S+1L_J$	Ionization energy (eV)	
		1s	$2s^2$			
1	H	Hydrogen	$1s$	$^2S_{1/2}$	13.5984	
2	He	Helium	$1s^2$	1S_0	24.5874	
3	Li	Lithium	(He) $2s$	$^2S_{1/2}$	5.3917	
4	Be	Beryllium	(He) $2s^2$	1S_0	9.3227	
5	B	Boron	(He) $2s^2$ $2p$	$^2P_{1/2}$	8.2980	
6	C	Carbon	(He) $2s^2$ $2p^2$	3P_0	11.2603	
7	N	Nitrogen	(He) $2s^2$ $2p^3$	$^4S_{3/2}$	14.5341	
8	O	Oxygen	(He) $2s^2$ $2p^4$	3P_2	13.6181	
9	F	Fluorine	(He) $2s^2$ $2p^5$	$^2P_{3/2}$	17.4228	
10	Ne	Neon	(He) $2s^2$ $2p^6$	1S_0	21.5645	
11	Na	Sodium	(Ne) $3s$	$^2S_{1/2}$	5.1391	
12	Mg	Magnesium	(Ne) $3s^2$	1S_0	7.6462	
13	Al	Aluminum	(Ne) $3s^2$ $3p$	$^2P_{1/2}$	5.9858	
14	Si	Silicon	(Ne) $3s^2$ $3p^2$	3P_0	8.1517	
15	P	Phosphorus	(Ne) $3s^2$ $3p^3$	$^4S_{3/2}$	10.4867	
16	S	Sulfur	(Ne) $3s^2$ $3p^4$	3P_2	10.3600	
17	Cl	Chlorine	(Ne) $3s^2$ $3p^5$	$^2P_{3/2}$	12.9676	
18	Ar	Argon	(Ne) $3s^2$ $3p^6$	1S_0	15.7596	
19	K	Potassium	(Ar) $4s$	$^2S_{1/2}$	4.3407	
20	Ca	Calcium	(Ar) $4s^2$	1S_0	6.1132	
21	Sc	Scandium	(Ar) $3d$ $4s^2$	T	$^2D_{3/2}$	6.5615
22	Ti	Titanium	(Ar) $3d^2$ $4s^2$	r e	3F_2	6.8281
23	V	Vanadium	(Ar) $3d^3$ $4s^2$	a l	$^4F_{3/2}$	6.7462
24	Cr	Chromium	(Ar) $3d^5$ $4s$	n e	7S_3	6.7665
25	Mn	Manganese	(Ar) $3d^5$ $4s^2$	s m	$^6S_{5/2}$	7.4340
26	Fe	Iron	(Ar) $3d^6$ $4s^2$	i e	5D_4	7.9024
27	Co	Cobalt	(Ar) $3d^7$ $4s^2$	t n	$^4F_{9/2}$	7.8810
28	Ni	Nickel	(Ar) $3d^8$ $4s^2$	i t	3F_4	7.6399
29	Cu	Copper	(Ar) $3d^{10}$ $4s$	o s	$^2S_{1/2}$	7.7264
30	Zn	Zinc	(Ar) $3d^{10}$ $4s^2$	n	1S_0	9.3942
31	Ga	Gallium	(Ar) $3d^{10}$ $4s^2$ $4p$		$^2P_{1/2}$	5.9993
32	Ge	Germanium	(Ar) $3d^{10}$ $4s^2$ $4p^2$		3P_0	7.8994
33	As	Arsenic	(Ar) $3d^{10}$ $4s^2$ $4p^3$		$^4S_{3/2}$	9.7886
34	Se	Selenium	(Ar) $3d^{10}$ $4s^2$ $4p^4$		3P_2	9.7524
35	Br	Bromine	(Ar) $3d^{10}$ $4s^2$ $4p^5$		$^2P_{3/2}$	11.8138
36	Kr	Krypton	(Ar) $3d^{10}$ $4s^2$ $4p^6$		1S_0	13.9996
37	Rb	Rubidium	(Kr) $5s$		$^2S_{1/2}$	4.1771
38	Sr	Strontium	(Kr) $5s^2$		1S_0	5.6949
39	Y	Yttrium	(Kr) $4d$ $5s^2$	T	$^2D_{3/2}$	6.2173
40	Zr	Zirconium	(Kr) $4d^2$ $5s^2$	r e	3F_2	6.6339
41	Nb	Niobium	(Kr) $4d^4$ $5s$	a l	$^6D_{1/2}$	6.7589
42	Mo	Molybdenum	(Kr) $4d^5$ $5s$	n e	7S_3	7.0924
43	Tc	Technetium	(Kr) $4d^5$ $5s^2$	s m	$^6S_{5/2}$	7.28
44	Ru	Ruthenium	(Kr) $4d^7$ $5s$	i e	5F_5	7.3605
45	Rh	Rhodium	(Kr) $4d^8$ $5s$	i n	$^4F_{9/2}$	7.4589
46	Pd	Palladium	(Kr) $4d^{10}$	o t	1S_0	8.3369
47	Ag	Silver	(Kr) $4d^{10}$ $5s$	n s	$^2S_{1/2}$	7.5762
48	Cd	Cadmium	(Kr) $4d^{10}$ $5s^2$		1S_0	8.9938

49	In	Indium	(Kr) 4d ¹⁰ 5s ² 5p		² P _{1/2}	5.7864		
50	Sn	Tin	(Kr) 4d ¹⁰ 5s ² 5p ²		³ P ₀	7.3439		
51	Sb	Antimony	(Kr) 4d ¹⁰ 5s ² 5p ³		⁴ S _{3/2}	8.6084		
52	Te	Tellurium	(Kr) 4d ¹⁰ 5s ² 5p ⁴		³ P ₂	9.0096		
53	I	Iodine	(Kr) 4d ¹⁰ 5s ² 5p ⁵		² P _{3/2}	10.4513		
54	Xe	Xenon	(Kr) 4d ¹⁰ 5s ² 5p ⁶		¹ S ₀	12.1298		
55	Cs	Cesium	(Xe)	6s	² S _{1/2}	3.8939		
56	Ba	Barium	(Xe)	6s ²	¹ S ₀	5.2117		
57	La	Lanthanum	(Xe) 5d	6s ²	² D _{3/2}	5.5769		
58	Ce	Cerium	(Xe) 4f 5d	6s ²	¹ G ₄	5.5387		
59	Pr	Praseodymium	(Xe) 4f ³	6s ²	L	⁴ I _{9/2}	5.473	
60	Nd	Neodymium	(Xe) 4f ⁴	6s ²	a	⁵ I ₄	5.5250	
61	Pm	Promethium	(Xe) 4f ⁵	6s ²	n	⁶ H _{5/2}	5.582	
62	Sm	Samarium	(Xe) 4f ⁶	6s ²	t	⁷ F ₀	5.6437	
63	Eu	Europium	(Xe) 4f ⁷	6s ²	h	⁸ S _{7/2}	5.6704	
64	Gd	Gadolinium	(Xe) 4f ⁷ 5d	6s ²	a	⁹ D ₂	6.1498	
65	Tb	Terbium	(Xe) 4f ⁹	6s ²	n	⁶ H _{15/2}	5.8638	
66	Dy	Dysprosium	(Xe) 4f ¹⁰	6s ²	i	⁵ I ₈	5.9389	
67	Ho	Holmium	(Xe) 4f ¹¹	6s ²	e	⁴ I _{15/2}	6.0215	
68	Er	Erbium	(Xe) 4f ¹²	6s ²	s	³ H ₆	6.1077	
69	Tm	Thulium	(Xe) 4f ¹³	6s ²		² F _{7/2}	6.1843	
70	Yb	Ytterbium	(Xe) 4f ¹⁴	6s ²		¹ S ₀	6.2542	
71	Lu	Lutetium	(Xe) 4f ¹⁴ 5d	6s ²		² D _{3/2}	5.4259	
72	Hf	Hafnium	(Xe) 4f ¹⁴ 5d ²	6s ²	T	³ F ₂	6.8251	
73	Ta	Tantalum	(Xe) 4f ¹⁴ 5d ³	6s ²	r	⁴ F _{3/2}	7.5496	
74	W	Tungsten	(Xe) 4f ¹⁴ 5d ⁴	6s ²	a	⁵ D ₀	7.8640	
75	Re	Rhenium	(Xe) 4f ¹⁴ 5d ⁵	6s ²	n	⁶ S _{5/2}	7.8335	
76	Os	Osmium	(Xe) 4f ¹⁴ 5d ⁶	6s ²	s	⁵ D ₄	8.4382	
77	Ir	Iridium	(Xe) 4f ¹⁴ 5d ⁷	6s ²	i	⁴ F _{9/2}	8.9670	
78	Pt	Platinum	(Xe) 4f ¹⁴ 5d ⁹	6s	t	³ D ₃	8.9588	
79	Au	Gold	(Xe) 4f ¹⁴ 5d ¹⁰	6s ₂	i	² S _{1/2}	9.2255	
80	Hg	Mercury	(Xe) 4f ¹⁴ 5d ¹⁰	6s ²	o	¹ S ₀	10.4375	
81	Tl	Thallium	(Xe) 4f ¹⁴ 5d ¹⁰	6s ²		² P _{1/2}	6.1082	
82	Pb	Lead	(Xe) 4f ¹⁴ 5d ¹⁰	6s ²		³ P ₀	7.4167	
83	Bi	Bismuth	(Xe) 4f ¹⁴ 5d ¹⁰	6s ²		⁴ S _{3/2}	7.2855	
84	Po	Polonium	(Xe) 4f ¹⁴ 5d ¹⁰	6s ²		³ P ₂	8.414	
85	At	Astatine	(Xe) 4f ¹⁴ 5d ¹⁰	6s ²		² P _{3/2}		
86	Rn	Radon	(Xe) 4f ¹⁴ 5d ¹⁰	6s ²		¹ S ₀	10.7485	
87	Fr	Francium	(Rn)	7s		² S _{1/2}	4.0727	
88	Ra	Radium	(Rn)	7s ²		¹ S ₀	5.2784	
89	Ac	Actinium	(Rn)	6d	⁷ s ²	² D _{3/2}	5.3807	
90	Th	Thorium	(Rn)	6d ²	⁷ s ²	³ F ₂	6.3067	
91	Pa	Protactinium	(Rn) 5f ²	6d	⁷ s ²	A	⁴ K _{11/2} * ⁵ .89	
92	U	Uranium	(Rn) 5f ³	6d	⁷ s ²	c	⁵ L ₆ *	6.1939
93	Np	Neptunium	(Rn) 5f ⁴	6d	⁷ s ²	t	⁶ L _{11/2} *	6.2657
94	Pu	Plutonium	(Rn) 5f ⁶		⁷ s ²	i	⁷ F ₀	6.0260
95	Am	Americium	(Rn) 5f ⁷		⁷ s ²	i	⁸ S _{7/2}	5.9738
96	Cm	Curium	(Rn) 5f ⁷	6d	⁷ s ²	d	⁹ D ₂	5.9914
97	Bk	Berkelium	(Rn) 5f ⁹		⁷ s ²	e	⁶ H _{15/2}	6.1979
98	Cf	Californium	(Rn) 5f ¹⁰		⁷ s ²	s	⁵ I ₈	6.2817
99	Es	Einsteinium	(Rn) 5f ¹¹		⁷ s ²		⁴ I _{15/2}	6.3676
100	Fm	Fermium	(Rn) 5f ¹²		⁷ s ²		³ H ₆	6.50
101	Md	Mendelevium	(Rn) 5f ¹³		⁷ s ²		² F _{7/2}	6.58
102	No	Nobelium	(Rn) 5f ¹⁴		⁷ s ²		¹ S ₀	6.65
103	Lr	Lawrencium	(Rn) 5f ¹⁴		⁷ s ²	7p?	² P _{1/2} ?	4.9?
104	Rf	Rutherfordium	(Rn) 5f ¹⁴ 6d ²		⁷ s ²		³ F ₂ ?	6.0?

* The usual LS coupling scheme does not apply for these three elements. See the introductory note to the NIST table from which this table is taken.