

$b(E) \times 10^6$ [cm²g⁻¹] for
cadmium zinc telluride (CZT)
 $\langle Z/A \rangle = 0.41747$

E [GeV]	b_{brems}	b_{pair}	b_{nucl}	b_{tot}
2.	1.3115	0.5248	0.3831	2.2193
5.	1.8070	1.5092	0.4086	3.7248
10.	2.2102	2.2727	0.3969	4.8798
20.	2.6239	3.0131	0.3811	6.0182
50.	3.1674	4.1178	0.3697	7.6550
100.	3.5558	4.8563	0.3619	8.7739
200.	3.9127	5.5180	0.3581	9.7888
500.	4.3173	6.1316	0.3582	10.8071
1000.	4.5637	6.4601	0.3638	11.3875
2000.	4.7574	6.6985	0.3727	11.8287
5000.	4.9393	6.8991	0.3891	12.2274
10000.	5.0303	6.9922	0.4053	12.4278
20000.	5.0912	7.0530	0.4242	12.5684
50000.	5.1418	7.0988	0.4537	12.6943
100000.	5.1646	7.1179	0.4790	12.7615