

$D_{s1}(2460)^{\pm}$

$I(J^P) = 0(1^+)$

See the review on "Heavy Non- $q\bar{q}$ Mesons."

$D_{s1}(2460)^{\pm}$ MASS

The fit includes D^{\pm} , D^0 , D_s^{\pm} , $D^{*\pm}$, D^{*0} , $D_s^{*\pm}$, $D_1(2420)^0$, $D_2^*(2460)^0$, and $D_{s1}(2536)^{\pm}$ mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
2459.5±0.6 OUR FIT				Error includes scale factor of 1.1.
2459.6±0.9 OUR AVERAGE				Error includes scale factor of 1.3.
2460.1±0.2±0.8	1	AUBERT	06P BABR	10.6 $e^+ e^-$
2458.0±1.0±1.0	195	AUBERT	04E BABR	10.6 $e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2459.5±1.2±3.7	920	AUBERT	06P BABR	$10.6 \text{ } e^+ e^- \rightarrow D_s^+ \gamma X$
2458.6±1.0±2.5	560	AUBERT	06P BABR	$10.6 \text{ } e^+ e^- \rightarrow D_s^+ \pi^0 \gamma X$
2460.2±0.2±0.8	123	AUBERT	06P BABR	$10.6 \text{ } e^+ e^- \rightarrow D_s^+ \pi^+ \pi^- X$
2458.9±1.5	112	2 AUBERT,B	04S BABR	$B \rightarrow D_{s1}(2460)^+ \overline{D}^(*)$
2461.1±1.6	139	3 AUBERT,B	04S BABR	$B \rightarrow D_{s1}(2460)^+ \overline{D}^(*)$
2456.5±1.3±1.3	126	4,5 MIKAMI	04 BELL	10.6 $e^+ e^-$
2459.5±1.3±2.0	152	6,7 MIKAMI	04 BELL	10.6 $e^+ e^-$
2459.9±0.9±1.6	60	6,7 MIKAMI	04 BELL	10.6 $e^+ e^-$
2459.2±1.6±2.0	57	KROKOVNY	03B BELL	10.6 $e^+ e^-$

¹ The average of the values obtained from the $D_s^+ \gamma$, $D_s^+ \pi^0 \gamma$, $D_s^+ \pi^+ \pi^-$ final state.

² Systematic errors not evaluated. From the decay to $D_s^{*+} \pi^0$.

³ Systematic errors not evaluated. From the decay to $D_s^+ \gamma$.

⁴ Not independent of the corresponding $m_{D_{s1}(2460)^{\pm}} - m_{D_s^{*\pm}}$.

⁵ Using $m_{D_s^{*+}} = 2112.4 \pm 0.7 \text{ MeV}$.

⁶ Not independent of the corresponding $m_{D_{s1}(2460)^{\pm}} - m_{D_s^{\pm}}$.


⁷ Using $m_{D_s^+} = 1968.5 \pm 0.6 \text{ MeV}$.

$m_{D_{s1}(2460)^{\pm}} - m_{D_s^{*\pm}}$

The fit includes D^{\pm} , D^0 , D_s^{\pm} , $D^{*\pm}$, D^{*0} , $D_s^{*\pm}$, $D_1(2420)^0$, $D_2^*(2460)^0$, and $D_{s1}(2536)^{\pm}$ mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
347.3±0.7 OUR FIT				Error includes scale factor of 1.2.
347.1±2.2 OUR AVERAGE				Error includes scale factor of 1.9. See the ideogram below.
344.1±1.3±1.1	126	MIKAMI	04 BELL	10.6 $e^+ e^-$
351.2±1.7±1.0	41	BESSON	03 CLE2	10.6 $e^+ e^-$
346.8±1.6±1.9	57	8 KROKOVNY	03B BELL	10.6 $e^+ e^-$

⁸ Recalculated by us using $m_{D_s^{*+}} = 2112.4 \pm 0.7 \text{ MeV}$.



$m_{D_{s1}(2460)^{\pm}} - m_{D_s^{\pm}}$

The fit includes D^{\pm} , D^0 , D_s^{\pm} , $D^{*\pm}$, D^{*0} , $D_s^{*\pm}$, $D_1(2420)^0$, $D_2^{*}(2460)^0$, and $D_{s1}(2536)^{\pm}$ mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
491.1±0.6 OUR FIT				Error includes scale factor of 1.1.
491.3±1.4 OUR AVERAGE				
491.0±1.3±1.9	152	⁹ MIKAMI	04	BELL 10.6 $e^+ e^-$
491.4±0.9±1.5	60	¹⁰ MIKAMI	04	BELL 10.6 $e^+ e^-$
From the decay to $D_s^{\pm} \gamma$.				
From the decay to $D_s^{\pm} \pi^+ \pi^-$.				

$D_{s1}(2460)^{\pm}$ WIDTH

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
< 3.5	95	123	AUBERT	06P BABR	10.6 $e^+ e^- \rightarrow D_s^+ \pi^+ \pi^- X$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 6.3	95	560	AUBERT	06P BABR	10.6 $e^+ e^- \rightarrow D_s^+ \pi^0 \gamma X$
< 10		195	AUBERT	04E BABR	10.6 $e^+ e^-$
< 5.5	90	126	MIKAMI	04 BELL	10.6 $e^+ e^-$
< 7	90	41	BESSON	03 CLE2	10.6 $e^+ e^-$

$D_{s1}(2460)^+$ DECAY MODES

$D_{s1}(2460)^-$ modes are charge conjugates of the modes below.

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
$\Gamma_1 D_s^{*+} \pi^0$	(48 \pm 11) %	
$\Gamma_2 D_s^+ \gamma$	(18 \pm 4) %	
$\Gamma_3 D_s^+ \pi^+ \pi^-$	(4.3 \pm 1.3) %	S=1.1
$\Gamma_4 D_s^{*+} \gamma$	< 8 %	CL=90%
$\Gamma_5 D_{s0}^*(2317)^+ \gamma$	(3.7 \pm 5.0) %	
$\Gamma_6 D_s^+ \pi^0$		
$\Gamma_7 D_s^+ \pi^0 \pi^0$		
$\Gamma_8 D_s^+ \gamma \gamma$		

CONSTRAINED FIT INFORMATION

An overall fit to 7 branching ratios uses 8 measurements and one constraint to determine 5 parameters. The overall fit has a $\chi^2 = 3.4$ for 4 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	80			
x_3	68	62		
x_5	-3	25	26	
	x_1	x_2	x_3	

$D_{s1}(2460)^{\pm}$ BRANCHING RATIOS

$\Gamma(D_s^{*+} \pi^0) / \Gamma_{\text{total}}$	Γ_1 / Γ
VALUE	EVTS DOCUMENT ID TECN COMMENT
0.48 \pm 0.11 OUR FIT	
0.56 \pm 0.13 \pm 0.09	11 AUBERT 06N BABR $B \rightarrow D_{s1}(2460)^- \bar{D}^(*)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen 41 BESSON 03 CLE2 10.6 $e^+ e^-$

11 Evaluated in AUBERT 06N including measurements from AUBERT,B 04S.

$\Gamma(D_s^+ \gamma) / \Gamma_{\text{total}}$	Γ_2 / Γ
VALUE	DOCUMENT ID TECN COMMENT
0.18 \pm 0.04 OUR FIT	

0.16 \pm 0.04 \pm 0.03	12 AUBERT 06N BABR $B \rightarrow D_{s1}(2460)^- \bar{D}^(*)$
---	---

12 Evaluated in AUBERT 06N including measurements from AUBERT,B 04S.

$\Gamma(D_s^+\gamma)/\Gamma(D_s^{*+}\pi^0)$ Γ_2/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.38 ± 0.05 OUR FIT					
0.44 ± 0.09 OUR AVERAGE					
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.55 ± 0.13 ± 0.08	152	MIKAMI	04	BELL	10.6 e ⁺ e ⁻
0.38 ± 0.11 ± 0.04	38	KROKOVNY	03B	BELL	10.6 e ⁺ e ⁻
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.274 ± 0.045 ± 0.020	251	¹³ AUBERT,B	04S	BABR	$B \rightarrow D_{s1}(2460)^+ \bar{D}^{\ast(*)}$
< 0.49	90	BESSON	03	CLE2	10.6 e ⁺ e ⁻

¹³ Used by AUBERT 06N in their measurement of $B(D_s^{*-}\pi^0)$ and $B(D_s^-\gamma)$.

 $\Gamma(D_s^+\pi^+\pi^-)/\Gamma(D_s^{*+}\pi^0)$ Γ_3/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.090 ± 0.020 OUR FIT					Error includes scale factor of 1.2.
0.14 ± 0.04 ± 0.02		60	MIKAMI	04	BELL 10.6 e ⁺ e ⁻
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 0.08	90	BESSON	03	CLE2	10.6 e ⁺ e ⁻

 $\Gamma(D_s^{*+}\gamma)/\Gamma(D_s^{*+}\pi^0)$ Γ_4/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.16	90	BESSON	03	CLE2 10.6 e ⁺ e ⁻
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 0.31	90	MIKAMI	04	BELL 10.6 e ⁺ e ⁻

 $\Gamma(D_{s0}^*(2317)^+\gamma)/\Gamma(D_s^{*+}\pi^0)$ Γ_5/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.22	95	AUBERT	04E	BABR 10.6 e ⁺ e ⁻
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 0.58	90	BESSON	03	CLE2 10.6 e ⁺ e ⁻

 $\Gamma(D_s^{*+}\pi^0)/[\Gamma(D_s^{*+}\pi^0) + \Gamma(D_{s0}^*(2317)^+\gamma)]$ $\Gamma_1/(\Gamma_1+\Gamma_5)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.93 ± 0.09 OUR FIT			
0.97 ± 0.09 ± 0.05	AUBERT	06P	BABR 10.6 e ⁺ e ⁻

 $\Gamma(D_s^+\gamma)/[\Gamma(D_s^{*+}\pi^0) + \Gamma(D_{s0}^*(2317)^+\gamma)]$ $\Gamma_2/(\Gamma_1+\Gamma_5)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.35 ± 0.04 OUR FIT			
0.337 ± 0.036 ± 0.038	AUBERT	06P	BABR 10.6 e ⁺ e ⁻

 $\Gamma(D_s^+\pi^+\pi^-)/[\Gamma(D_s^{*+}\pi^0) + \Gamma(D_{s0}^*(2317)^+\gamma)]$ $\Gamma_3/(\Gamma_1+\Gamma_5)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.083 ± 0.017 OUR FIT			Error includes scale factor of 1.2.
0.077 ± 0.013 ± 0.008	AUBERT	06P	BABR 10.6 e ⁺ e ⁻

 $\Gamma(D_s^{*+}\gamma)/[\Gamma(D_s^{*+}\pi^0) + \Gamma(D_{s0}^*(2317)^+\gamma)]$ $\Gamma_4/(\Gamma_1+\Gamma_5)$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.24	95	AUBERT	06P	BABR 10.6 e ⁺ e ⁻

$\Gamma(D_{s0}^*(2317)^+\gamma)/[\Gamma(D_s^{*+}\pi^0) + \Gamma(D_{s0}^*(2317)^+\gamma)]$	$\Gamma_5/(\Gamma_1+\Gamma_5)$
<i>VALUE</i>	<i>CL%</i>
<0.25	95
AUBERT	06P
BABR	10.6 e ⁺ e ⁻
$\Gamma(D_s^+\pi^0)/[\Gamma(D_s^{*+}\pi^0) + \Gamma(D_{s0}^*(2317)^+\gamma)]$	$\Gamma_6/(\Gamma_1+\Gamma_5)$
<i>VALUE</i>	<i>CL%</i>
<0.042	95
AUBERT	06P
BABR	10.6 e ⁺ e ⁻
$\Gamma(D_s^+\pi^0\pi^0)/[\Gamma(D_s^{*+}\pi^0) + \Gamma(D_{s0}^*(2317)^+\gamma)]$	$\Gamma_7/(\Gamma_1+\Gamma_5)$
<i>VALUE</i>	<i>CL%</i>
<0.68	95
AUBERT	06P
BABR	10.6 e ⁺ e ⁻
$\Gamma(D_s^+\gamma\gamma)/[\Gamma(D_s^{*+}\pi^0) + \Gamma(D_{s0}^*(2317)^+\gamma)]$	$\Gamma_8/(\Gamma_1+\Gamma_5)$
<i>VALUE</i>	<i>CL%</i>
<0.33	95
AUBERT	06P
BABR	10.6 e ⁺ e ⁻

$D_{s1}(2460)^{\pm}$ REFERENCES

AUBERT	06N	PR D74 031103	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	06P	PR D74 032007	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	04E	PR D69 031101	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT,B	04S	PRL 93 181801	B. Aubert <i>et al.</i>	(BABAR Collab.)
MIKAMI	04	PRL 92 012002	Y. Mikami <i>et al.</i>	(BELLE Collab.)
BESSON	03	PR D68 032002	D. Besson <i>et al.</i>	(CLEO Collab.)
KROKOVNY	03B	PRL 91 262002	P. Krokovny <i>et al.</i>	(BELLE Collab.)