

$N(1535) S_{11}$

$$I(J^P) = \frac{1}{2}(\frac{1}{2}^-) \text{ Status: } ****$$

Most of the results published before 1975 are now obsolete and have been omitted. They may be found in our 1982 edition, Physics Letters **111B** (1982).

 $N(1535)$ BREIT-WIGNER MASS

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------|------|---|
| 1525 to 1545 (≈ 1535) OUR ESTIMATE | | | |
| 1546.7 \pm 2.2 | ARNDT | 04 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 1534 \pm 7 | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N \& N\pi\pi$ |
| 1550 \pm 40 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| 1526 \pm 7 | HOEHLER | 79 | IPWA $\pi N \rightarrow \pi N$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 1526 \pm 2 | PENNER | 02C | DPWA Multichannel |
| 1530 \pm 10 | BAI | 01B | BES $J/\psi \rightarrow p\bar{p}\eta$ |
| 1522 \pm 11 | THOMPSON | 01 | CLAS $\gamma^* p \rightarrow p\eta$ |
| 1542 \pm 3 | VRANA | 00 | DPWA Multichannel |
| 1532 \pm 5 | ARMSTRONG | 99B | DPWA $\gamma^* p \rightarrow p\eta$ |
| 1549.0 \pm 2.1 | ABAEV | 96 | DPWA $\pi^- p \rightarrow \eta n$ |
| 1525 \pm 10 | ARNDT | 96 | IPWA $\gamma N \rightarrow \pi N$ |
| 1535 | ARNDT | 95 | DPWA $\pi N \rightarrow N\pi$ |
| 1542 \pm 6 | BATINIC | 95 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 1537 | BATINIC | 95B | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 1544 \pm 13 | KRUSCHE | 95 | DPWA $\gamma p \rightarrow p\eta$ |
| 1518 | LI | 93 | IPWA $\gamma N \rightarrow \pi N$ |
| 1513 | CRAWFORD | 80 | DPWA $\gamma N \rightarrow \pi N$ |
| 1511 | BARBOUR | 78 | DPWA $\gamma N \rightarrow \pi N$ |
| 1500 | BERENDS | 77 | IPWA $\gamma N \rightarrow \pi N$ |
| 1547 \pm 6 | BHANDARI | 77 | DPWA Uses $N\eta$ cusp |
| 1520 | ¹ LONGACRE | 77 | IPWA $\pi N \rightarrow N\pi\pi$ |
| 1510 | ² LONGACRE | 75 | IPWA $\pi N \rightarrow N\pi\pi$ |

 $N(1535)$ BREIT-WIGNER WIDTH

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|-------------|------|---|
| 125 to 175 (≈ 150) OUR ESTIMATE | | | |
| 178 \pm 11.6 | ARNDT | 04 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 148.2 \pm 8.1 | GREEN | 97 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 151 \pm 27 | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N \& N\pi\pi$ |
| 240 \pm 80 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| 120 \pm 20 | HOEHLER | 79 | IPWA $\pi N \rightarrow \pi N$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|--------------|-----------------------|-----|------|-----------------------------------|
| 129 ± 8 | PENNER | 02C | DPWA | Multichannel |
| 95 ± 25 | BAI | 01B | BES | $J/\psi \rightarrow p\bar{p}\eta$ |
| 143 ± 18 | THOMPSON | 01 | CLAS | $\gamma^* p \rightarrow p\eta$ |
| 112 ± 19 | VRANA | 00 | DPWA | Multichannel |
| 154 ± 20 | ARMSTRONG | 99B | DPWA | $\gamma^* p \rightarrow p\eta$ |
| 212 ± 20 | ³ KRUSCHE | 97 | DPWA | $\gamma N \rightarrow \eta N$ |
| 168.8 ± 11.6 | ABAEV | 96 | DPWA | $\pi^- p \rightarrow \eta n$ |
| 103 ± 5 | ARNDT | 96 | IPWA | $\gamma N \rightarrow \pi N$ |
| 66 | ARNDT | 95 | DPWA | $\pi N \rightarrow N\pi$ |
| 150 ± 15 | BATINIC | 95 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 145 | BATINIC | 95B | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 200 ± 40 | KRUSCHE | 95 | DPWA | $\gamma p \rightarrow p\eta$ |
| 84 | LI | 93 | IPWA | $\gamma N \rightarrow \pi N$ |
| 136 | CRAWFORD | 80 | DPWA | $\gamma N \rightarrow \pi N$ |
| 180 | BAKER | 79 | DPWA | $\pi^- p \rightarrow n\eta$ |
| 132 | BARBOUR | 78 | DPWA | $\gamma N \rightarrow \pi N$ |
| 57 | BERENDS | 77 | IPWA | $\gamma N \rightarrow \pi N$ |
| 139 ± 33 | BHANDARI | 77 | DPWA | Uses $N\eta$ cusp |
| 135 | ¹ LONGACRE | 77 | IPWA | $\pi N \rightarrow N\pi\pi$ |
| 100 | ² LONGACRE | 75 | IPWA | $\pi N \rightarrow N\pi\pi$ |

$N(1535)$ POLE POSITION

REAL PART

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|-------------|-------------|------|---------|
|-------------|-------------|------|---------|

1490 to 1530 (≈ 1510) OUR ESTIMATE

| | | | | |
|-----------|----------------------|----|------|-----------------------------------|
| 1526 | ARNDT | 04 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 1487 | ⁴ HOEHLER | 93 | SPED | $\pi N \rightarrow \pi N$ |
| 1510 ± 50 | CUTKOSKY | 80 | IPWA | $\pi N \rightarrow \pi N$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|--------------|-----------------------|----|------|-------------------------------------|
| 1525 | VRANA | 00 | DPWA | Multichannel |
| 1510 ± 10 | ⁵ ARNDT | 98 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 1501 | ARNDT | 95 | DPWA | $\pi N \rightarrow N\pi$ |
| 1499 | ARNDT | 91 | DPWA | $\pi N \rightarrow \pi N$ Soln SM90 |
| 1496 or 1499 | ⁶ LONGACRE | 78 | IPWA | $\pi N \rightarrow N\pi\pi$ |
| 1519 ± 4 | BHANDARI | 77 | DPWA | Uses $N\eta$ cusp |
| 1525 or 1527 | ¹ LONGACRE | 77 | IPWA | $\pi N \rightarrow N\pi\pi$ |

−2×IMAGINARY PART

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|-------------|-------------|------|---------|
|-------------|-------------|------|---------|

90 to 250 (≈ 170) OUR ESTIMATE

| | | | | |
|----------|----------|----|------|-----------------------------------|
| 130 | ARNDT | 04 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 260 ± 80 | CUTKOSKY | 80 | IPWA | $\pi N \rightarrow \pi N$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|----------|--------------------|----|------|-------------------------------------|
| 102 | VRANA | 00 | DPWA | Multichannel |
| 170 ± 30 | ⁵ ARNDT | 98 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 124 | ARNDT | 95 | DPWA | $\pi N \rightarrow N\pi$ |
| 110 | ARNDT | 91 | DPWA | $\pi N \rightarrow \pi N$ Soln SM90 |

| | | | | |
|------------|-----------------------|----|------|-----------------------------|
| 103 or 105 | ⁶ LONGACRE | 78 | IPWA | $\pi N \rightarrow N\pi\pi$ |
| 140±32 | BHANDARI | 77 | DPWA | Uses $N\eta$ cusp |
| 135 or 123 | ¹ LONGACRE | 77 | IPWA | $\pi N \rightarrow N\pi\pi$ |

***N*(1535) ELASTIC POLE RESIDUE**

MODULUS $|r|$

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| 33 | ARNDT | 04 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 120±40 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 31 | ARNDT | 95 | DPWA $\pi N \rightarrow N\pi$ |
| 23 | ARNDT | 91 | DPWA $\pi N \rightarrow \pi N$ Soln SM90 |

PHASE θ

| <u>VALUE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| 14 | ARNDT | 04 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| +15±45 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| -12 | ARNDT | 95 | DPWA $\pi N \rightarrow N\pi$ |
| -13 | ARNDT | 91 | DPWA $\pi N \rightarrow \pi N$ Soln SM90 |

***N*(1535) DECAY MODES**

The following branching fractions are our estimates, not fits or averages.

| Mode | Fraction (Γ_i/Γ) |
|---|--------------------------------|
| Γ_1 $N\pi$ | 35–55 % |
| Γ_2 $N\eta$ | 45–60 % |
| Γ_3 $N\pi\pi$ | 1–10 % |
| Γ_4 $\Delta\pi$ | <1 % |
| Γ_5 $\Delta(1232)\pi, D$ -wave | |
| Γ_6 $N\rho$ | <4 % |
| Γ_7 $N\rho, S=1/2, S$ -wave | |
| Γ_8 $N\rho, S=3/2, D$ -wave | |
| Γ_9 $N(\pi\pi)_{S\text{-wave}}^{I=0}$ | <3 % |
| Γ_{10} $N(1440)\pi$ | <7 % |
| Γ_{11} $p\gamma$ | 0.15–0.35 % |
| Γ_{12} $p\gamma, \text{ helicity}=1/2$ | 0.15–0.35 % |
| Γ_{13} $n\gamma$ | 0.004–0.29 % |
| Γ_{14} $n\gamma, \text{ helicity}=1/2$ | 0.004–0.29 % |

N(1535) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$ Γ_1/Γ
VALUE DOCUMENT ID TECN COMMENT

0.35 to 0.55 OUR ESTIMATE

| | | | | |
|-------------|----------|----|------|--|
| 0.360±0.009 | ARNDT | 04 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 0.394±0.009 | GREEN | 97 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 0.51 ±0.05 | MANLEY | 92 | IPWA | $\pi N \rightarrow \pi N \ \& \ N\pi\pi$ |
| 0.50 ±0.10 | CUTKOSKY | 80 | IPWA | $\pi N \rightarrow \pi N$ |
| 0.38 ±0.04 | HOEHLER | 79 | IPWA | $\pi N \rightarrow \pi N$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|-------------|----------|-----|------|---------------------------------|
| 0.36 ±0.01 | PENNER | 02C | DPWA | Multichannel |
| 0.35 ±0.08 | VRANA | 00 | DPWA | Multichannel |
| 0.330±0.011 | ABAEV | 96 | DPWA | $\pi^- p \rightarrow \eta n$ |
| 0.31 | ARNDT | 95 | DPWA | $\pi N \rightarrow N\pi$ |
| 0.34 ±0.09 | BATINIC | 95 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 0.297±0.026 | BHANDARI | 77 | DPWA | Uses $N\eta$ cusp |

$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ
VALUE CL% DOCUMENT ID TECN COMMENT

+0.45–0.60 OUR ESTIMATE

0.529±0.010 OUR AVERAGE

| | | | | |
|------------|--------|-----|------|--------------|
| 0.53 ±0.01 | PENNER | 02C | DPWA | Multichannel |
| 0.51 ±0.05 | VRANA | 00 | DPWA | Multichannel |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | | |
|-------------|----|------------------------|-----|------|-----------------------------------|
| >0.45 | 95 | ⁷ ARMSTRONG | 99B | DPWA | $p(e, e'p)\eta$ |
| 0.568±0.011 | | GREEN | 97 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 0.591±0.017 | | ABAEV | 96 | DPWA | $\pi^- p \rightarrow \eta n$ |
| 0.63 ±0.07 | | BATINIC | 95 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1535) \rightarrow N\eta$ $(\Gamma_1\Gamma_2)^{1/2}/\Gamma$
VALUE DOCUMENT ID TECN COMMENT

+0.44 to +0.50 OUR ESTIMATE

| | | | | |
|------------|--------|----|------|--|
| +0.47±0.02 | MANLEY | 92 | IPWA | $\pi N \rightarrow \pi N \ \& \ N\pi\pi$ |
|------------|--------|----|------|--|

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|-------|----------|----|------|-----------------------------|
| +0.33 | BAKER | 79 | DPWA | $\pi^- p \rightarrow n\eta$ |
| +0.48 | FELTESSE | 75 | DPWA | 1488–1745 MeV |

Note: Signs of couplings from $\pi N \rightarrow N\pi\pi$ analyses were changed in the 1986 edition to agree with the baryon-first convention; the overall phase ambiguity is resolved by choosing a negative sign for the $\Delta(1620) S_{31}$ coupling to $\Delta(1232)\pi$.

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1535) \rightarrow \Delta(1232)\pi, D\text{-wave}$ $(\Gamma_1\Gamma_5)^{1/2}/\Gamma$
VALUE DOCUMENT ID TECN COMMENT

–0.04 to +0.06 OUR ESTIMATE

| | | | | |
|------------|-----------------------|----|------|--|
| +0.00±0.04 | MANLEY | 92 | IPWA | $\pi N \rightarrow \pi N \ \& \ N\pi\pi$ |
| 0.00 | ¹ LONGACRE | 77 | IPWA | $\pi N \rightarrow N\pi\pi$ |
| +0.06 | ² LONGACRE | 75 | IPWA | $\pi N \rightarrow N\pi\pi$ |

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$ Γ_5/Γ

| VALUE | DOCUMENT ID | TECN | COMMENT |
|-------------|-------------|------|-------------------|
| 0.01 ± 0.01 | VRANA | 00 | DPWA Multichannel |

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1535) \rightarrow N\rho, S=1/2, S\text{-wave}$ $(\Gamma_1 \Gamma_7)^{1/2}/\Gamma$

| VALUE | DOCUMENT ID | TECN | COMMENT |
|------------------------------------|-----------------------|------|--|
| −0.14 to −0.06 OUR ESTIMATE | | | |
| −0.10 ± 0.03 | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |
| −0.10 | ¹ LONGACRE | 77 | IPWA $\pi N \rightarrow N\pi\pi$ |
| −0.09 | ² LONGACRE | 75 | IPWA $\pi N \rightarrow N\pi\pi$ |

$\Gamma(N\rho, S=1/2, S\text{-wave})/\Gamma_{\text{total}}$ Γ_7/Γ

| VALUE | DOCUMENT ID | TECN | COMMENT |
|-------------|-------------|------|-------------------|
| 0.02 ± 0.01 | VRANA | 00 | DPWA Multichannel |

$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$ Γ_8/Γ

| VALUE | DOCUMENT ID | TECN | COMMENT |
|-------------|-------------|------|-------------------|
| 0.00 ± 0.01 | VRANA | 00 | DPWA Multichannel |

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1535) \rightarrow N(\pi\pi)_{S\text{-wave}}^{I=0}$ $(\Gamma_1 \Gamma_9)^{1/2}/\Gamma$

| VALUE | DOCUMENT ID | TECN | COMMENT |
|------------------------------------|-----------------------|------|--|
| +0.03 to +0.13 OUR ESTIMATE | | | |
| +0.07 ± 0.04 | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |
| +0.08 | ¹ LONGACRE | 77 | IPWA $\pi N \rightarrow N\pi\pi$ |
| +0.09 | ² LONGACRE | 75 | IPWA $\pi N \rightarrow N\pi\pi$ |

$\Gamma(N(\pi\pi)_{S\text{-wave}}^{I=0})/\Gamma_{\text{total}}$ Γ_9/Γ

| VALUE | DOCUMENT ID | TECN | COMMENT |
|-------------|-------------|------|-------------------|
| 0.02 ± 0.01 | VRANA | 00 | DPWA Multichannel |

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1535) \rightarrow N(1440)\pi$ $(\Gamma_1 \Gamma_{10})^{1/2}/\Gamma$

| VALUE | DOCUMENT ID | TECN | COMMENT |
|--------------|-------------|------|--|
| +0.10 ± 0.05 | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$ Γ_{10}/Γ

| VALUE | DOCUMENT ID | TECN | COMMENT |
|-------------|------------------------|------|-------------------------------|
| 0.08 ± 0.02 | ⁸ STAROSTIN | 03 | $\pi^- p \rightarrow n3\pi^0$ |
| 0.10 ± 0.09 | VRANA | 00 | DPWA Multichannel |

$N(1535)$ PHOTON DECAY AMPLITUDES

$N(1535) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

| VALUE (GeV ^{−1/2}) | DOCUMENT ID | TECN | COMMENT |
|------------------------------------|----------------------------|------|------------------------------------|
| +0.090 ± 0.030 OUR ESTIMATE | | | |
| 0.120 ± 0.011 ± 0.015 | ³ KRUSCHE | 97 | DPWA $\gamma N \rightarrow \eta N$ |
| 0.060 ± 0.015 | ARNDT | 96 | IPWA $\gamma N \rightarrow \pi N$ |
| 0.097 ± 0.006 | BENMERROU..95 | DPWA | $\gamma N \rightarrow N\eta$ |
| 0.095 ± 0.011 | ⁹ BENMERROU..91 | | $\gamma p \rightarrow p\eta$ |
| 0.053 ± 0.015 | CRAWFORD | 83 | IPWA $\gamma N \rightarrow \pi N$ |

| | | | | |
|---|----------------------|-----|------|--------------------------------------|
| 0.077 ±0.021 | AWAJI | 81 | DPWA | $\gamma N \rightarrow \pi N$ |
| 0.083 ±0.007 | ARAI | 80 | DPWA | $\gamma N \rightarrow \pi N$ (fit 1) |
| 0.080 ±0.007 | ARAI | 80 | DPWA | $\gamma N \rightarrow \pi N$ (fit 2) |
| 0.029 ±0.007 | BRATASHEV... | 80 | DPWA | $\gamma N \rightarrow \pi N$ |
| 0.065 ±0.016 | CRAWFORD | 80 | DPWA | $\gamma N \rightarrow \pi N$ |
| 0.0704 ±0.0091 | ISHII | 80 | DPWA | Compton scattering |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| 0.090 | PENNER | 02D | DPWA | Multichannel |
| 0.110 to 0.140 | KRUSCHE | 95 | DPWA | $\gamma p \rightarrow p \eta$ |
| 0.125 ±0.025 | KRUSCHE | 95C | IPWA | $\gamma d \rightarrow \eta N(N)$ |
| 0.061 ±0.003 | LI | 93 | IPWA | $\gamma N \rightarrow \pi N$ |
| 0.055 | WADA | 84 | DPWA | Compton scattering |
| +0.082 ±0.019 | BARBOUR | 78 | DPWA | $\gamma N \rightarrow \pi N$ |
| 0.046 | ¹⁰ NOELLE | 78 | | $\gamma N \rightarrow \pi N$ |
| +0.034 | BERENDS | 77 | IPWA | $\gamma N \rightarrow \pi N$ |
| +0.070 ±0.004 | FELLER | 76 | DPWA | $\gamma N \rightarrow \pi N$ |

$N(1535) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

| <u>VALUE (GeV^{-1/2})</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------------------------|--------------------|-------------|----------------|
|-----------------------------------|--------------------|-------------|----------------|

-0.046 ±0.027 OUR ESTIMATE

| | | | | |
|---------------|----------|----|------|--------------------------------------|
| -0.020 ±0.035 | ARNDT | 96 | IPWA | $\gamma N \rightarrow \pi N$ |
| 0.035 ±0.014 | AWAJI | 81 | DPWA | $\gamma N \rightarrow \pi N$ |
| -0.062 ±0.003 | FUJII | 81 | DPWA | $\gamma N \rightarrow \pi N$ |
| -0.075 ±0.019 | ARAI | 80 | DPWA | $\gamma N \rightarrow \pi N$ (fit 1) |
| -0.075 ±0.018 | ARAI | 80 | DPWA | $\gamma N \rightarrow \pi N$ (fit 2) |
| -0.098 ±0.026 | CRAWFORD | 80 | DPWA | $\gamma N \rightarrow \pi N$ |
| -0.011 ±0.017 | TAKEDA | 80 | DPWA | $\gamma N \rightarrow \pi N$ |

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

| | | | | |
|---------------|----------------------|-----|------|----------------------------------|
| -0.024 | PENNER | 02D | DPWA | Multichannel |
| -0.100 ±0.030 | KRUSCHE | 95C | IPWA | $\gamma d \rightarrow \eta N(N)$ |
| -0.046 ±0.005 | LI | 93 | IPWA | $\gamma N \rightarrow \pi N$ |
| -0.112 ±0.034 | BARBOUR | 78 | DPWA | $\gamma N \rightarrow \pi N$ |
| -0.048 | ¹⁰ NOELLE | 78 | | $\gamma N \rightarrow \pi N$ |

$N(1535) \rightarrow N\gamma$, ratio $A_{1/2}^n/A_{1/2}^p$

| <u>VALUE (GeV^{-1/2})</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|-----------------------------------|--------------------|-------------|
|-----------------------------------|--------------------|-------------|

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

| | | | |
|-------------|-------------|-----|------|
| -0.84 ±0.15 | MUKHOPAD... | 95B | IPWA |
|-------------|-------------|-----|------|

$N(1535)$ FOOTNOTES

¹ LONGACRE 77 pole positions are from a search for poles in the unitarized T-matrix; the first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis. The other LONGACRE 77 values are from eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.

² From method II of LONGACRE 75: eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.

³ KRUSCHE 97 fits with the mass fixed at 1544 MeV.

⁴ See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of N and Δ resonances as determined from Argand diagrams of πN elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.

- ⁵ ARNDT 98 also lists pole residues, which display more model dependence than do the associated pole positions.
- ⁶ LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.
- ⁷ The best value ARMSTRONG 99B obtains is $\simeq 0.55$; this assumes S_{11} dominance in the reaction $p(e, e'p)\eta$ at $Q^2 = 4$ (GeV/c)².
- ⁸ This STAROSTIN 03 value is an estimate made using simplest assumptions.
- ⁹ BENMERROUCHE 91 uses an effective Lagrangian approach to analyze η photoproduction data.
- ¹⁰ Converted to our conventions using $M = 1548$ MeV, $\Gamma = 73$ MeV from NOELLE 78.

N(1535) REFERENCES

For early references, see Physics Letters **111B** 70 (1982).

| | | | | |
|--------------|-----|------------------------|--|----------------------------|
| ARNDT | 04 | PR C69 035213 | R.A. Arndt <i>et al.</i> | (GWU, TRIU) |
| STAROSTIN | 03 | PR C67 068201 | A. Starostin <i>et al.</i> | (BNL Crystal Ball Collab.) |
| PENNER | 02C | PR C66 055211 | G. Penner, U. Mosel | (GIES) |
| PENNER | 02D | PR C66 055212 | G. Penner, U. Mosel | (GIES) |
| BAI | 01B | PL B510 75 | J.Z. Bai <i>et al.</i> | (BEPC BES Collab.) |
| THOMPSON | 01 | PRL 86 1702 | R. Thompson <i>et al.</i> | (Jefferson CLAS Collab.) |
| VRANA | 00 | PRPL 328 181 | T.P. Vrana, S.A. Dytman,, T.-S.H. Lee | (PITT+) |
| ARMSTRONG | 99B | PR D60 052004 | C.S. Armstrong <i>et al.</i> | |
| ARNDT | 98 | PR C58 3636 | R.A. Arndt <i>et al.</i> | |
| GREEN | 97 | PR C55 R2167 | A.M. Green, S. Wycech | (HELs, WINR) |
| KRUSCHE | 97 | PL B397 171 | B. Krusche <i>et al.</i> | (GIES, RPI, SASK) |
| ABAEV | 96 | PR C53 385 | V.V. Abaev, B.M.K. Nefkens | (UCLA) |
| ARNDT | 96 | PR C53 430 | R.A. Arndt, I.I. Strakovsky, R.L. Workman | (VPI) |
| ARNDT | 95 | PR C52 2120 | R.A. Arndt <i>et al.</i> | (VPI, BRCO) |
| BATINIC | 95 | PR C51 2310 | M. Batinic <i>et al.</i> | (BOSK, UCLA) |
| Also | | PR C57 1004 (erratum) | M. Batinic <i>et al.</i> | |
| BATINIC | 95B | PR C52 2188 | M. Batinic, I. Slaus, A. Svarc | (BOSK) |
| BENMERROU... | 95 | PR D51 3237 | M. Benmerrouche, N.C. Mukhopadhyay, J.F. Zhang | |
| KRUSCHE | 95 | PRL 74 3736 | B. Krusche <i>et al.</i> | (GIES, MANZ, GLAS+) |
| KRUSCHE | 95C | PL B358 40 | B. Krusche <i>et al.</i> | (GIES, MANZ, GLAS+) |
| MUKHOPAD... | 95B | PL B364 1 | N.C. Mukhopadhyay, J.F. Zhang, M. Benmerrouche | |
| HOEHLER | 93 | πN Newsletter 9 1 | G. Hohler | (KARL) |
| LI | 93 | PR C47 2759 | Z.J. Li <i>et al.</i> | (VPI) |
| MANLEY | 92 | PR D45 4002 | D.M. Manley, E.M. Saleski | (KENT) IJP |
| Also | | PR D30 904 | D.M. Manley <i>et al.</i> | (VPI) |
| ARNDT | 91 | PR D43 2131 | R.A. Arndt <i>et al.</i> | (VPI, TELE) IJP |
| BENMERROU... | 91 | PRL 67 1070 | M. Benmerrouche, N.C. Mukhopadhyay | (RPI) |
| WADA | 84 | NP B247 313 | Y. Wada <i>et al.</i> | (INUS) |
| CRAWFORD | 83 | NP B211 1 | R.L. Crawford, W.T. Morton | (GLAS) |
| PDG | 82 | PL 111B | M. Roos <i>et al.</i> | (HELs, CIT, CERN) |
| AWAJI | 81 | Bonn Conf. 352 | N. Awaji, R. Kajikawa | (NAGO) |
| Also | | NP B197 365 | K. Fujii <i>et al.</i> | (NAGO) |
| FUJII | 81 | NP B187 53 | K. Fujii <i>et al.</i> | (NAGO, OSAK) |
| ARAI | 80 | Toronto Conf. 93 | I. Arai | (INUS) |
| Also | | NP B194 251 | I. Arai, H. Fujii | (INUS) |
| BRATASHEV... | 80 | NP B166 525 | A.S. Bratashvsky <i>et al.</i> | (KFTI) |
| CRAWFORD | 80 | Toronto Conf. 107 | R.L. Crawford | (GLAS) |
| CUTKOSKY | 80 | Toronto Conf. 19 | R.E. Cutkosky <i>et al.</i> | (CMU, LBL) IJP |
| Also | | PR D20 2839 | R.E. Cutkosky <i>et al.</i> | (CMU, LBL) IJP |
| ISHII | 80 | NP B165 189 | T. Ishii <i>et al.</i> | (KYOT, INUS) |
| TAKEDA | 80 | NP B168 17 | H. Takeda <i>et al.</i> | (TOKY, INUS) |
| BAKER | 79 | NP B156 93 | R.D. Baker <i>et al.</i> | (RHEL) IJP |
| HOEHLER | 79 | PDAT 12-1 | G. Hohler <i>et al.</i> | (KARLT) IJP |
| Also | | Toronto Conf. 3 | R. Koch | (KARLT) IJP |
| BARBOUR | 78 | NP B141 253 | I.M. Barbour, R.L. Crawford, N.H. Parsons | (GLAS) |
| LONGACRE | 78 | PR D17 1795 | R.S. Longacre <i>et al.</i> | (LBL, SLAC) |
| NOELLE | 78 | PTP 60 778 | P. Noelle | (NAGO) |
| BERENDS | 77 | NP B136 317 | F.A. Berends, A. Donnachie | (LEID, MCHS) IJP |

| | | | | |
|----------|----|-------------|-----------------------------|------------------|
| BHANDARI | 77 | PR D15 192 | R. Bhandari, Y.A. Chao | (CMU) IJP |
| LONGACRE | 77 | NP B122 493 | R.S. Longacre, J. Dolbeau | (SACL) IJP |
| Also | | NP B108 365 | J. Dolbeau <i>et al.</i> | (SACL) IJP |
| FELLER | 76 | NP B104 219 | P. Feller <i>et al.</i> | (NAGO, OSAK) IJP |
| FELTESSE | 75 | NP B93 242 | J. Feltesse <i>et al.</i> | (SACL) IJP |
| LONGACRE | 75 | PL 55B 415 | R.S. Longacre <i>et al.</i> | (LBL, SLAC) IJP |
