

$$I(J^P) = \frac{1}{2}(\frac{1}{2}^+) \text{ Status: } ***$$

According to the quark model, the  $\Xi_c^+$  (quark content  $usc$ ) and  $\Xi_c^0$  form an isospin doublet, and the spin-parity ought to be  $J^P = 1/2^+$ . None of  $I$ ,  $J$ , or  $P$  has actually been measured.

### $\Xi_c^+$ MASS

The fit uses the  $\Xi_c^+$  and  $\Xi_c^0$  mass and mass-difference measurements.

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2467.9 ± 0.4 OUR FIT</b>				
<b>2467.6<sup>+0.4</sup><sub>-1.0</sub> OUR AVERAGE</b>				
2468.1 ± 0.4 <sup>+0.2</sup> <sub>-1.4</sub>	4950 ± 286	<sup>1</sup> LESIAK	05 BELL	$e^+e^-$ , $\Upsilon(4S)$
2465.8 ± 1.9 ± 2.5	90	FRABETTI	98 E687	$\gamma$ Be, $\bar{E}_\gamma = 220$ GeV
2467.0 ± 1.6 ± 2.0	147	EDWARDS	96 CLE2	$e^+e^- \approx \Upsilon(4S)$
2465.1 ± 3.6 ± 1.9	30	ALBRECHT	90F ARG	$e^+e^-$ at $\Upsilon(4S)$
2467 ± 3 ± 4	23	ALAM	89 CLEO	$e^+e^-$ 10.6 GeV
2466.5 ± 2.7 ± 1.2	5	BARLAG	89C ACCM	$\pi^-$ Cu 230 GeV
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2464.4 ± 2.0 ± 1.4	30	FRABETTI	93B E687	See FRABETTI 98
2459 ± 5 ± 30	56	<sup>2</sup> COTEUS	87 SPEC	$nA \simeq 600$ GeV
2460 ± 25	82	BIAGI	83 SPEC	$\Sigma^-$ Be 135 GeV

<sup>1</sup>The systematic error was (wrongly) given the other way round in LESIAK 05.

<sup>2</sup>Although COTEUS 87 claims to agree well with BIAGI 83 on the mass and width, there appears to be a discrepancy between the two experiments. BIAGI 83 sees a single peak (stated significance about 6 standard deviations) in the  $\Lambda K^- \pi^+ \pi^+$  mass spectrum. COTEUS 87 sees *two* peaks in the same spectrum, one at the  $\Xi_c^+$  mass, the other 75 MeV lower. The latter is attributed to  $\Xi_c^+ \rightarrow \Sigma^0 K^- \pi^+ \pi^+ \rightarrow (\Lambda \gamma) K^- \pi^+ \pi^+$ , with the  $\gamma$  unseen. The *combined* significance of the double peak is stated to be 5.5 standard deviations. But the absence of any trace of a lower peak in BIAGI 83 seems to us to throw into question the interpretation of the lower peak of COTEUS 87.


### $\Xi_c^+$ MEAN LIFE

<u>VALUE (<math>10^{-15}</math> s)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>442 ± 26 OUR AVERAGE</b>		Error includes scale factor of 1.3.		See the ideogram below.
503 ± 47 ± 18	250	MAHMOOD	02 CLE2	$e^+e^- \approx \Upsilon(4S)$
439 ± 22 ± 9	532	LINK	01D FOCS	$\gamma$ nucleus, $\bar{E}_\gamma \approx 180$ GeV
340 <sup>+70</sup> <sub>-50</sub> ± 20	56	FRABETTI	98 E687	$\gamma$ Be, $\bar{E}_\gamma = 220$ GeV
400 <sup>+180</sup> <sub>-120</sub> ± 100	102	COTEUS	87 SPEC	$nA \simeq 600$ GeV
480 <sup>+210</sup> <sub>-150</sub> ± 200	53	BIAGI	85C SPEC	$\Sigma^-$ Be 135 GeV

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

$410_{-80}^{+110} \pm 20$	30	FRABETTI	93B E687	See FRABETTI 98
$200_{-60}^{+110}$	6	BARLAG	89C ACCM	$\pi^- (K^-)$ Cu 230 GeV

WEIGHTED AVERAGE  
 $442 \pm 26$  (Error scaled by 1.3)



### $\Xi_c^+$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level
------	--------------------------------	------------------

**No absolute branching fractions have been measured.**  
**The following are branching *ratios* relative to  $\Xi^- \pi^+ \pi^+$ .**

#### Cabibbo-favored ( $S = -2$ ) decays

$\Gamma_1$	$p K_S^0 K_S^0$	[a]	$0.087 \pm 0.022$	
$\Gamma_2$	$\Lambda \bar{K}^0 \pi^+$		—	
$\Gamma_3$	$\Sigma(1385)^+ \bar{K}^0$	[a, b]	$1.0 \pm 0.5$	
$\Gamma_4$	$\Lambda K^- \pi^+ \pi^+$	[a]	$0.323 \pm 0.033$	
$\Gamma_5$	$\Lambda \bar{K}^*(892)^0 \pi^+$	[a, b]	$< 0.2$	90%
$\Gamma_6$	$\Sigma(1385)^+ K^- \pi^+$	[a, b]	$< 0.3$	90%
$\Gamma_7$	$\Sigma^+ K^- \pi^+$	[a]	$0.94 \pm 0.11$	
$\Gamma_8$	$\Sigma^+ \bar{K}^*(892)^0$	[a, b]	$0.81 \pm 0.15$	
$\Gamma_9$	$\Sigma^0 K^- \pi^+ \pi^+$	[a]	$0.29 \pm 0.16$	

$\Gamma_{10}$	$\Xi^0 \pi^+$	[a]	$0.55 \pm 0.16$	
$\Gamma_{11}$	$\Xi^- \pi^+ \pi^+$	[a]	DEFINED AS 1	
$\Gamma_{12}$	$\Xi(1530)^0 \pi^+$	[a,b]	$<0.1$	90%
$\Gamma_{13}$	$\Xi^0 \pi^+ \pi^0$	[a]	$2.34 \pm 0.68$	
$\Gamma_{14}$	$\Xi^0 \pi^+ \pi^+ \pi^-$	[a]	$1.74 \pm 0.50$	
$\Gamma_{15}$	$\Xi^0 e^+ \nu_e$	[a]	$2.3 \begin{smallmatrix} +0.7 \\ -0.9 \end{smallmatrix}$	
$\Gamma_{16}$	$\Omega^- K^+ \pi^+$	[a]	$0.07 \pm 0.04$	

### Cabibbo-suppressed decays

$\Gamma_{17}$	$\rho K^- \pi^+$	[a]	$0.21 \pm 0.03$	
$\Gamma_{18}$	$\rho \bar{K}^*(892)^0$	[a,b]	$0.12 \pm 0.02$	
$\Gamma_{19}$	$\Sigma^+ K^+ K^-$	[a]	$0.15 \pm 0.07$	
$\Gamma_{20}$	$\Sigma^+ \phi$	[a,b]	$<0.11$	90%
$\Gamma_{21}$	$\Xi(1690)^0 K^+, \Xi(1690)^0 \rightarrow \Sigma^+ K^-$	[a]	$<0.05$	90%

[a] No absolute branching fractions have been measured. The value here is the branching *ratio* relative to  $\Xi^- \pi^+ \pi^+$ .

[b] This branching fraction includes all the decay modes of the final-state resonance.

## $\Xi_c^+$ BRANCHING RATIOS

### ———— Cabibbo-favored ( $S = -2$ ) decays ————

$\Gamma(\rho K_S^0 K_S^0)/\Gamma(\Xi^- \pi^+ \pi^+)$					$\Gamma_1/\Gamma_{11}$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b><math>0.087 \pm 0.016 \pm 0.014</math></b>	$168 \pm 27$	LESIK	05 BELL	$e^+ e^-, \gamma(4S)$	

$\Gamma(\Sigma(1385)^+ \bar{K}^0)/\Gamma(\Xi^- \pi^+ \pi^+)$					$\Gamma_3/\Gamma_{11}$
Unseen decay modes of the $\Sigma(1385)^+$ are included.					
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b><math>1.00 \pm 0.49 \pm 0.24</math></b>	$20$	LINK	03E FOCS	$< 1.72, 90\% \text{ CL}$	

$\Gamma(\Lambda K^- \pi^+ \pi^+)/\Gamma(\Xi^- \pi^+ \pi^+)$					$\Gamma_4/\Gamma_{11}$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b><math>0.323 \pm 0.033</math> OUR AVERAGE</b>					
$0.32 \pm 0.03 \pm 0.02$	$1177 \pm 55$	LESIK	05 BELL	$e^+ e^-, \gamma(4S)$	
$0.28 \pm 0.06 \pm 0.06$	$58$	LINK	03E FOCS	$\gamma$ nucleus, $\bar{E}_\gamma \approx 180$ GeV	
$0.58 \pm 0.16 \pm 0.07$	$61$	BERGFELD	96 CLE2	$e^+ e^- \approx \gamma(4S)$	

$\Gamma(\Lambda \bar{K}^*(892)^0 \pi^+)/\Gamma(\Lambda K^- \pi^+ \pi^+)$					$\Gamma_5/\Gamma_4$
Unseen decay modes of the $\bar{K}^*(892)^0$ are included.					
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b><math>&lt;0.5</math></b>	$90$	BERGFELD	96 CLE2	$e^+ e^- \approx \gamma(4S)$	

$\Gamma(\Sigma(1385)^+ K^- \pi^+)/\Gamma(\Lambda K^- \pi^+ \pi^+)$   $\Gamma_6/\Gamma_4$

Unseen decay modes of the  $\Sigma(1385)^+$  are included.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.7</b>	90	BERGFELD	96 CLE2	$e^+ e^- \approx \Upsilon(4S)$

$\Gamma(\Sigma^+ K^- \pi^+)/\Gamma(\Xi^- \pi^+ \pi^+)$   $\Gamma_7/\Gamma_{11}$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.94±0.11 OUR AVERAGE</b>				
0.91±0.11±0.04	251	LINK	03E FOCS	$\gamma$ nucleus, $\bar{E}_\gamma \approx 180$ GeV
1.18±0.26±0.17	119	BERGFELD	96 CLE2	$e^+ e^- \approx \Upsilon(4S)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.92±0.20±0.07	<sup>3</sup> JUN	00 SELX		$\Sigma^-$ nucleus, 600 GeV
----------------	------------------	---------	--	-----------------------------

<sup>3</sup>This JUN 00 result is redundant with other results given below.

$\Gamma(\Sigma^+ \bar{K}^*(892)^0)/\Gamma(\Xi^- \pi^+ \pi^+)$   $\Gamma_8/\Gamma_{11}$

Unseen decay modes of the  $\bar{K}^*(892)^0$  are included.

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.81±0.15 OUR AVERAGE</b>				
0.78±0.16±0.06	119	LINK	03E FOCS	$\gamma$ nucleus, $\bar{E}_\gamma \approx 180$ GeV
0.92±0.27±0.14	61	BERGFELD	96 CLE2	$e^+ e^- \approx \Upsilon(4S)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	59	AVERY	95 CLE2	$e^+ e^- \approx \Upsilon(4S)$
------	----	-------	---------	--------------------------------

$\Gamma(\Sigma^0 K^- \pi^+ \pi^+)/\Gamma(\Lambda K^- \pi^+ \pi^+)$   $\Gamma_9/\Gamma_4$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.84±0.36</b>	47	<sup>4</sup> COTEUS	87 SPEC	$nA \approx 600$ GeV

<sup>4</sup>See, however, the note on the COTEUS 87  $\Xi_c^+$  mass measurement.

$\Gamma(\Xi^0 \pi^+)/\Gamma(\Xi^- \pi^+ \pi^+)$   $\Gamma_{10}/\Gamma_{11}$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.55±0.13±0.09</b>	39	EDWARDS	96 CLE2	$e^+ e^- \approx \Upsilon(4S)$

$\Gamma(\Xi^- \pi^+ \pi^+)/\Gamma_{\text{total}}$   $\Gamma_{11}/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	131	BERGFELD	96 CLE2	$e^+ e^- \approx \Upsilon(4S)$
seen	160	AVERY	95 CLE2	$e^+ e^- \approx \Upsilon(4S)$
seen	30	FRABETTI	93B E687	$\gamma$ Be, $\bar{E}_\gamma = 220$ GeV
seen	30	ALBRECHT	90F ARG	$e^+ e^-$ at $\Upsilon(4S)$
seen	23	ALAM	89 CLEO	$e^+ e^-$ 10.6 GeV

$\Gamma(\Xi(1530)^0 \pi^+)/\Gamma(\Xi^- \pi^+ \pi^+)$   $\Gamma_{12}/\Gamma_{11}$

Unseen decay modes of the  $\Xi(1530)^0$  are included.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.1</b>	90	LINK	03E FOCS	$\gamma$ nucleus, $\bar{E}_\gamma \approx 180$ GeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.2	90	BERGFELD	96 CLE2	$e^+ e^- \approx \Upsilon(4S)$
------	----	----------	---------	--------------------------------

$\Gamma(\Xi^0 \pi^+ \pi^0)/\Gamma(\Xi^- \pi^+ \pi^+)$					$\Gamma_{13}/\Gamma_{11}$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>2.34±0.57±0.37</b>	81	EDWARDS	96 CLE2	$e^+ e^- \approx \gamma(4S)$	

$\Gamma(\Xi(1530)^0 \pi^+)/\Gamma(\Xi^0 \pi^+ \pi^0)$					$\Gamma_{12}/\Gamma_{13}$
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.3	90	EDWARDS	96 CLE2	$e^+ e^- \approx \gamma(4S)$	
------	----	---------	---------	------------------------------	--

$\Gamma(\Xi^0 \pi^+ \pi^+ \pi^-)/\Gamma(\Xi^- \pi^+ \pi^+)$					$\Gamma_{14}/\Gamma_{11}$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>1.74±0.42±0.27</b>	57	EDWARDS	96 CLE2	$e^+ e^- \approx \gamma(4S)$	

$\Gamma(\Xi^0 e^+ \nu_e)/\Gamma(\Xi^- \pi^+ \pi^+)$					$\Gamma_{15}/\Gamma_{11}$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>2.3±0.6<sup>+0.3</sup><sub>-0.6</sub></b>	41	ALEXANDER	95B CLE2	$e^+ e^- \approx \gamma(4S)$	

$\Gamma(\Omega^- K^+ \pi^+)/\Gamma(\Xi^- \pi^+ \pi^+)$					$\Gamma_{16}/\Gamma_{11}$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.07±0.03±0.03</b>	14	LINK	03E FOCS	< 0.12, 90% CL	

———— Cabibbo-suppressed decays ————

$\Gamma(\rho K^- \pi^+)/\Gamma(\Sigma^+ K^- \pi^+)$					$\Gamma_{17}/\Gamma_7$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.22±0.06±0.03	76	JUN	00 SELX	$\Sigma^-$ nucleus, 600 GeV	

$\Gamma(\rho K^- \pi^+)/\Gamma(\Xi^- \pi^+ \pi^+)$					$\Gamma_{17}/\Gamma_{11}$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.214±0.034 OUR AVERAGE</b>					
0.234±0.047±0.022	202	LINK	01B FOCS	$\gamma$ nucleus	
0.20 ±0.04 ±0.02	76	JUN	00 SELX	$\Sigma^-$ nucleus, 600 GeV	

$\Gamma(\rho \bar{K}^*(892)^0)/\Gamma(\rho K^- \pi^+)$					$\Gamma_{18}/\Gamma_{17}$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
Unseen decay modes of the $\bar{K}^*(892)^0$ are included.					
<b>0.54±0.09±0.05</b>		LINK	01B FOCS	$\gamma$ nucleus	

$\Gamma(\Sigma^+ K^+ K^-)/\Gamma(\Sigma^+ K^- \pi^+)$					$\Gamma_{19}/\Gamma_7$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.16±0.06±0.01</b>	17	LINK	03E FOCS	$\gamma$ nucleus, $\bar{E}_\gamma \approx 180$ GeV	

$\Gamma(\Sigma^+ \phi)/\Gamma(\Sigma^+ K^- \pi^+)$					$\Gamma_{20}/\Gamma_7$
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
Unseen decay modes of the $\phi$ are included.					
<b>&lt;0.12</b>	90	LINK	03E FOCS	$\gamma$ nucleus, $\bar{E}_\gamma \approx 180$ GeV	

$$\Gamma(\Xi(1690)^0 K^+ \times B(\Xi(1690)^0 \rightarrow \Sigma^+ K^-))/\Gamma(\Sigma^+ K^- \pi^+) \quad \Gamma_{21}/\Gamma_7$$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.05	90	LINK	03E FOCUS	$\gamma$ nucleus, $\bar{E}_\gamma \approx 180$ GeV

### $\Xi_c^+$ REFERENCES

LESIAK	05	PL B605 237	T. Lesiak <i>et al.</i>	(BELLE Collab.)
Also		PL B617 198 (erratum)	T. Lesiak <i>et al.</i>	(BELLE Collab.)
LINK	03E	PL B571 139	J.M. Link <i>et al.</i>	(FNAL FOCUS Collab.)
MAHMOOD	02	PR D65 031102	A.H. Mahmood <i>et al.</i>	(CLEO Collab.)
LINK	01B	PL B512 277	J.M. Link <i>et al.</i>	(FNAL FOCUS Collab.)
LINK	01D	PL B523 53	J.M. Link <i>et al.</i>	(FNAL FOCUS Collab.)
JUN	00	PRL 84 1857	S.Y. Jun <i>et al.</i>	(FNAL SELEX Collab.)
FRABETTI	98	PL B427 211	P.L. Frabetti <i>et al.</i>	(FNAL E687 Collab.)
BERGFELD	96	PL B365 431	T. Bergfeld <i>et al.</i>	(CLEO Collab.)
EDWARDS	96	PL B373 261	K.W. Edwards <i>et al.</i>	(CLEO Collab.)
ALEXANDER	95B	PRL 74 3113	J. Alexander <i>et al.</i>	(CLEO Collab.)
Also		PRL 75 4155 (erratum)	J. Alexander <i>et al.</i>	(CLEO Collab.)
AVERY	95	PRL 75 4364	P. Avery <i>et al.</i>	(CLEO Collab.)
FRABETTI	93B	PRL 70 1381	P.L. Frabetti <i>et al.</i>	(FNAL E687 Collab.)
ALBRECHT	90F	PL B247 121	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ALAM	89	PL B226 401	M.S. Alam <i>et al.</i>	(CLEO Collab.)
BARLAG	89C	PL B233 522	S. Barlag <i>et al.</i>	(ACCMOR Collab.)
COTEUS	87	PRL 59 1530	P. Coteus <i>et al.</i>	(FNAL E400 Collab.)
BIAGI	85C	PL 150B 230	S.F. Biagi <i>et al.</i>	(CERN WA62 Collab.)
BIAGI	83	PL 122B 455	S.F. Biagi <i>et al.</i>	(CERN WA62 Collab.)