

$\Upsilon(2S)$

$$I^G(J^{PC}) = 0^-(1^{--})$$

$\Upsilon(2S)$ MASS

<u>VALUE (GeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
10.02326 ± 0.00031 OUR AVERAGE			
10.0235 ± 0.0005	¹ ARTAMONOV 00	MD1	$e^+e^- \rightarrow$ hadrons
10.0231 ± 0.0004	BARBER 84	REDE	$e^+e^- \rightarrow$ hadrons
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
10.0236 ± 0.0005	^{2,3} BARU	86B REDE	$e^+e^- \rightarrow$ hadrons
¹ Reanalysis of BARU 86B using new electron mass (COHEN 87).			
² Reanalysis of ARTAMONOV 84.			
³ Superseded by ARTAMONOV 00.			

$\Upsilon(2S)$ WIDTH

<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>
31.98 ± 2.63 OUR EVALUATION	See the Note on "Width Determinations of the Υ States"

$\Upsilon(2S)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 $\Upsilon(1S)\pi^+\pi^-$	(18.8 ± 0.6) %	
Γ_2 $\Upsilon(1S)\pi^0\pi^0$	(9.0 ± 0.8) %	
Γ_3 $\tau^+\tau^-$	(2.00 ± 0.21) %	
Γ_4 $\mu^+\mu^-$	(1.93 ± 0.17) %	S=2.2
Γ_5 e^+e^-	(1.91 ± 0.16) %	
Γ_6 $\Upsilon(1S)\pi^0$	< 1.1 × 10 ⁻³	CL=90%
Γ_7 $\Upsilon(1S)\eta$	< 2 × 10 ⁻³	CL=90%
Γ_8 $J/\psi(1S)$ anything	< 6 × 10 ⁻³	CL=90%
Γ_9 \bar{d} anything	(3.4 ± 0.6) × 10 ⁻⁵	
Γ_{10} hadrons	(94 ± 11) %	
Radiative decays		
Γ_{11} $\gamma\chi_{b1}(1P)$	(6.9 ± 0.4) %	
Γ_{12} $\gamma\chi_{b2}(1P)$	(7.15 ± 0.35) %	
Γ_{13} $\gamma\chi_{b0}(1P)$	(3.8 ± 0.4) %	
Γ_{14} $\gamma f_0(1710)$	< 5.9 × 10 ⁻⁴	CL=90%
Γ_{15} $\gamma f_2'(1525)$	< 5.3 × 10 ⁻⁴	CL=90%
Γ_{16} $\gamma f_2(1270)$	< 2.41 × 10 ⁻⁴	CL=90%
Γ_{17} $\gamma f_J(2220)$	< 5.1 × 10 ⁻⁴	CL=90%
Γ_{18} $\gamma\eta_b(1S)$	< 5.1 × 10 ⁻⁴	CL=90%

$\Upsilon(2S) \Gamma(i)\Gamma(e^+e^-)/\Gamma(\text{total})$

$\Gamma(e^+e^-) \times \Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$				$\Gamma_5\Gamma_4/\Gamma$
<u>VALUE (eV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
6.5±1.5±1.0	KOBEL	92	CBAL	$e^+e^- \rightarrow \mu^+\mu^-$

$\Gamma(\text{hadrons}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$				$\Gamma_{10}\Gamma_5/\Gamma$
<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.577±0.009 OUR AVERAGE				
0.581±0.004±0.009	⁴ ROSNER	06	CLEO	10.0 $e^+e^- \rightarrow$ hadrons
0.552±0.031±0.017	⁴ BARU	96	MD1	$e^+e^- \rightarrow$ hadrons
0.54 ±0.04 ±0.02	⁴ JAKUBOWSKI	88	CBAL	$e^+e^- \rightarrow$ hadrons
0.58 ±0.03 ±0.04	⁵ GILES	84B	CLEO	$e^+e^- \rightarrow$ hadrons
0.60 ±0.12 ±0.07	⁵ ALBRECHT	82	DASP	$e^+e^- \rightarrow$ hadrons
0.54 ±0.07 ^{+0.09} _{-0.05}	⁵ NICZYPORUK	81C	LENA	$e^+e^- \rightarrow$ hadrons
0.41 ±0.18	⁵ BOCK	80	CNTR	$e^+e^- \rightarrow$ hadrons

⁴ Radiative corrections evaluated following KURAEV 85.

⁵ Radiative corrections reevaluated by BUCHMUELLER 88 following KURAEV 85.

$\Upsilon(2S)$ PARTIAL WIDTHS

$\Gamma(e^+e^-)$				Γ_5
<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>			
0.612±0.011 OUR EVALUATION				

$\Upsilon(2S)$ BRANCHING RATIOS

$\Gamma(\Upsilon(1S)\pi^+\pi^-)/\Gamma_{\text{total}}$				Γ_1/Γ
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.188±0.006 OUR AVERAGE				
0.192±0.002±0.010	52.6k	⁶ ALEXANDER	98	CLE2 $\pi^+\pi^-\ell^+\ell^-$,
0.181±0.005±0.010	11.6k	ALBRECHT	87	ARG $\pi^+\pi^-\text{MM}$
0.169±0.040		GELPHMAN	85	CBAL $e^+e^- \rightarrow$ $\pi^+\pi^-\text{MM}$
0.191±0.012±0.006		BESSION	84	CLEO $\pi^+\pi^-\text{MM}$
0.189±0.026		FONSECA	84	CUSB $e^+e^- \rightarrow$ $\ell^+\ell^-\pi^+\pi^-$
0.21 ±0.07	7	NICZYPORUK	81B	LENA $e^+e^- \rightarrow$ $\ell^+\ell^-\pi^+\pi^-$

⁶ Using $B(\Upsilon(1S) \rightarrow e^+e^-) = (2.52 \pm 0.17)\%$ and $B(\Upsilon(1S) \rightarrow \mu^+\mu^-) = (2.48 \pm 0.07)\%$.

$\Gamma(\Upsilon(1S)\pi^0\pi^0)/\Gamma_{\text{total}}$ Γ_2/Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.090±0.008 OUR AVERAGE				
0.092±0.006±0.008	275	⁷ ALEXANDER 98	CLE2	$e^+e^- \rightarrow \ell^+\ell^-\pi^0\pi^0$
0.095±0.019±0.019	25	ALBRECHT 87	ARG	$e^+e^- \rightarrow \pi^0\pi^0\ell^+\ell^-$
0.080±0.015		GELPHMAN 85	CBAL	$e^+e^- \rightarrow \ell^+\ell^-\pi^0\pi^0$
0.103±0.023		FONSECA 84	CUSB	$e^+e^- \rightarrow \ell^+\ell^-\pi^0\pi^0$

⁷ Using $B(\Upsilon(1S) \rightarrow e^+e^-) = (2.52 \pm 0.17)\%$ and $B(\Upsilon(1S) \rightarrow \mu^+\mu^-) = (2.48 \pm 0.07)\%$.

$\Gamma(\tau^+\tau^-)/\Gamma_{\text{total}}$ Γ_3/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.00±0.21 OUR AVERAGE				
2.00±0.12±0.18	22k	⁸ BESSON 07	CLEO	$e^+e^- \rightarrow \Upsilon(2S) \rightarrow \tau^+\tau^-$
1.7 ± 1.5 ± 0.6		HAAS 84B	CLEO	$e^+e^- \rightarrow \tau^+\tau^-$

⁸ BESSON 07 reports $[B(\Upsilon(2S) \rightarrow \tau^+\tau^-) / B(\Upsilon(2S) \rightarrow \mu^+\mu^-)] = 1.04 \pm 0.04 \pm 0.05$.

We multiply by our best value $B(\Upsilon(2S) \rightarrow \mu^+\mu^-) = (1.93 \pm 0.17) \times 10^{-2}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

$\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0193±0.0017 OUR AVERAGE Error includes scale factor of 2.2. See the ideogram below.					
0.0203±0.0003±0.0008		120k	ADAMS	05	CLEO $e^+e^- \rightarrow \mu^+\mu^-$
0.0122±0.0028±0.0019			⁹ KOBEL	92	CBAL $e^+e^- \rightarrow \mu^+\mu^-$
0.0138±0.0025±0.0015			KAARSBERG	89	CSB2 $e^+e^- \rightarrow \mu^+\mu^-$
0.009 ± 0.006 ± 0.006			¹⁰ ALBRECHT	85	ARG $e^+e^- \rightarrow \mu^+\mu^-$
0.018 ± 0.008 ± 0.005			HAAS	84B	CLEO $e^+e^- \rightarrow \mu^+\mu^-$


• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.038	90	NICZYPORUK 81C	LENA	$e^+e^- \rightarrow \mu^+\mu^-$
--------	----	----------------	------	---------------------------------

⁹ Taking into account interference between the resonance and continuum.

¹⁰ Re-evaluated using $B(\Upsilon(1S) \rightarrow \mu^+\mu^-) = 0.026$.

WEIGHTED AVERAGE
 0.0193 ± 0.0017 (Error scaled by 2.2)



$\Gamma(\mu^+ \mu^-) / \Gamma_{\text{total}}$

Γ_4 / Γ

$\Gamma(\tau^+ \tau^-) / \Gamma(\mu^+ \mu^-)$

Γ_3 / Γ_4

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
$1.04 \pm 0.04 \pm 0.05$	22k	BESSON 07	CLEO	$e^+ e^- \rightarrow \Upsilon(2S)$

$\Gamma(\Upsilon(1S)\pi^0) / \Gamma_{\text{total}}$

Γ_6 / Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.0011	90	ALEXANDER 98	CLE2	$e^+ e^- \rightarrow \ell^+ \ell^- \gamma \gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.008	90	LURZ 87	CBAL	$e^+ e^- \rightarrow \ell^+ \ell^- \gamma \gamma$
--------	----	---------	------	---

$\Gamma(\Upsilon(1S)\eta) / \Gamma_{\text{total}}$

Γ_7 / Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.002	90	FONSECA 84	CUSB	

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.0028	90	ALEXANDER 98	CLE2	$e^+ e^- \rightarrow \ell^+ \ell^- \eta$
<0.005	90	ALBRECHT 87	ARG	$e^+ e^- \rightarrow$
<0.007	90	LURZ 87	CBAL	$e^+ e^- \rightarrow \ell^+ \ell^- \text{MM}$ $(\pi^+ \pi^- \ell^+ \ell^- \text{MM}, 3\pi^0)$
<0.010	90	BESSON 84	CLEO	

$\Gamma(J/\psi(1S) \text{ anything}) / \Gamma_{\text{total}}$

Γ_8 / Γ

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.006	90	MASCHMANN 90	CBAL	$e^+ e^- \rightarrow \text{hadrons}$

$\Gamma(\bar{d} \text{ anything})/\Gamma_{\text{total}}$

Γ_9/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
$3.37 \pm 0.50 \pm 0.25$	58	ASNER	07	CLEO $e^+e^- \rightarrow \bar{d}X$

$\Gamma(\gamma\chi_{b1}(1P))/\Gamma_{\text{total}}$

Γ_{11}/Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.069 ± 0.004 OUR AVERAGE				
$0.0693 \pm 0.0012 \pm 0.0041$	407k	ARTUSO	05	CLEO $e^+e^- \rightarrow \gamma X$
$0.069 \pm 0.005 \pm 0.009$		EDWARDS	99	CLE2 $\Upsilon(2S) \rightarrow \gamma\chi(1P)$
$0.091 \pm 0.018 \pm 0.022$		ALBRECHT	85E	ARG $e^+e^- \rightarrow \gamma \text{conv. } X$
$0.065 \pm 0.007 \pm 0.012$		NERNST	85	CBAL $e^+e^- \rightarrow \gamma X$
$0.080 \pm 0.017 \pm 0.016$		HAAS	84	CLEO $e^+e^- \rightarrow \gamma \text{conv. } X$
0.059 ± 0.014		KLOPFEN...	83	CUSB $e^+e^- \rightarrow \gamma X$

$\Gamma(\gamma\chi_{b2}(1P))/\Gamma_{\text{total}}$

Γ_{12}/Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.0715 ± 0.0035 OUR AVERAGE				
$0.0724 \pm 0.0011 \pm 0.0040$	410k	ARTUSO	05	CLEO $e^+e^- \rightarrow \gamma X$
$0.074 \pm 0.005 \pm 0.008$		EDWARDS	99	CLE2 $\Upsilon(2S) \rightarrow \gamma\chi(1P)$
$0.098 \pm 0.021 \pm 0.024$		ALBRECHT	85E	ARG $e^+e^- \rightarrow \gamma \text{conv. } X$
$0.058 \pm 0.007 \pm 0.010$		NERNST	85	CBAL $e^+e^- \rightarrow \gamma X$
$0.102 \pm 0.018 \pm 0.021$		HAAS	84	CLEO $e^+e^- \rightarrow \gamma \text{conv. } X$
0.061 ± 0.014		KLOPFEN...	83	CUSB $e^+e^- \rightarrow \gamma X$

$\Gamma(\gamma\chi_{b0}(1P))/\Gamma_{\text{total}}$

Γ_{13}/Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.038 ± 0.004 OUR AVERAGE				
$0.0375 \pm 0.0012 \pm 0.0047$	198k	ARTUSO	05	CLEO $e^+e^- \rightarrow \gamma X$
$0.034 \pm 0.005 \pm 0.006$		EDWARDS	99	CLE2 $\Upsilon(2S) \rightarrow \gamma\chi(1P)$
$0.064 \pm 0.014 \pm 0.016$		ALBRECHT	85E	ARG $e^+e^- \rightarrow \gamma \text{conv. } X$
$0.036 \pm 0.008 \pm 0.009$		NERNST	85	CBAL $e^+e^- \rightarrow \gamma X$
$0.044 \pm 0.023 \pm 0.009$		HAAS	84	CLEO $e^+e^- \rightarrow \gamma \text{conv. } X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.035 ± 0.014		KLOPFEN...	83	CUSB $e^+e^- \rightarrow \gamma X$

$\Gamma(\gamma f_0(1710))/\Gamma_{\text{total}}$

Γ_{14}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<59	90	¹¹ ALBRECHT	89	ARG $\Upsilon(2S) \rightarrow \gamma K^+ K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 5.9	90	¹² ALBRECHT	89	ARG $\Upsilon(2S) \rightarrow \gamma \pi^+ \pi^-$
¹¹ Re-evaluated assuming $B(f_0(1710) \rightarrow K^+ K^-) = 0.19$.				
¹² Includes unknown branching ratio of $f_0(1710) \rightarrow \pi^+ \pi^-$.				

$\Gamma(\gamma f'_2(1525))/\Gamma_{\text{total}}$

Γ_{15}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT
<53	90	¹³ ALBRECHT	89	ARG $\Upsilon(2S) \rightarrow \gamma K^+ K^-$
¹³ Re-evaluated assuming $B(f'_2(1525) \rightarrow K \bar{K}) = 0.71$.				

$\Gamma(\gamma f_2(1270))/\Gamma_{\text{total}}$					Γ_{16}/Γ
VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT	
<24.1	90	¹⁴ ALBRECHT 89	ARG	$\Upsilon(2S) \rightarrow \gamma \pi^+ \pi^-$	
¹⁴ Using $B(f_2(1270) \rightarrow \pi\pi) = 0.84$.					

$\Gamma(\gamma f_J(2220))/\Gamma_{\text{total}}$					Γ_{17}/Γ
VALUE (units 10^{-5})	CL%	DOCUMENT ID	TECN	COMMENT	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<6.8	90	¹⁵ ALBRECHT 89	ARG	$\Upsilon(2S) \rightarrow \gamma K^+ K^-$	
¹⁵ Includes unknown branching ratio of $f_J(2220) \rightarrow K^+ K^-$.					

$\Gamma(\gamma \eta_b(1S))/\Gamma_{\text{total}}$					Γ_{18}/Γ
VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT	
<5.1	90	ARTUSO 05	CLEO	$e^+ e^- \rightarrow \gamma X$	

$\Upsilon(2S)$ REFERENCES

ASNER	07	PR D75 012009	D.M. Asner <i>et al.</i>	(CLEO Collab.)
BESSON	07	PRL 98 052002	D. Besson <i>et al.</i>	(CLEO Collab.)
ROSENER	06	PRL 96 092003	J.L. Rosner <i>et al.</i>	(CLEO Collab.)
ADAMS	05	PRL 94 012001	G.S. Adams <i>et al.</i>	(CLEO Collab.)
ARTUSO	05	PRL 94 032001	M. Artuso <i>et al.</i>	(CLEO Collab.)
ARTAMONOV	00	PL B474 427	A.S. Artamonov <i>et al.</i>	
EDWARDS	99	PR D59 032003	K.W. Edwards <i>et al.</i>	(CLEO Collab.)
ALEXANDER	98	PR D58 052004	J.P. Alexander <i>et al.</i>	(CLEO Collab.)
BARU	96	PRPL 267 71	S.E. Baru <i>et al.</i>	(NOVO)
KOBEL	92	ZPHY C53 193	M. Kobel <i>et al.</i>	(Crystal Ball Collab.)
MASCHMANN	90	ZPHY C46 555	W.S. Maschmann <i>et al.</i>	(Crystal Ball Collab.)
ALBRECHT	89	ZPHY C42 349	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
KAARSBERG	89	PRL 62 2077	T.M. Kaarsberg <i>et al.</i>	(CUSB Collab.)
BUCHMUEL...	88	HE $e^+ e^-$ Physics 412	W. Buchmueller, S. Cooper	(HANN, DESY, MIT)
Editors: A. Ali and P. Soeding, World Scientific, Singapore				
JAKUBOWSKI	88	ZPHY C40 49	Z. Jakubowski <i>et al.</i>	(Crystal Ball Collab.) IGJPC
ALBRECHT	87	ZPHY C35 283	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
COHEN	87	RMP 59 1121	E.R. Cohen, B.N. Taylor	(RISC, NBS)
LURZ	87	ZPHY C36 383	B. Lurz <i>et al.</i>	(Crystal Ball Collab.)
BARU	86B	ZPHY C32 622	S.E. Baru <i>et al.</i>	(NOVO)
ALBRECHT	85	ZPHY C28 45	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ALBRECHT	85E	PL 160B 331	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
GELPHMAN	85	PR D11 2893	D. Gelphman <i>et al.</i>	(Crystal Ball Collab.)
KURAEV	85	SJNP 41 466	E.A. Kuraev, V.S. Fadin	(NOVO)
Translated from YAF 41 733.				
NERNST	85	PRL 54 2195	R. Nernst <i>et al.</i>	(Crystal Ball Collab.)
ARTAMONOV	84	PL 137B 272	A.S. Artamonov <i>et al.</i>	(NOVO)
BARBER	84	PL 135B 498	D.P. Barber <i>et al.</i>	
BESSON	84	PR D30 1433	D. Besson <i>et al.</i>	(CLEO Collab.)
FONSECA	84	NP B242 31	V. Fonseca <i>et al.</i>	(CUSB Collab.)
GILES	84B	PR D29 1285	R. Giles <i>et al.</i>	(CLEO Collab.)
HAAS	84	PRL 52 799	J. Haas <i>et al.</i>	(CLEO Collab.)
HAAS	84B	PR D30 1996	J. Haas <i>et al.</i>	(CLEO Collab.)
KLOPFEN...	83	PRL 51 160	C. Klopfenstein <i>et al.</i>	(CUSB Collab.)
ALBRECHT	82	PL 116B 383	H. Albrecht <i>et al.</i>	(DESY, DORT, HEIDH+)
NICZYPORUK	81B	PL 100B 95	B. Niczyporuk <i>et al.</i>	(LENA Collab.)
NICZYPORUK	81C	PL 99B 169	B. Niczyporuk <i>et al.</i>	(LENA Collab.)
BOCK	80	ZPHY C6 125	P. Bock <i>et al.</i>	(HEIDP, MPIM, DESY, HAMB)

————— **OTHER RELATED PAPERS** —————

BESSON	06A	PR D74 012003	D. Besson <i>et al.</i>	(CLEO Collab.)
GUO	05	NP A761 269	F.-K. Guo <i>et al.</i>	
ALEXANDER	89	NP B320 45	J.P. Alexander <i>et al.</i>	(LBL, MICH, SLAC)
WALK	86	PR D34 2611	W.S. Walk <i>et al.</i>	(Crystal Ball Collab.)
ALBRECHT	84	PL 134B 137	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ARTAMONOV	84	PL 137B 272	A.S. Artamonov <i>et al.</i>	(NOVO)
ANDREWS	83	PRL 50 807	D.E. Andrews <i>et al.</i>	(CLEO Collab.)
GREEN	82	PRL 49 617	J. Green <i>et al.</i>	(CLEO Collab.)
BIENLEIN	78	PL 78B 360	J.K. Bienlein <i>et al.</i>	(DESY, HAMB, HEIDP+)
DARDEN	78	PL 76B 246	C.W. Darden <i>et al.</i>	(DESY, DORT, HEIDH+)
KAPLAN	78	PRL 40 435	D.M. Kaplan <i>et al.</i>	(STON, FNAL, COLU)
YOH	78	PRL 41 684	J.K. Yoh <i>et al.</i>	(COLU, FNAL, STON)
COBB	77	PL 72B 273	J.H. Cobb <i>et al.</i>	(BNL, CERN, SYRA, YALE)
HERB	77	PRL 39 252	S.W. Herb <i>et al.</i>	(COLU, FNAL, STON)
INNES	77	PRL 39 1240	W.R. Innes <i>et al.</i>	(COLU, FNAL, STON)
