



$$I(J^P) = 0(\frac{1}{2}^+) \quad \text{Status: } ***$$

The quantum numbers have not been measured, but are simply assigned in accord with the quark model, in which the  $\Omega_c^0$  is the ssc ground state.

## $\Omega_c^0$ MASS


| VALUE (MeV)   | EVTS               | DOCUMENT ID   | TECN     | COMMENT  |
|---|--------------------|---|----------|--|
| <b>2695.2 ± 1.7</b>   | <b>OUR FIT</b>     | Error includes scale factor of 1.3.                         |          |  |
| <b>2695.2<sup>+1.8</sup><sub>-1.6</sub></b>                                   | <b>OUR AVERAGE</b> | Error includes scale factor of 1.3. See the ideogram below. |          |  |
| 2693.6 ± 0.3 <sup>+1.8</sup> <sub>-1.5</sub>                                  | 725 ± 45           | SOLOVIEVA   | 09 BELL  | $\Omega^- \pi^+$ in $e^+ e^- \rightarrow \Upsilon(4S)$ |
| 2694.6 ± 2.6 ± 1.9  | 40                 | <sup>1</sup> CRONIN-HEN..01                                 | CLE2     | $e^+ e^- \approx 10.6$ GeV                             |
| 2699.9 ± 1.5 ± 2.5  | 42                 | <sup>2</sup> FRABETTI                                       | 94H E687 | $\gamma$ Be, $\bar{E}_\gamma = 221$ GeV                |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                    |   |          |  |
| 2705.9 ± 3.3 ± 2.0  | 10                 | <sup>3</sup> FRABETTI                                       | 93 E687  | $\gamma$ Be, $\bar{E}_\gamma = 221$ GeV                |
| 2719.0 ± 7.0 ± 2.5  | 11                 | <sup>4</sup> ALBRECHT                                       | 92H ARG  | $e^+ e^- \approx 10.6$ GeV                             |
| 2740 ± 20   | 3                  | BIAGI   | 85B SPEC | $\Sigma^-$ Be 135 GeV/c                                |

<sup>1</sup> CRONIN-HENNESSY 01 sees  $40.4 \pm 9.0$  events in a sum over five channels.

<sup>2</sup> FRABETTI 94H claims a signal of  $42.5 \pm 8.8$   $\Sigma^+ K^- K^- \pi^+$  events. The background is about 24 events.

<sup>3</sup> FRABETTI 93 claims a signal of  $10.3 \pm 3.9$   $\Omega^- \pi^+$  events above a background of 5.8 events.

<sup>4</sup> ALBRECHT 92H claims a signal of  $11.5 \pm 4.3$   $\Xi^- K^- \pi^+ \pi^+$  events. The background is about 5 events.



### $\Omega_c^0$ MEAN LIFE

| VALUE ( $10^{-15}$ s)                  | EVTS | DOCUMENT ID | TECN     | COMMENT   |
|--|------|-------------|----------|---|
| <b>69 ± 12 OUR AVERAGE</b>             |      |             |          |   |
| 72 ± 11 ± 11                           | 64   | LINK        | 03C FOCS | $\Omega^- \pi^+, \Xi^- K^- \pi^+ \pi^+$             |
| 55 <sup>+13+18</sup> <sub>-11-23</sub> | 86   | ADAMOVICH   | 95B WA89 | $\Omega^- \pi^- \pi^+ \pi^+, \Xi^- K^- \pi^+ \pi^+$ |
| 86 <sup>+27</sup> <sub>-20</sub> ± 28  | 25   | FRABETTI    | 95D E687 | $\Sigma^+ K^- K^- \pi^+$                            |

### $\Omega_c^0$ DECAY MODES

No absolute branching fractions have been measured.

| Mode                                    | Fraction ( $\Gamma_i/\Gamma$ ) |
|---|--------------------------------|
| $\Gamma_1$ $\Sigma^+ K^- K^- \pi^+$     | seen                           |
| $\Gamma_2$ $\Xi^0 K^- \pi^+$            | seen                           |
| $\Gamma_3$ $\Xi^- K^- \pi^+ \pi^+$      | seen                           |
| $\Gamma_4$ $\Omega^- e^+ \nu_e$         | seen                           |
| $\Gamma_5$ $\Omega^- \pi^+$             | seen                           |
| $\Gamma_6$ $\Omega^- \pi^+ \pi^0$       | seen                           |
| $\Gamma_7$ $\Omega^- \pi^- \pi^+ \pi^+$ | seen                           |

$\Omega_c^0$  BRANCHING RATIOS $\Gamma(\Sigma^+ K^- K^- \pi^+)/\Gamma_{\text{total}}$   $\Gamma_1/\Gamma$ 

| VALUE       | EVTS | DOCUMENT ID  | TECN | COMMENT                                 |
|-------------|------|--------------|------|---|
| <b>seen</b> | 42   | FRABETTI 94H | E687 | $\gamma$ Be, $\bar{E}_\gamma = 221$ GeV |

 $\Gamma(\Sigma^+ K^- K^- \pi^+)/\Gamma(\Omega^- \pi^+)$   $\Gamma_1/\Gamma_5$ 

| VALUE | CL% | DOCUMENT ID | TECN | COMMENT |
|-------|-----|-------------|------|---------|
|-------|-----|-------------|------|---------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

<4.8 90 CRONIN-HEN..01 CLE2  $e^+ e^- \approx 10.6$  GeV

 $\Gamma(\Xi^0 K^- \pi^+)/\Gamma(\Omega^- \pi^+)$   $\Gamma_2/\Gamma_5$ 

| VALUE | EVTS | DOCUMENT ID | TECN | COMMENT |
|-------|------|-------------|------|---------|
|-------|------|-------------|------|---------|

**4.0 ± 2.5 ± 0.4** 9 CRONIN-HEN..01 CLE2  $e^+ e^- \approx 10.6$  GeV

 $\Gamma(\Xi^- K^- \pi^+ \pi^+)/\Gamma_{\text{total}}$   $\Gamma_3/\Gamma$ 

| VALUE | EVTS | DOCUMENT ID | TECN | COMMENT |
|-------|------|-------------|------|---------|
|-------|------|-------------|------|---------|

**seen** 11 ALBRECHT 92H ARG  $e^+ e^- \approx 10.6$  GeV

**seen** 3 BIAGI 85B SPEC  $\Sigma^-$  Be 135 GeV/c

 $\Gamma(\Xi^- K^- \pi^+ \pi^+)/\Gamma(\Omega^- \pi^+)$   $\Gamma_3/\Gamma_5$ 

| VALUE | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|-------|-----|------|-------------|------|---------|
|-------|-----|------|-------------|------|---------|

**0.46 ± 0.13 ± 0.03** 45 ± 12 AUBERT 07AH BABR  $e^+ e^- \approx \Upsilon(4S)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.6 ± 1.1 ± 0.4 7 CRONIN-HEN..01 CLE2  $e^+ e^- \approx 10.6$  GeV

<2.8 90 FRABETTI 93 E687  $\gamma$  Be,  $\bar{E}_\gamma = 221$  GeV

 $\Gamma(\Omega^- \pi^+)/\Gamma(\Omega^- e^+ \nu_e)$   $\Gamma_5/\Gamma_4$ 

| VALUE | EVTS | DOCUMENT ID | TECN | COMMENT |
|-------|------|-------------|------|---------|
|-------|------|-------------|------|---------|

**0.41 ± 0.19 ± 0.04** 11 AMMAR 02 CLE2  $e^+ e^- \approx \Upsilon(4S)$

 $\Gamma(\Omega^- \pi^+ \pi^0)/\Gamma(\Omega^- \pi^+)$   $\Gamma_6/\Gamma_5$ 

| VALUE | EVTS | DOCUMENT ID | TECN | COMMENT |
|-------|------|-------------|------|---------|
|-------|------|-------------|------|---------|

**1.27 ± 0.31 ± 0.11** 64 ± 15 AUBERT 07AH BABR  $e^+ e^- \approx \Upsilon(4S)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

4.2 ± 2.2 ± 0.9 12 CRONIN-HEN..01 CLE2  $e^+ e^- \approx 10.6$  GeV

 $\Gamma(\Omega^- \pi^- \pi^+ \pi^+)/\Gamma(\Omega^- \pi^+)$   $\Gamma_7/\Gamma_5$ 

| VALUE | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|-------|-----|------|-------------|------|---------|
|-------|-----|------|-------------|------|---------|

**0.28 ± 0.09 ± 0.01** 25 ± 8 AUBERT 07AH BABR  $e^+ e^- \approx \Upsilon(4S)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.56 90 CRONIN-HEN..01 CLE2  $e^+ e^- \approx 10.6$  GeV

seen ADAMOVICH 95B WA89  $\Sigma^-$  340 GeV

<1.6 90 FRABETTI 93 E687  $\gamma$  Be,  $\bar{E}_\gamma = 221$  GeV

## $\Omega_c^0$ REFERENCES

|               |      |               |                                  |                      |
|---------------|------|---------------|----------------------------------|----------------------|
| SOLOVIEVA     | 09   | PL B672 1     | E. Solovieva <i>et al.</i>       | (BELLE Collab.)      |
| AUBERT        | 07AH | PRL 99 062001 | B. Aubert <i>et al.</i>          | (BABAR Collab.)      |
| LINK          | 03C  | PL B561 41    | J.M. Link <i>et al.</i>          | (FNAL FOCUS Collab.) |
| AMMAR         | 02   | PRL 89 171803 | R. Ammar <i>et al.</i>           | (CLEO Collab.)       |
| CRONIN-HEN... | 01   | PRL 86 3730   | D. Cronin-Hennessy <i>et al.</i> | (CLEO Collab.)       |
| ADAMOVICH     | 95B  | PL B358 151   | M.I. Adamovich <i>et al.</i>     | (CERN WA89 Collab.)  |
| FRABETTI      | 95D  | PL B357 678   | P.L. Frabetti <i>et al.</i>      | (FNAL E687 Collab.)  |
| FRABETTI      | 94H  | PL B338 106   | P.L. Frabetti <i>et al.</i>      | (FNAL E687 Collab.)  |
| FRABETTI      | 93   | PL B300 190   | P.L. Frabetti <i>et al.</i>      | (FNAL E687 Collab.)  |
| ALBRECHT      | 92H  | PL B288 367   | H. Albrecht <i>et al.</i>        | (ARGUS Collab.)      |
| BIAGI         | 85B  | ZPHY C28 175  | S.F. Biagi <i>et al.</i>         | (CERN WA62 Collab.)  |

---