

**$N(1675) 5/2^-$**  $I(J^P) = \frac{1}{2}(\frac{5}{2}^-)$  Status: \*\*\*\*

Most of the results published before 1975 were last included in our 1982 edition, *Physics Letters* **111B** 1 (1982). Some further obsolete results published before 1984 were last included in our 2006 edition, *Journal of Physics* (generic for all A,B,E,G) **G33** 1 (2006).

 **$N(1675)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1670 to 1680 (<math>\approx 1675</math>) OUR ESTIMATE</b>			
1666 $\pm 2$	SHKLYAR	13	DPWA Multichannel
1664 $\pm 5$	ANISOVICH	12A	DPWA Multichannel
1674.1 $\pm 0.2$	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1675 $\pm 10$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1679 $\pm 8$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1679 $\pm 1$	SHRESTHA	12A	DPWA Multichannel
1678 $\pm 5$	ANISOVICH	10	DPWA Multichannel
1679 $\pm 9$	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1678 $\pm 15$	THOMA	08	DPWA Multichannel
1676.2 $\pm 0.6$	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
1685 $\pm 4$	VRANA	00	DPWA Multichannel
1673 $\pm 5$	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
1673	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
1666	LI	93	IPWA $\gamma N \rightarrow \pi N$
1676 $\pm 2$	MANLEY	92	IPWA $\pi N \rightarrow \pi N \& N\pi\pi$
1670	SAXON	80	DPWA $\pi^- p \rightarrow \Lambda K^0$
1650	<sup>1</sup> LONGACRE	77	IPWA $\pi N \rightarrow N\pi\pi$
1660	<sup>2</sup> LONGACRE	75	IPWA $\pi N \rightarrow N\pi\pi$

 **$N(1675)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>130 to 165 (<math>\approx 150</math>) OUR ESTIMATE</b>			
148 $\pm 1$	SHKLYAR	13	DPWA Multichannel
152 $\pm 7$	ANISOVICH	12A	DPWA Multichannel
146.5 $\pm 1.0$	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
160 $\pm 20$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
120 $\pm 15$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
145 $\pm 4$	SHRESTHA	12A	DPWA Multichannel
177 $\pm 15$	ANISOVICH	10	DPWA Multichannel
152 $\pm 8$	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
220 $\pm 25$	THOMA	08	DPWA Multichannel
151.8 $\pm 3.0$	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
131 $\pm 10$	VRANA	00	DPWA Multichannel
154 $\pm 7$	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$

154	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
136	LI	93	IPWA	$\gamma N \rightarrow \pi N$
159 $\pm 7$	MANLEY	92	IPWA	$\pi N \rightarrow \pi N \ \& \ N\pi\pi$
40	SAXON	80	DPWA	$\pi^- p \rightarrow \Lambda K^0$
130	<sup>1</sup> LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$
150	<sup>2</sup> LONGACRE	75	IPWA	$\pi N \rightarrow N\pi\pi$

## N(1675) POLE POSITION

### REAL PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1655 to 1665 (<math>\approx 1660</math>) OUR ESTIMATE</b>			
1654 $\pm 4$	ANISOVICH	12A	DPWA Multichannel
1657	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1656	<sup>3</sup> HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
1660 $\pm 10$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1640	SHKLYAR	13	DPWA Multichannel
1656	SHRESTHA	12A	DPWA Multichannel
1650 $\pm 5$	ANISOVICH	10	DPWA Multichannel
1658 $\pm 9$	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1639 $\pm 10$	THOMA	08	DPWA Multichannel
1659	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
1674	VRANA	00	DPWA Multichannel
1663	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
1655	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90
1663 or 1668	<sup>4</sup> LONGACRE	78	IPWA $\pi N \rightarrow N\pi\pi$
1649 or 1650	<sup>1</sup> LONGACRE	77	IPWA $\pi N \rightarrow N\pi\pi$

### –2×IMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>125 to 150 (<math>\approx 135</math>) OUR ESTIMATE</b>			
151 $\pm 5$	ANISOVICH	12A	DPWA Multichannel
139	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
126	<sup>3</sup> HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
140 $\pm 10$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
108	SHKLYAR	13	DPWA Multichannel
128	SHRESTHA	12A	DPWA Multichannel
143 $\pm 7$	ANISOVICH	10	DPWA Multichannel
137 $\pm 7$	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
180 $\pm 20$	THOMA	08	DPWA Multichannel
146	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
120	VRANA	00	DPWA Multichannel
152	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
124	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90
146 or 171	<sup>4</sup> LONGACRE	78	IPWA $\pi N \rightarrow N\pi\pi$
127 or 127	<sup>1</sup> LONGACRE	77	IPWA $\pi N \rightarrow N\pi\pi$

## ***N*(1675) ELASTIC POLE RESIDUE**

### **MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>27±5 OUR ESTIMATE</b>			
28±1	ANISOVICH	12A	DPWA Multichannel
27	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
23	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
31±5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
20	SHKLYAR	13	DPWA Multichannel
25	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
29	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
29	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
28	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

### **PHASE $\theta$**

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>-25± 6 OUR ESTIMATE</b>			
-26± 4	ANISOVICH	12A	DPWA Multichannel
-21	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
-22	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
-30±10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-49	SHKLYAR	13	DPWA Multichannel
-16	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
-22	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
- 6	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
-17	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

## ***N*(1675) INELASTIC POLE RESIDUE**

The "normalized residue" is the residue divided by  $\Gamma_{pole}/2$ .

### **Normalized residue in $N\pi \rightarrow N(1675) \rightarrow \Delta\pi$ , *D*-wave**

<u>MODULUS (%)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>33±5</b>	<b>82 ± 10</b>	ANISOVICH	12A	DPWA Multichannel

### **Normalized residue in $N\pi \rightarrow N(1675) \rightarrow N\sigma$**

<u>MODULUS (%)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>15±4</b>	<b>132 ± 18</b>	ANISOVICH	12A	DPWA Multichannel

## ***N*(1675) PHOTON DECAY AMPLITUDES**

Papers on  $\gamma N$  amplitudes predating 1981 may be found in our 2006 edition, *Journal of Physics* (generic for all A,B,E,G) **G33** 1 (2006).

### ***N*(1675) $\rightarrow p\gamma$ , helicity-1/2 amplitude $A_{1/2}$**

<u>VALUE (GeV<sup>-1/2</sup>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>+0.019±0.008 OUR ESTIMATE</b>			
0.024±0.003	ANISOVICH	12A	DPWA Multichannel

0.013±0.001	WORKMAN	12A	DPWA	$\gamma N \rightarrow N\pi$
0.018±0.002	DUGGER	07	DPWA	$\gamma N \rightarrow \pi N$
0.021±0.011	CRAWFORD	83	IPWA	$\gamma N \rightarrow \pi N$
0.034±0.005	AWAJI	81	DPWA	$\gamma N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.009±0.001	SHKLYAR	13	DPWA	Multichannel
0.011±0.001	SHRESTHA	12A	DPWA	Multichannel
0.021±0.004	ANISOVICH	10	DPWA	Multichannel
0.015	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$
0.015±0.010	ARNDT	96	IPWA	$\gamma N \rightarrow \pi N$
0.012±0.002	LI	93	IPWA	$\gamma N \rightarrow \pi N$

### $N(1675) \rightarrow p\gamma$ , helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV<sup>-1/2</sup>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-----------------------------------	--------------------	-------------	----------------

**+0.020±0.005 OUR ESTIMATE**

0.025±0.007	ANISOVICH	12A	DPWA	Multichannel
0.016±0.001	WORKMAN	12A	DPWA	$\gamma N \rightarrow N\pi$
0.021±0.001	DUGGER	07	DPWA	$\gamma N \rightarrow \pi N$
0.015±0.009	CRAWFORD	83	IPWA	$\gamma N \rightarrow \pi N$
0.024±0.008	AWAJI	81	DPWA	$\gamma N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.021±0.001	SHKLYAR	13	DPWA	Multichannel
0.020±0.001	SHRESTHA	12A	DPWA	Multichannel
0.024±0.008	ANISOVICH	10	DPWA	Multichannel
0.022	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$
0.010±0.007	ARNDT	96	IPWA	$\gamma N \rightarrow \pi N$
0.021±0.002	LI	93	IPWA	$\gamma N \rightarrow \pi N$

### $N(1675) \rightarrow n\gamma$ , helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV<sup>-1/2</sup>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-----------------------------------	--------------------	-------------	----------------

**-0.060±0.005 OUR ESTIMATE**

-0.058±0.002	CHEN	12A	DPWA	$\gamma N \rightarrow \pi N$
-0.057±0.024	AWAJI	81	DPWA	$\gamma N \rightarrow \pi N$
-0.033±0.004	FUJII	81	DPWA	$\gamma N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.040±0.004	SHRESTHA	12A	DPWA	Multichannel
-0.062	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$
-0.049±0.010	ARNDT	96	IPWA	$\gamma N \rightarrow \pi N$
-0.060±0.003	LI	93	IPWA	$\gamma N \rightarrow \pi N$

### $N(1675) \rightarrow n\gamma$ , helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV<sup>-1/2</sup>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-----------------------------------	--------------------	-------------	----------------

**-0.085±0.010 OUR ESTIMATE**

-0.080±0.005	CHEN	12A	DPWA	$\gamma N \rightarrow \pi N$
-0.077±0.018	AWAJI	81	DPWA	$\gamma N \rightarrow \pi N$
-0.069±0.004	FUJII	81	DPWA	$\gamma N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.068±0.004	SHRESTHA	12A	DPWA	Multichannel
-0.084	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$
-0.051±0.010	ARNDT	96	IPWA	$\gamma N \rightarrow \pi N$
-0.074±0.003	LI	93	IPWA	$\gamma N \rightarrow \pi N$

### N(1675) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	35–45 %
$\Gamma_2$ $N\eta$	( 0 ± 7 ) × 10 <sup>-3</sup>
$\Gamma_3$ $\Lambda K$	<1 %
$\Gamma_4$ $\Sigma K$	
$\Gamma_5$ $N\pi\pi$	50–60 %
$\Gamma_6$ $\Delta\pi$	50–60 %
$\Gamma_7$ $\Delta(1232)\pi$ , <i>D-wave</i>	(50 ± 15) %
$\Gamma_8$ $\Delta(1232)\pi$ , <i>G-wave</i>	
$\Gamma_9$ $N\rho$	< 1–3 %
$\Gamma_{10}$ $N\rho$ , <i>S=1/2, D-wave</i>	( 0.0 ± 1.0 ) %
$\Gamma_{11}$ $N\rho$ , <i>S=3/2, D-wave</i>	( 1.0 ± 1.0 ) %
$\Gamma_{12}$ $N\rho$ , <i>S=3/2, G-wave</i>	
$\Gamma_{13}$ $N(\pi\pi)_{S\text{-wave}}^{I=0}$	( 7.0 ± 3.0 ) %
$\Gamma_{14}$ $p\gamma$	0–0.02 %
$\Gamma_{15}$ $p\gamma$ , helicity=1/2	0–0.01 %
$\Gamma_{16}$ $p\gamma$ , helicity=3/2	0–0.01 %
$\Gamma_{17}$ $n\gamma$	0–0.15 %
$\Gamma_{18}$ $n\gamma$ , helicity=1/2	0–0.05 %
$\Gamma_{19}$ $n\gamma$ , helicity=3/2	0–0.10 %

### N(1675) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$					$\Gamma_1/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
<b>35 to 45 OUR ESTIMATE</b>					
41 ± 1	SHKLYAR	13	DPWA	Multichannel	
40 ± 3	ANISOVICH	12A	DPWA	Multichannel	
39.3±0.1	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$	
38 ± 5	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$	
38 ± 3	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

38.6±0.6	SHRESTHA	12A	DPWA	Multichannel
37 ±5	ANISOVICH	10	DPWA	Multichannel
35 ±4	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
30 ±8	THOMA	08	DPWA	Multichannel
40.0±0.2	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta\eta$
35 ±1	VRANA	00	DPWA	Multichannel
38	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
47 ±2	MANLEY	92	IPWA	$\pi N \rightarrow \pi N \& N\pi\pi$

$\Gamma(N\eta)/\Gamma_{\text{total}}$   $\Gamma_2/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.0±0.7 OUR AVERAGE</b>			
0 ±1	SHKLYAR	13	DPWA Multichannel
0 ±1	VRANA	00	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1	SHRESTHA	12A	DPWA	Multichannel
0.1±0.1	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
3 ±3	THOMA	08	DPWA	Multichannel

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$  in  $N\pi \rightarrow N(1675) \rightarrow \Lambda K$   $(\Gamma_1\Gamma_3)^{1/2}/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>±0.04 to ±0.08 OUR ESTIMATE</b>			
-0.01	BELL	83	DPWA $\pi^- p \rightarrow \Lambda K^0$
+0.036	<sup>5</sup> SAXON	80	DPWA $\pi^- p \rightarrow \Lambda K^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.03 ±0.01	SHRESTHA	12A	DPWA	Multichannel
-------------	----------	-----	------	--------------

Note: Signs of couplings from  $\pi N \rightarrow N\pi\pi$  analyses were changed in the 1986 edition to agree with the baryon-first convention; the overall phase ambiguity is resolved by choosing a negative sign for the  $\Delta(1620) S_{31}$  coupling to  $\Delta(1232)\pi$ .

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$  in  $N\pi \rightarrow N(1675) \rightarrow \Delta(1232)\pi, D\text{-wave}$   $(\Gamma_1\Gamma_7)^{1/2}/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>+0.46 to +0.50 OUR ESTIMATE</b>			
+0.46	<sup>1,6</sup> LONGACRE	77	IPWA $\pi N \rightarrow N\pi\pi$
+0.50	<sup>2</sup> LONGACRE	75	IPWA $\pi N \rightarrow N\pi\pi$

• • • We do not use the following data for averages, fits, limits, etc. • • •

+0.496±0.003	MANLEY	92	IPWA	$\pi N \rightarrow \pi N \& N\pi\pi$
--------------	--------	----	------	--------------------------------------

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>50±15 OUR ESTIMATE</b>			
33± 8	ANISOVICH	12A	DPWA Multichannel
63± 2	VRANA	00	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

46± 1	SHRESTHA	12A	DPWA	Multichannel
24± 8	THOMA	08	DPWA	Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$  in  $N\pi \rightarrow N(1675) \rightarrow N\rho, S=1/2, D\text{-wave}$   $(\Gamma_1 \Gamma_{10})^{1/2} / \Gamma$   
VALUE DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

+0.04 ± 0.02      MANLEY      92      IPWA       $\pi N \rightarrow \pi N \& N\pi\pi$

$\Gamma(N\rho, S=1/2, D\text{-wave}) / \Gamma_{\text{total}}$   $\Gamma_{10} / \Gamma$

VALUE (%) DOCUMENT ID TECN COMMENT

**0 ± 1**      VRANA      00      DPWA      Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 1      SHRESTHA      12A      DPWA      Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$  in  $N\pi \rightarrow N(1675) \rightarrow N\rho, S=3/2, D\text{-wave}$   $(\Gamma_1 \Gamma_{11})^{1/2} / \Gamma$   
VALUE DOCUMENT ID TECN COMMENT

**−0.12 to −0.06 OUR ESTIMATE**

−0.15      <sup>1,6</sup> LONGACRE      77      IPWA       $\pi N \rightarrow N\pi\pi$

• • • We do not use the following data for averages, fits, limits, etc. • • •

−0.03 ± 0.02      MANLEY      92      IPWA       $\pi N \rightarrow \pi N \& N\pi\pi$

$\Gamma(N\rho, S=3/2, D\text{-wave}) / \Gamma_{\text{total}}$   $\Gamma_{11} / \Gamma$

VALUE (%) DOCUMENT ID TECN COMMENT

**1 ± 1**      VRANA      00      DPWA      Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 1      SHRESTHA      12A      DPWA      Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$  in  $N\pi \rightarrow N(1675) \rightarrow N(\pi\pi)_{S\text{-wave}}^{I=0}$   $(\Gamma_1 \Gamma_{13})^{1/2} / \Gamma$   
VALUE DOCUMENT ID TECN COMMENT

+0.03      <sup>1,6</sup> LONGACRE      77      IPWA       $\pi N \rightarrow N\pi\pi$

$\Gamma(N(\pi\pi)_{S\text{-wave}}^{I=0}) / \Gamma_{\text{total}}$   $\Gamma_{13} / \Gamma$

VALUE (%) DOCUMENT ID TECN COMMENT

**7 ± 3**      ANISOVICH      12A      DPWA      Multichannel

### N(1675) FOOTNOTES

<sup>1</sup> LONGACRE 77 pole positions are from a search for poles in the unitarized T-matrix; the first (second) value uses, in addition to  $\pi N \rightarrow N\pi\pi$  data, elastic amplitudes from a Saclay (CERN) partial-wave analysis. The other LONGACRE 77 values are from eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.

<sup>2</sup> From method II of LONGACRE 75: eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.

<sup>3</sup> See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of  $N$  and  $\Delta$  resonances as determined from Argand diagrams of  $\pi N$  elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.

<sup>4</sup> LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to  $\pi N \rightarrow N\pi\pi$  data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.

<sup>5</sup> SAXON 80 finds the coupling phase is near  $90^\circ$ .

<sup>6</sup> LONGACRE 77 considers this coupling to be well determined.

## N(1675) REFERENCES

For early references, see *Physics Letters* **111B** 1 (1982).

SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen <i>et al.</i>	(DUKE, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
ANISOVICH	10	EPJ A44 203	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(Jefferson Lab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PDG	06	JP G33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
ARNDT	04	PR C69 035213	R.A. Arndt <i>et al.</i>	(GWU, TRIU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman., T.-S.H. Lee	(PITT+)
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman	(VPI)
ARNDT	95	PR C52 2120	R.A. Arndt <i>et al.</i>	(VPI, BRCO)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
LI	93	PR C47 2759	Z.J. Li <i>et al.</i>	(VPI)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KSA) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
ARNDT	91	PR D43 2131	R.A. Arndt <i>et al.</i>	(VPI, TELE) IJP
BELL	83	NP B222 389	K.W. Bell <i>et al.</i>	(RL) IJP
CRAWFORD	83	NP B211 1	R.L. Crawford, W.T. Morton	(GLAS)
PDG	82	PL 111B 1	M. Roos <i>et al.</i>	(HELS, CIT, CERN)
AWAJI	81	Bonn Conf. 352	N. Awaji, R. Kajikawa	(NAGO)
Also		NP B197 365	K. Fujii <i>et al.</i>	(NAGO)
FUJII	81	NP B187 53	K. Fujii <i>et al.</i>	(NAGO, OSAK)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
SAXON	80	NP B162 522	D.H. Saxon <i>et al.</i>	(RHEL, BRIS) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
LONGACRE	78	PR D17 1795	R.S. Longacre <i>et al.</i>	(LBL, SLAC)
LONGACRE	77	NP B122 493	R.S. Longacre, J. Dolbeau	(SACL) IJP
Also		NP B108 365	J. Dolbeau <i>et al.</i>	(SACL) IJP
LONGACRE	75	PL 55B 415	R.S. Longacre <i>et al.</i>	(LBL, SLAC) IJP