

**$\Lambda(2110) F_{05}$**  $I(J^P) = 0(\frac{5}{2}^+)$  Status: \*\*\*

For results published before 1974 (they are now obsolete), see our 1982 edition Physics Letters **111B** (1982). All the references have been retained.

This resonance is in the Baryon Summary Table, but the evidence for it could be better.

 **$\Lambda(2110)$  MASS**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>2090 to 2140 (<math>\approx 2110</math>) OUR ESTIMATE</b>			
2092 $\pm$ 25	GOPAL 80	DPWA	$\bar{K}N \rightarrow \bar{K}N$
2125 $\pm$ 25	CAMERON 78B	DPWA	$K^- p \rightarrow N\bar{K}^*$
2106 $\pm$ 50	DEBELLEFON 78	DPWA	$\bar{K}N \rightarrow \bar{K}N$
2140 $\pm$ 20	DEBELLEFON 77	DPWA	$K^- p \rightarrow \Sigma\pi$
2100 $\pm$ 50	GOPAL 77	DPWA	$\bar{K}N$ multichannel
2112 $\pm$ 7	KANE 74	DPWA	$K^- p \rightarrow \Sigma\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2137	BACCARI 77	DPWA	$K^- p \rightarrow \Lambda\omega$
2103	<sup>1</sup> NAKKASYAN 75	DPWA	$K^- p \rightarrow \Lambda\omega$

 **$\Lambda(2110)$  WIDTH**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>150 to 250 (<math>\approx 200</math>) OUR ESTIMATE</b>			
245 $\pm$ 25	GOPAL 80	DPWA	$\bar{K}N \rightarrow \bar{K}N$
160 $\pm$ 30	CAMERON 78B	DPWA	$K^- p \rightarrow N\bar{K}^*$
251 $\pm$ 50	DEBELLEFON 78	DPWA	$\bar{K}N \rightarrow \bar{K}N$
140 $\pm$ 20	DEBELLEFON 77	DPWA	$K^- p \rightarrow \Sigma\pi$
200 $\pm$ 50	GOPAL 77	DPWA	$\bar{K}N$ multichannel
190 $\pm$ 30	KANE 74	DPWA	$K^- p \rightarrow \Sigma\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
132	BACCARI 77	DPWA	$K^- p \rightarrow \Lambda\omega$
391	<sup>1</sup> NAKKASYAN 75	DPWA	$K^- p \rightarrow \Lambda\omega$

 **$\Lambda(2110)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\bar{K}$	5–25 %
$\Gamma_2$ $\Sigma\pi$	10–40 %
$\Gamma_3$ $\Lambda\omega$	seen

$\Gamma_4$	$\Sigma(1385)\pi$	seen
$\Gamma_5$	$\Sigma(1385)\pi$ , <i>P</i> -wave	
$\Gamma_6$	$N\bar{K}^*(892)$	10–60 %
$\Gamma_7$	$N\bar{K}^*(892)$ , <i>S</i> =1/2, <i>F</i> -wave	

The above branching fractions are our estimates, not fits or averages.

## $\Lambda(2110)$ BRANCHING RATIOS

See "Sign conventions for resonance couplings" in the Note on  $\Lambda$  and  $\Sigma$  Resonances.

### $\Gamma(N\bar{K})/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT	$\Gamma_1/\Gamma$
<b>0.05 to 0.25 OUR ESTIMATE</b>				
0.07±0.03	GOPAL 80	DPWA	$\bar{K}N \rightarrow \bar{K}N$	
0.27±0.06	<sup>2</sup> DEBELLEFON 78	DPWA	$\bar{K}N \rightarrow \bar{K}N$	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.07±0.03	GOPAL 77	DPWA	See GOPAL 80	

### $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(2110) \rightarrow \Sigma\pi$

VALUE	DOCUMENT ID	TECN	COMMENT	$(\Gamma_1\Gamma_2)^{1/2}/\Gamma$
+0.14±0.01	DEBELLEFON 77	DPWA	$K^- p \rightarrow \Sigma\pi$	
+0.20±0.03	KANE 74	DPWA	$K^- p \rightarrow \Sigma\pi$	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
+0.10±0.03	GOPAL 77	DPWA	$\bar{K}N$ multichannel	

### $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(2110) \rightarrow \Lambda\omega$

VALUE	DOCUMENT ID	TECN	COMMENT	$(\Gamma_1\Gamma_3)^{1/2}/\Gamma$
<0.05	BACCARI 77	DPWA	$K^- p \rightarrow \Lambda\omega$	
0.112	<sup>1</sup> NAKKASYAN 75	DPWA	$K^- p \rightarrow \Lambda\omega$	

### $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(2110) \rightarrow \Sigma(1385)\pi$

VALUE	DOCUMENT ID	TECN	COMMENT	$(\Gamma_1\Gamma_4)^{1/2}/\Gamma$
+0.071±0.025	<sup>3</sup> CAMERON 78	DPWA	$K^- p \rightarrow \Sigma(1385)\pi$	

### $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(2110) \rightarrow N\bar{K}^*(892)$

VALUE	DOCUMENT ID	TECN	COMMENT	$(\Gamma_1\Gamma_6)^{1/2}/\Gamma$
-0.17±0.04	<sup>4</sup> CAMERON 78B	DPWA	$K^- p \rightarrow N\bar{K}^*$	

## $\Lambda(2110)$ FOOTNOTES

<sup>1</sup> Found in one of two best solutions.

<sup>2</sup> The published error of 0.6 was a misprint.

<sup>3</sup> The CAMERON 78 upper limit on *F*-wave decay is 0.03. The sign here has been changed to be in accord with the baryon-first convention.

<sup>4</sup> The published sign has been changed to be in accord with the baryon-first convention. The CAMERON 78B upper limits on the  $P_3$  and  $F_3$  waves are each 0.03.

## **$\Lambda(2110)$ REFERENCES**

PDG	82	PL 111B	Roos, Porter, Aguilar-Benitez+	(HELS, CIT, CERN)
GOPAL	80	Toronto Conf. 159	+Franek, Gopal, Bacon, Butterworth+	(RHEL) IJP
CAMERON	78	NP B143 189	+Franek, Gopal, Kalmus, McPherson+	(RHEL, LOIC) IJP
CAMERON	78B	NP B146 327	De Bellefon, Berthon, Billoir+	(RHEL, LOIC) IJP
DEBELLEFON	78	NC 42A 403	+Poulard, Revel, Tallini+	(CDEF, SACL) IJP
BACCARI	77	NC 41A 96	De Bellefon, Berthon, Billoir+	(SACL, CDEF) IJP
DEBELLEFON	77	NC 37A 175	+Ross, VanHorn, McPherson+	(CDEF, SACL) IJP
GOPAL	77	NP B119 362		(LOIC, RHEL) IJP
NAKKASYAN	75	NP B93 85		(CERN) IJP
KANE	74	LBL-2452		(LBL) IJP