

$\Sigma(1750) S_{11}$ 

$I(J^P) = 1(\frac{1}{2}^-)$  Status: \*\*\*

For most results published before 1974 (they are now obsolete), see our 1982 edition Physics Letters **111B** (1982).

There is evidence for this state in many partial-wave analyses, but with wide variations in the mass, width, and couplings. The latest analyses indicated significant couplings to  $N\bar{K}$  and  $\Lambda\pi$ , as well as to  $\Sigma\eta$  whose threshold is at 1746 MeV (JONES 74).

 $\Sigma(1750)$  MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1730 to 1800 (<math>\approx 1750</math>) OUR ESTIMATE</b>			
1756 $\pm$ 10	GOPAL	80	DPWA $\bar{K}N \rightarrow \bar{K}N$
1770 $\pm$ 10	ALSTON-...	78	DPWA $\bar{K}N \rightarrow \bar{K}N$
1770 $\pm$ 15	GOPAL	77	DPWA $\bar{K}N$ multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1800 or 1813	<sup>1</sup> MARTIN	77	DPWA $\bar{K}N$ multichannel
1715 $\pm$ 10	<sup>2</sup> CARROLL	76	DPWA Isospin-1 total $\sigma$
1730	DEBELLEFON	76	IPWA $K^- p \rightarrow \Lambda\pi^0$
1780 $\pm$ 30	BAILLON	75	IPWA $\bar{K}N \rightarrow \Lambda\pi$ (sol. 1)
1700 $\pm$ 30	BAILLON	75	IPWA $\bar{K}N \rightarrow \Lambda\pi$ (sol. 2)
1697 $^{+20}_{-10}$	VANHORN	75	DPWA $K^- p \rightarrow \Lambda\pi^0$
1785 $\pm$ 12	CHU	74	DBC Fits $\sigma(K^- n \rightarrow \Sigma^- \eta)$
1760 $\pm$ 5	<sup>3</sup> JONES	74	HBC Fits $\sigma(K^- p \rightarrow \Sigma^0 \eta)$
1739 $\pm$ 10	PREVOST	74	DPWA $K^- N \rightarrow \Sigma(1385)\pi$

 $\Sigma(1750)$  WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>60 to 160 (<math>\approx 90</math>) OUR ESTIMATE</b>			
64 $\pm$ 10	GOPAL	80	DPWA $\bar{K}N \rightarrow \bar{K}N$
161 $\pm$ 20	ALSTON-...	78	DPWA $\bar{K}N \rightarrow \bar{K}N$
60 $\pm$ 10	GOPAL	77	DPWA $\bar{K}N$ multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
117 or 119	<sup>1</sup> MARTIN	77	DPWA $\bar{K}N$ multichannel
10	<sup>2</sup> CARROLL	76	DPWA Isospin-1 total $\sigma$
110	DEBELLEFON	76	IPWA $K^- p \rightarrow \Lambda\pi^0$
140 $\pm$ 30	BAILLON	75	IPWA $\bar{K}N \rightarrow \Lambda\pi$ (sol. 1)
160 $\pm$ 50	BAILLON	75	IPWA $\bar{K}N \rightarrow \Lambda\pi$ (sol. 2)
66 $^{+14}_{-12}$	VANHORN	75	DPWA $K^- p \rightarrow \Lambda\pi^0$
89 $\pm$ 33	CHU	74	DBC Fits $\sigma(K^- n \rightarrow \Sigma^- \eta)$
92 $\pm$ 7	<sup>3</sup> JONES	74	HBC Fits $\sigma(K^- p \rightarrow \Sigma^0 \eta)$
108 $\pm$ 20	PREVOST	74	DPWA $K^- N \rightarrow \Sigma(1385)\pi$

**$\Sigma(1750)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\bar{K}$	10–40 %
$\Gamma_2$ $\Lambda\pi$	seen
$\Gamma_3$ $\Sigma\pi$	<8 %
$\Gamma_4$ $\Sigma\eta$	15–55 %
$\Gamma_5$ $\Sigma(1385)\pi$	
$\Gamma_6$ $\Lambda(1520)\pi$	

The above branching fractions are our estimates, not fits or averages.

 **$\Sigma(1750)$  BRANCHING RATIOS**

See "Sign conventions for resonance couplings" in the Note on  $\Lambda$  and  $\Sigma$  Resonances.

$\Gamma(N\bar{K})/\Gamma_{\text{total}}$				$\Gamma_1/\Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
<b>0.1 to 0.4 OUR ESTIMATE</b>				
$0.14 \pm 0.03$	GOPAL	80	DPWA $\bar{K}N \rightarrow \bar{K}N$	
$0.33 \pm 0.05$	ALSTON-...	78	DPWA $\bar{K}N \rightarrow \bar{K}N$	
••• We do not use the following data for averages, fits, limits, etc. •••				
$0.15 \pm 0.03$	GOPAL	77	DPWA See GOPAL 80	
$0.06$ or $0.05$	<sup>1</sup> MARTIN	77	DPWA $\bar{K}N$ multichannel	

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1750) \rightarrow \Lambda\pi$				$(\Gamma_1\Gamma_2)^{1/2}/\Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
$0.04 \pm 0.03$	GOPAL	77	DPWA $\bar{K}N$ multichannel	
••• We do not use the following data for averages, fits, limits, etc. •••				
$-0.10$ or $-0.09$	<sup>1</sup> MARTIN	77	DPWA $\bar{K}N$ multichannel	
$-0.12$	DEBELLEFON	76	IPWA $K^-p \rightarrow \Lambda\pi^0$	
$-0.12 \pm 0.02$	BAILLON	75	IPWA $\bar{K}N \rightarrow \Lambda\pi$ (sol. 1)	
$-0.13 \pm 0.03$	BAILLON	75	IPWA $\bar{K}N \rightarrow \Lambda\pi$ (sol. 2)	
$-0.13 \pm 0.04$	VANHORN	75	DPWA $K^-p \rightarrow \Lambda\pi^0$	
$-0.120 \pm 0.077$	DEVENISH	74B	Fixed- $t$ dispersion rel.	

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1750) \rightarrow \Sigma\pi$				$(\Gamma_1\Gamma_3)^{1/2}/\Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
$-0.09 \pm 0.05$	GOPAL	77	DPWA $\bar{K}N$ multichannel	
••• We do not use the following data for averages, fits, limits, etc. •••				
$+0.06$ or $+0.06$	<sup>1</sup> MARTIN	77	DPWA $\bar{K}N$ multichannel	
$0.13 \pm 0.02$	LANGBEIN	72	IPWA $\bar{K}N$ multichannel	

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1750) \rightarrow \Sigma\eta$				$(\Gamma_1\Gamma_4)^{1/2}/\Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
$0.23 \pm 0.01$	<sup>3</sup> JONES	74	HBC Fits $\sigma(K^-p \rightarrow \Sigma^0\eta)$	
••• We do not use the following data for averages, fits, limits, etc. •••				
seen	CLINE	69	DBC Threshold bump	

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1750) \rightarrow \Sigma(1385)\pi$	$(\Gamma_1 \Gamma_5)^{1/2} / \Gamma$
VALUE	DOCUMENT ID TECN COMMENT
$+0.18 \pm 0.15$	PREVOST 74 DPWA $K^- N \rightarrow \Sigma(1385)\pi$

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1750) \rightarrow \Lambda(1520)\pi$	$(\Gamma_1 \Gamma_6)^{1/2} / \Gamma$
VALUE	DOCUMENT ID TECN COMMENT
$0.032 \pm 0.021$	CAMERON 77 DPWA $P$ -wave decay

• • • We do not use the following data for averages, fits, limits, etc. • • •

### $\Sigma(1750)$ FOOTNOTES

- <sup>1</sup> The two MARTIN 77 values are from a T-matrix pole and from a Breit-Wigner fit.
- <sup>2</sup> A total cross-section bump with  $(J+1/2) \Gamma_{\text{el}} / \Gamma_{\text{total}} = 0.30$ .
- <sup>3</sup> An S-wave Breit-Wigner fit to the threshold cross section with no background and errors statistical only.

### $\Sigma(1750)$ REFERENCES

PDG	82	PL 111B	Roos, Porter, Aguilar-Benitez+	(HELs, CIT, CERN)
GOPAL	80	Toronto Conf.	159	(RHEL) IJP
ALSTON-...	78	PR D18 182	Alston-Garnjost, Kenney+	(LBL, MTHO, CERN) IJP
Also	77	PRL 38 1007	Alston-Garnjost, Kenney+	(LBL, MTHO, CERN) IJP
CAMERON	77	NP B131 399	+FraneK, Gopal, Kalmus, McPherson+	(RHEL, LOIC) IJP
GOPAL	77	NP B119 362	+Ross, VanHorn, McPherson+	(LOIC, RHEL) IJP
MARTIN	77	NP B127 349	+Pidcock, Moorhouse	(LOUC, GLAS) IJP
Also	77B	NP B126 266	Martin, Pidcock	(LOUC)
Also	77C	NP B126 285	Martin, Pidcock	(LOUC) IJP
CARROLL	76	PRL 37 806	+Chiang, Kycia, Li, Mazur, Michael+	(BNL) I
DEBELLEFON	76	NP B109 129	De Bellefon, Berthon	(CDEF) IJP
BAILLON	75	NP B94 39	+Litchfield	(CERN, RHEL) IJP
VANHORN	75	NP B87 145	VanHorn	(LBL) IJP
Also	75B	NP B87 157	VanHorn	(LBL) IJP
CHU	74	NC 20A 35	+Bartley+	(PLAT, TUFTS, BRAN) IJP
DEVENISH	74B	NP B81 330	+Froggatt, Martin	(DESY, NORD, LOUC)
JONES	74	NP B73 141		(CHIC) IJP
PREVOST	74	NP B69 246	+Barloutaud+	(SACL, CERN, HEID)
LANGBEIN	72	NP B47 477	+Wagner	(MPIM) IJP
CLINE	69	LNC 2 407	+Laumann, Mapp	(WISC)