

$f_1(1285)$ 

$$I^G(J^{PC}) = 0^+(1^{++})$$

### $f_1(1285)$ MASS

| VALUE (MeV)   | EVTS | DOCUMENT ID   | TECN     | COMMENT   |
|---|------|---|----------|---|
| <b>1281.9 ± 0.6 OUR AVERAGE</b>   |      | Error includes scale factor of 1.7. See the ideogram below. |          |   |
| 1284 ± 6  | 1400 | ALDE  | 97B GAM4 | 100 $\pi^- p \rightarrow \eta \pi^0 \pi^0 n$                                  |
| 1281 ± 1  |      | BARBERIS  | 97B OMEG | 450 $pp \rightarrow$<br>$pp2(\pi^+ \pi^-)$                                    |
| 1281 ± 1  |      | BARBERIS  | 97C OMEG | 450 $pp \rightarrow$<br>$ppK_S^0 K^\pm \pi^\mp$                               |
| 1280 ± 2  |      | <sup>1</sup> ANTINORI                                       | 95 OMEG  | 300,450 $pp \rightarrow$<br>$pp2(\pi^+ \pi^-)$                                |
| 1282.2 ± 1.5  |      | LEE   | 94 MPS2  | 18 $\pi^- p \rightarrow$<br>$K^+ \bar{K}^0 2\pi^- p$                          |
| 1279 ± 5  |      | FUKUI   | 91C SPEC | 8.95 $\pi^- p \rightarrow \eta \pi^+ \pi^- n$                                 |
| 1278 ± 2  | 140  | ARMSTRONG   | 89 OMEG  | 300 $pp \rightarrow K \bar{K} \pi pp$   |
| 1278 ± 2  |      | ARMSTRONG   | 89G OMEG | 85 $\pi^+ p \rightarrow 4\pi \pi p,$<br>$pp \rightarrow 4\pi pp$              |
| 1280.1 ± 2.1  | 60   | RATH  | 89 MPS   | 21.4 $\pi^- p \rightarrow$<br>$K_S^0 K_S^0 \pi^0 n$                           |
| 1285 ± 1  | 4750 | <sup>2</sup> BIRMAN   | 88 MPS   | 8 $\pi^- p \rightarrow K^+ \bar{K}^0 \pi^- n$                                 |
| 1280 ± 1  | 504  | BITYUKOV  | 88 SPEC  | 32.5 $\pi^- p \rightarrow$<br>$K^+ K^- \pi^0 n$                               |
| 1280 ± 4  |      | ANDO  | 86 SPEC  | 8 $\pi^- p \rightarrow \eta \pi^+ \pi^- n$                                    |
| 1277 ± 2  | 420  | REEVES  | 86 SPEC  | 6.6 $p\bar{p} \rightarrow KK\pi X$  |
| 1285 ± 2  |      | CHUNG   | 85 SPEC  | 8 $\pi^- p \rightarrow NK\bar{K}\pi$  |
| 1279 ± 2  | 604  | ARMSTRONG   | 84 OMEG  | 85 $\pi^+ p \rightarrow K\bar{K}\pi\pi p,$<br>$pp \rightarrow K\bar{K}\pi pp$ |
| 1286 ± 1  |      | CHAUVAT   | 84 SPEC  | ISR 31.5 $pp$   |
| 1278 ± 4  |      | EVANGELISTA   | 81 OMEG  | 12 $\pi^- p \rightarrow$<br>$\eta \pi^+ \pi^- \pi^- p$                        |
| 1283 ± 3  | 103  | DIONISI   | 80 HBC   | 4 $\pi^- p \rightarrow K\bar{K}\pi n$   |
| 1282 ± 2  | 320  | NACASCH   | 78 HBC   | 0.7,0.76 $\bar{p}p \rightarrow K\bar{K}3\pi$                                  |
| 1279 ± 5  | 210  | GRASSLER  | 77 HBC   | 16 $\pi^\mp p$  |
| 1286 ± 3  | 180  | DUBOC   | 72 HBC   | 1.2 $\bar{p}p \rightarrow 2K4\pi$   |
| 1283 ± 5  |      | DAHL  | 67 HBC   | 1.6–4.2 $\pi^- p$   |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |      |   |          |   |
| 1270 ± 10   |      | AMELIN  | 95 VES   | 37 $\pi^- N \rightarrow$<br>$\pi^- \pi^+ \pi^- \gamma N$                      |
| 1280 ± 2  |      | ABATZIS   | 94 OMEG  | 450 $pp \rightarrow$<br>$pp2(\pi^+ \pi^-)$                                    |
| 1282 ± 4  |      | ARMSTRONG   | 93C E760 | $\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$                    |
| 1270 ± 6 ± 10   |      | ARMSTRONG   | 92C OMEG | 300 $pp \rightarrow pp\pi^+ \pi^- \gamma$                                     |
| 1264 ± 8  |      | AUGUSTIN  | 90 DM2   | $J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$                                  |
| 1281 ± 1  |      | ARMSTRONG   | 89E OMEG | 300 $pp \rightarrow$<br>$pp2(\pi^+ \pi^-)$                                    |
| 1279 ± 6 ± 10   | 16   | BECKER  | 87 MRK3  | $e^+ e^- \rightarrow \phi K \bar{K} \pi$                                      |

|           |     |                        |     |      |  |
|-----------|-----|------------------------|-----|------|--|
| 1286 ± 9  |     | GIDAL                  | 87  | MRK2 | $e^+ e^- \rightarrow e^+ e^- \eta \pi^+ \pi^-$ |
| 1287 ± 5  | 353 | BITYUKOV               | 84B | SPEC | $32 \pi^- p \rightarrow K^+ K^- \pi^0 n$       |
| ~ 1279    |     | <sup>3</sup> TORNQVIST | 82B | RVUE |  |
| 1275 ± 6  | 31  | BROMBERG               | 80  | SPEC | $100 \pi^- p \rightarrow K \bar{K} \pi X$      |
| 1288 ± 9  | 200 | GURTU                  | 79  | HBC  | $4.2 K^- p \rightarrow n \eta 2\pi$            |
| ~ 1275.0  | 46  | <sup>4</sup> STANTON   | 79  | CNTR | $8.5 \pi^- p \rightarrow n 2\gamma 2\pi$       |
| 1271 ± 10 | 34  | CORDEN                 | 78  | OMEG | $12-15 \pi^- p \rightarrow K^+ K^- \pi n$      |
| 1295 ± 12 | 85  | CORDEN                 | 78  | OMEG | $12-15 \pi^- p \rightarrow n 5\pi$             |
| 1292 ± 10 | 150 | DEFOIX                 | 72  | HBC  | $0.7 \bar{p} p \rightarrow 7\pi$               |
| 1280 ± 3  | 500 | <sup>5</sup> THUN      | 72  | MMS  | $13.4 \pi^- p$                                 |
| 1303 ± 8  |     | BARDADIN-...           | 71  | HBC  | $8 \pi^+ p \rightarrow p 6\pi$                 |
| 1283 ± 6  |     | BOESEBECK              | 71  | HBC  | $16.0 \pi p \rightarrow p 5\pi$                |
| 1270 ± 10 |     | CAMPBELL               | 69  | DBC  | $2.7 \pi^+ d$                                  |
| 1285 ± 7  |     | LORSTAD                | 69  | HBC  | $0.7 \bar{p} p, 4,5\text{-body}$               |
| 1290 ± 7  |     | D'ANDLAU               | 68  | HBC  | $1.2 \bar{p} p, 5-6 \text{ body}$              |


<sup>1</sup> Supersedes ABATZIS 94, ARMSTRONG 89E.

<sup>2</sup> From partial wave analysis of  $K^+ \bar{K}^0 \pi^-$  system.

<sup>3</sup> From a unitarized quark-model calculation.

<sup>4</sup> From phase shift analysis of  $\eta \pi^+ \pi^-$  system.

<sup>5</sup> Seen in the missing mass spectrum.



$f_1(1285)$  mass (MeV)

### $f_1(1285)$ WIDTH

Only experiments giving width error less than 20 MeV are kept for averaging.

| VALUE (MeV)                  | EVTS | DOCUMENT ID   | TECN     | COMMENT  |
|------------------------------|------|---|----------|--|
| <b>24.0± 1.2 OUR AVERAGE</b> |      | Error includes scale factor of 1.4. See the ideogram below. |          |  |
| 55 ±18                       | 1400 | ALDE  | 97B GAM4 | 100 $\pi^- p \rightarrow \eta \pi^0 \pi^0 n$         |
| 24 ± 3                       |      | BARBERIS  | 97B OMEG | 450 $pp \rightarrow$<br>$pp2(\pi^+ \pi^-)$           |
| 20 ± 2                       |      | BARBERIS  | 97C OMEG | 450 $pp \rightarrow$<br>$ppK_S^0 K^\pm \pi^\mp$      |
| 36 ± 5                       |      | <sup>6</sup> ANTINORI                                       | 95 OMEG  | 300,450 $pp \rightarrow$<br>$pp2(\pi^+ \pi^-)$       |
| 29.0± 4.1                    |      | LEE   | 94 MPS2  | 18 $\pi^- p \rightarrow$<br>$K^+ \bar{K}^0 2\pi^- p$ |
| 25 ± 4                       | 140  | ARMSTRONG   | 89 OMEG  | 300 $pp \rightarrow K \bar{K} \pi pp$                |
| 22 ± 2                       | 4750 | <sup>7</sup> BIRMAN   | 88 MPS   | 8 $\pi^- p \rightarrow K^+ \bar{K}^0 \pi^- n$        |
| 25 ± 4                       | 504  | BITYUKOV  | 88 SPEC  | 32.5 $\pi^- p \rightarrow$<br>$K^+ K^- \pi^0 n$      |

|   |     |                      |     |      |           |   |
|---|-----|----------------------|-----|------|-----------|---|
| 19 ± 5  |     | ANDO                 | 86  | SPEC | 8         | $\pi^- p \rightarrow \eta \pi^+ \pi^- n$  |
| 32 ± 8  | 420 | REEVES               | 86  | SPEC | 6.6       | $p \bar{p} \rightarrow K K \pi X$   |
| 22 ± 2  |     | CHUNG                | 85  | SPEC | 8         | $\pi^- p \rightarrow N K \bar{K} \pi$   |
| 32 ± 3  | 604 | ARMSTRONG            | 84  | OMEG | 85        | $\pi^+ p \rightarrow K \bar{K} \pi \pi p,$<br>$p p \rightarrow K \bar{K} \pi p p$ |
| 24 ± 3  |     | CHAUVAT              | 84  | SPEC | ISR 31.5  | $p p$   |
| 29 ± 10   | 103 | DIONISI              | 80  | HBC  | 4         | $\pi^- p \rightarrow K \bar{K} \pi n$   |
| 28.3 ± 6.7  | 320 | NACASCH              | 78  | HBC  | 0.7, 0.76 | $\bar{p} p \rightarrow K \bar{K} 3\pi$  |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |     |                      |     |      |           |   |
| 40 ± 5  |     | ABATZIS              | 94  | OMEG | 450       | $p p \rightarrow$<br>$p p 2(\pi^+ \pi^-)$   |
| 44 ± 20   |     | AUGUSTIN             | 90  | DM2  | $J/\psi$  | $\rightarrow \gamma \eta \pi^+ \pi^-$   |
| 31 ± 5  |     | ARMSTRONG            | 89E | OMEG | 300       | $p p \rightarrow$<br>$p p 2(\pi^+ \pi^-)$   |
| 41 ± 12   |     | ARMSTRONG            | 89G | OMEG | 85        | $\pi^+ p \rightarrow 4\pi \pi p,$<br>$p p \rightarrow 4\pi p p$                   |
| 17.9 ± 10.9   | 60  | RATH                 | 89  | MPS  | 21.4      | $\pi^- p \rightarrow$<br>$K_S^0 K_S^0 \pi^0 n$                                    |
| 14 $\begin{smallmatrix} +20 \\ -14 \end{smallmatrix}$ ± 10                    | 16  | BECKER               | 87  | MRK3 | $e^+ e^-$ | $\rightarrow \phi K \bar{K} \pi$  |
| 26 ± 12   |     | EVANGELISTA          | 81  | OMEG | 12        | $\pi^- p \rightarrow$<br>$\eta \pi^+ \pi^- \pi^- p$                               |
| 25 ± 15   | 200 | GURTU                | 79  | HBC  | 4.2       | $K^- p \rightarrow n \eta 2\pi$   |
| ~ 10  |     | <sup>8</sup> STANTON | 79  | CNTR | 8.5       | $\pi^- p \rightarrow n 2\gamma 2\pi$  |
| 24 ± 18   | 210 | GRASSLER             | 77  | HBC  | 16        | $\pi^\mp p$   |
| 28 ± 5  | 150 | <sup>9</sup> DEFOIX  | 72  | HBC  | 0.7       | $\bar{p} p \rightarrow 7\pi$  |
| 46 ± 9  | 180 | <sup>9</sup> DUBOC   | 72  | HBC  | 1.2       | $\bar{p} p \rightarrow 2K 4\pi$   |
| 37 ± 5  | 500 | <sup>10</sup> THUN   | 72  | MMS  | 13.4      | $\pi^- p$   |
| 10 ± 10   |     | BOESEBECK            | 71  | HBC  | 16.0      | $\pi p \rightarrow p 5\pi$  |
| 30 ± 15   |     | CAMPBELL             | 69  | DBC  | 2.7       | $\pi^+ d$   |
| 60 ± 15   |     | <sup>9</sup> LORSTAD | 69  | HBC  | 0.7       | $\bar{p} p, 4,5\text{-body}$  |
| 35 ± 10   |     | <sup>9</sup> DAHL    | 67  | HBC  | 1.6–4.2   | $\pi^- p$   |


<sup>6</sup> Supersedes ABATZIS 94, ARMSTRONG 89E.

<sup>7</sup> From partial wave analysis of  $K^+ \bar{K}^0 \pi^-$  system.

<sup>8</sup> From phase shift analysis of  $\eta \pi^+ \pi^-$  system.

<sup>9</sup> Resolution is not unfolded.

<sup>10</sup> Seen in the missing mass spectrum.



$f_1(1285)$  width (MeV)

### $f_1(1285)$ DECAY MODES

( $4\pi = \rho(\pi\pi)P_{wave}$ )

| Mode  | Fraction ( $\Gamma_i/\Gamma$ )    | Scale factor/<br>Confidence level |
|---|-----------------------------------|-----------------------------------|
| $\Gamma_1$ $4\pi$   | (35 $\pm$ 4 ) %                   | S=1.6                             |
| $\Gamma_2$ $\pi^0 \pi^0 \pi^+ \pi^-$                                  | (23.5 $\pm$ 3.0) %                | S=1.6                             |
| $\Gamma_3$ $2\pi^+ 2\pi^-$  | (11.7 $\pm$ 1.5) %                | S=1.6                             |
| $\Gamma_4$ $\rho^0 \pi^+ \pi^-$                                       | (11.7 $\pm$ 1.5) %                | S=1.6                             |
| $\Gamma_5$ $4\pi^0$   | < 7 $\times 10^{-4}$              | CL=90%                            |
| $\Gamma_6$ $\eta \pi \pi$   | (50 $\pm$ 18 ) %                  |                                   |
| $\Gamma_7$ $a_0(980)\pi$ [ignoring $a_0(980) \rightarrow K \bar{K}$ ] | (34 $\pm$ 8 ) %                   | S=1.2                             |
| $\Gamma_8$ $\eta \pi \pi$ [excluding $a_0(980)\pi$ ]                  | (15 $\pm$ 7 ) %                   | S=1.1                             |
| $\Gamma_9$ $K \bar{K} \pi$  | ( 9.6 $\pm$ 1.2) %                | S=1.5                             |
| $\Gamma_{10}$ $K \bar{K}^*(892)$                                      | not seen                          |                                   |
| $\Gamma_{11}$ $\gamma \rho^0$   | ( 5.4 $\pm$ 1.2) %                | S=2.3                             |
| $\Gamma_{12}$ $\phi \gamma$   | ( 7.9 $\pm$ 3.0) $\times 10^{-4}$ |                                   |
| $\Gamma_{13}$ $\gamma \gamma^*$                                       |                                   |                                   |
| $\Gamma_{14}$ $\gamma \gamma$   |                                   |                                   |

## CONSTRAINED FIT INFORMATION

An overall fit to 7 branching ratios uses 14 measurements and one constraint to determine 5 parameters. The overall fit has a  $\chi^2 = 23.7$  for 10 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

|          |       |       |       |       |
|----------|-------|-------|-------|-------|
| $x_7$    | -48   |       |       |       |
| $x_8$    | -24   | -72   |       |       |
| $x_9$    | 89    | -45   | -22   |       |
| $x_{11}$ | -5    | -8    | -4    | -6    |
|          | $x_1$ | $x_7$ | $x_8$ | $x_9$ |

### $f_1(1285) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

| $\Gamma(\eta\pi\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ |     | $\Gamma_6\Gamma_{14}/\Gamma = (\Gamma_7+\Gamma_8)\Gamma_{14}/\Gamma$ |      |  |
|--|-----|--|------|--|
| VALUE (keV)  | CL% | DOCUMENT ID  | TECN | COMMENT  |
| <b>&lt;0.62</b>  | 95  | GIDAL  | 87   | MRK2 $e^+e^- \rightarrow e^+e^-\eta\pi^+\pi^-$ |

| $\Gamma(\eta\pi\pi) \times \Gamma(\gamma\gamma^*)/\Gamma_{\text{total}}$ |                                     | $\Gamma_6\Gamma_{13}/\Gamma = (\Gamma_7+\Gamma_8)\Gamma_{13}/\Gamma$ |      |  |
|--|-------------------------------------|--|------|--|
| VALUE (keV)  | EVTS                                | DOCUMENT ID  | TECN | COMMENT  |
| <b>1.4 ± 0.4 OUR AVERAGE</b>   | Error includes scale factor of 1.4. |  |      |  |
| 1.18 ± 0.25 ± 0.20   | 26                                  | 11,12 AIHARA   | 88B  | TPC $e^+e^- \rightarrow e^+e^-\eta\pi^+\pi^-$  |
| 2.30 ± 0.61 ± 0.42   |                                     | 11,13 GIDAL  | 87   | MRK2 $e^+e^- \rightarrow e^+e^-\eta\pi^+\pi^-$ |

<sup>11</sup> Assuming a  $\rho$ -pole form factor.

<sup>12</sup> Published value multiplied by  $\eta\pi\pi$  branching ratio 0.49.

<sup>13</sup> Published value divided by 2 and multiplied by the  $\eta\pi\pi$  branching ratio 0.49.

### $f_1(1285) \text{ BRANCHING RATIOS}$

| $\Gamma(K\bar{K}\pi)/\Gamma(4\pi)$ |                                     | $\Gamma_9/\Gamma_1$     |      |   |
|------------------------------------|-------------------------------------|-------------------------|------|---|
| VALUE                              |                                     | DOCUMENT ID             | TECN | COMMENT   |
| <b>0.274 ± 0.018 OUR FIT</b>       | Error includes scale factor of 1.4. |                         |      |   |
| <b>0.271 ± 0.016 OUR AVERAGE</b>   | Error includes scale factor of 1.2. |                         |      |   |
| 0.265 ± 0.014                      |                                     | <sup>14</sup> BARBERIS  | 97C  | OMEG 450 $pp \rightarrow ppK_S^0 K^\pm \pi^\mp$ |
| 0.28 ± 0.05                        |                                     | <sup>15</sup> ARMSTRONG | 89E  | OMEG 300 $pp \rightarrow pp f_1(1285)$          |
| 0.37 ± 0.03 ± 0.05                 |                                     | <sup>16</sup> ARMSTRONG | 89G  | OMEG 85 $\pi p \rightarrow 4\pi X$              |

<sup>14</sup> Using  $2(\pi^+\pi^-)$  data from BARBERIS 97B.

<sup>15</sup> Assuming  $\rho\pi\pi$  and  $a_0(980)\pi$  intermediate states.

<sup>16</sup>  $4\pi$  consistent with being entirely  $\rho\pi\pi$ .

$$\Gamma(\pi^0 \pi^0 \pi^+ \pi^-) / \Gamma_{\text{total}} \qquad \Gamma_2 / \Gamma = \frac{2}{3} \Gamma_1 / \Gamma$$

VALUE DOCUMENT ID  
**0.235 ± 0.030 OUR FIT** Error includes scale factor of 1.6.

$$\Gamma(2\pi^+ 2\pi^-) / \Gamma_{\text{total}} \qquad \Gamma_3 / \Gamma = \frac{1}{3} \Gamma_1 / \Gamma$$

VALUE DOCUMENT ID  
**0.117 ± 0.015 OUR FIT** Error includes scale factor of 1.6.

$$\Gamma(\rho^0 \pi^+ \pi^-) / \Gamma_{\text{total}} \qquad \Gamma_4 / \Gamma = \frac{1}{3} \Gamma_1 / \Gamma$$

VALUE DOCUMENT ID  
**0.117 ± 0.015 OUR FIT** Error includes scale factor of 1.6.

$$\Gamma(K \bar{K} \pi) / \Gamma(\eta \pi \pi) \qquad \Gamma_9 / \Gamma_6 = \Gamma_9 / (\Gamma_7 + \Gamma_8)$$

VALUE DOCUMENT ID TECN COMMENT  
**0.19 ± 0.04 OUR FIT** Error includes scale factor of 1.4.  
**0.23 ± 0.06 OUR AVERAGE** Error includes scale factor of 1.2.

|             |                      |    |      |                                  |
|-------------|----------------------|----|------|----------------------------------|
| 0.42 ± 0.15 | GURTU                | 79 | HBC  | 4.2 $K^- p$                      |
| 0.5 ± 0.2   | CORDEN               | 78 | OMEG | 12–15 $\pi^- p$                  |
| 0.20 ± 0.08 | <sup>17</sup> DEFOIX | 72 | HBC  | 0.7 $\bar{p} p \rightarrow 7\pi$ |
| 0.16 ± 0.08 | CAMPBELL             | 69 | DBC  | 2.7 $\pi^+ d$                    |

<sup>17</sup>  $K \bar{K}$  system characterized by the  $l = 1$  threshold enhancement. (See under  $a_0(980)$ ).

$$\Gamma(a_0(980) \pi \text{ [ignoring } a_0(980) \rightarrow K \bar{K}]) / \Gamma(\eta \pi \pi) \qquad \Gamma_7 / \Gamma_6 = \Gamma_7 / (\Gamma_7 + \Gamma_8)$$

VALUE EVTS DOCUMENT ID TECN COMMENT  
**0.69 ± 0.13 OUR FIT**

**0.69<sup>+0.13</sup><sub>-0.12</sub> OUR AVERAGE**

|                                     |        |    |      |                 |
|-------------------------------------|--------|----|------|-----------------|
| 0.72 ± 0.15                         | GURTU  | 79 | HBC  | 4.2 $K^- p$     |
| 0.6 <sup>+0.3</sup> <sub>-0.2</sub> | CORDEN | 78 | OMEG | 12–15 $\pi^- p$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|             |      |          |     |      |  |
|-------------|------|----------|-----|------|--|
| 0.28 ± 0.07 | 1400 | ALDE     | 97B | GAM4 | 100 $\pi^- p \rightarrow \eta \pi^0 \pi^0 n$ |
| 1.0 ± 0.3   |      | GRASSLER | 77  | HBC  | 16 $\pi^\mp p$                               |

$$\Gamma(4\pi) / \Gamma(\eta \pi \pi) \qquad \Gamma_1 / \Gamma_6 = \Gamma_1 / (\Gamma_7 + \Gamma_8)$$

VALUE DOCUMENT ID TECN COMMENT  
**0.71 ± 0.15 OUR FIT** Error includes scale factor of 1.5.  
**0.41 ± 0.14 OUR AVERAGE**

|                    |        |    |      |                                       |
|--------------------|--------|----|------|---------------------------------------|
| 0.37 ± 0.11 ± 0.11 | BOLTON | 92 | MRK3 | $J/\psi \rightarrow \gamma f_1(1285)$ |
| 0.64 ± 0.40        | GURTU  | 79 | HBC  | 4.2 $K^- p$                           |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|             |                        |    |     |                |
|-------------|------------------------|----|-----|----------------|
| 0.93 ± 0.30 | <sup>18</sup> GRASSLER | 77 | HBC | 16 $\pi^\mp p$ |
|-------------|------------------------|----|-----|----------------|

<sup>18</sup> Assuming  $\rho \pi \pi$  and  $a_0(980) \pi$  intermediate states.

$$\Gamma(K \bar{K}^*(892)) / \Gamma_{\text{total}} \qquad \Gamma_{10} / \Gamma$$

VALUE DOCUMENT ID TECN COMMENT  
**not seen** NACASCH 78 HBC 0.7, 0.76  $\bar{p} p \rightarrow K \bar{K}^* 3\pi$

$$\Gamma(\rho^0 \pi^+ \pi^-) / \Gamma(2\pi^+ 2\pi^-) \quad \Gamma_4 / \Gamma_3$$

| VALUE | CL% | DOCUMENT ID | TECN | COMMENT |
|-------|-----|-------------|------|---------|
|-------|-----|-------------|------|---------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

|               |  |          |        |                    |
|---------------|--|----------|--------|--------------------|
| $1.0 \pm 0.4$ |  | GRASSLER | 77 HBC | 16 GeV $\pi^\pm p$ |
|---------------|--|----------|--------|--------------------|

$$\Gamma(4\pi^0) / \Gamma_{\text{total}} \quad \Gamma_5 / \Gamma$$

| VALUE (units $10^{-4}$ ) | CL% | DOCUMENT ID | TECN | COMMENT |
|--------------------------|-----|-------------|------|---------|
|--------------------------|-----|-------------|------|---------|

|       |    |      |         |                                    |
|-------|----|------|---------|------------------------------------|
| $< 7$ | 90 | ALDE | 87 GAM4 | 100 $\pi^- p \rightarrow 4\pi^0 n$ |
|-------|----|------|---------|------------------------------------|

$$\Gamma(\phi \gamma) / \Gamma(K \bar{K} \pi) \quad \Gamma_{12} / \Gamma_9$$

| VALUE (units $10^{-2}$ ) | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|--------------------------|-----|------|-------------|------|---------|
|--------------------------|-----|------|-------------|------|---------|

|                          |  |    |          |         |  |
|--------------------------|--|----|----------|---------|--|
| $0.82 \pm 0.21 \pm 0.20$ |  | 19 | BITYUKOV | 88 SPEC | 32.5 $\pi^- p \rightarrow K^+ K^- \pi^0 n$ |
|--------------------------|--|----|----------|---------|--|

• • • We do not use the following data for averages, fits, limits, etc. • • •

|          |    |  |        |        |   |
|----------|----|--|--------|--------|---|
| $< 0.93$ | 95 |  | AMELIN | 95 VES | 37 $\pi^- N \rightarrow \pi^- \pi^+ \pi^- \gamma N$ |
|----------|----|--|--------|--------|---|

$$\Gamma(\gamma \rho^0) / \Gamma(K \bar{K} \pi) \quad \Gamma_{11} / \Gamma_9$$

| VALUE | CL% | DOCUMENT ID | TECN | COMMENT |
|-------|-----|-------------|------|---------|
|-------|-----|-------------|------|---------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

|           |    |    |         |         |  |
|-----------|----|----|---------|---------|--|
| $> 0.035$ | 90 | 19 | COFFMAN | 90 MRK3 | $J/\psi \rightarrow \gamma \gamma \pi^+ \pi^-$ |
|-----------|----|----|---------|---------|--|

<sup>19</sup> Using  $B(J/\psi \rightarrow \gamma f_1(1285) \rightarrow \gamma \gamma \rho^0) = 0.25 \times 10^{-4}$  and  $B(J/\psi \rightarrow \gamma f_1(1285) \rightarrow \gamma K \bar{K} \pi) = < 0.72 \times 10^{-3}$ .

$$\Gamma(\gamma \rho^0) / \Gamma(2\pi^+ 2\pi^-) \quad \Gamma_{11} / \Gamma_3 = \Gamma_{11} / \frac{1}{3} \Gamma_1$$

| VALUE | DOCUMENT ID | TECN | COMMENT |
|-------|-------------|------|---------|
|-------|-------------|------|---------|

**0.46 ± 0.13 OUR FIT** Error includes scale factor of 1.9.

|                    |                       |         |  |
|--------------------|-----------------------|---------|--|
| <b>0.45 ± 0.18</b> | <sup>20</sup> COFFMAN | 90 MRK3 | $J/\psi \rightarrow \gamma \gamma \pi^+ \pi^-$ |
|--------------------|-----------------------|---------|--|

<sup>20</sup> Using  $B(J/\psi \rightarrow \gamma f_1(1285) \rightarrow \gamma \gamma \rho^0) = 0.25 \times 10^{-4}$  and  $B(J/\psi \rightarrow \gamma f_1(1285) \rightarrow \gamma 2\pi^+ 2\pi^-) = 0.55 \times 10^{-4}$  given by MIR 88.

$$\Gamma(\gamma \rho^0) / \Gamma_{\text{total}} \quad \Gamma_{11} / \Gamma$$

| VALUE | CL% | DOCUMENT ID | TECN | COMMENT |
|-------|-----|-------------|------|---------|
|-------|-----|-------------|------|---------|

**0.054 ± 0.012 OUR FIT** Error includes scale factor of 2.3.

|                              |  |        |        |   |
|------------------------------|--|--------|--------|---|
| <b>0.028 ± 0.007 ± 0.006</b> |  | AMELIN | 95 VES | 37 $\pi^- N \rightarrow \pi^- \pi^+ \pi^- \gamma N$ |
|------------------------------|--|--------|--------|---|

• • • We do not use the following data for averages, fits, limits, etc. • • •

|          |    |          |          |   |
|----------|----|----------|----------|---|
| $< 0.05$ | 95 | BITYUKOV | 91B SPEC | 32 $\pi^- p \rightarrow \pi^+ \pi^- \gamma n$ |
|----------|----|----------|----------|---|

$$\Gamma(\eta \pi \pi) / \Gamma(\gamma \rho^0) \quad \Gamma_6 / \Gamma_{11} = (\Gamma_7 + \Gamma_8) / \Gamma_{11}$$

| VALUE | DOCUMENT ID | TECN | COMMENT |
|-------|-------------|------|---------|
|-------|-------------|------|---------|

**9.2 ± 2.6 OUR FIT** Error includes scale factor of 3.0.

|                  |                         |          |   |
|------------------|-------------------------|----------|---|
| <b>7.5 ± 1.0</b> | <sup>21</sup> ARMSTRONG | 92C OMEG | 300 $pp \rightarrow pp \pi^+ \pi^- \gamma, pp \eta \pi^+ \pi^-$ |
|------------------|-------------------------|----------|---|

<sup>21</sup> Published value multiplied by 1.5.

**f<sub>1</sub>(1285) REFERENCES**

|              |     |                             |  |  |
|--------------|-----|-----------------------------|--|--|
| ALDE         | 97B | PAN 60 386                  | D. Alde, Binon, Bricman+                         | (GAMS Collab.)                           |
|              |     | Translated from YAF 60 458. |  |  |
| BARBERIS     | 97B | PL B413 217                 | D. Barberis+                                     | (WA102 Collab.)                          |
| BARBERIS     | 97C | PL B413 225                 | D. Barberis+                                     | (WA102 Collab.)                          |
| AMELIN       | 95  | ZPHY C66 71                 | +Berdnikov+                                      | (VES Collab.)                            |
| ANTINORI     | 95  | PL B353 589                 | +Barberis, Bayes+                                | (ATHU, BARI, BIRM, CERN, JINR)           |
| ABATZIS      | 94  | PL B324 509                 | +Antinori, Barberis+                             | (ATHU, BARI, BIRM, CERN, JINR)           |
| LEE          | 94  | PL B323 227                 | +Chung, Kirk+                                    | (BNL, IND, KYUN, MASD, RICE)             |
| ARMSTRONG    | 93C | PL B307 394                 | +Bettoni+  | (FNAL, FERR, GENO, UCI, NWES+)           |
| ARMSTRONG    | 92C | ZPHY C54 371                | +Barnes, Benayoun+                               | (ATHU, BARI, BIRM, CERN, CDEF)           |
| BOLTON       | 92  | PL B278 495                 | +Brown, Bunnell+                                 | (Mark III Collab.)                       |
| BITYUKOV     | 91B | SJNP 54 318                 | +Borisov, Viktorov+                              | (SERP)                                   |
|              |     | Translated from YAF 54 529. |  |  |
| FUKUI        | 91C | PL B267 293                 | +  | (SUGI, NAGO, KEK, KYOT, MIYA, AKIT)      |
| AUGUSTIN     | 90  | PR D42 10                   | +Cosme+  | (DM2 Collab.)                            |
| COFFMAN      | 90  | PR D41 1410                 | +De Jongh+                                       | (Mark III Collab.)                       |
| ARMSTRONG    | 89  | PL B221 216                 | +Benayoun+(CERN, CDEF, BIRM, BARI, ATHU, CURIN+) | JPC                                      |
| ARMSTRONG    | 89E | PL B228 536                 | +Benayoun (ATHU, BARI, BIRM, CERN, CDEF, CURIN+) |  |
| ARMSTRONG    | 89G | ZPHY C43 55                 | +Bloodworth+                                     | (CERN, BIRM, BARI, ATHU, CURIN+)         |
| RATH         | 89  | PR D40 693                  | +Cason+  | (NDAM, BRAN, BNL, CUNY, DUKE)            |
| AIHARA       | 88B | PL B209 107                 | +Alston-Garnjost+                                | (TPC-2 $\gamma$ Collab.)                 |
| BIRMAN       | 88  | PRL 61 1557                 | +Chung, Peaslee+                                 | (BNL, FSU, IND, MASD) JP                 |
| BITYUKOV     | 88  | PL B203 327                 | +Borisov, Dorofeev+                              | (SERP)                                   |
| MIR          | 88  | Photon-Photon 88 Conf., 126 |  | (Mark III Collab.)                       |
| ALDE         | 87  | PL B198 286                 | +Binon, Bricman+                                 | (LANL, BRUX, SERP, LAPP)                 |
| BECKER       | 87  | PRL 59 186                  | +Blaylock, Bolton, Brown+                        | (Mark III Collab.)                       |
| GIDAL        | 87  | PL 59 2012                  | +Boyer, Butler, Cords, Abrams+                   | (LBL, SLAC, HARV)                        |
| ANDO         | 86  | PRL 57 1296                 | +Imai+   | (KEK, KYOT, NIRS, SAGA, INUS, TSUK+) IJP |
| REEVES       | 86  | PR 34 1960                  | +Chung, Crittenden+                              | (FLOR, BNL, IND, MASD) JP                |
| CHUNG        | 85  | PRL 55 779                  | +Fernow, Boehnlein+                              | (BNL, FLOR, IND, MASD) JP                |
| ARMSTRONG    | 84  | PL 146B 273                 | +Bloodworth, Burns+                              | (ATHU, BARI, BIRM, CERN) JP              |
| BITYUKOV     | 84B | PL 144B 133                 | Bitukov, Dorofeev, Dzhelyadin, Golovkin, Kulik+  | (SERP)                                   |
| CHAUVAT      | 84  | PL 148B 382                 | +Meritet, Bonino+                                | (CERN, CLER, UCLA, SACL)                 |
| TORNQVIST    | 82B | NP B203 268                 |  | (HELS)                                   |
| EVANGELISTA  | 81  | NP B178 197                 | +  | (BARI, BONN, CERN, DARE, LIVP+)          |
| BROMBERG     | 80  | PR D22 1513                 | +Haggerty, Abrams, Dzierba                       | (CIT, FNAL, ILLC, IND)                   |
| DIONISI      | 80  | NP B169 1                   | +Gavillet+                                       | (CERN, MADR, CDEF, STOH)                 |
| GURTU        | 79  | NP B151 181                 | +Gavillet, Blokzijl+                             | (CERN, ZEEM, NIJM, OXF)                  |
| STANTON      | 79  | PRL 42 346                  | +Brockman+                                       | (OSU, CARL, MCGI, TINTO) JP              |
| CORDEN       | 78  | NP B144 253                 | +Corbett, Alexander+                             | (BIRM, RHEL, TELA, LOWC) JP              |
| NACASCH      | 78  | NP B135 203                 | +Defoix, Dobrzynski+                             | (PARIS, MADR, CERN)                      |
| GRASSLER     | 77  | NP B121 189                 | +  | (AACH3, BERL, BONN, CERN, CRAC, HEIDH+)  |
| DEFOIX       | 72  | NP B44 125                  | +Nascimento, Bizzarri+                           | (CDEF, CERN)                             |
| DUBOC        | 72  | NP B46 429                  | +Goldberg, Makowski, Donald+                     | (PARIS, LIVP)                            |
| THUN         | 72  | PRL 28 1733                 | +Blieden, Finocchiaro, Bowen+                    | (STON, NEAS)                             |
| BARDADIN-... | 71  | PR D4 2711                  | Bardadin-Otwinowska, Hofmokl+                    | (WARS)                                   |
| BOESEBECK    | 71  | PL 34B 659                  | (AACH, BERL, BONN, CERN, CRAC, HEID, WARS)       |  |
| CAMPBELL     | 69  | PRL 22 1204                 | +Lichtman, Loeffler+                             | (PURD)                                   |
| LORSTAD      | 69  | NP B14 63                   | +D'Andlau, Astier+                               | (CDEF, CERN) JP                          |
| D'ANDLAU     | 68  | NP B5 693                   | +Astier, Barlow+                                 | (CDEF, CERN, IRAD, LIVP) IJP             |
| DAHL         | 67  | PR 163 1377                 | +Hardy, Hess, Kirz, Miller                       | (LRL) IJP                                |

**OTHER RELATED PAPERS**

|          |     |              |                                  |  |
|----------|-----|--------------|----------------------------------|--|
| AIHARA   | 88C | PR D38 1     | +Alston-Garnjost+                | (TPC-2 $\gamma$ Collab.) JPC           |
| ASTON    | 85  | PR D32 2255  | +Carnegie, Dunwoodie+            | (SLAC, CARL, CNRC)                     |
| ATKINSON | 84E | PL 138B 459  | +                                | (BONN, CERN, GLAS, LANC, MCHS, CURIN+) |
| GAVILLET | 82  | ZPHY C16 119 | +Armenteros+                     | (CERN, CDEF, PADO, ROMA)               |
| D'ANDLAU | 65  | PL 17 347    | +Barlow, Adamson+                | (CDEF, CERN, IRAD, LIVP)               |
| MILLER   | 65  | PRL 14 1074  | +Chung, Dahl, Hess, Hardy, Kirz+ | (LRL, UCB)                             |