

$\chi_{c2}(1P)$ $I^G(J^{PC}) = 0^+(2^{++})$ **$\chi_{c2}(1P)$ MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
3556.17 ± 0.13 OUR AVERAGE				
3556.15 $\pm 0.07 \pm 0.12$	585	ARMSTRONG 92	E760	$\bar{p}p \rightarrow e^+ e^- \gamma$
3556.9 $\pm 0.4 \pm 0.5$	50	BAGLIN 86B	SPEC	$\bar{p}p \rightarrow e^+ e^- X$
3557.8 $\pm 0.2 \pm 4$		¹ GAISER 86	CBAL	$\psi(2S) \rightarrow \gamma X$
3553.4 ± 2.2	66	² LEMOIGNE 82	GOLI	$190 \pi^- Be \rightarrow \gamma 2\mu$
3555.9 ± 0.7		³ OREGLIA 82	CBAL	$e^+ e^- \rightarrow J/\psi 2\gamma$
3557 ± 1.5	69	⁴ HIMEL 80	MRK2	$e^+ e^- \rightarrow J/\psi 2\gamma$
3551 ± 11	15	BRANDELIK 79B	DASP	$e^+ e^- \rightarrow J/\psi 2\gamma$
3553 ± 4		⁴ BARTEL 78B	CNTR	$e^+ e^- \rightarrow J/\psi 2\gamma$
3553 $\pm 4 \pm 4$		^{4,5} TANENBAUM 78	MRK1	$e^+ e^-$
3563 ± 7	360	⁴ BIDDICK 77	CNTR	$e^+ e^- \rightarrow \gamma X$

• • • We do not use the following data for averages, fits, limits, etc. • • •

3543 ± 10 4 WHITAKER 76 MRK1 $e^+ e^- \rightarrow J/\psi 2\gamma$

¹ Using mass of $\psi(2S) = 3686.0$ MeV.

² $J/\psi(1S)$ mass constrained to 3097 MeV.

³ Assuming $\psi(2S)$ mass = 3686 MeV and $J/\psi(1S)$ mass = 3097 MeV.

⁴ Mass value shifted by us by amount appropriate for $\psi(2S)$ mass = 3686 MeV and $J/\psi(1S)$ mass = 3097 MeV.

⁵ From a simultaneous fit to radiative and hadronic decay channels.

 $\chi_{c2}(1P)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
2.00 ± 0.18 OUR AVERAGE				
1.98 $\pm 0.17 \pm 0.07$	585	ARMSTRONG 92	E760	$\bar{p}p \rightarrow e^+ e^- \gamma$
2.6 $+1.4$ -1.0	50	BAGLIN 86B	SPEC	$\bar{p}p \rightarrow e^+ e^- X$
2.8 $+2.1$ -2.0		⁶ GAISER 86	CBAL	$\psi(2S) \rightarrow \gamma X$

⁶ Errors correspond to 90% confidence level; authors give only width range.

 $\chi_{c2}(1P)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Confidence level
------	--------------------------------	------------------

Hadronic decays

Γ_1	$2(\pi^+ \pi^-)$	(2.2 ± 0.5) %
Γ_2	$\pi^+ \pi^- K^+ K^-$	(1.9 ± 0.5) %
Γ_3	$3(\pi^+ \pi^-)$	(1.2 ± 0.8) %
Γ_4	$\rho^0 \pi^+ \pi^-$	(7 ± 4) $\times 10^{-3}$
Γ_5	$K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.}$	(4.8 ± 2.8) $\times 10^{-3}$
Γ_6	$\pi^+ \pi^- p\bar{p}$	(3.3 ± 1.3) $\times 10^{-3}$
Γ_7	$\pi^+ \pi^-$	(1.9 ± 1.0) $\times 10^{-3}$
Γ_8	$K^+ K^-$	(1.5 ± 1.1) $\times 10^{-3}$
Γ_9	$p\bar{p}$	(10.0 ± 1.0) $\times 10^{-5}$
Γ_{10}	$\pi^0 \pi^0$	
Γ_{11}	$\eta \eta$	
Γ_{12}	$J/\psi(1S) \pi^+ \pi^- \pi^0$	< 1.5 %
		90%

Radiative decays

Γ_{13}	$\gamma J/\psi(1S)$	(13.5 ± 1.1) %
Γ_{14}	$\gamma\gamma$	(1.6 ± 0.5) $\times 10^{-4}$

 $\chi_{c2}(1P)$ PARTIAL WIDTHS

$\Gamma(p\bar{p})$		Γ_9
<u>VALUE (eV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>
206 ± 22 OUR AVERAGE		<u>TECN</u>
$197 \pm 18 \pm 16$	585	⁷ ARMSTRONG 92 E760 $\bar{p}p \rightarrow e^+ e^- \gamma$
$252^{+55}_{-48} \pm 21$		⁷ BAGLIN 86B SPEC $\bar{p}p \rightarrow e^+ e^- X$

⁷ Restated by us using $B(\chi_{c2}(1P) \rightarrow J/\psi(1S)\gamma)B(J/\psi(1S) \rightarrow e^+ e^-) = 0.0085 \pm 0.0007$.

$\Gamma(\gamma\gamma)$		Γ_{14}
<u>VALUE (keV)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>
0.37 ± 0.17 OUR AVERAGE		Error includes scale factor of 1.9.
1.08 ± 0.30 ± 0.26		DOMINICK 94 CLE2 $e^+ e^- \rightarrow e^+ e^- \chi_{c2}$
0.321 ± 0.078 ± 0.054		⁸ ARMSTRONG 93 E760 $\bar{p}p \rightarrow \gamma\gamma$
3.4 ± 1.7 ± 0.9		BAUER 93 TPC $e^+ e^- \rightarrow e^+ e^- \chi_{c2}$
2.9 ± 1.3 ± 1.7		BAGLIN 87B SPEC $\bar{p}p \rightarrow \gamma\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<4.2	95	UEHARA	91 VNS	$e^+ e^- \rightarrow e^+ e^- \chi_{c2}$
<1.0	95	CHEN	90B CLEO	$e^+ e^- \rightarrow e^+ e^- \chi_{c2}$
<4.2	95	AIHARA	88D TPC	$e^+ e^- \rightarrow e^+ e^- X$

⁸ Using $B(\chi_{c2}(1P) \rightarrow p\bar{p}) = (1.00 \pm 0.23) \times 10^{-4}$ and $\Gamma_{\text{total}} = 2.00 \pm 0.18$ MeV.

$\chi_{c2}(1P)$ BRANCHING RATIOS**HADRONIC DECAYS**

$$\Gamma(2(\pi^+ \pi^-))/\Gamma_{\text{total}}$$

VALUE **0.022 ± 0.005**

$$\Gamma(\pi^+ \pi^- K^+ K^-)/\Gamma_{\text{total}}$$

VALUE **0.019 ± 0.005**

$$\Gamma(3(\pi^+ \pi^-))/\Gamma_{\text{total}}$$

VALUE **0.012 ± 0.008**

$$\Gamma(\rho^0 \pi^+ \pi^-)/\Gamma_{\text{total}}$$

VALUE (units 10^{-4}) **68 ± 40**

$$\Gamma(K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.})/\Gamma_{\text{total}}$$

VALUE (units 10^{-4}) **48 ± 28**

$$\Gamma(\pi^+ \pi^- p \bar{p})/\Gamma_{\text{total}}$$

VALUE (units 10^{-4}) **33 ± 13**

$$\Gamma(\pi^+ \pi^-)/\Gamma_{\text{total}}$$

VALUE (units 10^{-3}) **1.9 ± 1.0** EVTS**4**DOCUMENT ID**9 BRANDELIK**TECN**DASP**COMMENT **$\psi(2S) \rightarrow \gamma \chi_{c2}$**

$$[\Gamma(\pi^+ \pi^-) + \Gamma(K^+ K^-)]/\Gamma_{\text{total}}$$

VALUE (units 10^{-4}) **24 ± 10** DOCUMENT ID**9 TANENBAUM**TECN**MRK1**COMMENT **$\psi(2S) \rightarrow \gamma \chi_{c2}$**

$$\Gamma(K^+ K^-)/\Gamma_{\text{total}}$$

VALUE (units 10^{-3}) **1.5 ± 1.1** EVTS**2**DOCUMENT ID**9 BRANDELIK**TECN**DASP**COMMENT **$\psi(2S) \rightarrow \gamma \chi_{c2}$**

$$\Gamma(p \bar{p})/\Gamma_{\text{total}}$$

VALUE (units 10^{-4}) **1.00 ± 0.10 OUR AVERAGE** **1.00 ± 0.11** CL%**585**DOCUMENT ID**10 ARMSTRONG**TECN**E760**COMMENT **$p \bar{p} \rightarrow e^+ e^- \gamma$** **$0.97^{+0.44}_{-0.28} \pm 0.08$** **BAGLIN****86B SPEC** **$p \bar{p} \rightarrow e^+ e^- X$** **• • • We do not use the following data for averages, fits, limits, etc. • • •****<9.5****90****9 BRANDELIK****79B DASP** **$\psi(2S) \rightarrow \gamma \chi_{c2}$**

$\Gamma_i \Gamma_f / \Gamma_{\text{total}}^2$ in $p\bar{p} \rightarrow \chi_{c2}(1P) \rightarrow \gamma\gamma$ $\Gamma_9 \Gamma_{14} / \Gamma^2$

<u>VALUE</u> (units 10^{-7})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$0.160 \pm 0.039 \pm 0.016$		ARMSTRONG 93	E760	$\bar{p}p \rightarrow \gamma\gamma$
$0.99 \begin{array}{l} +0.46 \\ -0.35 \end{array}$	6	¹¹ BAGLIN	87B SPEC	$\bar{p}p \rightarrow \gamma\gamma$

 $\Gamma(\pi^0\pi^0)/\Gamma_{\text{total}}$ Γ_{10}/Γ

<u>VALUE</u> (units 10^{-3})		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$1.1 \pm 0.2 \pm 0.2$		¹² LEE	85 CBAL	$\psi' \rightarrow \text{photons}$

 $\Gamma(\eta\eta)/\Gamma_{\text{total}}$ Γ_{11}/Γ

<u>VALUE</u> (units 10^{-4})		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$7.9 \pm 4.1 \pm 2.4$		¹² LEE	85 CBAL	$\psi' \rightarrow \text{photons}$

 $\Gamma(J/\psi(1S)\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$ Γ_{12}/Γ

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.015	90	BARATE	81 SPEC	$190 \text{ GeV } \pi^- \text{ Be} \rightarrow 2\pi 2\mu$

⁹ Estimated using $B(\psi(2S) \rightarrow \gamma \chi_{c2}(1P)) = 0.078$; the errors do not contain the uncertainty in the $\psi(2S)$ decay.

¹⁰ Restated by us using $B(\chi_{c2}(1P) \rightarrow J/\psi(1S)\gamma)B(J/\psi(1S) \rightarrow e^+e^-) = 0.0085 \pm 0.0007$.

¹¹ Assuming isotropic $\chi_{c2}(1P) \rightarrow \gamma\gamma$ distribution.

¹² LEE 85 result is calculated using $B(\psi(2S) \rightarrow \gamma \chi_{c2}(1P)) = 0.078 \pm 0.008$.

 RADIATIVE DECAYS

 $\Gamma(\gamma J/\psi(1S))/\Gamma_{\text{total}}$ Γ_{13}/Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.135 ± 0.011 OUR AVERAGE				

0.124 ± 0.015		GAISER	86 CBAL	$\psi(2S) \rightarrow \gamma X$
0.162 ± 0.028	479	OREGLIA	82 CBAL	$\psi(2S) \rightarrow \gamma \chi_{c2}$
0.14 ± 0.04		HIMEL	80 MRK2	$\psi(2S) \rightarrow \gamma \chi_{c2}$
0.18 ± 0.05		BRANDELIK	79B DASP	$\psi(2S) \rightarrow \gamma \chi_{c2}$
0.13 ± 0.03		BARTEL	78B CNTR	$\psi(2S) \rightarrow \gamma \chi_{c2}$
0.13 ± 0.08		TANENBAUM	78 MRK1	$\psi(2S) \rightarrow \gamma \chi_{c2}$

$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$

0.28 ± 0.13 ¹³ BIDDICK 77 CNTR $\psi(2S) \rightarrow \gamma X$

¹³ Estimated using $B(\psi(2S) \rightarrow \gamma \chi_{c2}(1P)) = 0.078$; the errors do not contain the uncertainty in the $\psi(2S)$ decay.

 $\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ Γ_{14}/Γ

<u>VALUE</u> (units 10^{-4})		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$1.60 \pm 0.39 \pm 0.23$				

¹⁴ Using $B(\chi_{c2}(1P) \rightarrow p\bar{p}) = (1.00 \pm 0.23) \times 10^{-4}$.

$\chi_{c2}(1P)$ REFERENCES

DOMINICK	94	PR D50 4265	+Sanghera+	(CLEO Collab.)
ARMSTRONG	93	PRL 70 2988	+Bettoni, Bharadwaj+	(FNAL E760 Collab.)
BAUER	93	PL B302 345	+Belcinski+	(TPC Collab.)
ARMSTRONG	92	NP B373 35	+Bettoni+	(FNAL, FERR, GENO, UCI, NWES+)
Also	92B	PRL 68 1468	Armstrong, Bettoni+	(FNAL, FERR, GENO, UCI, NWES+)
UEHARA	91	PL B266 188	+Abe+	(VENUS Collab.)
CHEN	90B	PL B243 169	+McIlwain+	(CLEO Collab.)
AIHARA	88D	PRL 60 2355	+Alston-Garnjost+	(TPC Collab.)
BAGLIN	87B	PL B187 191	+Baird, Bassompierre, Borreani+	(R704 Collab.)
BAGLIN	86B	PL B172 455	(LAPP, CERN, GENO, LYON, OSLO, ROMA+)	
GAISER	86	PR D34 711	+Bloom, Bulos, Godfrey+	(Crystal Ball Collab.)
LEE	85	SLAC 282		(SLAC)
LEMOIGNE	82	PL 113B 509	+Barate, Astbury+	(SACL, LOIC, SHMP, IND)
OREGLIA	82	PR D25 2259	+Partridge+	(SLAC, CIT, HARV, PRIN, STAN)
Also	82B	Private Comm.	Oreglia	(IFI)
BARATE	81	PR D24 2994	+Astbury+	(SACL, LOIC, SHMP, CERN, IND)
HIMEL	80	PRL 44 920	+Abrams, Alam, Blocker+	(LBL, SLAC)
Also	82	Private Comm.	Trilling	(LBL, UCB)
BRANDELIK	79B	NP B160 426	+Cords+	(DASP Collab.)
BRANDELIK	79C	ZPHY C1 233	+Cords+	(DASP Collab.)
BARTEL	78B	PL 79B 492	+Dittmann, Duinker, Olsson, O'Neill+	(DESY, HEIDP)
TANENBAUM	78	PR D17 1731	+Alam, Boyarski+	(SLAC, LBL)
Also	82	Private Comm.	Trilling	(LBL, UCB)
BIDDICK	77	PRL 38 1324	+Burnett+	(UCSD, UMD, PAVI, PRIN, SLAC, STAN)
WHITAKER	76	PRL 37 1596	+Tanenbaum, Abrams, Alam+	(SLAC, LBL)

OTHER RELATED PAPERS

BARATE	83	PL 121B 449	+Bareyre, Bonamy+	(SACL, LOIC, SHMP, IND)
FELDMAN	75B	PRL 35 821	+Jean-Marie, Sadoulet, Vannucci+	(LBL, SLAC)
Also	75C	PRL 35 1189	Feldman	
Erratum.				
TANENBAUM	75	PRL 35 1323	+Whitaker, Abrams+	(LBL, SLAC)
