

$\rho(1450)$ $I^G(J^{PC}) = 1^+(1^{--})$ See the mini-review under the $\rho(1700)$. **$\rho(1450)$ MASS**VALUE (MeV)DOCUMENT ID **1465 ± 25 OUR ESTIMATE**

This is only an educated guess; the error given is larger than the error on the average of the published values.

 1452 ± 8 OUR AVERAGE

Includes data from the 2 datablocks that follow this one.

 $\eta\rho^0$ MODEVALUE (MeV)DOCUMENT IDTECNCOMMENT

The data in this block is included in the average printed for a previous datablock.

1470 \pm 20ANTONELLI 88 DM2 $e^+ e^- \rightarrow \eta\pi^+\pi^-$ 1446 \pm 10FUKUI 88 SPEC $8.95\pi^- p \rightarrow \eta\pi^+\pi^- n$ **$\omega\pi$ MODE**VALUE (MeV)DOCUMENT IDTECNCOMMENT

The data in this block is included in the average printed for a previous datablock.

1463 \pm 25

1 CLEGG 94 RVUE

• • • We do not use the following data for averages, fits, limits, etc. • • •

1250

2 ASTON 80C OMEG 20–70 $\gamma p \rightarrow \omega\pi^0 p$ 1290 \pm 402 BARBER 80C SPEC 3–5 $\gamma p \rightarrow \omega\pi^0 p$ ¹ Using data from BISELLO 91B, DOLINSKY 86 and ALBRECHT 87L.² Not separated from $b_1(1235)$, not pure $J^P = 1^-$ effect. **$\pi\pi$ MODE**VALUE (MeV)DOCUMENT IDTECNCOMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

1348 \pm 33BERTIN 98 OBLX 50–405 $\bar{n}p \rightarrow \pi^+\pi^+\pi^-$ 1411 \pm 143 ABELE 97 CBAR $\bar{p}n \rightarrow \pi^-\pi^0\pi^0$ 1370 $^{+90}_{-70}$ ACHASOV 97 RVUE $e^+ e^- \rightarrow \pi^+\pi^-$ 1380 \pm 244 BARATE 97M ALEP $\tau^- \rightarrow \pi^-\pi^0\nu_\tau$ 1359 \pm 405 BERTIN 97C OBLX 0.0 $\bar{p}p \rightarrow \pi^+\pi^-\pi^0$ 1282 \pm 37BERTIN 97D OBLX 0.05 $\bar{p}p \rightarrow 2\pi^+2\pi^-$ 1424 \pm 25BERTIN 89 DM2 $e^+ e^- \rightarrow \pi^+\pi^-$ ³ T-matrix pole.⁴ Fixing $\rho(1450)$ width to 310 MeV and $\rho(1700)$ mass and width to 1700 MeV and 235 MeV respectively.⁵ $\rho(1700)$ mass and width fixed at 1700 MeV and 235 MeV, respectively.

$\pi^+ \pi^- \pi^+ \pi^-$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1350 \pm 50	ACHASOV 97 RVUE	$e^+ e^- \rightarrow 2(\pi^+ \pi^-)$	
1449 \pm 4	⁶ ARMSTRONG 89E OMEG	$300 \text{ } pp \rightarrow pp 2(\pi^+ \pi^-)$	

⁶ Not clear whether this observation has $J=1$ or 0.

$\phi\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1480 \pm 40	^{7,8} BITYUKOV 87 SPEC	0		$32.5 \pi^- p \rightarrow \phi\pi^0 n$

⁷ DONNACHIE 91 suggests this is a different particle.

⁸ Not seen by ABELE 97H.

MIXED MODES

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1265.5 \pm 75.3	DUBNICKA 89 RVUE	$e^+ e^- \rightarrow \pi^+ \pi^-$	

$\rho(1450)$ WIDTH

VALUE (MeV)	DOCUMENT ID
310 \pm 60 OUR ESTIMATE	This is only an educated guess; the error given is larger than the error on the average of the published values.

$\eta\rho^0$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
230 \pm 30	ANTONELLI 88 DM2	$e^+ e^- \rightarrow \eta\pi^+\pi^-$	
60 \pm 15	FUKUI 88 SPEC	$8.95 \pi^- p \rightarrow \eta\pi^+\pi^- n$	

$\omega\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.			

311 \pm 62 ⁹ CLEGG 94 RVUE

• • • We do not use the following data for averages, fits, limits, etc. **• • •**

300 ¹⁰ ASTON 80C OMEG 20–70 $\gamma p \rightarrow \omega\pi^0 p$

320 \pm 100 ¹⁰ BARBER 80C SPEC 3–5 $\gamma p \rightarrow \omega\pi^0 p$

⁹ Using data from BISELLO 91B, DOLINSKY 86 and ALBRECHT 87L.

¹⁰ Not separated from $b_1(1235)$, not pure $J^P = 1^-$ effect.

$\pi\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
275±10	BERTIN	98 OBLX	50–405 $\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
343±20	¹¹ ABELE	97 CBAR	$\bar{p}n \rightarrow \pi^- \pi^0 \pi^0$
310±40	¹² BERTIN	97C OBLX	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
236±36	BERTIN	97D OBLX	0.05 $\bar{p}p \rightarrow 2\pi^+ 2\pi^-$
269±31	BISELLO	89 DM2	$e^+ e^- \rightarrow \pi^+ \pi^-$
11 T-matrix pole.			
12 $\rho(1700)$ mass and width fixed at 1700 MeV and 235 MeV, respectively.			

 $\phi\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
130±60	13,14 BITYUKOV	87 SPEC	0	32.5 $\pi^- p \rightarrow \phi\pi^0 n$

13 DONNACHIE 91 suggests this is a different particle.

14 Not seen by ABELE 97H.

MIXED MODES

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
391±70	DUBNICKA	89 RVUE	$e^+ e^- \rightarrow \pi^+ \pi^-$

 $\rho(1450)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Confidence level
$\Gamma_1 \pi\pi$	seen	
$\Gamma_2 4\pi$	seen	
$\Gamma_3 \omega\pi$	<2.0 %	95%
$\Gamma_4 e^+ e^-$	seen	
$\Gamma_5 \eta\rho$	<4 %	
$\Gamma_6 \phi\pi$	<1 %	
$\Gamma_7 K\bar{K}$	$<1.6 \times 10^{-3}$	95%

 $\rho(1450) \Gamma(i)\Gamma(e^+ e^-)/\Gamma(\text{total})$

$\Gamma(\pi\pi) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$	$\Gamma_1\Gamma_4/\Gamma$		
VALUE (keV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.12	¹⁵ DIEKMAN	88 RVUE	$e^+ e^- \rightarrow \pi^+ \pi^-$

15 Using total width = 235 MeV.

$\Gamma(\eta\rho) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$	$\Gamma_5\Gamma_4/\Gamma$		
VALUE (eV)	DOCUMENT ID	TECN	COMMENT
91±19	ANTONELLI	88 DM2	$e^+ e^- \rightarrow \eta\pi^+ \pi^-$

$\Gamma(\phi\pi) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$	$\Gamma_6 \Gamma_4/\Gamma$
<u>VALUE</u> (eV)	<u>CL%</u>
<70	90

¹⁶ AULCHENKO 87B ND $e^+ e^- \rightarrow K_S^0 K_L^0 \pi^0$

¹⁶ Using mass 1480 ± 40 MeV and total width 130 ± 60 MeV of BITYUKOV 87.

 $\rho(1450)$ BRANCHING RATIOS

$\Gamma(\eta\rho)/\Gamma_{\text{total}}$	Γ_5/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u>

<0.04 DONNACHIE 87B RVUE

$\Gamma(\phi\pi)/\Gamma(\omega\pi)$	Γ_6/Γ_3
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>CHG</u> <u>COMMENT</u>

>0.5 95 BITYUKOV 87 SPEC 0 $32.5 \pi^- p \rightarrow \phi \pi^0 n$

$\Gamma(\omega\pi)/\Gamma(4\pi)$	Γ_3/Γ_2
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u>

<0.14 CLEGG 88 RVUE

$\Gamma(\eta\rho)/\Gamma(\omega\pi)$	Γ_5/Γ_3
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>

~0.24 17 DONNACHIE 91 RVUE
• • • We do not use the following data for averages, fits, limits, etc. • • •

>2 FUKUI 91 SPEC $8.95 \pi^- p \rightarrow \omega \pi^0 n$

$\Gamma(\omega\pi)/\Gamma_{\text{total}}$	Γ_3/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u>

~0.21 CLEGG 94 RVUE

$\Gamma(\pi\pi)/\Gamma(\omega\pi)$	Γ_1/Γ_3
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u>

~0.32 CLEGG 94 RVUE

$\Gamma(\phi\pi)/\Gamma_{\text{total}}$	Γ_6/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>

<0.01 17 DONNACHIE 91 RVUE
• • • We do not use the following data for averages, fits, limits, etc. • • •

not seen ABELE 97H CBAR $\bar{p}p \rightarrow K_L^0 K_S^0 \pi^0 \pi^0$

$\Gamma(K\bar{K})/\Gamma(\omega\pi)$	Γ_7/Γ_3
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u>

<0.08 17 DONNACHIE 91 RVUE

¹⁷ Using data from BISELLO 91B, DOLINSKY 86 and ALBRECHT 87L.

p(1450) REFERENCES

BERTIN	98	PR D57 55	A. Bertin, Bruschi, Capponi+	(OBELIX Collab.)
ABELE	97	PL B391 191	A. Abele, Adomeit, Amsler+	(Crystal Barrel Collab.)
ABELE	97H	PL B415 280	A. Abele+	(Crystal Barrel Collab.)
ACHASOV	97	PR D55 2663	+Kozhevnikov+	(NOVM)
BARATE	97M	ZPHY C76 15	R. Barate+	(ALEPH Collab.)
BERTIN	97C	PL B408 476	A. Bertin, Bruschi+	(OBELIX Collab.)
BERTIN	97D	PL B414 220	A. Bertin+	(OBELIX Collab.)
CLEGG	94	ZPHY C62 455	+Donnachie	(LANC, MCHS)
BISELLLO	91B	NP B21 111 (suppl)	+Clegg	(DM2 Collab.)
DONNACHIE	91	ZPHY C51 689	+Horikawa+	(MCHS, LANC)
FUKUI	91	PL B257 241	+Benayoun (ATHU, BARI, BIRM, CERN, CDEF, CURIN+)	(SUGI, NAGO, KEK, KYOT, MIYA)
ARMSTRONG	89E	PL B228 536	+Busetto+	(DM2 Collab.)
BISELLLO	89	PL B220 321	+Martinovic+	(JINR, SLOV)
DUBNICKA	89	JPG 15 1349	+Baldini+	(DM2 Collab.)
ANTONELLI	88	PL B212 133	+Donnachie	(MCHS, LANC)
CLEGG	88	ZPHY C40 313	+Horikawa+	(BONN)
DIEKMAN	88	PRPL 159 101	+Binder, Boeckmann, Glaser+	(ARGUS Collab.)
FUKUI	88	PL B202 441	+Dolinsky, Druzhinin, Dubrovin+	(NOVO)
ALBRECHT	87L	PL B185 223	Translated from ZETFP 45 118.	
AULCHENKO	87B	JETPL 45 145	+Dzhelyadin, Dorofeev, Golovkin+	(SERP)
BITYUKOV	87	PL B188 383	+Clegg	(MCHS, LANC)
DONNACHIE	87B	ZPHY C34 257	+Druzhinin, Dubrovin, Eidelman+	(NOVO)
DOLINSKY	86	PL B174 453	(BONN, CERN, EPOL, GLAS, LANC, MCHS+)	
ASTON	80C	PL 92B 211	+Dainton, Brodbeck, Brookes+	(DARE, LANC, SHEF)
BARBER	80C	ZPHY C4 169		

OTHER RELATED PAPERS

ABELE	97H	PL B415 280	A. Abele+	(Crystal Barrel Collab.)
BARNES	97	PR D55 4157	T. Barnes+	(ORNL, RAL, MCHS)
CLOSE	97C	PR D56 1584	F.E. Close+	(RAL, MCHS)
URHEIM	97	NPBPS 55C 359	J. Urheim	(CLEO Collab.)
ACHASOV	96B	PAN 59 1262	+Shestakov	(NOVM)
MURADOV	94	PAN 57 864	Translated from YAF 59 1319.	(BAKU)
LANDSBERG	92	SJNP 55 1051		(SERP)
			Translated from YAF 55 1896.	
BRAU	88	PR D37 2379	+Franek+	(SLAC Hybrid Facility Photon Collab.)
ASTON	87	NP B292 693	+Awaji, D'Amore+	(SLAC, NAGO, CINC, INUS)
KURDADZE	86	JETPL 43 643	+Lelchuk, Pakhtusova, Sidorov, Skrinski+	(NOVO)
			Translated from ZETFP 43 497.	
BARKOV	85	NP B256 365	+Chilingarov, Eidelman, Khazin, Lelchuk+	(NOVO)
BISELLLO	85	LAL 85-15	+Augustin, Ajaltouni+	(PADO, LAZO, CLER, FRAS)
ABE	84B	PRL 53 751	+Bacon, Ballam+	(SLAC Hybrid Facility Photon Collab.)
ATKINSON	84C	NP B243 1	+ (BONN, CERN, GLAS, LANC, MCHS, CURIN+)	
CORDIER	82	PL 109B 129	+Bisello, Bizot, Buon, Delcourt	(LAZO)
KILLIAN	80	PR D21 3005	+Treadwell, Ahrens, Berkelman, Cassel+	(CORN)
COSME	76	PL 63B 352	+Courau, Dudelzak, Grelaud, Jean-Marie+	(ORSAY)
BINGHAM	72B	PL 41B 635	+Rabin, Rosenfeld, Smadja+	(LBL, UCB, SLAC)
FRENKIEL	72	NP B47 61	+Ghesquiere, Lillestol, Chung+	(CDEF, CERN)
LAYSSAC	71	NC 6A 134	+Renard	(MONP)