

c \bar{c} MESONS

 $\eta_c(1S)$

$$J^{PC} = 0^+(0^-+)$$

 Mass $m = 2979.8 \pm 2.1$ MeV (S = 2.1)

 Full width $\Gamma = 13.2^{+3.8}_{-3.2}$ MeV

$\eta_c(1S)$ DECAY MODES	Fraction (Γ_i/Γ)	Confidence level	P (MeV/c)
Decays involving hadronic resonances			
$\eta'(958)\pi\pi$	(4.1 \pm 1.7) %		1319
$\rho\rho$	(2.6 \pm 0.9) %		1275
$K^*(892)^0 K^- \pi^+ + \text{c.c.}$	(2.0 \pm 0.7) %		1273
$K^*(892)\bar{K}^*(892)$	(8.5 \pm 3.1) $\times 10^{-3}$		1193
$\phi\phi$	(7.1 \pm 2.8) $\times 10^{-3}$		1086
$a_0(980)\pi$	< 2 %	90%	1323
$a_2(1320)\pi$	< 2 %	90%	1193
$K^*(892)\bar{K} + \text{c.c.}$	< 1.28 %	90%	1307
$f_2(1270)\eta$	< 1.1 %	90%	1142
$\omega\omega$	< 3.1 $\times 10^{-3}$	90%	1268
Decays into stable hadrons			
$K\bar{K}\pi$	(5.5 \pm 1.7) %		1378
$\eta\pi\pi$	(4.9 \pm 1.8) %		1425
$\pi^+\pi^- K^+ K^-$	(2.0 $^{+0.7}_{-0.6}$) %		1342
$2(K^+ K^-)$	(2.1 \pm 1.2) %		1053
$2(\pi^+ \pi^-)$	(1.2 \pm 0.4) %		1457
$p\bar{p}$	(1.2 \pm 0.4) $\times 10^{-3}$		1157
$K\bar{K}\eta$	< 3.1 %	90%	1262
$\pi^+\pi^- p\bar{p}$	< 1.2 %	90%	1023
$\Lambda\bar{\Lambda}$	< 2 $\times 10^{-3}$	90%	987
Radiative decays			
$\gamma\gamma$	(3.0 \pm 1.2) $\times 10^{-4}$		1489

J/ψ(1S)

$$J^G(J^{PC}) = 0^-(1^{--})$$

 Mass $m = 3096.88 \pm 0.04$ MeV

 Full width $\Gamma = 87 \pm 5$ keV

 $\Gamma_{ee} = 5.26 \pm 0.37$ keV (Assuming $\Gamma_{ee} = \Gamma_{\mu\mu}$)

J/ψ(1S) DECAY MODES	Fraction (Γ_i/Γ)	Scale factor/ Confidence level	ρ (MeV/c)
hadrons	(87.7 ± 0.5) %		—
virtual $\gamma \rightarrow$ hadrons	(17.0 ± 2.0) %		—
$e^+ e^-$	(6.02 ± 0.19) %		1548
$\mu^+ \mu^-$	(6.01 ± 0.19) %		1545

Decays involving hadronic resonances

$\rho\pi$	(1.27 ± 0.09) %		1449
$\rho^0\pi^0$	(4.2 ± 0.5) × 10 ⁻³		1449
$a_2(1320)\rho$	(1.09 ± 0.22) %		1125
$\omega\pi^+\pi^+\pi^-\pi^-$	(8.5 ± 3.4) × 10 ⁻³		1392
$\omega\pi^+\pi^-$	(7.2 ± 1.0) × 10 ⁻³		1435
$\omega f_2(1270)$	(4.3 ± 0.6) × 10 ⁻³		1143
$K^*(892)^0\bar{K}_2^*(1430)^0 + \text{c.c.}$	(6.7 ± 2.6) × 10 ⁻³		1005
$\omega K^*(892)\bar{K} + \text{c.c.}$	(5.3 ± 2.0) × 10 ⁻³		1098
$K^+\bar{K}^*(892)^- + \text{c.c.}$	(5.0 ± 0.4) × 10 ⁻³		1373
$K^0\bar{K}^*(892)^0 + \text{c.c.}$	(4.2 ± 0.4) × 10 ⁻³		1371
$\omega\pi^0\pi^0$	(3.4 ± 0.8) × 10 ⁻³		1436
$b_1(1235)^\pm\pi^\mp$	[gg] (3.0 ± 0.5) × 10 ⁻³		1299
$\omega K^\pm K_S^0\pi^\mp$	[gg] (3.0 ± 0.7) × 10 ⁻³		1210
$b_1(1235)^0\pi^0$	(2.3 ± 0.6) × 10 ⁻³		1299
$\phi K^*(892)\bar{K} + \text{c.c.}$	(2.04 ± 0.28) × 10 ⁻³		969
$\omega K\bar{K}$	(1.9 ± 0.4) × 10 ⁻³		1268
$\omega f_J(1710) \rightarrow \omega K\bar{K}$	(4.8 ± 1.1) × 10 ⁻⁴		878
$\phi 2(\pi^+\pi^-)$	(1.60 ± 0.32) × 10 ⁻³		1318
$\Delta(1232)^{++}\bar{p}\pi^-$	(1.6 ± 0.5) × 10 ⁻³		1030
$\omega\eta$	(1.58 ± 0.16) × 10 ⁻³		1394
$\phi K\bar{K}$	(1.48 ± 0.22) × 10 ⁻³		1179
$\phi f_J(1710) \rightarrow \phi K\bar{K}$	(3.6 ± 0.6) × 10 ⁻⁴		875
$p\bar{p}\omega$	(1.30 ± 0.25) × 10 ⁻³	S=1.3	769
$\Delta(1232)^{++}\bar{\Delta}(1232)^{--}$	(1.10 ± 0.29) × 10 ⁻³		938
$\Sigma(1385)^-\bar{\Sigma}(1385)^+(\text{or c.c.})$	[gg] (1.03 ± 0.13) × 10 ⁻³		692
$p\bar{p}\eta'(958)$	(9 ± 4) × 10 ⁻⁴	S=1.7	596
$\phi f_2'(1525)$	(8 ± 4) × 10 ⁻⁴	S=2.7	871
$\phi\pi^+\pi^-$	(8.0 ± 1.2) × 10 ⁻⁴		1365

$\phi K^\pm K_S^0 \pi^\mp$	[gg]	$(7.2 \pm 0.9) \times 10^{-4}$		1114
$\omega f_1(1420)$		$(6.8 \pm 2.4) \times 10^{-4}$		1062
$\phi \eta$		$(6.5 \pm 0.7) \times 10^{-4}$		1320
$\Xi(1530)^- \Xi^-$		$(5.9 \pm 1.5) \times 10^{-4}$		597
$\rho K^- \bar{\Sigma}(1385)^0$		$(5.1 \pm 3.2) \times 10^{-4}$		645
$\omega \pi^0$		$(4.2 \pm 0.6) \times 10^{-4}$	S=1.4	1447
$\phi \eta'(958)$		$(3.3 \pm 0.4) \times 10^{-4}$		1192
$\phi f_0(980)$		$(3.2 \pm 0.9) \times 10^{-4}$	S=1.9	1182
$\Xi(1530)^0 \Xi^0$		$(3.2 \pm 1.4) \times 10^{-4}$		608
$\Sigma(1385)^- \bar{\Sigma}^+$ (or c.c.)	[gg]	$(3.1 \pm 0.5) \times 10^{-4}$		857
$\phi f_1(1285)$		$(2.6 \pm 0.5) \times 10^{-4}$	S=1.1	1032
$\rho \eta$		$(1.93 \pm 0.23) \times 10^{-4}$		1398
$\omega \eta'(958)$		$(1.67 \pm 0.25) \times 10^{-4}$		1279
$\omega f_0(980)$		$(1.4 \pm 0.5) \times 10^{-4}$		1271
$\rho \eta'(958)$		$(1.05 \pm 0.18) \times 10^{-4}$		1283
$\rho \bar{p} \phi$		$(4.5 \pm 1.5) \times 10^{-5}$		527
$a_2(1320)^\pm \pi^\mp$	[gg]	$< 4.3 \times 10^{-3}$	CL=90%	1263
$K \bar{K}_2^*(1430)^+ \text{ c.c.}$		$< 4.0 \times 10^{-3}$	CL=90%	1159
$K_2^*(1430)^0 \bar{K}_2^*(1430)^0$		$< 2.9 \times 10^{-3}$	CL=90%	588
$K^*(892)^0 \bar{K}^*(892)^0$		$< 5 \times 10^{-4}$	CL=90%	1263
$\phi f_2(1270)$		$< 3.7 \times 10^{-4}$	CL=90%	1036
$\rho \bar{p} \rho$		$< 3.1 \times 10^{-4}$	CL=90%	779
$\phi \eta(1440) \rightarrow \phi \eta \pi \pi$		$< 2.5 \times 10^{-4}$	CL=90%	946
$\omega f_2'(1525)$		$< 2.2 \times 10^{-4}$	CL=90%	1003
$\Sigma(1385)^0 \bar{\Lambda}$		$< 2 \times 10^{-4}$	CL=90%	911
$\Delta(1232)^+ \bar{p}$		$< 1 \times 10^{-4}$	CL=90%	1100
$\Sigma^0 \bar{\Lambda}$		$< 9 \times 10^{-5}$	CL=90%	1032
$\phi \pi^0$		$< 6.8 \times 10^{-6}$	CL=90%	1377

Decays into stable hadrons

$2(\pi^+ \pi^-) \pi^0$		$(3.37 \pm 0.26) \%$		1496
$3(\pi^+ \pi^-) \pi^0$		$(2.9 \pm 0.6) \%$		1433
$\pi^+ \pi^- \pi^0$		$(1.50 \pm 0.20) \%$		1533
$\pi^+ \pi^- \pi^0 K^+ K^-$		$(1.20 \pm 0.30) \%$		1368
$4(\pi^+ \pi^-) \pi^0$		$(9.0 \pm 3.0) \times 10^{-3}$		1345
$\pi^+ \pi^- K^+ K^-$		$(7.2 \pm 2.3) \times 10^{-3}$		1407
$K \bar{K} \pi$		$(6.1 \pm 1.0) \times 10^{-3}$		1440
$\rho \bar{p} \pi^+ \pi^-$		$(6.0 \pm 0.5) \times 10^{-3}$	S=1.3	1107
$2(\pi^+ \pi^-)$		$(4.0 \pm 1.0) \times 10^{-3}$		1517
$3(\pi^+ \pi^-)$		$(4.0 \pm 2.0) \times 10^{-3}$		1466
$n \bar{n} \pi^+ \pi^-$		$(4 \pm 4) \times 10^{-3}$		1106
$\Sigma^0 \bar{\Sigma}^0$		$(1.27 \pm 0.17) \times 10^{-3}$		992
$2(\pi^+ \pi^-) K^+ K^-$		$(3.1 \pm 1.3) \times 10^{-3}$		1320
$\rho \bar{p} \pi^+ \pi^- \pi^0$	[hhh]	$(2.3 \pm 0.9) \times 10^{-3}$	S=1.9	1033

$\rho\bar{\rho}$		$(2.14 \pm 0.10) \times 10^{-3}$		1232
$\rho\bar{\rho}\eta$		$(2.09 \pm 0.18) \times 10^{-3}$		948
$\rho\bar{n}\pi^{-}$		$(2.00 \pm 0.10) \times 10^{-3}$		1174
$n\bar{n}$		$(1.9 \pm 0.5) \times 10^{-3}$		1231
$\Xi\bar{\Xi}$		$(1.8 \pm 0.4) \times 10^{-3}$	S=1.8	818
$\Lambda\bar{\Lambda}$		$(1.35 \pm 0.14) \times 10^{-3}$	S=1.2	1074
$\rho\bar{\rho}\pi^0$		$(1.09 \pm 0.09) \times 10^{-3}$		1176
$\Lambda\bar{\Sigma}^{-}\pi^{+}$ (or c.c.)	[gg]	$(1.06 \pm 0.12) \times 10^{-3}$		945
$\rho K^{-}\bar{\Lambda}$		$(8.9 \pm 1.6) \times 10^{-4}$		876
$2(K^{+}K^{-})$		$(7.0 \pm 3.0) \times 10^{-4}$		1131
$\rho K^{-}\bar{\Sigma}^0$		$(2.9 \pm 0.8) \times 10^{-4}$		820
$K^{+}K^{-}$		$(2.37 \pm 0.31) \times 10^{-4}$		1468
$\Lambda\bar{\Lambda}\pi^0$		$(2.2 \pm 0.7) \times 10^{-4}$		998
$\pi^{+}\pi^{-}$		$(1.47 \pm 0.23) \times 10^{-4}$		1542
$K_S^0 K_L^0$		$(1.08 \pm 0.14) \times 10^{-4}$		1466
$\Lambda\bar{\Sigma} + \text{c.c.}$		$< 1.5 \times 10^{-4}$	CL=90%	1032
$K_S^0 K_S^0$		$< 5.2 \times 10^{-6}$	CL=90%	1466

Radiative decays

$\gamma\eta_c(1S)$		$(1.3 \pm 0.4) \%$		116
$\gamma\pi^{+}\pi^{-}2\pi^0$		$(8.3 \pm 3.1) \times 10^{-3}$		1518
$\gamma\eta\pi\pi$		$(6.1 \pm 1.0) \times 10^{-3}$		1487
$\gamma\eta(1440) \rightarrow \gamma K\bar{K}\pi$	[p]	$(9.1 \pm 1.8) \times 10^{-4}$		1223
$\gamma\eta(1440) \rightarrow \gamma\gamma\rho^0$		$(6.4 \pm 1.4) \times 10^{-5}$		1223
$\gamma\eta(1440) \rightarrow \gamma\eta\pi^{+}\pi^{-}$		$(3.4 \pm 0.7) \times 10^{-4}$		—
$\gamma\rho\rho$		$(4.5 \pm 0.8) \times 10^{-3}$		1343
$\gamma\eta'(958)$		$(4.31 \pm 0.30) \times 10^{-3}$		1400
$\gamma 2\pi^{+}2\pi^{-}$		$(2.8 \pm 0.5) \times 10^{-3}$	S=1.9	1517
$\gamma f_4(2050)$		$(2.7 \pm 0.7) \times 10^{-3}$		874
$\gamma\omega\omega$		$(1.59 \pm 0.33) \times 10^{-3}$		1337
$\gamma\eta(1440) \rightarrow \gamma\rho^0\rho^0$		$(1.7 \pm 0.4) \times 10^{-3}$	S=1.3	1223
$\gamma f_2(1270)$		$(1.38 \pm 0.14) \times 10^{-3}$		1286
$\gamma f_J(1710) \rightarrow \gamma K\bar{K}$		$(8.5 \pm_{-0.9}^{+1.2}) \times 10^{-4}$	S=1.2	1075
$\gamma\eta$		$(8.6 \pm 0.8) \times 10^{-4}$		1500
$\gamma f_1(1420) \rightarrow \gamma K\bar{K}\pi$		$(8.3 \pm 1.5) \times 10^{-4}$		1220
$\gamma f_1(1285)$		$(6.5 \pm 1.0) \times 10^{-4}$		1283
$\gamma f_2'(1525)$		$(4.7 \pm_{-0.5}^{+0.7}) \times 10^{-4}$		1173
$\gamma\phi\phi$		$(4.0 \pm 1.2) \times 10^{-4}$	S=2.1	1166
$\gamma\rho\bar{\rho}$		$(3.8 \pm 1.0) \times 10^{-4}$		1232
$\gamma\eta(2225)$		$(2.9 \pm 0.6) \times 10^{-4}$		834

$\gamma\eta(1760) \rightarrow \gamma\rho^0\rho^0$	$(1.3 \pm 0.9) \times 10^{-4}$		1048
$\gamma\pi^0$	$(3.9 \pm 1.3) \times 10^{-5}$		1546
$\gamma\rho\bar{\rho}\pi^+\pi^-$	$< 7.9 \times 10^{-4}$	CL=90%	1107
$\gamma\gamma$	$< 5 \times 10^{-4}$	CL=90%	1548
$\gamma\Lambda\bar{\Lambda}$	$< 1.3 \times 10^{-4}$	CL=90%	1074
3γ	$< 5.5 \times 10^{-5}$	CL=90%	1548
$\gamma f_J(2220)$	$> 2.50 \times 10^{-3}$	CL=99.9%	—
$\gamma f_0(1500)$	$(5.7 \pm 0.8) \times 10^{-4}$		1184
γe^+e^-	$(8.8 \pm 1.4) \times 10^{-3}$		—

$\chi_{c0}(1P)$

$$I^G(J^{PC}) = 0^+(0^{++})$$

Mass $m = 3417.3 \pm 2.8$ MeV

Full width $\Gamma = 14 \pm 5$ MeV

$\chi_{c0}(1P)$ DECAY MODES	Fraction (Γ_i/Γ)	Confidence level	$\frac{P}{(\text{MeV}/c)}$
Hadronic decays			
$2(\pi^+\pi^-)$	$(3.7 \pm 0.7) \%$		1679
$\pi^+\pi^-K^+K^-$	$(3.0 \pm 0.7) \%$		1580
$\rho^0\pi^+\pi^-$	$(1.6 \pm 0.5) \%$		1608
$3(\pi^+\pi^-)$	$(1.5 \pm 0.5) \%$		1633
$K^+\bar{K}^*(892)^0\pi^- + \text{c.c.}$	$(1.2 \pm 0.4) \%$		1522
$\pi^+\pi^-$	$(7.5 \pm 2.1) \times 10^{-3}$		1702
K^+K^-	$(7.1 \pm 2.4) \times 10^{-3}$		1635
$\pi^+\pi^-\rho\bar{\rho}$	$(5.0 \pm 2.0) \times 10^{-3}$		1320
$\rho\bar{\rho}$	$< 9.0 \times 10^{-4}$	90%	1427
Radiative decays			
$\gamma J/\psi(1S)$	$(6.6 \pm 1.8) \times 10^{-3}$		303
$\gamma\gamma$	$< 5 \times 10^{-4}$	95%	1708

$\chi_{c1}(1P)$

$$I^G(J^{PC}) = 0^+(1^{++})$$

Mass $m = 3510.53 \pm 0.12$ MeVFull width $\Gamma = 0.88 \pm 0.14$ MeV

$\chi_{c1}(1P)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
Hadronic decays		
$3(\pi^+\pi^-)$	(2.2 ± 0.8) %	1683
$2(\pi^+\pi^-)$	(1.6 ± 0.5) %	1727
$\pi^+\pi^-K^+K^-$	(9 ± 4) $\times 10^{-3}$	1632
$\rho^0\pi^+\pi^-$	(3.9 ± 3.5) $\times 10^{-3}$	1659
$K^+\bar{K}^*(892)^0\pi^- + \text{c.c.}$	(3.2 ± 2.1) $\times 10^{-3}$	1576
$\pi^+\pi^-\rho\bar{p}$	(1.4 ± 0.9) $\times 10^{-3}$	1381
$\rho\bar{p}$	(8.6 ± 1.2) $\times 10^{-5}$	1483
$\pi^+\pi^- + K^+K^-$	$< 2.1 \times 10^{-3}$	—
Radiative decays		
$\gamma J/\psi(1S)$	(27.3 ± 1.6) %	389

 $\chi_{c2}(1P)$

$$I^G(J^{PC}) = 0^+(2^{++})$$

Mass $m = 3556.17 \pm 0.13$ MeVFull width $\Gamma = 2.00 \pm 0.18$ MeV

$\chi_{c2}(1P)$ DECAY MODES	Fraction (Γ_i/Γ)	Confidence level	p (MeV/c)
Hadronic decays			
$2(\pi^+\pi^-)$	(2.2 ± 0.5) %		1751
$\pi^+\pi^-K^+K^-$	(1.9 ± 0.5) %		1656
$3(\pi^+\pi^-)$	(1.2 ± 0.8) %		1707
$\rho^0\pi^+\pi^-$	(7 ± 4) $\times 10^{-3}$		1683
$K^+\bar{K}^*(892)^0\pi^- + \text{c.c.}$	(4.8 ± 2.8) $\times 10^{-3}$		1601
$\pi^+\pi^-\rho\bar{p}$	(3.3 ± 1.3) $\times 10^{-3}$		1410
$\pi^+\pi^-$	(1.9 ± 1.0) $\times 10^{-3}$		1773
K^+K^-	(1.5 ± 1.1) $\times 10^{-3}$		1708
$\rho\bar{p}$	(10.0 ± 1.0) $\times 10^{-5}$		1510
$J/\psi(1S)\pi^+\pi^-\pi^0$	< 1.5 %	90%	185
Radiative decays			
$\gamma J/\psi(1S)$	(13.5 ± 1.1) %		430
$\gamma\gamma$	(1.6 ± 0.5) $\times 10^{-4}$		1778

$\psi(2S)$

$$J^{PC} = 0^-(1^{--})$$

Mass $m = 3686.00 \pm 0.09$ MeVFull width $\Gamma = 277 \pm 31$ keV ($S = 1.1$) $\Gamma_{ee} = 2.14 \pm 0.21$ keV (Assuming $\Gamma_{ee} = \Gamma_{\mu\mu}$)

$\psi(2S)$ DECAY MODES	Fraction (Γ_i/Γ)	Scale factor/ Confidence level	p (MeV/c)
hadrons	(98.10±0.30) %		—
virtual $\gamma \rightarrow$ hadrons	(2.9 ±0.4) %		—
$e^+ e^-$	(8.5 ±0.7) $\times 10^{-3}$		1843
$\mu^+ \mu^-$	(7.7 ±1.7) $\times 10^{-3}$		1840

Decays into $J/\psi(1S)$ and anything

$J/\psi(1S)$ anything	(54.2 ±3.0) %		—
$J/\psi(1S)$ neutrals	(22.8 ±1.7) %		—
$J/\psi(1S)\pi^+\pi^-$	(30.2 ±1.9) %		477
$J/\psi(1S)\pi^0\pi^0$	(17.9 ±1.8) %		481
$J/\psi(1S)\eta$	(2.7 ±0.4) %	S=1.7	200
$J/\psi(1S)\pi^0$	(9.7 ±2.1) $\times 10^{-4}$		527
$J/\psi(1S)\mu^+\mu^-$	(10.0 ±3.3) $\times 10^{-3}$		—

Hadronic decays

$3(\pi^+\pi^-)\pi^0$	(3.5 ±1.6) $\times 10^{-3}$		1746
$2(\pi^+\pi^-)\pi^0$	(3.0 ±0.8) $\times 10^{-3}$		1799
$\pi^+\pi^-K^+K^-$	(1.6 ±0.4) $\times 10^{-3}$		1726
$\pi^+\pi^-\rho\bar{\rho}$	(8.0 ±2.0) $\times 10^{-4}$		1491
$K^+\bar{K}^*(892)^0\pi^- + c.c.$	(6.7 ±2.5) $\times 10^{-4}$		1673
$2(\pi^+\pi^-)$	(4.5 ±1.0) $\times 10^{-4}$		1817
$\rho^0\pi^+\pi^-$	(4.2 ±1.5) $\times 10^{-4}$		1751
$\bar{\rho}\rho$	(1.9 ±0.5) $\times 10^{-4}$		1586
$3(\pi^+\pi^-)$	(1.5 ±1.0) $\times 10^{-4}$		1774
$\bar{\rho}\rho\pi^0$	(1.4 ±0.5) $\times 10^{-4}$		1543
K^+K^-	(1.0 ±0.7) $\times 10^{-4}$		1776
$\pi^+\pi^-\pi^0$	(9 ±5) $\times 10^{-5}$		1830
$\rho\pi$	< 8.3 $\times 10^{-5}$	CL=90%	1760
$\pi^+\pi^-$	(8 ±5) $\times 10^{-5}$		1838
$\Lambda\bar{\Lambda}$	< 4 $\times 10^{-4}$	CL=90%	1467
$\Xi^-\bar{\Xi}^+$	< 2 $\times 10^{-4}$	CL=90%	1285
$K^+K^-\pi^0$	< 2.96 $\times 10^{-5}$	CL=90%	1754
$K^+\bar{K}^*(892)^-\pi^0 + c.c.$	< 5.4 $\times 10^{-5}$	CL=90%	1698

Radiative decays

$\gamma\chi_{c0}(1P)$	(9.3 \pm 0.9) %		261
$\gamma\chi_{c1}(1P)$	(8.7 \pm 0.8) %		171
$\gamma\chi_{c2}(1P)$	(7.8 \pm 0.8) %		127
$\gamma\eta_c(1S)$	(2.8 \pm 0.6) $\times 10^{-3}$		639
$\gamma\eta'(958)$	< 1.1 $\times 10^{-3}$	CL=90%	1719
$\gamma\gamma$	< 1.6 $\times 10^{-4}$	CL=90%	1843
$\gamma\eta(1440) \rightarrow \gamma K\bar{K}\pi$	< 1.2 $\times 10^{-4}$	CL=90%	1569

 $\psi(3770)$

$$J^{PC} = ??(1^{--})$$

Mass $m = 3769.9 \pm 2.5$ MeV (S = 1.8)

Full width $\Gamma = 23.6 \pm 2.7$ MeV (S = 1.1)

$\Gamma_{ee} = 0.26 \pm 0.04$ keV (S = 1.2)

$\psi(3770)$ DECAY MODES	Fraction (Γ_i/Γ)	Scale factor	p (MeV/c)
$D\bar{D}$	dominant		242
e^+e^-	$(1.12 \pm 0.17) \times 10^{-5}$	1.2	1885

 $\psi(4040)$ [iii]

$$J^{PC} = ??(1^{--})$$

Mass $m = 4040 \pm 10$ MeV

Full width $\Gamma = 52 \pm 10$ MeV

$\Gamma_{ee} = 0.75 \pm 0.15$ keV

$\psi(4040)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
e^+e^-	$(1.4 \pm 0.4) \times 10^{-5}$	2020
$D^0\bar{D}^0$	seen	777
$D^*(2007)^0\bar{D}^0 + \text{c.c.}$	seen	578
$D^*(2007)^0\bar{D}^*(2007)^0$	seen	232

 $\psi(4160)$ [iii]

$$J^{PC} = ??(1^{--})$$

Mass $m = 4159 \pm 20$ MeV

Full width $\Gamma = 78 \pm 20$ MeV

$\Gamma_{ee} = 0.77 \pm 0.23$ keV

$\psi(4160)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
e^+e^-	$(10 \pm 4) \times 10^{-6}$	2079

$\psi(4415)$ ^[iii]

$$I^G(J^{PC}) = ??(1^{--})$$

Mass $m = 4415 \pm 6$ MeV

Full width $\Gamma = 43 \pm 15$ MeV (S = 1.8)

$\Gamma_{ee} = 0.47 \pm 0.10$ keV

$\psi(4415)$ DECAY MODES	Fraction (Γ_i/Γ)	p (MeV/c)
hadrons	dominant	–
$e^+ e^-$	$(1.1 \pm 0.4) \times 10^{-5}$	2207