

$\Sigma(2250)$ $I(J^P) = 1(?)$ Status: ***

Results from partial-wave analyses are too weak to warrant separating them from the production and cross-section experiments. LASINSKI 71 in $\bar{K}N$ using a Pomeron + resonances model, and DEBELLEFON 76, DEBELLEFON 77, and DEBELLEFON 78 in energy-dependent partial-wave analyses of $\bar{K}N \rightarrow \Lambda\pi$, $\Sigma\pi$, and $N\bar{K}$, respectively, suggest two resonances around this mass.

 $\Sigma(2250)$ MASS

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------------|------|--|
| 2210 to 2280 (≈ 2250) OUR ESTIMATE | | | |
| 2270 \pm 50 | DEBELLEFON 78 | DPWA | D_5 wave |
| 2210 \pm 30 | DEBELLEFON 78 | DPWA | G_9 wave |
| 2275 \pm 20 | DEBELLEFON 77 | DPWA | D_5 wave |
| 2215 \pm 20 | DEBELLEFON 77 | DPWA | G_9 wave |
| 2300 \pm 30 | ¹ DEBELLEFON 75B | HBC | $K^- p \rightarrow \Xi^{*0} K^0$ |
| 2251^{+30}_{-20} | VANHORN 75 | DPWA | $K^- p \rightarrow \Lambda\pi^0, F_5$ wave |
| 2280 \pm 14 | AGUILAR-... | 70B | HBC $K^- p$ 3.9, 4.6 GeV/c |
| 2237 \pm 11 | BRICMAN 70 | CNTR | Total, charge exchange |
| 2255 \pm 10 | COOL 70 | CNTR | $K^- p, K^- d$ total |
| 2250 \pm 7 | BUGG 68 | CNTR | $K^- p, K^- d$ total |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 2260 | DEBELLEFON 76 | IPWA | D_5 wave |
| 2215 | DEBELLEFON 76 | IPWA | G_9 wave |
| 2250 \pm 20 | LU 70 | CNTR | $\gamma p \rightarrow K^+ Y^*$ |
| 2245 | BLANPIED 65 | CNTR | $\gamma p \rightarrow K^+ Y^*$ |
| 2299 \pm 6 | BOCK 65 | HBC | $\bar{p}p$ 5.7 GeV/c |

 $\Sigma(2250)$ WIDTH

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|--|-----------------------------|------|--|
| 60 to 150 (≈ 100) OUR ESTIMATE | | | |
| 120 \pm 40 | DEBELLEFON 78 | DPWA | D_5 wave |
| 80 \pm 20 | DEBELLEFON 78 | DPWA | G_9 wave |
| 70 \pm 20 | DEBELLEFON 77 | DPWA | D_5 wave |
| 60 \pm 20 | DEBELLEFON 77 | DPWA | G_9 wave |
| 130 \pm 20 | ¹ DEBELLEFON 75B | HBC | $K^- p \rightarrow \Xi^{*0} K^0$ |
| 192 \pm 30 | VANHORN 75 | DPWA | $K^- p \rightarrow \Lambda\pi^0, F_5$ wave |
| 100 \pm 20 | AGUILAR-... | 70B | HBC $K^- p$ 3.9, 4.6 GeV/c |
| 164 \pm 50 | BRICMAN 70 | CNTR | Total, charge exchange |
| 230 \pm 20 | BUGG 68 | CNTR | $K^- p, K^- d$ total |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | | |
|------------------|------------|----|------|--------------------------------|-----------|
| 100 | DEBELLEFON | 76 | IPWA | D_5 | wave |
| 140 | DEBELLEFON | 76 | IPWA | G_g | wave |
| 170 | COOL | 70 | CNTR | $K^- p, K^- d$ | total |
| 125 | LU | 70 | CNTR | $\gamma p \rightarrow K^+ Y^*$ | |
| 150 | BLANPIED | 65 | CNTR | $\gamma p \rightarrow K^+ Y^*$ | |
| 21^{+17}_{-21} | BOCK | 65 | HBC | $\bar{p}p$ | 5.7 GeV/c |

$\Sigma(2250)$ DECAY MODES

| Mode | Fraction (Γ_i/Γ) |
|------------------------|--------------------------------|
| $\Gamma_1 N\bar{K}$ | <10 % |
| $\Gamma_2 \Lambda\pi$ | seen |
| $\Gamma_3 \Sigma\pi$ | seen |
| $\Gamma_4 N\bar{K}\pi$ | |
| $\Gamma_5 \Xi(1530)K$ | |

The above branching fractions are our estimates, not fits or averages.

$\Sigma(2250)$ BRANCHING RATIOS

See "Sign conventions for resonance couplings" in the Note on Λ and Σ Resonances.

| $\Gamma(N\bar{K})/\Gamma_{\text{total}}$ | Γ_1/Γ |
|--|---|
| <u>VALUE</u> | <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u> |
| <0.1 OUR ESTIMATE | |
| 0.08±0.02 | DEBELLEFON 78 DPWA D_5 wave |
| 0.02±0.01 | DEBELLEFON 78 DPWA G_g wave |

| $(J+\frac{1}{2}) \times \Gamma(N\bar{K})/\Gamma_{\text{total}}$ | Γ_1/Γ |
|---|---|
| <u>VALUE</u> | <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u> |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | |
| 0.16±0.12 | BRICMAN 70 CNTR Total, charge exchange |
| 0.42 | COOL 70 CNTR $K^- p, K^- d$ total |
| 0.47 | BUGG 68 CNTR |

| $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(2250) \rightarrow \Lambda\pi$ | $(\Gamma_1\Gamma_2)^{1/2}/\Gamma$ |
|--|--|
| <u>VALUE</u> | <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u> |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | |
| -0.16±0.03 | VANHORN 75 DPWA $K^- p \rightarrow \Lambda\pi^0, F_5$ wave |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | |
| +0.11 | DEBELLEFON 76 IPWA D_5 wave |
| -0.10 | DEBELLEFON 76 IPWA G_g wave |
| -0.18 | BARBARO-... 70 DPWA $K^- p \rightarrow \Lambda\pi^0, G_g$ wave |

| $(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(2250) \rightarrow \Sigma\pi$ | $(\Gamma_1 \Gamma_3)^{1/2} / \Gamma$ | | |
|--|--------------------------------------|-------------|---|
| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
| +0.06 ± 0.02 | DEBELLEFON 77 | DPWA | D_5 wave |
| -0.03 ± 0.02 | DEBELLEFON 77 | DPWA | G_9 wave |
| +0.07 | BARBARO-... 70 | DPWA | $K^- p \rightarrow \Sigma\pi, G_9$ wave |

| $\Gamma(N\bar{K})/\Gamma(\Sigma\pi)$ | Γ_1/Γ_3 | | |
|--------------------------------------|---------------------|-------------|----------------|
| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|-------|--------|----|-----|-----------------------|
| <0.18 | BARNES | 69 | HBC | 1 standard dev. limit |
|-------|--------|----|-----|-----------------------|

| $\Gamma(\Lambda\pi)/\Gamma(\Sigma\pi)$ | Γ_2/Γ_3 | | |
|--|---------------------|-------------|----------------|
| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|-------|--------|----|-----|-----------------------|
| <0.18 | BARNES | 69 | HBC | 1 standard dev. limit |
|-------|--------|----|-----|-----------------------|

| $(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(2250) \rightarrow \Xi(1530)K$ | $(\Gamma_1 \Gamma_5)^{1/2} / \Gamma$ | | |
|---|--------------------------------------|-------------|----------------------------------|
| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
| 0.18 ± 0.04 | ¹ DEBELLEFON 75B | HBC | $K^- p \rightarrow \Xi^{*0} K^0$ |

$\Sigma(2250)$ FOOTNOTES

¹ Seen in the (initial and final state) D_5 wave. Isospin not determined.

$\Sigma(2250)$ REFERENCES

| | | | | |
|---------------|-------------|--------------------------------|---|----------------------|
| DEBELLEFON 78 | NC 42A 403 | De Bellefon, Berthon, Billoir+ | (CDEF, SACL) IJP | |
| DEBELLEFON 77 | NC 37A 175 | De Bellefon, Berthon, Billoir+ | (CDEF, SACL) IJP | |
| DEBELLEFON 76 | NP B109 129 | De Bellefon, Berthon | (CDEF) IJP | |
| Also | 75 | NP B90 1 | De Bellefon, Berthon, Brunet+ | (CDEF, SACL) IJP |
| DEBELLEFON | 75B | NC 28A 289 | De Bellefon, Berthon, Billoir+ | (CDEF, SACL) |
| VANHORN | 75 | NP B87 145 | | (LBL) IJP |
| Also | 75B | NP B87 157 | VanHorn | (LBL) IJP |
| LASINSKI | 71 | NP B29 125 | | (EFI) IJP |
| AGUILAR-... | 70B | PRL 25 58 | Aguilar-Benitez, Barnes, Bassano+ | (BNL, SYRA) |
| BARBARO-... | 70 | Duke Conf. 173 | Barbaro-Galtieri | (LRL) IJP |
| BRICMAN | 70 | PL 31B 152 | +Ferro-Luzzi, Pereau+ | (CERN, CAEN, SACL) |
| COOL | 70 | PR D1 1887 | +Giacomelli, Kycia, Leontic, Li+ | (BNL) I |
| Also | 66 | PRL 16 1228 | Cool, Giacomelli, Kycia, Leontic, Lundby+ | (BNL) I |
| LU | 70 | PR D2 1846 | +Greenberg, Hughes, Minehart, Mori+ | (YALE) |
| BARNES | 69 | PRL 22 479 | +Flaminio, Montanet, Samios+ | (BNL, SYRA) |
| BUGG | 68 | PR 168 1466 | +Gilmore, Knight+ | (RHEL, BIRM, CAVE) I |
| BLANPIED | 65 | PRL 14 741 | +Greenberg, Hughes, Kitching, Lu+ | (YALE, CEA) |
| BOCK | 65 | PL 17 166 | +Cooper, French, Kinson+ | (CERN, SACL) |