

$\Lambda(1670) S_{01}$ $I(J^P) = 0(\frac{1}{2}^-)$ Status: ****

The measurements of the mass, width, and elasticity published before 1974 are now obsolete and have been omitted. They were last listed in our 1982 edition Physics Letters **111B** (1982).

 $\Lambda(1670)$ MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1660 to 1680 (≈ 1670) OUR ESTIMATE			
1670.8 \pm 1.7	KOISO	85	DPWA $K^- p \rightarrow \Sigma \pi$
1667 \pm 5	GOPAL	80	DPWA $\bar{K} N \rightarrow \bar{K} N$
1671 \pm 3	ALSTON-...	78	DPWA $\bar{K} N \rightarrow \bar{K} N$
1670 \pm 5	GOPAL	77	DPWA $\bar{K} N$ multichannel
1675 \pm 2	HEPP	76B	DPWA $K^- N \rightarrow \Sigma \pi$
1679 \pm 1	KANE	74	DPWA $K^- p \rightarrow \Sigma \pi$
1665 \pm 5	PREVOST	74	DPWA $K^- N \rightarrow \Sigma(1385)\pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1669 \pm 2	ABAEV	96	DPWA $K^- p \rightarrow \Lambda \eta$
1664	¹ MARTIN	77	DPWA $\bar{K} N$ multichannel

 $\Lambda(1670)$ WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
25 to 50 (≈ 35) OUR ESTIMATE			
34.1 \pm 3.7	KOISO	85	DPWA $K^- p \rightarrow \Sigma \pi$
29 \pm 5	GOPAL	80	DPWA $\bar{K} N \rightarrow \bar{K} N$
29 \pm 5	ALSTON-...	78	DPWA $\bar{K} N \rightarrow \bar{K} N$
45 \pm 10	GOPAL	77	DPWA $\bar{K} N$ multichannel
46 \pm 5	HEPP	76B	DPWA $K^- N \rightarrow \Sigma \pi$
40 \pm 3	KANE	74	DPWA $K^- p \rightarrow \Sigma \pi$
19 \pm 5	PREVOST	74	DPWA $K^- N \rightarrow \Sigma(1385)\pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
21 \pm 4	ABAEV	96	DPWA $K^- p \rightarrow \Lambda \eta$
12	¹ MARTIN	77	DPWA $\bar{K} N$ multichannel

 $\Lambda(1670)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\bar{K}$	15–25 %
Γ_2 $\Sigma \pi$	20–60 %
Γ_3 $\Lambda \eta$	15–35 %
Γ_4 $\Sigma(1385)\pi$	

The above branching fractions are our estimates, not fits or averages.

$\Lambda(1670)$ BRANCHING RATIOS

See "Sign conventions for resonance couplings" in the Note on Λ and Σ Resonances.

$\Gamma(N\bar{K})/\Gamma_{\text{total}}$	Γ_1/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>

0.15 to 0.25 OUR ESTIMATE

0.18±0.03	GOPAL	80	DPWA	$\bar{K}N \rightarrow \bar{K}N$
0.17±0.03	ALSTON-...	78	DPWA	$\bar{K}N \rightarrow \bar{K}N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.20±0.03	GOPAL	77	DPWA	See GOPAL 80
0.15	¹ MARTIN	77	DPWA	$\bar{K}N$ multichannel

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1670) \rightarrow \Sigma\pi$	$(\Gamma_1\Gamma_2)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>

−0.26±0.02	KOISO	85	DPWA	$K^-p \rightarrow \Sigma\pi$
−0.31±0.03	GOPAL	77	DPWA	$\bar{K}N$ multichannel
−0.29±0.03	HEPP	76B	DPWA	$K^-N \rightarrow \Sigma\pi$
−0.23±0.03	LONDON	75	HLBC	$K^-p \rightarrow \Sigma^0\pi^0$
−0.27±0.02	KANE	74	DPWA	$K^-p \rightarrow \Sigma\pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
−0.13	¹ MARTIN	77	DPWA	$\bar{K}N$ multichannel

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1670) \rightarrow \Lambda\eta$	$(\Gamma_1\Gamma_3)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>

+0.20±0.05	BAXTER	73	DPWA	$K^-p \rightarrow$ neutrals
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.24	ABAEV	96	DPWA	$K^-p \rightarrow \Lambda\eta$
0.24	KIM	71	DPWA	K-matrix analysis
0.26	ARMENTEROS69C	HBC		
0.20 or 0.23	BERLEY	65	HBC	

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1670) \rightarrow \Sigma(1385)\pi$	$(\Gamma_1\Gamma_4)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>

−0.18±0.05	PREVOST	74	DPWA	$K^-N \rightarrow \Sigma(1385)\pi$
------------	---------	----	------	------------------------------------

$\Lambda(1670)$ FOOTNOTES

¹MARTIN 77 obtains identical resonance parameters from a T-matrix pole and from a Breit-Wigner fit.

$\Lambda(1670)$ REFERENCES

ABAEV	96	PR C53 385	V.V. Abaev, B.M.K. Nefkens	(UCLA)
KOISO	85	NP A433 619	H. Koiso <i>et al.</i>	(TOKY, MASA)
PDG	82	PL 111B	M. Roos <i>et al.</i>	(HELS, CIT, CERN)
GOPAL	80	Toronto Conf. 159	G.P. Gopal	(RHEL) IJP
ALSTON-...	78	PR D18 182	M. Alston-Garnjost <i>et al.</i>	(LBL, MTHO+) IJP
Also	77	PRL 38 1007	M. Alston-Garnjost <i>et al.</i>	(LBL, MTHO+) IJP
GOPAL	77	NP B119 362	G.P. Gopal <i>et al.</i>	(LOIC, RHEL) IJP
MARTIN	77	NP B127 349	B.R. Martin, M.K. Pidcock, R.G. Moorhouse	(LOUC+) IJP
Also	77B	NP B126 266	B.R. Martin, M.K. Pidcock	(LOUC)
Also	77C	NP B126 285	B.R. Martin, M.K. Pidcock	(LOUC) IJP
HEPP	76B	PL 65B 487	V. Hepp <i>et al.</i>	(CERN, HEIDH, MPIM) IJP
LONDON	75	NP B85 289	G.W. London <i>et al.</i>	(BNL, CERN, EPOL+)
KANE	74	LBL-2452	D.F. Kane	(LBL) IJP
PREVOST	74	NP B69 246	J. Prevost <i>et al.</i>	(SACL, CERN, HEID)
BAXTER	73	NP B67 125	D.F. Baxter <i>et al.</i>	(OXF) IJP
KIM	71	PRL 27 356	J.K. Kim	(HARV) IJP
Also	70	Duke Conf. 161	J.K. Kim	(HARV) IJP
ARMENTEROS	69C	Lund Paper 229	R. Armenteros <i>et al.</i>	(CERN, HEID, SACL) IJP
Values are quoted in LEVI-SETTI 69.				
BERLEY	65	PRL 15 641	D. Berley <i>et al.</i>	(BNL) IJP