

**$a_2(1320)$**  $I^G(J^{PC}) = 1^-(2^{++})$  **$a_2(1320)$  MASS**VALUE (MeV)DOCUMENT ID**1318.0±0.6 OUR AVERAGE**Includes data from the 4 datablocks that follow this one.  
Error includes scale factor of 1.1. **$3\pi$  MODE**VALUE (MeV)EVTSDOCUMENT IDTECNCHGCOMMENT


The data in this block is included in the average printed for a previous datablock.

**1317.9± 1.3 OUR AVERAGE**

Error includes scale factor of 1.3. See the ideogram below.

|   |          |             |           |   |
|---|----------|-------------|-----------|---|
| 1317  | $\pm 3$  | BARBERIS    | 98B       | $450 \text{ } pp \rightarrow p_f \pi^+ \pi^- \pi^0 p_s$ |
| 1323  | $\pm 4$  | ACCIARRI    | 97T L3    | $e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$         |
| 1320  | $\pm 7$  | ALBRECHT    | 97B ARG   | $e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$         |
| 1311.3± 1.6±3.0   | 72400    | AMELIN      | 96 VES    | $36 \pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$            |
| 1310  | $\pm 5$  | ARMSTRONG   | 90 OMEG 0 | $300.0 \text{ } pp \rightarrow pp \pi^+ \pi^- \pi^0$    |
| 1323.8± 2.3   | 4022     | AUGUSTIN    | 89 DM2    | $J/\psi \rightarrow \rho^\pm a_2^\mp$                   |
| 1320.6± 3.1   | 3562     | AUGUSTIN    | 89 DM2    | $J/\psi \rightarrow \rho^0 a_2^0$                       |
| 1317  | $\pm 2$  | DAUM        | 80C SPEC  | $63.94 \pi^- p \rightarrow 3\pi p$                      |
| 1320  | $\pm 10$ | BALTAY      | 78B HBC   | $15 \pi^+ p \rightarrow p 4\pi$                         |
| 1306  | $\pm 8$  | FERRERSORIA | 78 OMEG   | $9 \pi^- p \rightarrow p 3\pi$                          |
| 1318  | $\pm 7$  | EMMS        | 75 DBC    | $4 \pi^+ n \rightarrow p (3\pi)^0$                      |
| 1315  | $\pm 5$  | ANTIPOV     | 73C CNTR  | $25.40 \pi^- p \rightarrow \rho \eta \pi^-$             |
| 1306  | $\pm 9$  | CHALOUPKA   | 73 HBC    | $3.9 \pi^- p$   |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |          |             |           |   |
| 1305  | $\pm 14$ | CONDÒ       | 93 SHF    | $\gamma p \rightarrow \eta \pi^+ \pi^+ \pi^-$           |
| 1310  | $\pm 2$  | EVANGELISTA | 81 OMEG   | $12 \pi^- p \rightarrow 3\pi p$                         |
| 1343  | $\pm 11$ | BALTAY      | 78B HBC   | $15 \pi^+ p \rightarrow \Delta 3\pi$                    |
| 1309  | $\pm 5$  | BINNIE      | 71 MMS    | $\pi^- p$ near $a_2$ threshold                          |
| 1299  | $\pm 6$  | BOWEN       | 71 MMS    | $5 \pi^- p$   |
| 1300  | $\pm 6$  | BOWEN       | 71 MMS    | $5 \pi^+ p$   |
| 1309  | $\pm 4$  | BOWEN       | 71 MMS    | $7 \pi^- p$   |
| 1306  | $\pm 4$  | ALSTON-...  | 70 HBC    | $7.0 \pi^+ p \rightarrow 3\pi p$                        |

<sup>1</sup> From a fit to  $J^P = 2^+$   $\rho \pi$  partial wave.



$a_2(1320)$  mass,  $3\pi$  mode (MeV)

### $K^\pm K_S^0$ MODE

| VALUE (MeV)   | EVTS | DOCUMENT ID | TECN | CHG | COMMENT |
|---|------|-------------|------|-----|---------|
| The data in this block is included in the average printed for a previous datablock. |      |             |      |     |         |

#### 1318.1± 0.7 OUR AVERAGE

|          |       |             |          |   |  |
|----------|-------|-------------|----------|---|--|
| 1319 ± 5 | 4700  | 2,3 CLELAND | 82B SPEC | + | $50 \pi^+ p \rightarrow K_S^0 K^+ p$   |
| 1324 ± 6 | 5200  | 2,3 CLELAND | 82B SPEC | - | $50 \pi^- p \rightarrow K_S^0 K^- p$   |
| 1320 ± 2 | 4000  | CHABAUD     | 80 SPEC  | - | $17 \pi^- A \rightarrow K_S^0 K^- A$   |
| 1312 ± 4 | 11000 | CHABAUD     | 78 SPEC  | - | $9.8 \pi^- p \rightarrow K^- K_S^0 p$  |
| 1316 ± 2 | 4730  | CHABAUD     | 78 SPEC  | - | $18.8 \pi^- p \rightarrow K^- K_S^0 p$ |
| 1318 ± 1 |       | 2,4 MARTIN  | 78D SPEC | - | $10 \pi^- p \rightarrow K_S^0 K^- p$   |
| 1320 ± 2 | 2724  | MARGULIE    | 76 SPEC  | - | $23 \pi^- p \rightarrow K^- K_S^0 p$   |
| 1313 ± 4 | 730   | FOLEY       | 72 CNTR  | - | $20.3 \pi^- p \rightarrow K^- K_S^0 p$ |
| 1319 ± 3 | 1500  | 4 GRAYER    | 71 ASPK  | - | $17.2 \pi^- p \rightarrow K^- K_S^0 p$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|           |      |             |          |   |  |
|-----------|------|-------------|----------|---|--|
| 1330 ± 11 | 1000 | 2,3 CLELAND | 82B SPEC | + | $30 \pi^+ p \rightarrow K_S^0 K^+ p$   |
| 1324 ± 5  | 350  | HYAMS       | 78 ASPK  | + | $12.7 \pi^+ p \rightarrow K^+ K_S^0 p$ |

<sup>2</sup>From a fit to  $J^P = 2^+$  partial wave.

<sup>3</sup> Number of events evaluated by us.<sup>4</sup> Systematic error in mass scale subtracted. **$\eta\pi$  MODE**

| VALUE (MeV)   | EVTS | DOCUMENT ID | TECN | CHG | COMMENT |
|---|------|-------------|------|-----|---------|
| The data in this block is included in the average printed for a previous datablock. |      |             |      |     |         |

 **$1318.0 \pm 1.5$  OUR AVERAGE**

|   |      |           |          |      |  |
|---|------|-----------|----------|------|--|
| 1317 $\pm 1$ $\pm 2$  |      | THOMPSON  | 97       | MPS  | $18 \pi^- p \rightarrow \eta\pi^- p$                       |
| 1315 $\pm 5$ $\pm 2$  | 5    | AMSLER    | 94D      | CBAR | $0.0 \bar{p}p \rightarrow \pi^0\pi^0\eta$                  |
| $1325.1 \pm 5.1$  |      | AOYAGI    | 93       | BKEI | $\pi^- p \rightarrow \eta\pi^- p$                          |
| $1317.7 \pm 1.4 \pm 2.0$  |      | BELADIDZE | 93       | VES  | $37\pi^- N \rightarrow \eta\pi^- N$                        |
| 1323 $\pm 8$  | 1000 | 6         | KEY      | OSPK | $- 6 \pi^- p \rightarrow p\pi^-\eta$                       |
| $\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$ |      |           |          |      |  |
| 1324 $\pm 5$  |      | ARMSTRONG | 93C      | E760 | $0 \bar{p}p \rightarrow \pi^0\eta\eta \rightarrow 6\gamma$ |
| $1336.2 \pm 1.7$  | 2561 | DELFOSSE  | 81       | SPEC | $+\pi^\pm p \rightarrow p\pi^\pm\eta$                      |
| $1330.7 \pm 2.4$  | 1653 | DELFOSSE  | 81       | SPEC | $-\pi^\pm p \rightarrow p\pi^\pm\eta$                      |
| 1324 $\pm 8$  | 6200 | 6,7       | CONFORTO | 73   | OSPK $- 6 \pi^- p \rightarrow p\text{MM}^-$                |

<sup>5</sup> The systematic error of 2 MeV corresponds to the spread of solutions.<sup>6</sup> Error includes 5 MeV systematic mass-scale error.<sup>7</sup> Missing mass with enriched MMS =  $\eta\pi^-$ ,  $\eta = 2\gamma$ . **$\eta'\pi$  MODE**

| VALUE (MeV)   |  | DOCUMENT ID | TECN | COMMENT |
|---|--|-------------|------|---------|
| The data in this block is included in the average printed for a previous datablock. |  |             |      |         |

|                                     |  |           |    |     |                                      |
|-------------------------------------|--|-----------|----|-----|--------------------------------------|
| <b><math>1327.0 \pm 10.7</math></b> |  | BELADIDZE | 93 | VES | $37\pi^- N \rightarrow \eta'\pi^- N$ |
|-------------------------------------|--|-----------|----|-----|--------------------------------------|

 **$a_2(1320)$  WIDTH** **$3\pi$  MODE**

| VALUE (MeV)                                   | EVTS  | DOCUMENT ID | TECN | CHG  | COMMENT                                    |
|---|-------|-------------|------|------|--|
| <b><math>104.7 \pm 1.9</math> OUR AVERAGE</b> |       |             |      |      |  |
| 120 $\pm 10$                                  |       | BARBERIS    | 98B  |      | $450 pp \rightarrow p_f\pi^+\pi^-\pi^0p_s$ |
| 105 $\pm 10$ $\pm 11$                         |       | ACCIARRI    | 97T  | L3   | $e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$ |
| 120 $\pm 10$                                  |       | ALBRECHT    | 97B  | ARG  | $e^+e^- \rightarrow e^+e^-\pi^+\pi^-\pi^0$ |
| $103.0 \pm 6.0 \pm 3.3$                       | 72400 | AMELIN      | 96   | VES  | $36 \pi^- p \rightarrow \pi^+\pi^-\pi^0n$  |
| 120 $\pm 10$                                  |       | ARMSTRONG   | 90   | OMEG | $300.0 pp \rightarrow pp\pi^+\pi^-\pi^0$   |
| $107.0 \pm 9.7$                               | 4022  | AUGUSTIN    | 89   | DM2  | $\pm J/\psi \rightarrow \rho^\pm a_2^\mp$  |
| $118.5 \pm 12.5$                              | 3562  | AUGUSTIN    | 89   | DM2  | $0 J/\psi \rightarrow \rho^0 a_2^0$        |
| 97 $\pm 5$                                    |       | EVANGELISTA | 81   | OMEG | $- 12 \pi^- p \rightarrow 3\pi p$          |
| 96 $\pm 9$                                    | 25000 | 8           | DAUM | 80C  | SPEC $- 63,94 \pi^- p \rightarrow 3\pi p$  |

|  |          |       |                       |     |      |    |   |
|--|----------|-------|-----------------------|-----|------|----|---|
| 110  | $\pm 15$ | 1097  | <sup>8</sup> BALTAY   | 78B | HBC  | +0 | $15 \pi^+ p \rightarrow p 4\pi^-$             |
| 112  | $\pm 18$ | 1600  | <sup>8</sup> EMMS     | 75  | DBC  | 0  | $4 \pi^+ n \rightarrow p(3\pi)^0$             |
| 122  | $\pm 14$ | 1200  | <sup>8,9</sup> WAGNER | 75  | HBC  | 0  | $7 \pi^+ p \rightarrow \Delta^{++}(3\pi)^0$   |
| 115  | $\pm 15$ |       | <sup>8</sup> ANTIPOV  | 73C | CNTR | -  | $25,40 \pi^- p \rightarrow p \eta \pi^-$      |
| 99   | $\pm 15$ | 1580  | CHALOUPKA             | 73  | HBC  | -  | $3.9 \pi^- p$                                 |
| 105  | $\pm 5$  | 28000 | BOWEN                 | 71  | MMS  | -  | $5 \pi^- p$                                   |
| 99   | $\pm 5$  | 24000 | BOWEN                 | 71  | MMS  | +  | $5 \pi^+ p$                                   |
| 103  | $\pm 5$  | 17000 | BOWEN                 | 71  | MMS  | -  | $7 \pi^- p$                                   |
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b> |          |       |                       |     |      |    |   |
| 120  | $\pm 40$ |       | CONDOR                | 93  | SHF  |    | $\gamma p \rightarrow \eta \pi^+ \pi^+ \pi^-$ |
| 115  | $\pm 14$ | 490   | BALTAY                | 78B | HBC  | 0  | $15 \pi^+ p \rightarrow \Delta 3\pi^-$        |
| 72   | $\pm 16$ | 5000  | BINNIE                | 71  | MMS  | -  | $\pi^- p$ near $a_2$ threshold                |
| 79   | $\pm 12$ | 941   | ALSTON-...            | 70  | HBC  | +  | $7.0 \pi^+ p \rightarrow 3\pi^- p$            |

<sup>8</sup> From a fit to  $J^P = 2^+$   $\rho\pi$  partial wave.<sup>9</sup> Width errors enlarged by us to  $4\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.

## $K^\pm K_S^0$ AND $\eta\pi$ MODES

| VALUE (MeV)                                | EVTS | DOCUMENT ID | TECN | CHG | COMMENT |
|--|------|-------------|------|-----|---------|
| <b>107 <math>\pm 5</math> OUR ESTIMATE</b> |      |             |      |     |         |

**110.3  $\pm 1.7$  OUR AVERAGE** Includes data from the 2 datablocks that follow this one.

## $K^\pm K_S^0$ MODE

| VALUE (MeV)   | EVTS | DOCUMENT ID | TECN | CHG | COMMENT |
|---|------|-------------|------|-----|---------|
| The data in this block is included in the average printed for a previous datablock. |      |             |      |     |         |

### 109.8 $\pm 2.4$ OUR AVERAGE

|     |          |       |                          |     |      |   |  |
|-----|----------|-------|--------------------------|-----|------|---|--|
| 112 | $\pm 20$ | 4700  | <sup>10,11</sup> CLELAND | 82B | SPEC | + | $50 \pi^+ p \rightarrow K_S^0 K^+ p$   |
| 120 | $\pm 25$ | 5200  | <sup>10,11</sup> CLELAND | 82B | SPEC | - | $50 \pi^- p \rightarrow K_S^0 K^- p$   |
| 106 | $\pm 4$  | 4000  | CHABAUD                  | 80  | SPEC | - | $17 \pi^- A \rightarrow K_S^0 K^- A$   |
| 126 | $\pm 11$ | 11000 | CHABAUD                  | 78  | SPEC | - | $9.8 \pi^- p \rightarrow K^- K_S^0 p$  |
| 101 | $\pm 8$  | 4730  | CHABAUD                  | 78  | SPEC | - | $18.8 \pi^- p \rightarrow K^- K_S^0 p$ |
| 113 | $\pm 4$  |       | <sup>10,12</sup> MARTIN  | 78D | SPEC | - | $10 \pi^- p \rightarrow K_S^0 K^- p$   |
| 105 | $\pm 8$  | 2724  | <sup>12</sup> MARGULIE   | 76  | SPEC | - | $23 \pi^- p \rightarrow K^- K_S^0 p$   |
| 113 | $\pm 19$ | 730   | FOLEY                    | 72  | CNTR | - | $20.3 \pi^- p \rightarrow K^- K_S^0 p$ |
| 123 | $\pm 13$ | 1500  | <sup>12</sup> GRAYER     | 71  | ASPK | - | $17.2 \pi^- p \rightarrow K^- K_S^0 p$ |

**• • • We do not use the following data for averages, fits, limits, etc. • • •**

|     |          |      |                          |     |      |   |  |
|-----|----------|------|--------------------------|-----|------|---|--|
| 121 | $\pm 51$ | 1000 | <sup>10,11</sup> CLELAND | 82B | SPEC | + | $30 \pi^+ p \rightarrow K_S^0 K^+ p$   |
| 110 | $\pm 18$ | 350  | HYAMS                    | 78  | ASPK | + | $12.7 \pi^+ p \rightarrow K^+ K_S^0 p$ |

<sup>10</sup> From a fit to  $J^P = 2^+$  partial wave.<sup>11</sup> Number of events evaluated by us.<sup>12</sup> Width errors enlarged by us to  $4\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.

**$\eta\pi$  MODE**

| VALUE (MeV)   | EVTS | DOCUMENT ID | TECN | CHG | COMMENT |
|---|------|-------------|------|-----|---------|
| The data in this block is included in the average printed for a previous datablock. |      |             |      |     |         |

 **$111.0 \pm 2.5$  OUR AVERAGE**

|   |               |            |  |   |
|---|---------------|------------|--|---|
| 112 $\pm$ 3 $\pm$ 2   | 13 AMSLER     | 94D CBAR   | 0.0  | $\bar{p}p \rightarrow \pi^0 \pi^0 \eta$ |
| 103 $\pm$ 6 $\pm$ 3   | BELADIDZE     | 93 VES     | 37   | $\pi^- N \rightarrow \eta \pi^- N$      |
| 112.2 $\pm$ 5.7   | 2561 DELFOSSE | 81 SPEC +  | $\pi^\pm p \rightarrow p \pi^\pm \eta$                     |   |
| 116.6 $\pm$ 7.7   | 1653 DELFOSSE | 81 SPEC -  | $\pi^\pm p \rightarrow p \pi^\pm \eta$                     |   |
| 108 $\pm$ 9   | 1000 KEY      | 73 OSPK -  | 6  | $\pi^- p \rightarrow p \pi^- \eta$      |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |               |            |  |   |
| 127 $\pm$ 2 $\pm$ 2   | 14 THOMPSON   | 97 MPS     | 18   | $\pi^- p \rightarrow \eta \pi^- p$      |
| 118 $\pm$ 10  | ARMSTRONG     | 93C E760 0 | $\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$ |   |
| 104 $\pm$ 9   | 6200 CONFORTO | 73 OSPK -  | 6  | $\pi^- p \rightarrow p \text{MM}^-$     |

<sup>13</sup> The systematic error of 2 MeV corresponds to the spread of solutions.<sup>14</sup> Resolution is not unfolded.<sup>15</sup> Missing mass with enriched MMS =  $\eta\pi^-$ ,  $\eta = 2\gamma$ . **$\eta'\pi$  MODE**

| VALUE (MeV)                    | DOCUMENT ID  | TECN | COMMENT                               |
|--------------------------------|--------------|------|---------------------------------------|
| <b>106 <math>\pm</math> 32</b> | BELADIDZE 93 | VES  | $37\pi^- N \rightarrow \eta' \pi^- N$ |

 **$a_2(1320)$  DECAY MODES**

| Mode                         | Fraction ( $\Gamma_i/\Gamma$ )    | Scale factor/<br>Confidence level |
|------------------------------|-----------------------------------|-----------------------------------|
| $\Gamma_1$ $\rho\pi$         | (70.1 $\pm$ 2.7) %                | S=1.2                             |
| $\Gamma_2$ $\eta\pi$         | (14.5 $\pm$ 1.2) %                |                                   |
| $\Gamma_3$ $\omega\pi\pi$    | (10.6 $\pm$ 3.2) %                | S=1.3                             |
| $\Gamma_4$ $K\bar{K}$        | ( 4.9 $\pm$ 0.8) %                |                                   |
| $\Gamma_5$ $\eta'(958)\pi$   | ( 5.3 $\pm$ 0.9) $\times 10^{-3}$ |                                   |
| $\Gamma_6$ $\pi^\pm\gamma$   | ( 2.8 $\pm$ 0.6) $\times 10^{-3}$ |                                   |
| $\Gamma_7$ $\gamma\gamma$    | ( 9.4 $\pm$ 0.7) $\times 10^{-6}$ |                                   |
| $\Gamma_8$ $\pi^+\pi^-\pi^-$ | < 8 %                             | CL=90%                            |
| $\Gamma_9$ $e^+e^-$          | < 2.3 $\times 10^{-7}$            | CL=90%                            |

## CONSTRAINED FIT INFORMATION

An overall fit to 5 branching ratios uses 18 measurements and one constraint to determine 4 parameters. The overall fit has a  $\chi^2 = 9.3$  for 15 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

|       |       |       |       |  |
|-------|-------|-------|-------|--|
| $x_2$ | 10    |       |       |  |
| $x_3$ | -89   | -46   |       |  |
| $x_4$ | -1    | -2    | -24   |  |
|       | $x_1$ | $x_2$ | $x_3$ |  |

### $a_2(1320)$ PARTIAL WIDTHS

#### $\Gamma(\pi^\pm \gamma)$

| VALUE (keV)  | DOCUMENT ID | TECN | CHG  | COMMENT | $\Gamma_6$     |
|--|-------------|------|------|---------|----------------|
| <b>295 ± 60</b>  | CIHANGIR    | 82   | SPEC | +       | 200 $\pi^+ A$  |
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b> |             |      |      |         |                |
| 461 ± 110  | MAY         | 77   | SPEC | ±       | 9.7 $\gamma A$ |

#### $\Gamma(\gamma\gamma)$

| VALUE (keV)  | EVTS | DOCUMENT ID              | TECN       | CHG | COMMENT   | $\Gamma_7$ |
|--|------|--------------------------|------------|-----|---|------------|
| <b>1.00 ± 0.06 OUR AVERAGE</b>   |      |                          |            |     |   |            |
| 0.98 ± 0.05 ± 0.09   |      | ACCIARRI                 | 97T L3     |     | $e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$ |            |
| 0.96 ± 0.03 ± 0.13   |      | ALBRECHT                 | 97B ARG    |     | $e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$ |            |
| 1.26 ± 0.26 ± 0.18   | 36   | BARU                     | 90 MD1     |     | $e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$ |            |
| 1.00 ± 0.07 ± 0.15   | 415  | BEHREND                  | 90C CELL 0 |     | $e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$ |            |
| 1.03 ± 0.13 ± 0.21   |      | BUTLER                   | 90 MRK2    |     | $e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$ |            |
| 1.01 ± 0.14 ± 0.22   | 85   | OEST                     | 90 JADE    |     | $e^+ e^- \rightarrow e^+ e^- \pi^0 \eta$        |            |
| 0.90 ± 0.27 ± 0.15   | 56   | <sup>16</sup> ALTHOFF    | 86 TASS 0  |     | $e^+ e^- \rightarrow e^+ e^- 3\pi$              |            |
| 1.14 ± 0.20 ± 0.26   |      | <sup>17</sup> ANTREASYAN | 86 CBAL 0  |     | $e^+ e^- \rightarrow e^+ e^- \pi^0 \eta$        |            |
| 1.06 ± 0.18 ± 0.19   |      | BERGER                   | 84C PLUT 0 |     | $e^+ e^- \rightarrow e^+ e^- 3\pi$              |            |
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b> |      |                          |            |     |   |            |
| 0.81 ± 0.19 ± 0.42   | 35   | <sup>16</sup> BEHREND    | 83B CELL 0 |     | $e^+ e^- \rightarrow e^+ e^- 3\pi$              |            |
| 0.77 ± 0.18 ± 0.27   | 22   | <sup>17</sup> EDWARDS    | 82F CBAL 0 |     | $e^+ e^- \rightarrow e^+ e^- \pi^0 \eta$        |            |

<sup>16</sup> From  $\rho\pi$  decay mode.

<sup>17</sup> From  $\eta\pi^0$  decay mode.

| $\Gamma(e^+ e^-)$ |            |                    |             |                                  | $\Gamma_9$ |
|-------------------|------------|--------------------|-------------|----------------------------------|------------|
| <u>VALUE (eV)</u> | <u>CL%</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                   |            |
| <25               | 90         | VOROBYEV           | 88 ND       | $e^+ e^- \rightarrow \pi^0 \eta$ |            |

### $a_2(1320) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

| $\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$          |                    |             |                                       |  | $\Gamma_4\Gamma_7/\Gamma$ |
|---|--------------------|-------------|---------------------------------------|--|---------------------------|
| <u>VALUE (keV)</u>  | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                        |  |                           |
| <b>0.126±0.007±0.028</b>  | 18 ALBRECHT        | 90G ARG     | $e^+ e^- \rightarrow e^+ e^- K^+ K^-$ |  |                           |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                    |             |                                       |  |                           |
| 0.081±0.006±0.027   | 19 ALBRECHT        | 90G ARG     | $e^+ e^- \rightarrow e^+ e^- K^+ K^-$ |  |                           |

18 Using an incoherent background.

19 Using a coherent background.

### $a_2(1320)$ BRANCHING RATIOS

| $\Gamma(K\bar{K})/\Gamma(\rho\pi)$  |                       |                    |  |            | $\Gamma_4/\Gamma_1$ |
|---|-----------------------|--------------------|--|------------|---------------------|
| <u>VALUE</u>  | <u>EVTS</u>           | <u>DOCUMENT ID</u> | <u>TECN</u>                                  | <u>CHG</u> | <u>COMMENT</u>      |
| <b>0.070±0.012 OUR FIT</b>  |                       |                    |  |            |                     |
| <b>0.078±0.017</b>  |                       | CHABAUD 78 RVUE    |  |            |                     |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |                    |  |            |                     |
| 0.011±0.003   | 20 BERTIN             | 98B OBLX           | 0.0 $\bar{p}p \rightarrow K^\pm K_s \pi^\mp$ |            |                     |
| 0.056±0.014   | 50 CHALOUPKA 73 HBC   | —                  | 3.9 $\pi^- p$                                |            |                     |
| 0.097±0.018   | 113 ALSTON-... 71 HBC | +                  | 7.0 $\pi^+ p$                                |            |                     |
| 0.06 ± 0.03   | 21 ABRAMOVICH 70B HBC | —                  | 3.93 $\pi^- p$                               |            |                     |
| 0.054±0.022   | 21 CHUNG 68 HBC       | —                  | 3.2 $\pi^- p$                                |            |                     |

20 Using  $4\pi$  data from BERTIN 97D.

21 Included in CHABAUD 78 review.

| $\Gamma(\eta\pi)/[\Gamma(\rho\pi) + \Gamma(\eta\pi) + \Gamma(K\bar{K})]$ |                   |                    |                |            | $\Gamma_2/(\Gamma_1+\Gamma_2+\Gamma_4)$ |
|--|-------------------|--------------------|----------------|------------|---|
| <u>VALUE</u>   | <u>EVTS</u>       | <u>DOCUMENT ID</u> | <u>TECN</u>    | <u>CHG</u> | <u>COMMENT</u>                          |
| <b>0.162±0.012 OUR FIT</b>   |                   |                    |                |            |   |
| <b>0.140±0.028 OUR AVERAGE</b>   |                   |                    |                |            |   |
| 0.13 ± 0.04  | ESPIGAT 72 HBC    | ±                  | 0.0 $\bar{p}p$ |            |   |
| 0.15 ± 0.04  | 34 BARNHAM 71 HBC | +                  | 3.7 $\pi^+ p$  |            |   |

| $\Gamma(\eta\pi)/\Gamma(\rho\pi)$ |                       |                    |                |            | $\Gamma_2/\Gamma_1$ |
|-----------------------------------|-----------------------|--------------------|----------------|------------|---------------------|
| <u>VALUE</u>                      | <u>EVTS</u>           | <u>DOCUMENT ID</u> | <u>TECN</u>    | <u>CHG</u> | <u>COMMENT</u>      |
| <b>0.207±0.018 OUR FIT</b>        |                       |                    |                |            |                     |
| <b>0.213±0.020 OUR AVERAGE</b>    |                       |                    |                |            |                     |
| 0.18 ± 0.05                       | FORINO 76 HBC         |                    | 11 $\pi^- p$   |            |                     |
| 0.22 ± 0.05                       | 52 ANTIPOV 73 CNTR    | —                  | 40 $\pi^- p$   |            |                     |
| 0.211±0.044                       | 149 CHALOUPKA 73 HBC  | —                  | 3.9 $\pi^- p$  |            |                     |
| 0.246±0.042                       | 167 ALSTON-... 71 HBC | +                  | 7.0 $\pi^+ p$  |            |                     |
| 0.25 ± 0.09                       | 15 BOECKMANN 70 HBC   | +                  | 5.0 $\pi^+ p$  |            |                     |
| 0.23 ± 0.08                       | 22 ASCOLI 68 HBC      | —                  | 5 $\pi^- p$    |            |                     |
| 0.12 ± 0.08                       | CHUNG 68 HBC          | —                  | 3.2 $\pi^- p$  |            |                     |
| 0.22 ± 0.09                       | CONTE 67 HBC          | —                  | 11.0 $\pi^- p$ |            |                     |

$\Gamma(\eta'(958)\pi)/\Gamma_{\text{total}}$   $\Gamma_5/\Gamma$ 

| <u>VALUE</u>   | <u>CL%</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u>                             |
|--|------------|--------------------|-------------|------------|--|
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b> |            |                    |             |            |  |
| <0.006   | 95         | ALDE               | 92B GAM2    |            | 38,100 $\pi^- p \rightarrow \eta' \pi^0 n$ |
| <0.02  | 97         | BARNHAM            | 71 HBC      | +          | 3.7 $\pi^+ p$                              |
| 0.004 ± 0.004  |            | BOESEBECK          | 68 HBC      | +          | 8 $\pi^+ p$                                |

 $\Gamma(\eta'(958)\pi)/\Gamma(\rho\pi)$   $\Gamma_5/\Gamma_1$ 

| <u>VALUE</u>   | <u>CL%</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u> |
|--|------------|--------------------|-------------|------------|----------------|
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b> |            |                    |             |            |                |
| <0.011   | 90         | EISENSTEIN         | 73 HBC      | -          | 5 $\pi^- p$    |
| <0.04  |            | ALSTON-...         | 71 HBC      | +          | 7.0 $\pi^+ p$  |
| 0.04 $^{+0.03}_{-0.04}$  |            | BOECKMANN          | 70 HBC      | 0          | 5.0 $\pi^+ p$  |

 $\Gamma(K\bar{K})/[\Gamma(\rho\pi) + \Gamma(\eta\pi) + \Gamma(K\bar{K})]$   $\Gamma_4/(\Gamma_1+\Gamma_2+\Gamma_4)$ 

| <u>VALUE</u>   | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u> |
|--|-------------|--------------------|-------------|------------|----------------|
| <b>0.054 ± 0.009 OUR FIT</b>   |             |                    |             |            |                |
| <b>0.048 ± 0.012 OUR AVERAGE</b>   |             |                    |             |            |                |
| 0.05 ± 0.02  |             | TOET               | 73 HBC      | +          | 5 $\pi^+ p$    |
| 0.09 ± 0.04  |             | TOET               | 73 HBC      | 0          | 5 $\pi^+ p$    |
| 0.03 ± 0.02  | 8           | DAMERI             | 72 HBC      | -          | 11 $\pi^- p$   |
| 0.06 ± 0.03  | 17          | BARNHAM            | 71 HBC      | +          | 3.7 $\pi^+ p$  |
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b> |             |                    |             |            |                |
| 0.020 ± 0.004  |             | 22 ESPIGAT         | 72 HBC      | ±          | 0.0 $\bar{p}p$ |

22 Not averaged because of discrepancy between masses from  $K\bar{K}$  and  $\rho\pi$  modes. $\Gamma(\pi^+\pi^-\pi^-)/\Gamma(\rho\pi)$   $\Gamma_8/\Gamma_1$ 

| <u>VALUE</u>    | <u>CL%</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u> |
|-----------------|------------|--------------------|-------------|------------|----------------|
| <b>&lt;0.12</b> | 90         | ABRAMOVI...        | 70B HBC     | -          | 3.93 $\pi^- p$ |

 $\Gamma(\pi^\pm\gamma)/\Gamma_{\text{total}}$   $\Gamma_6/\Gamma$ 

| <u>VALUE</u>   | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>          |
|--|--------------------|-------------|-------------------------|
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b> |                    |             |                         |
| 0.005 $^{+0.005}_{-0.003}$   | 23 EISENBERG       | 72 HBC      | 4.3,5.25,7.5 $\gamma p$ |

23 Pion-exchange model used in this estimation.


 $\Gamma(\omega\pi\pi)/\Gamma(\rho\pi)$   $\Gamma_3/\Gamma_1$ 

| <u>VALUE</u>   | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u>    |
|--|-------------|--------------------|-------------|------------|-------------------|
| <b>0.15 ± 0.05 OUR FIT</b> Error includes scale factor of 1.3.                             |             |                    |             |            |                   |
| <b>0.15 ± 0.05 OUR AVERAGE</b> Error includes scale factor of 1.3. See the ideogram below. |             |                    |             |            |                   |
| 0.28 ± 0.09  | 60          | DIAZ               | 74 DBC      | 0          | 6 $\pi^+ n$       |
| 0.18 ± 0.08  |             | 24 KARSHON         | 74 HBC      |            | Avg. of above two |
| 0.10 ± 0.05  | 279         | CHALOUPKA          | 73 HBC      | -          | 3.9 $\pi^- p$     |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|                 |     |                       |    |     |   |                |
|-----------------|-----|-----------------------|----|-----|---|----------------|
| $0.29 \pm 0.08$ | 140 | <sup>24</sup> KARSHON | 74 | HBC | 0 | $4.9 \pi^+ p$  |
| $0.10 \pm 0.04$ | 60  | <sup>24</sup> KARSHON | 74 | HBC | + | $4.9 \pi^+ p$  |
| $0.19 \pm 0.08$ |     | DEFOIX                | 73 | HBC | 0 | $0.7 \bar{p}p$ |

<sup>24</sup>KARSHON 74 suggest an additional  $I = 0$  state strongly coupled to  $\omega\pi\pi$  which could explain discrepancies in branching ratios and masses. We use a central value and a systematic spread.



$$\Gamma(\omega\pi\pi)/\Gamma(\rho\pi)$$

### $\Gamma(\eta'(958)\pi)/\Gamma(\eta\pi)$

| VALUE                            | DOCUMENT ID | TECN | COMMENT |
|----------------------------------|-------------|------|---------|
| <b>0.037 ± 0.006 OUR AVERAGE</b> |             |      |         |

|                             |              |     |      |  |
|-----------------------------|--------------|-----|------|--|
| $0.032 \pm 0.009$           | ABELE        | 97C | CBAR | $0.0 \bar{p}p \rightarrow \pi^0 \pi^0 \eta'$ |
| $0.047 \pm 0.010 \pm 0.004$ | 25 BELADIDZE | 93  | VES  | $37\pi^- N \rightarrow a_2^- N$              |
| $0.034 \pm 0.008 \pm 0.005$ | BELADIDZE    | 92  | VES  | $36\pi^- C \rightarrow a_2^- C$              |

<sup>25</sup> Using  $B(\eta' \rightarrow \pi^+ \pi^- \eta) = 0.441$ ,  $B(\eta \rightarrow \gamma\gamma) = 0.389$  and  $B(\eta \rightarrow \pi^+ \pi^- \pi^0) = 0.236$ .

### $\Gamma(K\bar{K})/\Gamma(\eta\pi)$

| VALUE  | DOCUMENT ID | TECN | COMMENT |
|--|-------------|------|---------|
| <b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b> |             |      |         |

|                 |                      |     |      |  |
|-----------------|----------------------|-----|------|--|
| $0.08 \pm 0.02$ | <sup>26</sup> BERTIN | 98B | OBLX | $0.0 \bar{p}p \rightarrow K^\pm K_s \pi^\mp$ |
|-----------------|----------------------|-----|------|--|

<sup>26</sup> Using  $\eta\pi\pi$  data from AMSLER 94D.

### $\Gamma_5/\Gamma_2$

### $\Gamma_4/\Gamma_2$

**$a_2(1320)$  REFERENCES**

|             |     |                             |  |                              |
|-------------|-----|-----------------------------|--|------------------------------|
| BARBERIS    | 98B | PL B422 399                 | D. Barberis <i>et al.</i>              | (WA102 Collab.)              |
| BERTIN      | 98B | PL B434 180                 | A. Bertin <i>et al.</i>                | (OBELIX Collab.)             |
| ABELE       | 97C | PL B404 179                 | A. Abele <i>et al.</i>                 | (Crystal Barrel Collab.)     |
| ACCIARRI    | 97T | PL B413 147                 | M. Acciarri <i>et al.</i>              | (L3 Collab.)                 |
| ALBRECHT    | 97B | ZPHY C74 469                | H. Albrecht <i>et al.</i>              | (ARGUS Collab.)              |
| THOMPSON    | 97  | PRL 79 1630                 | D.R. Thompson <i>et al.</i>            | (E852 Collab.)               |
| AMELIN      | 96  | ZPHY C70 71                 | D.V. Amelin <i>et al.</i>              | (SERP, TBIL)                 |
| AMSLER      | 94D | PL B333 277                 | C. Amsler <i>et al.</i>                | (Crystal Barrel Collab.)     |
| AOYAGI      | 93  | PL B314 246                 | H. Aoyagi <i>et al.</i>                | (BKEI Collab.)               |
| ARMSTRONG   | 93C | PL B307 394                 | T.A. Armstrong <i>et al.</i>           | (FNAL, FERR, GENO+)          |
| BELADIDZE   | 93  | PL 313 276                  | G.M. Beladidze <i>et al.</i>           | (VES Collab.)                |
| CONDO       | 93  | PR D48 3045                 | G.T. Condo <i>et al.</i>               | (SLAC Hybrid Collab.)        |
| ALDE        | 92B | ZPHY C54 549                | D.M. Alde <i>et al.</i>                | (SERP, BELG, LANL, LAPP+)    |
| BELADIDZE   | 92  | ZPHY C54 235                | G.M. Beladidze <i>et al.</i>           | (VES Collab.)                |
| ALBRECHT    | 90G | ZPHY C48 183                | H. Albrecht <i>et al.</i>              | (ARGUS Collab.)              |
| ARMSTRONG   | 90  | ZPHY C48 213                | T.A. Armstrong, M. Benayoun, W. Beusch |                              |
| BARU        | 90  | ZPHY C48 581                | S.E. Baru <i>et al.</i>                | (MD-1 Collab.)               |
| BEHREND     | 90C | ZPHY C46 583                | H.J. Behrend <i>et al.</i>             | (CELLO Collab.)              |
| BUTLER      | 90  | PR D42 1368                 | F. Butler <i>et al.</i>                | (Mark II Collab.)            |
| OEST        | 90  | ZPHY C47 343                | T. Oest <i>et al.</i>                  | (JADE Collab.)               |
| AUGUSTIN    | 89  | NP B320 1                   | J.E. Augustin, G. Cosme                | (DM2 Collab.)                |
| VOROBIEV    | 88  | SJNP 48 273                 | P.V. Vorobiev <i>et al.</i>            | (NOVO)                       |
|             |     | Translated from YAF 48 436. |  |                              |
| ALTHOFF     | 86  | ZPHY C31 537                | M. Althoff <i>et al.</i>               | (TASSO Collab.)              |
| ANTREASYAN  | 86  | PR D33 1847                 | D. Antreasyan <i>et al.</i>            | (Crystal Ball Collab.)       |
| BERGER      | 84C | PL 149B 427                 | C. Berger <i>et al.</i>                | (PLUTO Collab.)              |
| BEHREND     | 83B | PL 125B 518                 | H.J. Behrend <i>et al.</i>             | (CELLO Collab.)              |
| CIHANGIR    | 82  | PL 117B 123                 | S. Cihangir <i>et al.</i>              | (FNAL, MINN, ROCH)           |
| CLELAND     | 82B | NP B208 228                 | W.E. Cleland <i>et al.</i>             | (DURH, GEVA, LAUS+)          |
| EDWARDS     | 82F | PL 110B 82                  | C. Edwards <i>et al.</i>               | (CIT, HARV, PRIN+)           |
| DELFOSSÉ    | 81  | NP B183 349                 | A. Delfosse <i>et al.</i>              | (GEVA, LAUS)                 |
| EVANGELISTA | 81  | NP B178 197                 | C. Evangelista <i>et al.</i>           | (BARI, BONN, CERN+)          |
| CHABAUD     | 80  | NP B175 189                 | V. Chabaud <i>et al.</i>               | (CERN, MPIM, AMST)           |
| DAUM        | 80C | PL 89B 276                  | C. Daum <i>et al.</i>                  | (AMST, CERN, CRAC, MPIM+) JP |
| BALTAY      | 78B | PR D17 62                   | C. Baltay <i>et al.</i>                | (COLU, BING)                 |
| CHABAUD     | 78  | NP B145 349                 | V. Chabaud <i>et al.</i>               | (CERN, MPIM)                 |
| FERRERSORIA | 78  | PL 74B 287                  | A. Ferrer Soria <i>et al.</i>          | (ORSAY, CERN, CDEF+)         |
| HYAMS       | 78  | NP B146 303                 | B.D. Hyams <i>et al.</i>               | (CERN, MPIM, ATEN)           |
| MARTIN      | 78D | PL 74B 417                  | A.D. Martin <i>et al.</i>              | (DURH, GEVA) JP              |
| MAY         | 77  | PR D16 1983                 | E.N. May <i>et al.</i>                 | (ROCH, CORN)                 |
| FORINO      | 76  | NC 35A 465                  | A. Forino <i>et al.</i>                | (BGNA, FIRZ, GENO, MILA+)    |
| MARGULIE    | 76  | PR D14 667                  | M. Margulies <i>et al.</i>             | (BNL, CUNY)                  |
| EMMS        | 75  | PL 58B 117                  | M.J. Emms <i>et al.</i>                | (BIRM, DURH, RHEL) JP        |
| WAGNER      | 75  | PL 58B 201                  | F. Wagner, M. Tabak, D.M. Chew         | (LBL) JP                     |
| DIAZ        | 74  | PRL 32 260                  | J. Diaz <i>et al.</i>                  | (CASE, CMU)                  |
| KARSHON     | 74  | PRL 32 852                  | U. Karshon <i>et al.</i>               | (REHO)                       |
| ANTIPOV     | 73  | NP B63 175                  | Y.M. Antipov <i>et al.</i>             | (CERN, SERP) JP              |
| ANTIPOV     | 73C | NP B63 153                  | Y.M. Antipov <i>et al.</i>             | (CERN, SERP) JP              |
| CHALOUPKA   | 73  | PL 44B 211                  | V. Chaloupka <i>et al.</i>             | (CERN)                       |
| CONFORTO    | 73  | PL 45B 154                  | G. Conforto <i>et al.</i>              | (EFI, FNAL, TNOTO+)          |
| DEFOIX      | 73  | PL 43B 141                  | C. Defoix <i>et al.</i>                | (CDEF)                       |
| EISENSTEIN  | 73  | PR D7 278                   | L. Eisenstein <i>et al.</i>            | (ILL)                        |
| KEY         | 73  | PRL 30 503                  | A.W. Key <i>et al.</i>                 | (TNOTO, EFI, FNAL, WISC)     |
| TOET        | 73  | NP B63 248                  | D.Z. Toet <i>et al.</i>                | (NIJM, BONN, DURH, TORI)     |
| DAMERI      | 72  | NC 9A 1                     | M. Dameri <i>et al.</i>                | (GENO, MILA, SACL)           |
| EISENBERG   | 72  | PR D5 15                    | Y. Eisenberg <i>et al.</i>             | (REHO, SLAC, TELA)           |
| ESPIGAT     | 72  | NP B36 93                   | P. Espigat <i>et al.</i>               | (CERN, CDEF)                 |
| FOLEY       | 72  | PR D6 747                   | K.J. Foley <i>et al.</i>               | (BNL, CUNY)                  |
| ALSTON-...  | 71  | PL 34B 156                  | M. Alston-Garnjost <i>et al.</i>       | (LRL)                        |
| BARNHAM     | 71  | PRL 26 1494                 | K.W.J. Barnham <i>et al.</i>           | (LBL)                        |
| BINNIE      | 71  | PL 36B 257                  | D.M. Binnie <i>et al.</i>              | (LOIC, SHMP)                 |
| BOWEN       | 71  | PRL 26 1663                 | D.R. Bowen <i>et al.</i>               | (NEAS, STON)                 |
| GRAYER      | 71  | PL 34B 333                  | G. Grayer <i>et al.</i>                | (CERN, MPIM)                 |
| ABRAMOVI... | 70B | NP B23 466                  | M. Abramovich <i>et al.</i>            | (CERN) JP                    |

|            |    |             |                                  |                          |
|------------|----|-------------|----------------------------------|--------------------------|
| ALSTON-... | 70 | PL 33B 607  | M. Alston-Garnjost <i>et al.</i> | (LRL)                    |
| BOECKMANN  | 70 | NP B16 221  | K. Boeckmann <i>et al.</i>       | (BONN, DURH, NIJM+)      |
| ASCOLI     | 68 | PRL 20 1321 | G. Ascoli <i>et al.</i>          | (ILL) JP                 |
| BOESEBECK  | 68 | NP B4 501   | K. Boesebeck <i>et al.</i>       | (AACH, BERL, CERN)       |
| CHUNG      | 68 | PR 165 1491 | S.U. Chung <i>et al.</i>         | (LRL)                    |
| CONTE      | 67 | NC 51A 175  | F. Conte <i>et al.</i>           | (GENO, HAMB, MILA, SACL) |

---

## OTHER RELATED PAPERS

---

|           |     |                                      |                                     |                                  |
|-----------|-----|--------------------------------------|-------------------------------------|----------------------------------|
| ALDE      | 99B | PAN 62 421<br>Translated from YAF 62 | D. Alde <i>et al.</i>               | (GAMS Collab.)                   |
| JENNI     | 83  | PR D27 1031                          | P. Jenni <i>et al.</i>              | (SLAC, LBL)                      |
| BEHREND   | 82C | PL 114B 378                          | H.J. Behrend <i>et al.</i>          | (CELLO Collab.)                  |
| ADERHOLZ  | 65  | PR 138B 897                          | M. Aderholz                         | (AACH3, BERL, BIRM, BONN, HAMB+) |
| ALITTI    | 65  | PL 15 69                             | J. Alitti <i>et al.</i>             | (SACL, BGNA) JP                  |
| CHUNG     | 65  | PRL 15 325                           | S.U. Chung <i>et al.</i>            | (LRL)                            |
| FORINO    | 65B | PL 19 68                             | A. Forino <i>et al.</i>             | (BGNA, BARI, FIRZ, ORSAY+)       |
| LEFEBVRES | 65  | PL 19 434                            | F. Lefebvres <i>et al.</i>          |                                  |
| SEIDLITZ  | 65  | PRL 15 217                           | L. Seidlitz, O.I. Dahl, D.H. Miller | (LRL)                            |
| ADERHOLZ  | 64  | PL 10 226                            | M. Aderholz <i>et al.</i>           | (AACH3, BERL, BIRM+)             |
| CHUNG     | 64  | PRL 12 621                           | S.U. Chung <i>et al.</i>            | (LRL)                            |
| GOLDHABER | 64  | PRL 12 336                           | G. Goldhaber <i>et al.</i>          | (LRL, UCB)                       |
| LANDER    | 64  | PRL 13 346A                          | R.L. Lander <i>et al.</i>           | (UCSD)                           |

---