

$J/\psi(1S)$

$$J^G(J^{PC}) = 0^-(1^{--})$$

 $J/\psi(1S)$ MASS

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3096.87 ± 0.04 OUR AVERAGE				
3096.89 ± 0.09	502	¹ ARTAMONOV 00	OLYA	$e^+e^- \rightarrow$ hadrons
3096.87 ± 0.03 ± 0.03		ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+e^-$
3096.95 ± 0.1 ± 0.3	193	BAGLIN 87	SPEC	$\bar{p}p \rightarrow e^+e^- X$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
3097.5 ± 0.3		GRIBUSHIN 96	FMPS	515 π^- Be $\rightarrow 2\mu X$
3098.4 ± 2.0	38k	LEMOIGNE 82	GOLI	190 π^- Be $\rightarrow 2\mu$
3096.93 ± 0.09	502	² ZHOLENTZ 80	REDE	e^+e^-
3097.0 ± 1		³ BRANDELIK 79C	DASP	e^+e^-

¹ Reanalysis of ZHOLENTZ 80 using new electron mass (COHEN 87) and radiative corrections (KURAEV 85).

² Superseded by ARTAMONOV 00.

³ From a simultaneous fit to e^+e^- , $\mu^+\mu^-$ and hadronic channels assuming $\Gamma(e^+e^-) = \Gamma(\mu^+\mu^-)$.

 $J/\psi(1S)$ WIDTH

<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
87 ± 5 OUR AVERAGE			
84.4 ± 8.9	BAI	95B BES	e^+e^-
99 ± 12 ± 6	ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+e^-$
85.5 ⁺ ₋ 6.1 5.8	⁴ HSUEH	92 RVUE	See Υ mini-review

⁴ Using data from COFFMAN 92, BALDINI-CELIO 75, BOYARSKI 75, ESPOSITO 75B, BRANDELIK 79C.

 $J/\psi(1S)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 hadrons	(87.7 ± 0.5) %	
Γ_2 virtual $\gamma \rightarrow$ hadrons	(17.0 ± 2.0) %	
Γ_3 e^+e^-	(5.93 ± 0.10) %	
Γ_4 $\mu^+\mu^-$	(5.88 ± 0.10) %	

Decays involving hadronic resonances

Γ_5	$\rho\pi$		$(1.27 \pm 0.09) \%$	
Γ_6	$\rho^0\pi^0$		$(4.2 \pm 0.5) \times 10^{-3}$	
Γ_7	$a_2(1320)\rho$		$(1.09 \pm 0.22) \%$	
Γ_8	$\omega\pi^+\pi^+\pi^-\pi^-$		$(8.5 \pm 3.4) \times 10^{-3}$	
Γ_9	$\omega\pi^+\pi^-$		$(7.2 \pm 1.0) \times 10^{-3}$	
Γ_{10}	$\omega f_2(1270)$		$(4.3 \pm 0.6) \times 10^{-3}$	
Γ_{11}	$K^*(892)^0\bar{K}_2^*(1430)^0 + \text{c.c.}$		$(6.7 \pm 2.6) \times 10^{-3}$	
Γ_{12}	$\omega K^*(892)\bar{K} + \text{c.c.}$		$(5.3 \pm 2.0) \times 10^{-3}$	
Γ_{13}	$K^+\bar{K}^*(892)^- + \text{c.c.}$		$(5.0 \pm 0.4) \times 10^{-3}$	
Γ_{14}	$K^0\bar{K}^*(892)^0 + \text{c.c.}$		$(4.2 \pm 0.4) \times 10^{-3}$	
Γ_{15}	$K_1(1400)^\pm K^\mp$		$(3.8 \pm 1.4) \times 10^{-3}$	
Γ_{16}	$\omega\pi^0\pi^0$		$(3.4 \pm 0.8) \times 10^{-3}$	
Γ_{17}	$b_1(1235)^\pm\pi^\mp$	[a]	$(3.0 \pm 0.5) \times 10^{-3}$	
Γ_{18}	$\omega K^\pm K_S^0\pi^\mp$	[a]	$(2.9 \pm 0.7) \times 10^{-3}$	
Γ_{19}	$b_1(1235)^0\pi^0$		$(2.3 \pm 0.6) \times 10^{-3}$	
Γ_{20}	$\phi K^*(892)\bar{K} + \text{c.c.}$		$(2.04 \pm 0.28) \times 10^{-3}$	
Γ_{21}	$\omega K\bar{K}$		$(1.9 \pm 0.4) \times 10^{-3}$	
Γ_{22}	$\omega f_0(1710) \rightarrow \omega K\bar{K}$		$(4.8 \pm 1.1) \times 10^{-4}$	
Γ_{23}	$\phi 2(\pi^+\pi^-)$		$(1.60 \pm 0.32) \times 10^{-3}$	
Γ_{24}	$\Delta(1232)^{++}\bar{p}\pi^-$		$(1.6 \pm 0.5) \times 10^{-3}$	
Γ_{25}	$\omega\eta$		$(1.58 \pm 0.16) \times 10^{-3}$	
Γ_{26}	$\phi K\bar{K}$		$(1.48 \pm 0.22) \times 10^{-3}$	
Γ_{27}	$\phi f_0(1710) \rightarrow \phi K\bar{K}$		$(3.6 \pm 0.6) \times 10^{-4}$	
Γ_{28}	$\rho\bar{p}\omega$		$(1.30 \pm 0.25) \times 10^{-3}$	S=1.3
Γ_{29}	$\Delta(1232)^{++}\bar{\Delta}(1232)^{--}$		$(1.10 \pm 0.29) \times 10^{-3}$	
Γ_{30}	$\Sigma(1385)^-\bar{\Sigma}(1385)^+ (\text{or c.c.})$	[a]	$(1.03 \pm 0.13) \times 10^{-3}$	
Γ_{31}	$\rho\bar{p}\eta'(958)$		$(9 \pm 4) \times 10^{-4}$	S=1.7
Γ_{32}	$\phi f_2'(1525)$		$(8 \pm 4) \times 10^{-4}$	S=2.7
Γ_{33}	$\phi\pi^+\pi^-$		$(8.0 \pm 1.2) \times 10^{-4}$	
Γ_{34}	$\phi K^\pm K_S^0\pi^\mp$	[a]	$(7.2 \pm 0.9) \times 10^{-4}$	
Γ_{35}	$\omega f_1(1420)$		$(6.8 \pm 2.4) \times 10^{-4}$	
Γ_{36}	$\phi\eta$		$(6.5 \pm 0.7) \times 10^{-4}$	
Γ_{37}	$\Xi(1530)^-\bar{\Xi}^+$		$(5.9 \pm 1.5) \times 10^{-4}$	
Γ_{38}	$\rho K^-\bar{\Sigma}(1385)^0$		$(5.1 \pm 3.2) \times 10^{-4}$	
Γ_{39}	$\omega\pi^0$		$(4.2 \pm 0.6) \times 10^{-4}$	S=1.4
Γ_{40}	$\phi\eta'(958)$		$(3.3 \pm 0.4) \times 10^{-4}$	
Γ_{41}	$\phi f_0(980)$		$(3.2 \pm 0.9) \times 10^{-4}$	S=1.9
Γ_{42}	$\Xi(1530)^0\bar{\Xi}^0$		$(3.2 \pm 1.4) \times 10^{-4}$	
Γ_{43}	$\Sigma(1385)^-\bar{\Sigma}^+ (\text{or c.c.})$	[a]	$(3.1 \pm 0.5) \times 10^{-4}$	
Γ_{44}	$\phi f_1(1285)$		$(2.6 \pm 0.5) \times 10^{-4}$	S=1.1
Γ_{45}	$\rho\eta$		$(1.93 \pm 0.23) \times 10^{-4}$	

Γ_{46}	$\omega\eta'(958)$		$(1.67 \pm 0.25) \times 10^{-4}$	
Γ_{47}	$\omega f_0(980)$		$(1.4 \pm 0.5) \times 10^{-4}$	
Γ_{48}	$\rho\eta'(958)$		$(1.05 \pm 0.18) \times 10^{-4}$	
Γ_{49}	$\rho\bar{p}\phi$		$(4.5 \pm 1.5) \times 10^{-5}$	
Γ_{50}	$a_2(1320)^\pm \pi^\mp$	[a]	$< 4.3 \times 10^{-3}$	CL=90%
Γ_{51}	$K\bar{K}_2^*(1430) + \text{c.c.}$		$< 4.0 \times 10^{-3}$	CL=90%
Γ_{52}	$K_1(1270)^\pm K^\mp$		$< 3.0 \times 10^{-3}$	CL=90%
Γ_{53}	$K_2^*(1430)^0 \bar{K}_2^*(1430)^0$		$< 2.9 \times 10^{-3}$	CL=90%
Γ_{54}	$K^*(892)^0 \bar{K}^*(892)^0$		$< 5 \times 10^{-4}$	CL=90%
Γ_{55}	$\phi f_2(1270)$		$< 3.7 \times 10^{-4}$	CL=90%
Γ_{56}	$\rho\bar{p}\rho$		$< 3.1 \times 10^{-4}$	CL=90%
Γ_{57}	$\phi\eta(1440) \rightarrow \phi\eta\pi\pi$		$< 2.5 \times 10^{-4}$	CL=90%
Γ_{58}	$\omega f_2'(1525)$		$< 2.2 \times 10^{-4}$	CL=90%
Γ_{59}	$\Sigma(1385)^0 \bar{\Lambda}$		$< 2 \times 10^{-4}$	CL=90%
Γ_{60}	$\Delta(1232)^+ \bar{p}$		$< 1 \times 10^{-4}$	CL=90%
Γ_{61}	$\Sigma^0 \bar{\Lambda}$		$< 9 \times 10^{-5}$	CL=90%
Γ_{62}	$\phi\pi^0$		$< 6.8 \times 10^{-6}$	CL=90%

Decays into stable hadrons

Γ_{63}	$2(\pi^+ \pi^-)\pi^0$		$(3.37 \pm 0.26) \%$	
Γ_{64}	$3(\pi^+ \pi^-)\pi^0$		$(2.9 \pm 0.6) \%$	
Γ_{65}	$\pi^+ \pi^- \pi^0$		$(1.50 \pm 0.20) \%$	
Γ_{66}	$\pi^+ \pi^- \pi^0 K^+ K^-$		$(1.20 \pm 0.30) \%$	
Γ_{67}	$4(\pi^+ \pi^-)\pi^0$		$(9.0 \pm 3.0) \times 10^{-3}$	
Γ_{68}	$\pi^+ \pi^- K^+ K^-$		$(7.2 \pm 2.3) \times 10^{-3}$	
Γ_{69}	$K\bar{K}\pi$		$(6.1 \pm 1.0) \times 10^{-3}$	
Γ_{70}	$\rho\bar{p}\pi^+ \pi^-$		$(6.0 \pm 0.5) \times 10^{-3}$	S=1.3
Γ_{71}	$2(\pi^+ \pi^-)$		$(4.0 \pm 1.0) \times 10^{-3}$	
Γ_{72}	$3(\pi^+ \pi^-)$		$(4.0 \pm 2.0) \times 10^{-3}$	
Γ_{73}	$n\bar{n}\pi^+ \pi^-$		$(4 \pm 4) \times 10^{-3}$	
Γ_{74}	$\Sigma^0 \bar{\Sigma}^0$		$(1.27 \pm 0.17) \times 10^{-3}$	
Γ_{75}	$2(\pi^+ \pi^-)K^+ K^-$		$(3.1 \pm 1.3) \times 10^{-3}$	
Γ_{76}	$\rho\bar{p}\pi^+ \pi^- \pi^0$	[b]	$(2.3 \pm 0.9) \times 10^{-3}$	S=1.9
Γ_{77}	$\rho\bar{p}$		$(2.12 \pm 0.10) \times 10^{-3}$	
Γ_{78}	$\rho\bar{p}\eta$		$(2.09 \pm 0.18) \times 10^{-3}$	
Γ_{79}	$\rho\bar{n}\pi^-$		$(2.00 \pm 0.10) \times 10^{-3}$	
Γ_{80}	$n\bar{n}$		$(2.2 \pm 0.4) \times 10^{-3}$	
Γ_{81}	$\Xi\bar{\Xi}$		$(1.8 \pm 0.4) \times 10^{-3}$	S=1.8
Γ_{82}	$\Lambda\bar{\Lambda}$		$(1.30 \pm 0.12) \times 10^{-3}$	S=1.1
Γ_{83}	$\rho\bar{p}\pi^0$		$(1.09 \pm 0.09) \times 10^{-3}$	
Γ_{84}	$\Lambda\bar{\Sigma}^- \pi^+$ (or c.c.)	[a]	$(1.06 \pm 0.12) \times 10^{-3}$	

Γ_{85}	$\rho K^- \bar{\Lambda}$	$(8.9 \pm 1.6) \times 10^{-4}$	
Γ_{86}	$2(K^+ K^-)$	$(7.0 \pm 3.0) \times 10^{-4}$	
Γ_{87}	$\rho K^- \bar{\Sigma}^0$	$(2.9 \pm 0.8) \times 10^{-4}$	
Γ_{88}	$K^+ K^-$	$(2.37 \pm 0.31) \times 10^{-4}$	
Γ_{89}	$\Lambda \bar{\Lambda} \pi^0$	$(2.2 \pm 0.6) \times 10^{-4}$	
Γ_{90}	$\pi^+ \pi^-$	$(1.47 \pm 0.23) \times 10^{-4}$	
Γ_{91}	$K_S^0 K_L^0$	$(1.08 \pm 0.14) \times 10^{-4}$	
Γ_{92}	$\Lambda \bar{\Sigma} + \text{c.c.}$	< 1.5	$\times 10^{-4}$ CL=90%
Γ_{93}	$K_S^0 K_S^0$	< 5.2	$\times 10^{-6}$ CL=90%

Radiative decays

Γ_{94}	$\gamma \eta_c(1S)$	$(1.3 \pm 0.4) \%$	
Γ_{95}	$\gamma \pi^+ \pi^- 2\pi^0$	$(8.3 \pm 3.1) \times 10^{-3}$	
Γ_{96}	$\gamma \eta \pi \pi$	$(6.1 \pm 1.0) \times 10^{-3}$	
Γ_{97}	$\gamma \eta(1440) \rightarrow \gamma K \bar{K} \pi$	[c] $(9.1 \pm 1.8) \times 10^{-4}$	
Γ_{98}	$\gamma \eta(1440) \rightarrow \gamma \gamma \rho^0$	$(6.4 \pm 1.4) \times 10^{-5}$	
Γ_{99}	$\gamma \eta(1440) \rightarrow \gamma \eta \pi^+ \pi^-$	$(3.0 \pm 0.5) \times 10^{-4}$	
Γ_{100}	$\gamma \rho \rho$	$(4.5 \pm 0.8) \times 10^{-3}$	
Γ_{101}	$\gamma \eta_2(1870) \rightarrow \gamma \pi^+ \pi^-$	$(6.2 \pm 2.4) \times 10^{-4}$	
Γ_{102}	$\gamma \eta'(958)$	$(4.31 \pm 0.30) \times 10^{-3}$	
Γ_{103}	$\gamma 2\pi^+ 2\pi^-$	$(2.8 \pm 0.5) \times 10^{-3}$	S=1.9
Γ_{104}	$\gamma K^+ K^- \pi^+ \pi^-$	$(2.1 \pm 0.6) \times 10^{-3}$	
Γ_{105}	$\gamma f_4(2050)$	$(2.7 \pm 0.7) \times 10^{-3}$	
Γ_{106}	$\gamma \omega \omega$	$(1.59 \pm 0.33) \times 10^{-3}$	
Γ_{107}	$\gamma \eta(1440) \rightarrow \gamma \rho^0 \rho^0$	$(1.7 \pm 0.4) \times 10^{-3}$	S=1.3
Γ_{108}	$\gamma f_2(1270)$	$(1.38 \pm 0.14) \times 10^{-3}$	
Γ_{109}	$\gamma f_0(1710) \rightarrow \gamma K \bar{K}$	$(8.5 \pm 1.2) \times 10^{-4}$	S=1.2
Γ_{110}	$\gamma f_0(1710) \rightarrow \gamma \pi \pi$		
Γ_{111}	$\gamma \eta$	$(8.6 \pm 0.8) \times 10^{-4}$	
Γ_{112}	$\gamma f_1(1420) \rightarrow \gamma K \bar{K} \pi$	$(8.3 \pm 1.5) \times 10^{-4}$	
Γ_{113}	$\gamma f_1(1285)$	$(6.1 \pm 0.9) \times 10^{-4}$	
Γ_{114}	$\gamma f_1(1510) \rightarrow \gamma \eta \pi^+ \pi^-$	$(4.5 \pm 1.2) \times 10^{-4}$	
Γ_{115}	$\gamma f_2'(1525)$	$(4.7 \pm 0.7) \times 10^{-4}$	
Γ_{116}	$\gamma f_2(1950) \rightarrow$ $\gamma K^*(892) \bar{K}^*(892)$	$(7.0 \pm 2.2) \times 10^{-4}$	
Γ_{117}	$\gamma K^*(892) \bar{K}^*(892)$	$(4.0 \pm 1.3) \times 10^{-3}$	
Γ_{118}	$\gamma \phi \phi$	$(4.0 \pm 1.2) \times 10^{-4}$	S=2.1
Γ_{119}	$\gamma \rho \bar{\rho}$	$(3.8 \pm 1.0) \times 10^{-4}$	
Γ_{120}	$\gamma \eta(2225)$	$(2.9 \pm 0.6) \times 10^{-4}$	
Γ_{121}	$\gamma \eta(1760) \rightarrow \gamma \rho^0 \rho^0$	$(1.3 \pm 0.9) \times 10^{-4}$	

Γ_{122}	$\gamma\pi^0$	$(3.9 \pm 1.3) \times 10^{-5}$	
Γ_{123}	$\gamma p\bar{p}\pi^+\pi^-$	$< 7.9 \times 10^{-4}$	CL=90%
Γ_{124}	$\gamma\gamma$	$< 5 \times 10^{-4}$	CL=90%
Γ_{125}	$\gamma\Lambda\bar{\Lambda}$	$< 1.3 \times 10^{-4}$	CL=90%
Γ_{126}	3γ	$< 5.5 \times 10^{-5}$	CL=90%
Γ_{127}	$\gamma f_0(2200)$		
Γ_{128}	$\gamma f_J(2220)$	$> 2.50 \times 10^{-3}$	CL=99.9%
Γ_{129}	$\gamma f_J(2220) \rightarrow \gamma\pi\pi$	$(8 \pm 4) \times 10^{-5}$	
Γ_{130}	$\gamma f_J(2220) \rightarrow \gamma K\bar{K}$	$(8.1 \pm 3.0) \times 10^{-5}$	
Γ_{131}	$\gamma f_J(2220) \rightarrow \gamma p\bar{p}$	$(1.5 \pm 0.8) \times 10^{-5}$	
Γ_{132}	$\gamma f_0(1500)$	$< (5.7 \pm 0.8) \times 10^{-4}$	
Γ_{133}	γe^+e^-	$(8.8 \pm 1.4) \times 10^{-3}$	

[a] The value is for the sum of the charge states or particle/antiparticle states indicated.

[b] Includes $p\bar{p}\pi^+\pi^- \gamma$ and excludes $p\bar{p}\eta$, $p\bar{p}\omega$, $p\bar{p}\eta'$.

[c] See the "Note on the $\eta(1440)$ " in the $\eta(1440)$ Particle Listings.

$J/\psi(1S)$ PARTIAL WIDTHS

$\Gamma(\text{hadrons})$

Γ_1

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
74.1 ± 8.1	BAI	95B BES	e^+e^-
59 ± 24	BALDINI-...	75 FRAG	e^+e^-
59 ± 14	BOYARSKI	75 MRK1	e^+e^-
50 ± 25	ESPOSITO	75B FRAM	e^+e^-

$\Gamma(\text{virtual } \gamma \rightarrow \text{hadrons})$

Γ_2

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
12 ± 2	⁵ BOYARSKI	75 MRK1	e^+e^-

⁵ Included in $\Gamma(\text{hadrons})$.

$\Gamma(e^+e^-)$

Γ_3

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
5.26 ± 0.37 OUR EVALUATION			
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
5.14 ± 0.39	BAI	95B BES	e^+e^-
$5.36^{+0.29}_{-0.28}$	⁶ HSUEH	92 RVUE	See Υ mini-review
4.72 ± 0.35	ALEXANDER	89 RVUE	See Υ mini-review
4.4 ± 0.6	⁶ BRANDELIK	79C DASP	e^+e^-
4.6 ± 0.8	⁷ BALDINI-...	75 FRAG	e^+e^-
4.8 ± 0.6	BOYARSKI	75 MRK1	e^+e^-
4.6 ± 1.0	ESPOSITO	75B FRAM	e^+e^-

⁶ From a simultaneous fit to e^+e^- , $\mu^+\mu^-$, and hadronic channels assuming $\Gamma(e^+e^-) = \Gamma(\mu^+\mu^-)$.

⁷ Assuming equal partial widths for e^+e^- and $\mu^+\mu^-$.

$\Gamma(\mu^+ \mu^-)$ Γ_4

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
5.13 ± 0.52	BAI	95B BES	$e^+ e^-$
4.8 ± 0.6	BOYARSKI	75 MRK1	$e^+ e^-$
5 ± 1	ESPOSITO	75B FRAM	$e^+ e^-$

$\Gamma(\gamma\gamma)$ Γ_{124}

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<5.4	90	BRANDELIK	79C DASP	$e^+ e^-$

$J/\psi(1S) \Gamma(i)\Gamma(e^+ e^-)/\Gamma(\text{total})$

This combination of a partial width with the partial width into $e^+ e^-$ and with the total width is obtained from the integrated cross section into channel i in the $e^+ e^-$ annihilation.

$\Gamma(\text{hadrons}) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$ $\Gamma_1 \Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
4 ± 0.8	⁸ BALDINI-...	75 FRAG	$e^+ e^-$
3.9 ± 0.8	⁸ ESPOSITO	75B FRAM	$e^+ e^-$

$\Gamma(e^+ e^-) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$ $\Gamma_3 \Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.35 ± 0.02	BRANDELIK	79C DASP	$e^+ e^-$
0.32 ± 0.07	⁸ BALDINI-...	75 FRAG	$e^+ e^-$
0.34 ± 0.09	⁸ ESPOSITO	75B FRAM	$e^+ e^-$
0.36 ± 0.10	⁸ FORD	75 SPEC	$e^+ e^-$

$\Gamma(\mu^+ \mu^-) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$ $\Gamma_4 \Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.51 ± 0.09	DASP	75 DASP	$e^+ e^-$
0.38 ± 0.05	⁸ ESPOSITO	75B FRAM	$e^+ e^-$

$\Gamma(p\bar{p}) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$ $\Gamma_{77} \Gamma_3/\Gamma$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
9.7 ± 1.7	⁹ ARMSTRONG	93B E760	$\bar{p}p \rightarrow e^+ e^-$

⁸ Data redundant with branching ratios or partial widths above.

⁹ Using $\Gamma_{\text{total}} = 85.5^{+6.1}_{-5.8}$ MeV.

$J/\psi(1S)$ BRANCHING RATIOS

For the first four branching ratios, see also the partial widths, and (partial widths) $\times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ above.

$\Gamma(\text{hadrons})/\Gamma_{\text{total}}$ Γ_1/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.877 ± 0.005 OUR AVERAGE			
0.878 ± 0.005	BAI	95B	BES e^+e^-
0.86 ± 0.02	BOYARSKI	75	MRK1 e^+e^-

$\Gamma(\text{virtual } \gamma \rightarrow \text{hadrons})/\Gamma_{\text{total}}$ Γ_2/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.17 ± 0.02	¹⁰ BOYARSKI	75	MRK1 e^+e^-

¹⁰Included in $\Gamma(\text{hadrons})/\Gamma_{\text{total}}$.

$\Gamma(e^+e^-)/\Gamma_{\text{total}}$ Γ_3/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0593 ± 0.0010 OUR AVERAGE			
$0.0590 \pm 0.0005 \pm 0.0010$	BAI	98D	BES $\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
0.0609 ± 0.0033	BAI	95B	BES e^+e^-
$0.0592 \pm 0.0015 \pm 0.0020$	COFFMAN	92	MRK3 $\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
0.069 ± 0.009	BOYARSKI	75	MRK1 e^+e^-

$\Gamma(\mu^+ \mu^-)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0588 ± 0.0010 OUR AVERAGE			
$0.0584 \pm 0.0006 \pm 0.0010$	BAI	98D	BES $\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
0.0608 ± 0.0033	BAI	95B	BES e^+e^-
$0.0590 \pm 0.0015 \pm 0.0019$	COFFMAN	92	MRK3 $\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
0.069 ± 0.009	BOYARSKI	75	MRK1 e^+e^-

$\Gamma(e^+e^-)/\Gamma(\mu^+ \mu^-)$ Γ_3/Γ_4

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1.00 ± 0.07	BAI	95B	BES e^+e^-
1.00 ± 0.05	BOYARSKI	75	MRK1 e^+e^-
0.91 ± 0.15	ESPOSITO	75B	FRAM e^+e^-
0.93 ± 0.10	FORD	75	SPEC e^+e^-

HADRONIC DECAYS

 $\Gamma(\rho\pi)/\Gamma_{\text{total}}$ Γ_5/Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0127±0.0009 OUR AVERAGE				
0.0121±0.0020		BAI	96D BES	$e^+e^- \rightarrow \rho\pi$
0.0142±0.0001±0.0019		COFFMAN	88 MRK3	e^+e^-
0.013 ±0.003	150	FRANKLIN	83 MRK2	e^+e^-
0.016 ±0.004	183	ALEXANDER	78 PLUT	e^+e^-
0.0133±0.0021		BRANDELIK	78B DASP	e^+e^-
0.010 ±0.002	543	BARTEL	76 CNTR	e^+e^-
0.013 ±0.003	153	JEAN-MARIE	76 MRK1	e^+e^-

 $\Gamma(\rho^0\pi^0)/\Gamma(\rho\pi)$ Γ_6/Γ_5

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.328±0.005±0.027			
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.35 ±0.08	ALEXANDER 78	PLUT	e^+e^-
0.32 ±0.08	BRANDELIK 78B	DASP	e^+e^-
0.39 ±0.11	BARTEL 76	CNTR	e^+e^-
0.37 ±0.09	JEAN-MARIE 76	MRK1	e^+e^-

 $\Gamma(a_2(1320)\rho)/\Gamma_{\text{total}}$ Γ_7/Γ

<u>VALUE (units 10⁻³)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
10.9±2.2 OUR AVERAGE				
11.7±0.7±2.5	7584	AUGUSTIN 89	DM2	$J/\psi \rightarrow \rho^0\rho^\pm\pi^\mp$
8.4±4.5	36	VANNUCCI 77	MRK1	$e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$

 $\Gamma(\omega\pi^+\pi^+\pi^-\pi^-)/\Gamma_{\text{total}}$ Γ_8/Γ

<u>VALUE (units 10⁻⁴)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
85±34	140	VANNUCCI 77	MRK1	$e^+e^- \rightarrow 3(\pi^+\pi^-)\pi^0$

 $\Gamma(\omega\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_9/Γ

<u>VALUE (units 10⁻³)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7.2±1.0 OUR AVERAGE				
7.0±1.6	18058	AUGUSTIN 89	DM2	$J/\psi \rightarrow 2(\pi^+\pi^-)\pi^0$
7.8±1.6	215	BURMESTER 77D	PLUT	e^+e^-
6.8±1.9	348	VANNUCCI 77	MRK1	$e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$

 $\Gamma(\omega\pi^+\pi^-)/\Gamma(2(\pi^+\pi^-)\pi^0)$ Γ_9/Γ_{63}

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.3	¹¹ JEAN-MARIE 76	MRK1	e^+e^-

¹¹ Final state $(\pi^+\pi^-)\pi^0$ under the assumption that $\pi\pi$ is isospin 0.

 $\Gamma(K^*(892)^0\bar{K}_2^*(1430)^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{11}/Γ

<u>VALUE (units 10⁻⁴)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
67±26	40	VANNUCCI 77	MRK1	$e^+e^- \rightarrow \pi^+\pi^-\bar{K}^+K^-$

$\Gamma(\omega K^*(892)\bar{K} + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{12}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
53±14±14	530±140	BECKER	87 MRK3	$e^+ e^- \rightarrow \text{hadrons}$

$\Gamma(\omega f_2(1270))/\Gamma_{\text{total}}$ Γ_{10}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.3±0.6 OUR AVERAGE				
4.3±0.2±0.6	5860	AUGUSTIN	89 DM2	$e^+ e^-$
4.0±1.6	70	BURMESTER	77D PLUT	$e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.9±0.8	81	VANNUCCI	77 MRK1	$e^+ e^- \rightarrow 2(\pi^+ \pi^-)\pi^0$
---------	----	----------	---------	---

$\Gamma(K^+\bar{K}^*(892)^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{13}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5.0 ±0.4 OUR AVERAGE				
4.57±0.17±0.70	2285	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
5.26±0.13±0.53		COFFMAN	88 MRK3	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp,$ $K^+ K^- \pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.6 ±0.6	24	FRANKLIN	83 MRK2	$J/\psi \rightarrow K^+ K^- \pi^0$
3.2 ±0.6	48	VANNUCCI	77 MRK1	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$
4.1 ±1.2	39	BRAUNSCH...	76 DASP	$J/\psi \rightarrow K^\pm X$

$\Gamma(K^0\bar{K}^*(892)^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{14}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.2 ±0.4 OUR AVERAGE				
3.96±0.15±0.60	1192	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
4.33±0.12±0.45		COFFMAN	88 MRK3	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.7 ±0.6	45	VANNUCCI	77 MRK1	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$
----------	----	----------	---------	--

$\Gamma(K^0\bar{K}^*(892)^0 + \text{c.c.})/\Gamma(K^+\bar{K}^*(892)^- + \text{c.c.})$ Γ_{14}/Γ_{13}

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.82±0.05±0.09	COFFMAN	88 MRK3	$J/\psi \rightarrow$ $K\bar{K}^*(892) + \text{c.c.}$

$\Gamma(K_1(1400)^\pm K^\mp)/\Gamma_{\text{total}}$ Γ_{15}/Γ

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.8±0.8±1.2	¹² BAI	99C BES	$e^+ e^-$

¹² Assuming $B(K_1(1400) \rightarrow K^* \pi) = 0.94 \pm 0.06$

$\Gamma(\omega \pi^0 \pi^0)/\Gamma_{\text{total}}$ Γ_{16}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.4±0.3±0.7	509	AUGUSTIN	89 DM2	$J/\psi \rightarrow \pi^+ \pi^- 3\pi^0$

$\Gamma(b_1(1235)^\pm \pi^\mp)/\Gamma_{\text{total}}$ Γ_{17}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
30 ± 5 OUR AVERAGE				
31 ± 6	4600	AUGUSTIN 89	DM2	$J/\psi \rightarrow 2(\pi^+ \pi^-)\pi^0$
29 ± 7	87	BURMESTER 77D	PLUT	$e^+ e^-$

$\Gamma(\omega K^\pm K_S^0 \pi^\mp)/\Gamma_{\text{total}}$ Γ_{18}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
29.5 ± 1.4 ± 7.0				
	879 ± 41	BECKER 87	MRK3	$e^+ e^- \rightarrow \text{hadrons}$

$\Gamma(b_1(1235)^0 \pi^0)/\Gamma_{\text{total}}$ Γ_{19}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
23 ± 3 ± 5				
	229	AUGUSTIN 89	DM2	$e^+ e^-$

$\Gamma(\phi K^*(892) \bar{K} + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{20}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
20.4 ± 2.8 OUR AVERAGE				
20.7 ± 2.4 ± 3.0		FALVARD 88	DM2	$J/\psi \rightarrow \text{hadrons}$
20 ± 3 ± 3	155 ± 20	BECKER 87	MRK3	$e^+ e^- \rightarrow \text{hadrons}$

$\Gamma(\omega K \bar{K})/\Gamma_{\text{total}}$ Γ_{21}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
19 ± 4 OUR AVERAGE				
19.8 ± 2.1 ± 3.9		¹³ FALVARD 88	DM2	$J/\psi \rightarrow \text{hadrons}$
16 ± 10	22	FELDMAN 77	MRK1	$e^+ e^-$

¹³ Addition of $\omega K^+ K^-$ and $\omega K^0 \bar{K}^0$ branching ratios.

$\Gamma(\omega f_0(1710) \rightarrow \omega K \bar{K})/\Gamma_{\text{total}}$ Γ_{22}/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.8 ± 1.1 ± 0.3			
	^{14,15} FALVARD 88	DM2	$J/\psi \rightarrow \text{hadrons}$

¹⁴ Includes unknown branching fraction $f_0(1710) \rightarrow K \bar{K}$.

¹⁵ Addition of $f_0(1710) \rightarrow K^+ K^-$ and $f_0(1710) \rightarrow K^0 \bar{K}^0$ branching ratios.

$\Gamma(\phi 2(\pi^+ \pi^-))/\Gamma_{\text{total}}$ Γ_{23}/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
16.0 ± 1.0 ± 3.0			
	FALVARD 88	DM2	$J/\psi \rightarrow \text{hadrons}$

$\Gamma(\Delta(1232)^{++} \bar{p} \pi^-)/\Gamma_{\text{total}}$ Γ_{24}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.58 ± 0.23 ± 0.40				
	332	EATON 84	MRK2	$e^+ e^-$

$\Gamma(\omega \eta)/\Gamma_{\text{total}}$ Γ_{25}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.58 ± 0.16 OUR AVERAGE				
1.43 ± 0.10 ± 0.21	378	JOUSSET 90	DM2	$J/\psi \rightarrow \text{hadrons}$
1.71 ± 0.08 ± 0.20		COFFMAN 88	MRK3	$e^+ e^- \rightarrow 3\pi \eta$

$\Gamma(\phi K \bar{K})/\Gamma_{\text{total}}$ Γ_{26}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
14.8 ± 2.2 OUR AVERAGE				
14.6 ± 0.8 ± 2.1	16	FALVARD	88	DM2 $J/\psi \rightarrow$ hadrons
18 ± 8	14	FELDMAN	77	MRK1 $e^+ e^-$

¹⁶ Addition of $\phi K^+ K^-$ and $\phi K^0 \bar{K}^0$ branching ratios.

$\Gamma(\phi f_0(1710) \rightarrow \phi K \bar{K})/\Gamma_{\text{total}}$ Γ_{27}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
3.6 ± 0.2 ± 0.6	17,18	FALVARD	88 DM2 $J/\psi \rightarrow$ hadrons

¹⁷ Including interference with $f'_2(1525)$.

¹⁸ Includes unknown branching fraction $f_0(1710) \rightarrow K \bar{K}$.

$\Gamma(\rho \bar{\rho} \omega)/\Gamma_{\text{total}}$ Γ_{28}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.30 ± 0.25 OUR AVERAGE	Error	includes scale factor of 1.3.		
1.10 ± 0.17 ± 0.18	486	EATON	84	MRK2 $e^+ e^-$
1.6 ± 0.3	77	PERUZZI	78	MRK1 $e^+ e^-$

$\Gamma(\Delta(1232)^{++} \bar{\Delta}(1232)^{--})/\Gamma_{\text{total}}$ Γ_{29}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.10 ± 0.09 ± 0.28	233	EATON	84	MRK2 $e^+ e^-$

$\Gamma(\Sigma(1385)^- \bar{\Sigma}(1385)^+ (\text{or c.c.}))/\Gamma_{\text{total}}$ Γ_{30}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.03 ± 0.13 OUR AVERAGE				
1.00 ± 0.04 ± 0.21	631 ± 25	HENRARD	87	DM2 $e^+ e^- \rightarrow \Sigma^{*-}$
1.19 ± 0.04 ± 0.25	754 ± 27	HENRARD	87	DM2 $e^+ e^- \rightarrow \Sigma^{*+}$
0.86 ± 0.18 ± 0.22	56	EATON	84	MRK2 $e^+ e^- \rightarrow \Sigma^{*-}$
1.03 ± 0.24 ± 0.25	68	EATON	84	MRK2 $e^+ e^- \rightarrow \Sigma^{*+}$

$\Gamma(\rho \bar{\rho} \eta'(958))/\Gamma_{\text{total}}$ Γ_{31}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
0.9 ± 0.4 OUR AVERAGE	Error	includes scale factor of 1.7.		
0.68 ± 0.23 ± 0.17	19	EATON	84	MRK2 $e^+ e^-$
1.8 ± 0.6	19	PERUZZI	78	MRK1 $e^+ e^-$

$\Gamma(\phi f'_2(1525))/\Gamma_{\text{total}}$ Γ_{32}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
8 ± 4 OUR AVERAGE	Error	includes scale factor of 2.7.		
12.3 ± 0.6 ± 2.0	19,20	FALVARD	88	DM2 $J/\psi \rightarrow$ hadrons
4.8 ± 1.8	46	GIDAL	81	MRK2 $J/\psi \rightarrow$ $K^+ K^- K^+ K^-$

¹⁹ Re-evaluated using $B(f'_2(1525) \rightarrow K \bar{K}) = 0.713$.

²⁰ Including interference with $f_0(1710)$.

$\Gamma(\phi\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{33}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.80±0.12 OUR AVERAGE				
0.78±0.03±0.12		FALVARD	88 DM2	$J/\psi \rightarrow$ hadrons
2.1 ±0.9	23	FELDMAN	77 MRK1	e^+e^-

$\Gamma(\phi K^\pm K_S^0 \pi^\mp)/\Gamma_{\text{total}}$ Γ_{34}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7.2±0.9 OUR AVERAGE				
7.4±0.9±1.1		FALVARD	88 DM2	$J/\psi \rightarrow$ hadrons
7 ±0.6±1.0	163±15	BECKER	87 MRK3	$e^+e^- \rightarrow$ hadrons

$\Gamma(\omega f_1(1420))/\Gamma_{\text{total}}$ Γ_{35}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
6.8^{+1.9}_{-1.6}±1.7				
	111 ⁺³¹ ₋₂₆	BECKER	87 MRK3	$e^+e^- \rightarrow$ hadrons

$\Gamma(\phi\eta)/\Gamma_{\text{total}}$ Γ_{36}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.65 ±0.07 OUR AVERAGE				
0.64 ±0.04 ±0.11	346	JOUSSET	90 DM2	$J/\psi \rightarrow$ hadrons
0.661±0.045±0.078		COFFMAN	88 MRK3	$e^+e^- \rightarrow K^+K^-\eta$

$\Gamma(\Xi(1530)^-\Xi^+)/\Gamma_{\text{total}}$ Γ_{37}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.59±0.09±0.12				
	75 ±11	HENRARD	87 DM2	e^+e^-

$\Gamma(\rho K^-\bar{\Sigma}(1385)^0)/\Gamma_{\text{total}}$ Γ_{38}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.51±0.26±0.18				
	89	EATON	84 MRK2	e^+e^-

$\Gamma(\omega\pi^0)/\Gamma_{\text{total}}$ Γ_{39}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.42 ±0.06 OUR AVERAGE				
0.360±0.028±0.054	222	JOUSSET	90 DM2	$J/\psi \rightarrow$ hadrons
0.482±0.019±0.064		COFFMAN	88 MRK3	$e^+e^- \rightarrow \pi^0\pi^+\pi^-\pi^0$

Error includes scale factor of 1.4.

$\Gamma(\phi\eta'(958))/\Gamma_{\text{total}}$ Γ_{40}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.33 ±0.04 OUR AVERAGE					
0.41 ±0.03 ±0.08		167	JOUSSET	90 DM2	$J/\psi \rightarrow$ hadrons
0.308±0.034±0.036			COFFMAN	88 MRK3	$e^+e^- \rightarrow$ $K^+K^-\eta'$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1.3	90	VANNUCCI	77 MRK1	e^+e^-
------	----	----------	---------	----------

$\Gamma(\phi f_0(980))/\Gamma_{\text{total}}$ **Γ_{41}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.2±0.9 OUR AVERAGE	Error includes scale factor of 1.9.			
4.6±0.4±0.8		²¹ FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
2.6±0.6	50	²¹ GIDAL	81 MRK2	$J/\psi \rightarrow K^+ K^- K^+ K^-$

²¹ Assuming $B(f_0(980) \rightarrow \pi\pi) = 0.78$.

$\Gamma(\Xi(1530)^0 \Xi^0)/\Gamma_{\text{total}}$ **Γ_{42}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.32±0.12±0.07	24 ± 9	HENRARD	87 DM2	$e^+ e^-$

$\Gamma(\Sigma(1385)^- \bar{\Sigma}^+ (\text{or c.c.}))/\Gamma_{\text{total}}$ **Γ_{43}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.31±0.05 OUR AVERAGE				
0.30±0.03±0.07	74 ± 8	HENRARD	87 DM2	$e^+ e^- \rightarrow \Sigma^{*-}$
0.34±0.04±0.07	77 ± 9	HENRARD	87 DM2	$e^+ e^- \rightarrow \Sigma^{*+}$
0.29±0.11±0.10	26	EATON	84 MRK2	$e^+ e^- \rightarrow \Sigma^{*-}$
0.31±0.11±0.11	28	EATON	84 MRK2	$e^+ e^- \rightarrow \Sigma^{*+}$

$\Gamma(\phi f_1(1285))/\Gamma_{\text{total}}$ **Γ_{44}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.6±0.5 OUR AVERAGE	Error includes scale factor of 1.1.			
3.2±0.6±0.4		JOUSSET	90 DM2	$J/\psi \rightarrow \phi 2(\pi^+ \pi^-)$
2.1±0.5±0.4	25	²² JOUSSET	90 DM2	$J/\psi \rightarrow \phi \eta \pi^+ \pi^-$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.6±0.2±0.1	16 ± 6	BECKER	87 MRK3	$J/\psi \rightarrow \phi K \bar{K} \pi$

²² We attribute to the $f_1(1285)$ the signal observed in the $\pi^+ \pi^- \eta$ invariant mass distribution at 1297 Mev.

$\Gamma(\rho\eta)/\Gamma_{\text{total}}$ **Γ_{45}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.193±0.023 OUR AVERAGE				
0.194±0.017±0.029	299	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
0.193±0.013±0.029		COFFMAN	88 MRK3	$e^+ e^- \rightarrow \pi^+ \pi^- \eta$

$\Gamma(\omega\eta'(958))/\Gamma_{\text{total}}$ **Γ_{46}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.167±0.025 OUR AVERAGE				
0.18 ^{+0.10} / _{-0.08} ±0.03	6	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
0.166±0.017±0.019		COFFMAN	88 MRK3	$e^+ e^- \rightarrow 3\pi\eta'$

$\Gamma(\omega f_0(980))/\Gamma_{\text{total}}$ **Γ_{47}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.41±0.27±0.47	²³ AUGUSTIN	89 DM2	$J/\psi \rightarrow 2(\pi^+ \pi^-)\pi^0$

²³ Assuming $B(f_0(980) \rightarrow \pi\pi) = 0.78$.

$\Gamma(\rho\eta'(958))/\Gamma_{\text{total}}$ **Γ_{48}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.105 ± 0.018	OUR AVERAGE			
$0.083 \pm 0.030 \pm 0.012$	19	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
$0.114 \pm 0.014 \pm 0.016$		COFFMAN	88 MRK3	$J/\psi \rightarrow \pi^+ \pi^- \eta'$

$\Gamma(\rho\bar{\rho}\phi)/\Gamma_{\text{total}}$ **Γ_{49}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.45 \pm 0.13 \pm 0.07$	FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$

$\Gamma(a_2(1320)^\pm \pi^\mp)/\Gamma_{\text{total}}$ **Γ_{50}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 43	90	BRAUNSCH...	76 DASP	$e^+ e^-$

$\Gamma(K\bar{K}_2^*(1430) + \text{c.c.})/\Gamma_{\text{total}}$ **Γ_{51}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 40	90	VANNUCCI	77 MRK1	$e^+ e^- \rightarrow K^0 \bar{K}_2^{*0}$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 66	90	BRAUNSCH...	76 DASP	$e^+ e^- \rightarrow K^\pm \bar{K}_2^{*\mp}$
--------	----	-------------	---------	--

$\Gamma(K_1(1270)^\pm K^\mp)/\Gamma_{\text{total}}$ **Γ_{52}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 3.0	90	²⁴ BAI	99C BES	$e^+ e^-$

²⁴ Assuming $B(K_1(1270) \rightarrow K\rho) = 0.42 \pm 0.06$

$\Gamma(K_2^*(1430)^0 \bar{K}_2^*(1430)^0)/\Gamma_{\text{total}}$ **Γ_{53}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 29	90	VANNUCCI	77 MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$

$\Gamma(K^*(892)^0 \bar{K}^*(892)^0)/\Gamma_{\text{total}}$ **Γ_{54}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 5	90	VANNUCCI	77 MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$

$\Gamma(\phi f_2(1270))/\Gamma_{\text{total}}$ **Γ_{55}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 3.7	90	VANNUCCI	77 MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 4.5	90	FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
---------	----	---------	--------	-------------------------------------

$\Gamma(\rho\bar{\rho}\rho)/\Gamma_{\text{total}}$ **Γ_{56}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 0.31	90	EATON	84 MRK2	$e^+ e^- \rightarrow \text{hadrons}\gamma$

$\Gamma(\phi\eta(1440) \rightarrow \phi\eta\pi\pi)/\Gamma_{\text{total}}$ Γ_{57}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<2.5	90	²⁵ FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$

²⁵ Includes unknown branching fraction $\eta(1440) \rightarrow \eta\pi\pi$.

$\Gamma(\omega f'_2(1525))/\Gamma_{\text{total}}$ Γ_{58}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<2.2	90	²⁶ VANNUCCI	77 MRK1	$e^+e^- \rightarrow \pi^+\pi^-\pi^0 K^+K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<2.8	90	²⁶ FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
------	----	-----------------------	--------	-------------------------------------

²⁶ Re-evaluated assuming $B(f'_2(1525) \rightarrow K\bar{K}) = 0.713$.

$\Gamma(\Sigma(1385)^0\bar{\Lambda})/\Gamma_{\text{total}}$ Γ_{59}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.2	90	HENRARD	87 DM2	e^+e^-

$\Gamma(\Delta(1232)^+\bar{p})/\Gamma_{\text{total}}$ Γ_{60}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.1	90	HENRARD	87 DM2	e^+e^-

$\Gamma(\Sigma^0\bar{\Lambda})/\Gamma_{\text{total}}$ Γ_{61}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.9	90	HENRARD	87 DM2	e^+e^-

$\Gamma(\phi\pi^0)/\Gamma_{\text{total}}$ Γ_{62}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.068	90	COFFMAN	88 MRK3	$e^+e^- \rightarrow K^+K^-\pi^0$

$\Gamma(2(\pi^+\pi^-\pi^0))/\Gamma_{\text{total}}$ Γ_{63}/Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0337 ± 0.0026 OUR AVERAGE				
0.0325 ± 0.0049	46055	AUGUSTIN	89 DM2	$J/\psi \rightarrow 2(\pi^+\pi^-\pi^0)$
0.0317 ± 0.0042	147	FRANKLIN	83 MRK2	$e^+e^- \rightarrow \text{hadrons}$
0.0364 ± 0.0052	1500	BURMESTER	77D PLUT	e^+e^-
0.04 ± 0.01	675	JEAN-MARIE	76 MRK1	e^+e^-

$\Gamma(3(\pi^+\pi^-\pi^0))/\Gamma_{\text{total}}$ Γ_{64}/Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.029 ± 0.006 OUR AVERAGE				
0.028 ± 0.009	11	FRANKLIN	83 MRK2	$e^+e^- \rightarrow \text{hadrons}$
0.029 ± 0.007	181	JEAN-MARIE	76 MRK1	e^+e^-

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$ Γ_{65}/Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.015 ± 0.002	168	FRANKLIN	83 MRK2	e^+e^-

$\Gamma(\pi^+ \pi^- \pi^0 K^+ K^-) / \Gamma_{\text{total}}$ Γ_{66} / Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.012 ± 0.003	309	VANNUCCI	77	MRK1 $e^+ e^-$

$\Gamma(4(\pi^+ \pi^-) \pi^0) / \Gamma_{\text{total}}$ Γ_{67} / Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
90 ± 30	13	JEAN-MARIE	76	MRK1 $e^+ e^-$

$\Gamma(\pi^+ \pi^- K^+ K^-) / \Gamma_{\text{total}}$ Γ_{68} / Γ


VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
72 ± 23	205	VANNUCCI	77	MRK1 $e^+ e^-$

$\Gamma(K \bar{K} \pi) / \Gamma_{\text{total}}$ Γ_{69} / Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
61 ± 10 OUR AVERAGE				
55.2 ± 12.0	25	FRANKLIN	83	MRK2 $e^+ e^- \rightarrow K^+ K^- \pi^0$
78.0 ± 21.0	126	VANNUCCI	77	MRK1 $e^+ e^- \rightarrow K_S^0 K^\pm \pi^\mp$

$\Gamma(\rho \bar{\rho} \pi^+ \pi^-) / \Gamma_{\text{total}}$ Γ_{70} / Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
6.0 ± 0.5 OUR AVERAGE				Error includes scale factor of 1.3. See the ideogram below.
6.46 ± 0.17 ± 0.43	1435	EATON	84	MRK2 $e^+ e^-$
3.8 ± 1.6	48	BESCH	81	BONA $e^+ e^-$
5.5 ± 0.6	533	PERUZZI	78	MRK1 $e^+ e^-$



$\Gamma(\rho \bar{\rho} \pi^+ \pi^-) / \Gamma_{\text{total}}$ (units 10^{-3})

$\Gamma(2(\pi^+ \pi^-))/\Gamma_{\text{total}}$ Γ_{71}/Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.004 ± 0.001	76	JEAN-MARIE	76	MRK1 $e^+ e^-$

$\Gamma(3(\pi^+ \pi^-))/\Gamma_{\text{total}}$ Γ_{72}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
40 ± 20	32	JEAN-MARIE	76	MRK1 $e^+ e^-$

$\Gamma(n\bar{n}\pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{73}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.8 ± 3.6	5	BESCH	81	BONA $e^+ e^-$

$\Gamma(\Sigma^0 \bar{\Sigma}^0)/\Gamma_{\text{total}}$ Γ_{74}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.27 ± 0.17 OUR AVERAGE				

1.06 ± 0.04 ± 0.23 884 ± 30 PALLIN 87 DM2 $e^+ e^- \rightarrow \Sigma^0 \bar{\Sigma}^0$

1.58 ± 0.16 ± 0.25 90 EATON 84 MRK2 $e^+ e^- \rightarrow \Sigma^0 \bar{\Sigma}^0$

1.3 ± 0.4 52 PERUZZI 78 MRK1 $e^+ e^- \rightarrow \Sigma^0 \bar{\Sigma}^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.4 ± 2.6 3 BESCH 81 BONA $e^+ e^- \rightarrow \Sigma^+ \bar{\Sigma}^-$

$\Gamma(2(\pi^+ \pi^-)K^+ K^-)/\Gamma_{\text{total}}$ Γ_{75}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
31 ± 13	30	VANNUCCI	77	MRK1 $e^+ e^-$

$\Gamma(\rho\bar{\rho}\pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$ Γ_{76}/Γ

Including $\rho\bar{\rho}\pi^+ \pi^- \gamma$ and excluding ω, η, η'

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.3 ± 0.9 OUR AVERAGE				Error includes scale factor of 1.9.

3.36 ± 0.65 ± 0.28 364 EATON 84 MRK2 $e^+ e^-$

1.6 ± 0.6 39 PERUZZI 78 MRK1 $e^+ e^-$

$\Gamma(\rho\bar{\rho})/\Gamma_{\text{total}}$ Γ_{77}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.12 ± 0.10 OUR AVERAGE				

1.97 ± 0.22 99 BALDINI 98 FENI $e^+ e^-$

1.91 ± 0.04 ± 0.30 PALLIN 87 DM2 $e^+ e^-$

2.16 ± 0.07 ± 0.15 1420 EATON 84 MRK2 $e^+ e^-$

2.5 ± 0.4 133 BRANDELIK 79C DASP $e^+ e^-$

2.0 ± 0.5 BESCH 78 BONA $e^+ e^-$

2.2 ± 0.2 331 ²⁷ PERUZZI 78 MRK1 $e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.0 ± 0.3 48 ANTONELLI 93 SPEC $e^+ e^-$

²⁷ Assuming angular distribution $(1+\cos^2\theta)$.

$\Gamma(\rho\bar{p}\eta)/\Gamma_{\text{total}}$ Γ_{78}/Γ


VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
2.09±0.18 OUR AVERAGE				
2.03±0.13±0.15	826	EATON	84 MRK2	e^+e^-
2.5 ±1.2		BRANDELIK	79C DASP	e^+e^-
2.3 ±0.4	197	PERUZZI	78 MRK1	e^+e^-

$\Gamma(\rho\bar{n}\pi^-)/\Gamma_{\text{total}}$ Γ_{79}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
2.00±0.10 OUR AVERAGE				
2.02±0.07±0.16	1288	EATON	84 MRK2	$e^+e^- \rightarrow p\pi^-$
1.93±0.07±0.16	1191	EATON	84 MRK2	$e^+e^- \rightarrow \bar{p}\pi^+$
1.7 ±0.7	32	BESCH	81 BONA	$e^+e^- \rightarrow p\pi^-$
1.6 ±1.2	5	BESCH	81 BONA	$e^+e^- \rightarrow \bar{p}\pi^+$
2.16±0.29	194	PERUZZI	78 MRK1	$e^+e^- \rightarrow p\pi^-$
2.04±0.27	204	PERUZZI	78 MRK1	$e^+e^- \rightarrow \bar{p}\pi^+$

$\Gamma(\Xi\Xi^-)/\Gamma_{\text{total}}$ Γ_{81}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.8 ±0.4 OUR AVERAGE Error includes scale factor of 1.8. See the ideogram below.				
1.40±0.12±0.24	132±11	HENRARD	87 DM2	$e^+e^- \rightarrow \Xi^-\Xi^+$
2.28±0.16±0.40	194	EATON	84 MRK2	$e^+e^- \rightarrow \Xi^-\Xi^+$
3.2 ±0.8	71	PERUZZI	78 MRK1	e^+e^-



$\Gamma(\Xi\Xi^-)/\Gamma_{\text{total}}$ (units 10^{-3})

$\Gamma(n\bar{n})/\Gamma_{\text{total}}$ Γ_{80}/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.22 ± 0.04 OUR AVERAGE				
0.231 ± 0.049	79	BALDINI	98 FENI	e^+e^-
0.18 ± 0.09		BESCH	78 BONA	e^+e^-
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.190 ± 0.055	40	ANTONELLI	93 SPEC	e^+e^-

$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$ Γ_{82}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.30 ± 0.12 OUR AVERAGE				Error includes scale factor of 1.1.
1.08 ± 0.06 ± 0.24	631	BAI	98G BES	e^+e^-
1.38 ± 0.05 ± 0.20	1847	PALLIN	87 DM2	e^+e^-
1.58 ± 0.08 ± 0.19	365	EATON	84 MRK2	e^+e^-
2.6 ± 1.6	5	BESCH	81 BONA	e^+e^-
1.1 ± 0.2	196	PERUZZI	78 MRK1	e^+e^-

$\Gamma(p\bar{p}\pi^0)/\Gamma_{\text{total}}$ Γ_{83}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.09 ± 0.09 OUR AVERAGE				
1.13 ± 0.09 ± 0.09	685	EATON	84 MRK2	e^+e^-
1.4 ± 0.4		BRANDELIK	79C DASP	e^+e^-
1.00 ± 0.15	109	PERUZZI	78 MRK1	e^+e^-

$\Gamma(\Lambda\bar{\Sigma}^- \pi^+ \text{ (or c.c.)})/\Gamma_{\text{total}}$ Γ_{84}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.06 ± 0.12 OUR AVERAGE				
0.90 ± 0.06 ± 0.16	225 ± 15	HENRARD	87 DM2	$e^+e^- \rightarrow \Lambda\bar{\Sigma}^+ \pi^-$
1.11 ± 0.06 ± 0.20	342 ± 18	HENRARD	87 DM2	$e^+e^- \rightarrow \Lambda\bar{\Sigma}^- \pi^+$
1.53 ± 0.17 ± 0.38	135	EATON	84 MRK2	$e^+e^- \rightarrow \Lambda\bar{\Sigma}^+ \pi^-$
1.38 ± 0.21 ± 0.35	118	EATON	84 MRK2	$e^+e^- \rightarrow \Lambda\bar{\Sigma}^- \pi^+$

$\Gamma(pK^-\bar{\Lambda})/\Gamma_{\text{total}}$ Γ_{85}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.89 ± 0.07 ± 0.14	307	EATON	84 MRK2	e^+e^-

$\Gamma(2(K^+K^-))/\Gamma_{\text{total}}$ Γ_{86}/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7 ± 3	VANNUCCI	77 MRK1	e^+e^-

$\Gamma(pK^-\bar{\Sigma}^0)/\Gamma_{\text{total}}$ Γ_{87}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.29 ± 0.06 ± 0.05	90	EATON	84 MRK2	e^+e^-

$\Gamma(K^+ K^-)/\Gamma_{\text{total}}$ Γ_{88}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.37±0.31 OUR AVERAGE				
2.39±0.24±0.22	107	BALTRUSAIT..85D	MRK3	$e^+ e^-$
2.2 ±0.9	6	BRANDELIK 79C	DASP	$e^+ e^-$

$\Gamma(\Lambda\bar{\Lambda}\pi^0)/\Gamma_{\text{total}}$ Γ_{89}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.22±0.06 OUR AVERAGE				
0.23±0.07±0.08	11	BAI	98G BES	$e^+ e^-$
0.22±0.05±0.05	19 ± 4	HENRARD	87 DM2	$e^+ e^-$

$\Gamma(\pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{90}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.47±0.23 OUR AVERAGE				
1.58±0.20±0.15	84	BALTRUSAIT..85D	MRK3	$e^+ e^-$
1.0 ±0.5	5	BRANDELIK 78B	DASP	$e^+ e^-$
1.6 ±1.6	1	VANNUCCI 77	MRK1	$e^+ e^-$

$\Gamma(K_S^0 K_L^0)/\Gamma_{\text{total}}$ Γ_{91}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.08±0.14 OUR AVERAGE				
1.18±0.12±0.18		JOUSSET 90	DM2	$J/\psi \rightarrow$ hadrons
1.01±0.16±0.09	74	BALTRUSAIT..85D	MRK3	$e^+ e^-$

$\Gamma(\Lambda\bar{\Sigma} + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{92}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.15	90	PERUZZI 78	MRK1	$e^+ e^- \rightarrow \Lambda X$

$\Gamma(K_S^0 K_S^0)/\Gamma_{\text{total}}$ Γ_{93}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.052	90	²⁸ BALTRUSAIT..85C	MRK3	$e^+ e^-$

²⁸ Forbidden by *CP*.

————— **RADIATIVE DECAYS** —————

$\Gamma(\gamma\eta_c(1S))/\Gamma_{\text{total}}$ Γ_{94}/Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0127±0.0036				
		GAISER 86	CBAL	$J/\psi \rightarrow \gamma X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
seen	16	BALTRUSAIT..84	MRK3	$J/\psi \rightarrow 2\phi\gamma$

$\Gamma(\gamma\pi^+ \pi^- 2\pi^0)/\Gamma_{\text{total}}$ Γ_{95}/Γ

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8.3±0.2±3.1			
	²⁹ BALTRUSAIT..86B	MRK3	$J/\psi \rightarrow 4\pi\gamma$

²⁹ 4π mass less than 2.0 GeV.

$\Gamma(\gamma\eta\pi\pi)/\Gamma_{\text{total}}$ Γ_{96}/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

6.1 ± 1.0 OUR AVERAGE

$5.85 \pm 0.3 \pm 1.05$	³⁰ EDWARDS	83B CBAL	$J/\psi \rightarrow \eta\pi^+\pi^-$
$7.8 \pm 1.2 \pm 2.4$	³⁰ EDWARDS	83B CBAL	$J/\psi \rightarrow \eta 2\pi^0$

³⁰ Broad enhancement at 1700 MeV.

$\Gamma(\gamma\eta(1440) \rightarrow \gamma K\bar{K}\pi)/\Gamma_{\text{total}}$ Γ_{97}/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

0.91 ± 0.18 OUR AVERAGE

$0.83 \pm 0.13 \pm 0.18$	^{31,32} AUGUSTIN	92 DM2	$J/\psi \rightarrow \gamma K\bar{K}\pi$
$1.03^{+0.21+0.26}_{-0.18-0.19}$	^{31,33} BAI	90C MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$1.78 \pm 0.21 \pm 0.33$	^{31,34} AUGUSTIN	92 DM2	$J/\psi \rightarrow \gamma K\bar{K}\pi$
$3.8 \pm 0.3 \pm 0.6$	³¹ AUGUSTIN	90 DM2	$J/\psi \rightarrow \gamma K\bar{K}\pi$
$0.66^{+0.17+0.24}_{-0.16-0.15}$	^{31,35} BAI	90C MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$
$4.0 \pm 0.7 \pm 1.0$	³¹ EDWARDS	82E CBAL	$J/\psi \rightarrow K^+ K^- \pi^0 \gamma$
4.3 ± 1.7	^{31,36} SCHARRE	80 MRK2	$e^+ e^-$

³¹ Includes unknown branching fraction $\eta(1440) \rightarrow K\bar{K}\pi$.

³² From fit to the $K^*(892) K 0^-$ partial wave.

³³ From $K^*(890) K$ final state.

³⁴ From fit to the $a_0(980) \pi 0^-$ partial wave.

³⁵ From $a_0(980) \pi$ final state.

³⁶ Corrected for spin-zero hypothesis for $\eta(1440)$.

$\Gamma(\gamma\eta(1440) \rightarrow \gamma\gamma\rho^0)/\Gamma_{\text{total}}$ Γ_{98}/Γ

VALUE (units 10^{-5})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

6.4 $\pm 1.2 \pm 0.7$

$6.4 \pm 1.2 \pm 0.7$	³⁷ COFFMAN	90 MRK3	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
-----------------------	-----------------------	---------	---

³⁷ Includes unknown branching fraction $\eta(1440) \rightarrow \gamma\rho^0$.

$\Gamma(\gamma\eta(1440) \rightarrow \gamma\eta\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{99}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

3.0 ± 0.5 OUR AVERAGE

$2.6 \pm 0.7 \pm 0.4$		BAI	99 BES	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
$3.38 \pm 0.33 \pm 0.64$		³⁸ BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$7.0 \pm 0.6 \pm 1.1$	261	³⁹ AUGUSTIN	90 DM2	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
-----------------------	-----	------------------------	--------	---

³⁸ Via $a_0(980) \pi$.

³⁹ Includes unknown branching fraction to $\eta\pi^+\pi^-$.

$\Gamma(\gamma\rho\rho)/\Gamma_{\text{total}}$ Γ_{100}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

4.5 ± 0.8 OUR AVERAGE

4.7 ± 0.3 ± 0.9		40 BALTRUSAIT...86B	MRK3	$J/\psi \rightarrow 4\pi\gamma$
3.75 ± 1.05 ± 1.20		41 BURKE	82 MRK2	$J/\psi \rightarrow 4\pi\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.09	90	42 BISELLO	89B	$J/\psi \rightarrow 4\pi\gamma$
-------	----	------------	-----	---------------------------------

⁴⁰ 4π mass less than 2.0 GeV.

⁴¹ 4π mass less than 2.0 GeV, $2\rho^0$ corrected to 2ρ by factor of 3.

⁴² 4π mass in the range 2.0–25 GeV.

$\Gamma(\gamma\eta_2(1870) \rightarrow \gamma\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{101}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

6.2 ± 2.2 ± 0.9	BAI	99	BES $J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
------------------------	-----	----	---

$\Gamma(\gamma\eta'(958))/\Gamma_{\text{total}}$ Γ_{102}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

4.31 ± 0.30 OUR AVERAGE

4.50 ± 0.14 ± 0.53		BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-\eta, \eta \rightarrow \gamma\gamma$
4.30 ± 0.31 ± 0.71		BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-\eta, \eta \rightarrow \pi^+\pi^-\pi^0$
4.04 ± 0.16 ± 0.85	622	AUGUSTIN	90 DM2	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
4.39 ± 0.09 ± 0.66	2420	AUGUSTIN	90 DM2	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
4.1 ± 0.3 ± 0.6		BLOOM	83 CBAL	$e^+e^- \rightarrow 3\gamma + \text{hadrons}\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.9 ± 1.1	6	BRANDELIK	79C DASP	$e^+e^- \rightarrow 3\gamma$
2.4 ± 0.7	57	BARTEL	76 CNTR	$e^+e^- \rightarrow 2\gamma\rho$

$\Gamma(\gamma 2\pi^+ 2\pi^-)/\Gamma_{\text{total}}$ Γ_{103}/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------


2.8 ± 0.5 OUR AVERAGE Error includes scale factor of 1.9. See the ideogram below.

4.32 ± 0.14 ± 0.73	43 BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$
2.08 ± 0.13 ± 0.35	44 BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$
3.05 ± 0.08 ± 0.45	44 BALTRUSAIT...86B	MRK3	$J/\psi \rightarrow 4\pi\gamma$
4.85 ± 0.45 ± 1.20	45 BURKE	82 MRK2	e^+e^-

⁴³ 4π mass less than 3.0 GeV.

⁴⁴ 4π mass less than 2.0 GeV.

⁴⁵ 4π mass less than 2.5 GeV.



$$\Gamma(\gamma 2\pi^+ 2\pi^-) / \Gamma_{\text{total}} \text{ (units } 10^{-3}\text{)}$$

$\Gamma(\gamma K^+ K^- \pi^+ \pi^-) / \Gamma_{\text{total}}$					Γ_{104} / Γ
VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT	
2.1±0.1±0.6	1516	BAI	00B BES	$J/\psi \rightarrow \gamma K^+ K^0 \pi^+ \pi^-$	

$\Gamma(\gamma f_4(2050)) / \Gamma_{\text{total}}$					Γ_{105} / Γ
VALUE (units 10^{-3})		DOCUMENT ID	TECN	COMMENT	
2.7±0.5±0.5		⁴⁶ BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^-$	

⁴⁶ Assuming branching fraction $f_4(2050) \rightarrow \pi\pi / \text{total} = 0.167$.

$\Gamma(\gamma \omega \omega) / \Gamma_{\text{total}}$					Γ_{106} / Γ
VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT	
1.59±0.33 OUR AVERAGE					
1.41±0.2 ±0.42	120±17	BISELLO	87 SPEC	$e^+ e^-$, hadrons γ	
1.76±0.09±0.45		BALTRUSAIT..85C	MRK3	$e^+ e^- \rightarrow \text{hadrons}\gamma$	

$\Gamma(\gamma \eta(1440) \rightarrow \gamma \rho^0 \rho^0) / \Gamma_{\text{total}}$					Γ_{107} / Γ
VALUE (units 10^{-3})		DOCUMENT ID	TECN	COMMENT	
1.7 ±0.4 OUR AVERAGE		Error includes scale factor of 1.3.			
2.1 ±0.4		BUGG	95 MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^- \pi^+ \pi^-$	
1.36±0.38	47, ⁴⁸	BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$	

⁴⁷ Estimated by us from various fits.

⁴⁸ Includes unknown branching fraction to $\rho^0 \rho^0$.

$\Gamma(\gamma f_2(1270))/\Gamma_{\text{total}}$ **Γ_{108}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
1.38±0.14 OUR AVERAGE					
1.33±0.05±0.20		49 AUGUSTIN	87 DM2		$J/\psi \rightarrow \gamma \pi^+ \pi^-$
1.36±0.09±0.23		49 BALTRUSAIT..87	MRK3		$J/\psi \rightarrow \gamma \pi^+ \pi^-$
1.48±0.25±0.30	178	EDWARDS	82B CBAL		$e^+ e^- \rightarrow 2\pi^0 \gamma$
2.0 ±0.7	35	ALEXANDER	78 PLUT	0	$e^+ e^-$
1.2 ±0.6	30	50 BRANDELIK	78B DASP		$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$

⁴⁹ Estimated using $B(f_2(1270) \rightarrow \pi\pi)=0.843 \pm 0.012$. The errors do not contain the uncertainty in the $f_2(1270)$ decay.

⁵⁰ Restated by us to take account of spread of E1, M2, E3 transitions.

$\Gamma(\gamma f_0(1710) \rightarrow \gamma K \bar{K})/\Gamma_{\text{total}}$ **Γ_{109}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8.5^{+1.2}_{-0.9} OUR AVERAGE Error includes scale factor of 1.2.				
5.0±0.8 ^{+1.8} _{-0.4}		51,52 BAI	96C BES	$J/\psi \rightarrow \gamma K^+ K^-$
9.2±1.4±1.4		52 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K^+ K^-$
10.4±1.2±1.6		52 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
9.6±1.2±1.8		52 BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.6±0.2 ^{+0.6} _{-0.2}		52,53 BAI	96C BES	$J/\psi \rightarrow \gamma K^+ K^-$
< 0.8	90	54 BISELLO	89B	$J/\psi \rightarrow 4\pi \gamma$
1.6±0.4±0.3		55 BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^-$
3.8±1.6		56 EDWARDS	82D CBAL	$e^+ e^- \rightarrow \eta \eta \gamma$

⁵¹ Assuming $J^P = 2^+$ for $f_0(1710)$.

⁵² Includes unknown branching fraction to $K^+ K^-$ or $K_S^0 K_S^0$. We have multiplied $K^+ K^-$ measurement by 2, and $K_S^0 K_S^0$ by 4 to obtain $K \bar{K}$ result.

⁵³ Assuming $J^P = 0^+$ for $f_0(1710)$.

⁵⁴ Includes unknown branching fraction to $\rho^0 \rho^0$.

⁵⁵ Includes unknown branching fraction to $\pi^+ \pi^-$.

⁵⁶ Includes unknown branching fraction to $\eta \eta$.

$\Gamma(\gamma f_0(1710) \rightarrow \gamma \pi \pi)/\Gamma_{\text{total}}$ **Γ_{110}/Γ**

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2.5±1.6±0.8	BAI	98H BES	$J/\psi \rightarrow \gamma \pi^0 \pi^0$

$\Gamma(\gamma \eta)/\Gamma_{\text{total}}$ **Γ_{111}/Γ**

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.86±0.08 OUR AVERAGE				
0.88±0.08±0.11		BLOOM	83 CBAL	$e^+ e^-$
0.82±0.10		BRANDELIK	79C DASP	$e^+ e^-$
1.3 ±0.4	21	BARTEL	77 CNTR	$e^+ e^-$

$\Gamma(\gamma f_1(1420) \rightarrow \gamma K \bar{K} \pi) / \Gamma_{\text{total}}$ Γ_{112} / Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
0.83 ± 0.15 OUR AVERAGE			
0.76 ± 0.15 ± 0.21	57,58 AUGUSTIN	92 DM2	$J/\psi \rightarrow \gamma K \bar{K} \pi$
0.87 ± 0.14 $^{+0.14}_{-0.11}$	57 BAI	90C MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$

⁵⁷ Included unknown branching fraction $f_1(1420) \rightarrow K \bar{K} \pi$.

⁵⁸ From fit to the $K^*(892) K 1^{++}$ partial wave.

$\Gamma(\gamma f_1(1285)) / \Gamma_{\text{total}}$ Γ_{113} / Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
0.61 ± 0.09 OUR AVERAGE			
0.45 ± 0.09 ± 0.17	59 BAI	99 BES	$J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$
0.625 ± 0.063 ± 0.103	60 BOLTON	92 MRK3	$J/\psi \rightarrow \gamma f_1(1285)$
0.70 ± 0.08 ± 0.16	61 BOLTON	92B MRK3	$J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$

⁵⁹ Assuming $\Gamma(f_1(1285) \rightarrow \eta \pi \pi) / \Gamma_{\text{total}} = 0.5 \pm 0.18$.

⁶⁰ Obtained summing the sequential decay channels

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow \pi \pi \pi \pi) = (1.44 \pm 0.39 \pm 0.27) \times 10^{-4};$$

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow a_0(980) \pi, a_0(980) \rightarrow \eta \pi) = (3.90 \pm 0.42 \pm 0.87) \times 10^{-4};$$

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow a_0(980) \pi, a_0(980) \rightarrow K \bar{K}) = (0.66 \pm 0.26 \pm 0.29) \times 10^{-4};$$

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow \gamma \rho^0) = (0.25 \pm 0.07 \pm 0.03) \times 10^{-4}.$$

⁶¹ Using $B(f_1(1285) \rightarrow a_0(980) \pi) = 0.37$, and including unknown branching ratio for $a_0(980) \rightarrow \eta \pi$.

$\Gamma(\gamma f_1(1510) \rightarrow \gamma \eta \pi^+ \pi^-) / \Gamma_{\text{total}}$ Γ_{114} / Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
4.5 ± 1.0 ± 0.7	BAI	99 BES	$J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$

$\Gamma(\gamma f_2'(1525)) / \Gamma_{\text{total}}$ Γ_{115} / Γ

VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.47 $^{+0.07}_{-0.05}$ OUR AVERAGE					
0.36 ± 0.04 $^{+0.14}_{-0.04}$			62 BAI	96C BES	$J/\psi \rightarrow \gamma K^+ K^-$
0.56 ± 0.14 ± 0.09			62 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K^+ K^-$
0.45 ± 0.04 ± 0.09			62 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
0.68 ± 0.16 ± 0.14			62 BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.34	90	4	⁶³ BRANDELIK	79C DASP	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$
<0.23	90	3	ALEXANDER	78 PLUT	$e^+ e^- \rightarrow K^+ K^- \gamma$

⁶² Using $B(f_2'(1525) \rightarrow K \bar{K}) = 0.888$.

⁶³ Assuming isotropic production and decay of the $f_2'(1525)$ and isospin.

$\Gamma(\gamma f_2(1950) \rightarrow \gamma K^*(892) \bar{K}^*(892))/\Gamma_{\text{total}}$ Γ_{116}/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
0.7 ± 0.1 ± 0.2	BAI	00B BES	$J/\psi \rightarrow \gamma K^+ K^0 \pi^+ \pi^-$

$\Gamma(\gamma K^*(892) \bar{K}^*(892))/\Gamma_{\text{total}}$ Γ_{117}/Γ


VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
4.0 ± 0.3 ± 1.3	320	⁶⁴ BAI	00B BES	$J/\psi \rightarrow \gamma K^+ K^0 \pi^+ \pi^-$

⁶⁴ Summed over all charges.

$\Gamma(\gamma \phi \phi)/\Gamma_{\text{total}}$ Γ_{118}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
4.0 ± 1.2 OUR AVERAGE				Error includes scale factor of 2.1. See the ideogram below.
7.5 ± 0.6 ± 1.2	168	BAI	90B MRK3	$J/\psi \rightarrow \gamma 4K$
3.4 ± 0.8 ± 0.6	33 ± 7	⁶⁵ BISELLO	90 DM2	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$
3.1 ± 0.7 ± 0.4		⁶⁵ BISELLO	86B DM2	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$

⁶⁵ $\phi\phi$ mass less than 2.9 GeV, η_c excluded.



$\Gamma(\gamma \phi \phi)/\Gamma_{\text{total}}$ (units 10^{-4})

$\Gamma(\gamma\rho\bar{\rho})/\Gamma_{\text{total}}$ Γ_{119}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.38±0.07±0.07		49	EATON	84	MRK2 e^+e^-
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<0.11	90		PERUZZI	78	MRK1 e^+e^-

$\Gamma(\gamma\eta(2225))/\Gamma_{\text{total}}$ Γ_{120}/Γ

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.29±0.06 OUR AVERAGE			
0.33±0.08±0.05	66 BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
0.27±0.06±0.06	66 BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$
0.24 ^{+0.15} _{-0.10}	67,68 BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$

66 Includes unknown branching fraction to $\phi\phi$.
 67 Estimated by us from various fits.
 68 Includes unknown branching fraction to $\rho^0\rho^0$.

$\Gamma(\gamma\eta(1760) \rightarrow \gamma\rho^0\rho^0)/\Gamma_{\text{total}}$ Γ_{121}/Γ

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.13±0.09	69,70 BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$

69 Estimated by us from various fits.
 70 Includes unknown branching fraction to $\rho^0\rho^0$.

$\Gamma(\gamma\pi^0)/\Gamma_{\text{total}}$ Γ_{122}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.039±0.013 OUR AVERAGE				
0.036±0.011±0.007		BLOOM	83 CBAL	e^+e^-
0.073±0.047	10	BRANDELIK	79C DASP	e^+e^-

$\Gamma(\gamma\rho\bar{\rho}\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{123}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.79	90	EATON	84	MRK2 e^+e^-

$\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ Γ_{124}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.5	90	BARTEL	77	CNTR e^+e^-

$\Gamma(\gamma\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$ Γ_{125}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.13	90	HENRARD	87	DM2 e^+e^-
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
<0.16	90	BAI	98G	BES e^+e^-

$\Gamma(3\gamma)/\Gamma_{\text{total}}$ Γ_{126}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.055	90	PARTRIDGE	80	CBAL e^+e^-

$\Gamma(\gamma f_0(2200))/\Gamma_{\text{total}}$ Γ_{127}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.5	⁷¹ AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
-----	------------------------	--------	---

⁷¹Includes unknown branching fraction to $K_S^0 K_S^0$.

$\Gamma(\gamma f_J(2220))/\Gamma_{\text{total}}$ Γ_{128}/Γ

VALUE (units 10^{-5})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

>250	99.9		⁷² HASAN	96 SPEC	$\bar{p}p \rightarrow \pi^+ \pi^-$
------	------	--	---------------------	---------	------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

>300			⁷³ BAI	96B BES	$e^+ e^- \rightarrow \gamma \bar{p}p, K\bar{K}$
------	--	--	-------------------	---------	---

< 2.3	95		⁷⁴ AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K^+ K^-$
-------	----	--	------------------------	--------	-------------------------------------

< 1.6	95		⁷⁴ AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
-------	----	--	------------------------	--------	---

$12.4^{+6.4}_{-5.2} \pm 2.8$		23	⁷⁴ BALTRUSAIT..86D	MRK3	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
------------------------------	--	----	-------------------------------	------	---

$8.4^{+3.4}_{-2.8} \pm 1.6$		93	⁷⁴ BALTRUSAIT..86D	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$
-----------------------------	--	----	-------------------------------	------	-------------------------------------

⁷²Using BAI 96B.

⁷³Using BARNES 93.

⁷⁴Includes unknown branching fraction to $K^+ K^-$ or $K_S^0 K_S^0$.

$\Gamma(\gamma f_J(2220) \rightarrow \gamma \pi \pi)/\Gamma_{\text{total}}$ Γ_{129}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

0.84 ± 0.26 ± 0.30	BAI	96B BES	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma \pi^+ \pi^-$
---------------------------	-----	---------	---

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.4 ± 0.8 ± 0.4	BAI	98H BES	$J/\psi \rightarrow \gamma \pi^0 \pi^0$
-----------------	-----	---------	---

$\Gamma(\gamma f_J(2220) \rightarrow \gamma K \bar{K})/\Gamma_{\text{total}}$ Γ_{130}/Γ

VALUE (units 10^{-5})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

8.1 ± 3.0 OUR AVERAGE

6.6 ± 2.9 ± 2.4	BAI	96B BES	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma K^+ K^-$
-----------------	-----	---------	---

10.8 ± 4.0 ± 3.2	BAI	96B BES	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma K_S^0 K_S^0$
------------------	-----	---------	---

$\Gamma(\gamma f_J(2220) \rightarrow \gamma p \bar{p})/\Gamma_{\text{total}}$ Γ_{131}/Γ

VALUE (units 10^{-5})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

1.5 ± 0.6 ± 0.5	BAI	96B BES	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma p \bar{p}$
------------------------	-----	---------	---

$\Gamma(\gamma f_0(1500))/\Gamma_{\text{total}}$ Γ_{132}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
$>5.7 \pm 0.8$	^{75,76} BUGG	95	MRK3 $J/\psi \rightarrow \gamma \pi^+ \pi^- \pi^+ \pi^-$

⁷⁵ Including unknown branching ratio for $f_0(1500) \rightarrow \pi^+ \pi^- \pi^+ \pi^-$.

⁷⁶ Assuming that $f_0(1500)$ decays only to two S-wave dipions.

$\Gamma(\gamma e^+ e^-)/\Gamma_{\text{total}}$ Γ_{133}/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
$8.8 \pm 1.3 \pm 0.4$	⁷⁷ ARMSTRONG	96	E760 $\bar{p}p \rightarrow e^+ e^- \gamma$

⁷⁷ For $E_\gamma > 100$ MeV.

$J/\psi(1S)$ REFERENCES

ARTAMONOV	00	PL B474 427	A.S. Artamonov <i>et al.</i>	
BAI	00B	PL B472 200	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	99	PL B446 356	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	99C	PRL 83 1918	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98D	PR D58 092006	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98G	PL B424 213	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98H	PRL 81 1179	J.Z. Bai <i>et al.</i>	(BES Collab.)
BALDINI	98	PL B444 111	R. Baldini <i>et al.</i>	(FENICE Collab.)
ARMSTRONG	96	PR D54 7067	T.A. Armstrong <i>et al.</i>	(E760 Collab.)
BAI	96B	PRL 76 3502	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	96C	PRL 77 3959	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	96D	PR D54 1221	J.Z. Bai <i>et al.</i>	(BES Collab.)
GRIBUSHIN	96	PR D53 4723	A. Gribushin <i>et al.</i>	
HASAN	96	PL B388 376	A. Hasan, D.V. Bugg	(BRUN, LOQM)
BAI	95B	PL B355 374	J.Z. Bai <i>et al.</i>	(BES Collab.)
BUGG	95	PL B353 378	D.V. Bugg <i>et al.</i>	(LOQM, PNPI, WASH)
ANTONELLI	93	PL B301 317	A. Antonelli <i>et al.</i>	(FENICE Collab.)
ARMSTRONG	93B	PR D47 772	T.A. Armstrong <i>et al.</i>	(FNAL E760 Collab.)
BARNES	93	PL B309 469	P.D. Barnes, P. Birien, W.H. Breunlich	
AUGUSTIN	92	PR D46 1951	J.E. Augustin, G. Cosme	(DM2 Collab.)
BOLTON	92	PL B278 495	T. Bolton <i>et al.</i>	(Mark III Collab.)
BOLTON	92B	PRL 69 1328	T. Bolton <i>et al.</i>	(Mark III Collab.)
COFFMAN	92	PRL 68 282	D.M. Coffman <i>et al.</i>	(Mark III Collab.)
HSUEH	92	PR D45 R2181	S. Hsueh, S. Palestini	(FNAL, TORI)
AUGUSTIN	90	PR D42 10	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
BAI	90B	PRL 65 1309	Z. Bai <i>et al.</i>	(Mark III Collab.)
BAI	90C	PRL 65 2507	Z. Bai <i>et al.</i>	(Mark III Collab.)
BISELLO	90	PL B241 617	D. Bisello <i>et al.</i>	(DM2 Collab.)
COFFMAN	90	PR D41 1410	D.M. Coffman <i>et al.</i>	(Mark III Collab.)
JOUSSET	90	PR D41 1389	J. Jousset <i>et al.</i>	(DM2 Collab.)
ALEXANDER	89	NP B320 45	J.P. Alexander <i>et al.</i>	(LBL, MICH, SLAC)
AUGUSTIN	89	NP B320 1	J.E. Augustin, G. Cosme	(DM2 Collab.)
BISELLO	89B	PR D39 701	G. Busetto <i>et al.</i>	(DM2 Collab.)
AUGUSTIN	88	PRL 60 2238	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
COFFMAN	88	PR D38 2695	D.M. Coffman <i>et al.</i>	(Mark III Collab.)
FALVARD	88	PR D38 2706	A. Falvard <i>et al.</i>	(CLER, FRAS, LALO+)
AUGUSTIN	87	ZPHY C36 369	J.E. Augustin <i>et al.</i>	(LALO, CLER, FRAS+)
BAGLIN	87	NP B286 592	C. Baglin <i>et al.</i>	(LAPP, CERN, GENO, LYON+)
BALTRUSAITIS...	87	PR D35 2077	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
BECKER	87	PRL 59 186	J.J. Becker <i>et al.</i>	(Mark III Collab.)
BISELLO	87	PL B192 239	D. Bisello <i>et al.</i>	(PADO, CLER, FRAS+)
COHEN	87	RMP 59 1121	E.R. Cohen, B.N. Taylor	(RISC, NBS)
HENRARD	87	NP B292 670	P. Henrard <i>et al.</i>	(CLER, FRAS, LALO+)
PALLIN	87	NP B292 653	D. Pallin <i>et al.</i>	(CLER, FRAS, LALO, PADO)
BALTRUSAITIS...	86B	PR D33 1222	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)

BALTRUSAIT...	86D	PRL 56 107	R.M. Baltrusaitis	(CIT, UCSC, ILL, SLAC+)
BISELLO	86B	PL B179 294	D. Bisello <i>et al.</i>	(DM2 Collab.)
GAISER	86	PR D34 711	J. Gaiser <i>et al.</i>	(Crystal Ball Collab.)
BALTRUSAIT...	85C	PRL 55 1723	R.M. Baltrusaitis <i>et al.</i>	(CIT, UCSC+)
BALTRUSAIT...	85D	PR D32 566	R.M. Baltrusaitis <i>et al.</i>	(CIT, UCSC+)
KURAEV	85	SJNP 41 466	E.A. Kuraev, V.S. Fadin	(NOVO)
		Translated from YAF 41 733.		
BALTRUSAIT...	84	PRL 52 2126	R.M. Baltrusaitis <i>et al.</i>	(CIT, UCSC+)
EATON	84	PR D29 804	M.W. Eaton <i>et al.</i>	(LBL, SLAC)
BLOOM	83	ARNS 33 143	E.D. Bloom, C. Peck	(SLAC, CIT)
EDWARDS	83B	PRL 51 859	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
FRANKLIN	83	PRL 51 963	M.E.B. Franklin <i>et al.</i>	(LBL, SLAC)
BURKE	82	PRL 49 632	D.L. Burke <i>et al.</i>	(LBL, SLAC)
EDWARDS	82B	PR D25 3065	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
EDWARDS	82D	PRL 48 458	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
Also	83	ARNS 33 143	E.D. Bloom, C. Peck	(SLAC, CIT)
EDWARDS	82E	PRL 49 259	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
LEMOIGNE	82	PL 113B 509	Y. Lemoigne <i>et al.</i>	(SACL, LOIC, SHMP+)
BESCH	81	ZPHY C8 1	H.J. Besch <i>et al.</i>	(BONN, DESY, MANZ)
GIDAL	81	PL 107B 153	G. Gidal <i>et al.</i>	(SLAC, LBL)
PARTRIDGE	80	PRL 44 712	R. Partridge <i>et al.</i>	(CIT, HARV, PRIN+)
SCHARRE	80	PL 97B 329	D.L. Scharre <i>et al.</i>	(SLAC, LBL)
ZHOLENTZ	80	PL 96B 214	A.A. Zholents <i>et al.</i>	(NOVO)
Also	81	SJNP 34 814	A.A. Zholents <i>et al.</i>	(NOVO)
		Translated from YAF 34 1471.		
BRANDELIK	79C	ZPHY C1 233	R. Brandelik <i>et al.</i>	(DASP Collab.)
ALEXANDER	78	PL 72B 493	G. Alexander <i>et al.</i>	(DESY, HAMB, SIEG+)
BESCH	78	PL 78B 347	H.J. Besch <i>et al.</i>	(BONN, DESY, MANZ)
BRANDELIK	78B	PL 74B 292	R. Brandelik <i>et al.</i>	(DASP Collab.)
PERUZZI	78	PR D17 2901	I. Peruzzi <i>et al.</i>	(SLAC, LBL)
BARTEL	77	PL 66B 489	W. Bartel <i>et al.</i>	(DESY, HEIDP)
BURMESTER	77D	PL 72B 135	J. Burmester <i>et al.</i>	(DESY, HAMB, SIEG+)
FELDMAN	77	PRPL 33C 285	G.J. Feldman, M.L. Perl	(LBL, SLAC)
VANNUCCI	77	PR D15 1814	F. Vannucci <i>et al.</i>	(SLAC, LBL)
BARTEL	76	PL 64B 483	W. Bartel <i>et al.</i>	(DESY, HEIDP)
BRAUNSCHW...	76	PL 63B 487	W. Braunschweig <i>et al.</i>	(DASP Collab.)
JEAN-MARIE	76	PRL 36 291	B. Jean-Marie <i>et al.</i>	(SLAC, LBL) IG
BALDINI-...	75	PL 58B 471	R. Baldini-Celio <i>et al.</i>	(FRAS, ROMA)
BOYARSKI	75	PRL 34 1357	A.M. Boyarski <i>et al.</i>	(SLAC, LBL) JPC
DASP	75	PL 56B 491	W. Braunschweig <i>et al.</i>	(DASP Collab.)
ESPOSITO	75B	LNC 14 73	B. Esposito <i>et al.</i>	(FRAS, NAPL, PADO+)
FORD	75	PRL 34 604	R.L. Ford <i>et al.</i>	(SLAC, PENN)

OTHER RELATED PAPERS

BUGG	99	PL B458 511	D.V. Bugg <i>et al.</i>	
CHEN	98	PRL 80 5060	Y.Q. Chen, E. Braaten	
SUZUKI	98	PR D57 5717	M. Suzuki	
HOU	97	PR D55 6952	W.-S. Hou	
BARATE	83	PL 121B 449	R. Barate <i>et al.</i>	(SACL, LOIC, SHMP, IND)
ABRAMS	74	PRL 33 1453	G.S. Abrams <i>et al.</i>	(LBL, SLAC)
ASH	74	LNC 11 705	W.W. Ash <i>et al.</i>	(FRAS, UMD, NAPL, PADO+)
AUBERT	74	PRL 33 1404	J.J. Aubert <i>et al.</i>	(MIT, BNL)
AUGUSTIN	74	PRL 33 1406	J.E. Augustin <i>et al.</i>	(SLAC, LBL)
BACCI	74	PRL 33 1408	C. Bacci <i>et al.</i>	(FRAS)
Also	74B	PRL 33 1649	C. Bacci	
BALDINI-...	74	LNC 11 711	R. Baldini-Celio <i>et al.</i>	(FRAS, ROMA)
BARBIELLINI	74	LNC 11 718	G. Barbiellini <i>et al.</i>	(FRAS, NAPL, PISA+)
BRAUNSCH...	74	PL 53B 393	W. Braunschweig <i>et al.</i>	(DASP Collab.)
CHRISTENS...	70	PRL 25 1523	J.C. Christenson <i>et al.</i>	(COLU, BNL, CERN)