

$\Lambda(1800) S_{01}$  $I(J^P) = 0(\frac{1}{2}^-)$  Status: \*\*\*

This is the second resonance in the  $S_{01}$  wave, the first being the  $\Lambda(1670)$ .

 **$\Lambda(1800)$  MASS**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1720 to 1850 (<math>\approx 1800</math>) OUR ESTIMATE</b>			
1841 $\pm$ 10	GOPAL	80	DPWA $\bar{K}N \rightarrow \bar{K}N$
1725 $\pm$ 20	ALSTON-...	78	DPWA $\bar{K}N \rightarrow \bar{K}N$
1825 $\pm$ 20	GOPAL	77	DPWA $\bar{K}N$ multichannel
1830 $\pm$ 20	LANGBEIN	72	IPWA $\bar{K}N$ multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1767 or 1842	<sup>1</sup> MARTIN	77	DPWA $\bar{K}N$ multichannel
1780	KIM	71	DPWA K-matrix analysis
1872 $\pm$ 10	BRICMAN	70B	DPWA $\bar{K}N \rightarrow \bar{K}N$

 **$\Lambda(1800)$  WIDTH**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>200 to 400 (<math>\approx 300</math>) OUR ESTIMATE</b>			
228 $\pm$ 20	GOPAL	80	DPWA $\bar{K}N \rightarrow \bar{K}N$
185 $\pm$ 20	ALSTON-...	78	DPWA $\bar{K}N \rightarrow \bar{K}N$
230 $\pm$ 20	GOPAL	77	DPWA $\bar{K}N$ multichannel
70 $\pm$ 15	LANGBEIN	72	IPWA $\bar{K}N$ multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
435 or 473	<sup>1</sup> MARTIN	77	DPWA $\bar{K}N$ multichannel
40	KIM	71	DPWA K-matrix analysis
100 $\pm$ 20	BRICMAN	70B	DPWA $\bar{K}N \rightarrow \bar{K}N$

 **$\Lambda(1800)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\bar{K}$	25–40 %
$\Gamma_2$ $\Sigma\pi$	seen
$\Gamma_3$ $\Sigma(1385)\pi$	seen
$\Gamma_4$ $N\bar{K}^*(892)$	seen
$\Gamma_5$ $N\bar{K}^*(892)$ , $S=1/2$ , $S$ -wave	
$\Gamma_6$ $N\bar{K}^*(892)$ , $S=3/2$ , $D$ -wave	

The above branching fractions are our estimates, not fits or averages.

## $\Lambda(1800)$ BRANCHING RATIOS

See "Sign conventions for resonance couplings" in the Note on  $\Lambda$  and  $\Sigma$  Resonances.

$\Gamma(N\bar{K})/\Gamma_{\text{total}}$	$\Gamma_1/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<b>0.25 to 0.40 OUR ESTIMATE</b>	
0.36±0.04	GOPAL    80    DPWA $\bar{K}N \rightarrow \bar{K}N$
0.28±0.05	ALSTON-...    78    DPWA $\bar{K}N \rightarrow \bar{K}N$
0.35±0.15	LANGBEIN    72    IPWA $\bar{K}N$ multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •	
0.37±0.05	GOPAL    77    DPWA    See GOPAL 80
1.21 or 0.70	<sup>1</sup> MARTIN    77    DPWA $\bar{K}N$ multichannel
0.80	KIM    71    DPWA    K-matrix analysis
0.18±0.02	BRICMAN    70B    DPWA $\bar{K}N \rightarrow \bar{K}N$

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1800) \rightarrow \Sigma\pi$	$(\Gamma_1\Gamma_2)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
-0.08±0.05	GOPAL    77    DPWA $\bar{K}N$ multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •	
-0.74 or -0.43	<sup>1</sup> MARTIN    77    DPWA $\bar{K}N$ multichannel
0.24	KIM    71    DPWA    K-matrix analysis

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1800) \rightarrow \Sigma(1385)\pi$	$(\Gamma_1\Gamma_3)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
+0.056±0.028	<sup>2</sup> CAMERON    78    DPWA $K^-p \rightarrow \Sigma(1385)\pi$

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1800) \rightarrow N\bar{K}^*(892), S=1/2, S\text{-wave}$	$(\Gamma_1\Gamma_5)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
-0.17±0.03	<sup>2</sup> CAMERON    78B    DPWA $K^-p \rightarrow N\bar{K}^*$

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Lambda(1800) \rightarrow N\bar{K}^*(892), S=3/2, D\text{-wave}$	$(\Gamma_1\Gamma_6)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
-0.13±0.04	CAMERON    78B    DPWA $K^-p \rightarrow N\bar{K}^*$

### $\Lambda(1800)$ FOOTNOTES

<sup>1</sup> The two MARTIN 77 values are from a T-matrix pole and from a Breit-Wigner fit.

<sup>2</sup> The published sign has been changed to be in accord with the baryon-first convention.

## $\Lambda(1800)$ REFERENCES

GOPAL	80	Toronto Conf.	159	G.P. Gopal	(RHEL) IJP
ALSTON-...	78	PR D18	182	M. Alston-Garnjost <i>et al.</i>	(LBL, MTHO+) IJP
Also	77	PRL 38	1007	M. Alston-Garnjost <i>et al.</i>	(LBL, MTHO+) IJP
CAMERON	78	NP B143	189	W. Cameron <i>et al.</i>	(RHEL, LOIC) IJP
CAMERON	78B	NP B146	327	W. Cameron <i>et al.</i>	(RHEL, LOIC) IJP
GOPAL	77	NP B119	362	G.P. Gopal <i>et al.</i>	(LOIC, RHEL) IJP
MARTIN	77	NP B127	349	B.R. Martin, M.K. Pidcock, R.G. Moorhouse	(LOUC+) IJP
Also	77B	NP B126	266	B.R. Martin, M.K. Pidcock	(LOUC)
Also	77C	NP B126	285	B.R. Martin, M.K. Pidcock	(LOUC) IJP
LANGBEIN	72	NP B47	477	W. Langbein, F. Wagner	(MPIM) IJP
KIM	71	PRL 27	356	J.K. Kim	(HARV) IJP
Also	70	Duke Conf.	161	J.K. Kim	(HARV) IJP
Hyperon Resonances, 1970					
BRICMAN	70B	PL 33B	511	C. Bricman, M. Ferro-Luzzi, J.P. Lagnaux	(CERN) IJP

---