

$a_2(1320)$ $I^G(J^{PC}) = 1^-(2^{++})$ **$a_2(1320)$ MASS**VALUE (MeV)DOCUMENT ID**1318.0±0.6 OUR AVERAGE**Includes data from the 4 datablocks that follow this one.
Error includes scale factor of 1.1. **3π MODE**VALUE (MeV)EVTSDOCUMENT IDTECNCHGCOMMENT


The data in this block is included in the average printed for a previous datablock.

1317.9± 1.3 OUR AVERAGE

Error includes scale factor of 1.3. See the ideogram below.

1317 \pm 3		BARBERIS	98B		$450 \text{ } pp \rightarrow p_f \pi^+ \pi^- \pi^0 p_s$
1323 \pm 4 \pm 3		ACCIARRI	97T L3		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1320 \pm 7		ALBRECHT	97B ARG		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1311.3 \pm 1.6 \pm 3.0	72400	AMELIN	96 VES		$36 \pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$
1310 \pm 5		ARMSTRONG	90 OMEG 0		$300.0 \text{ } pp \rightarrow pp \pi^+ \pi^- \pi^0$
1323.8 \pm 2.3	4022	AUGUSTIN	89 DM2	\pm	$J/\psi \rightarrow \rho^\pm a_2^\mp$
1320.6 \pm 3.1	3562	AUGUSTIN	89 DM2	0	$J/\psi \rightarrow \rho^0 a_2^0$
1317 \pm 2	25000	¹ DAUM	80C SPEC	$-$	$63.94 \pi^- p \rightarrow 3\pi p$
1320 \pm 10	1097	¹ BALTAY	78B HBC	+0	$15 \pi^+ p \rightarrow p 4\pi$
1306 \pm 8		FERRERSORIA	78 OMEG	$-$	$9 \pi^- p \rightarrow p 3\pi$
1318 \pm 7	1600	¹ EMMS	75 DBC	0	$4 \pi^+ n \rightarrow p (3\pi)^0$
1315 \pm 5		¹ ANTIPOV	73C CNTR	$-$	$25.40 \pi^- p \rightarrow p \eta \pi^-$
1306 \pm 9	1580	CHALOUPKA	73 HBC	$-$	$3.9 \pi^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1305 \pm 14		CONDOR	93 SHF		$\gamma p \rightarrow \eta \pi^+ \pi^+ \pi^-$
1310 \pm 2		¹ EVANGELISTA	81 OMEG	$-$	$12 \pi^- p \rightarrow 3\pi p$
1343 \pm 11	490	BALTAY	78B HBC	0	$15 \pi^+ p \rightarrow \Delta 3\pi$
1309 \pm 5	5000	BINNIE	71 MMS	$-$	$\pi^- p$ near a_2 thresh-old
1299 \pm 6	28000	BOWEN	71 MMS	$-$	$5 \pi^- p$
1300 \pm 6	24000	BOWEN	71 MMS	$+$	$5 \pi^+ p$
1309 \pm 4	17000	BOWEN	71 MMS	$-$	$7 \pi^- p$
1306 \pm 4	941	ALSTON-...	70 HBC	$+$	$7.0 \pi^+ p \rightarrow 3\pi p$

¹ From a fit to $J^P = 2^+$ $\rho \pi$ partial wave.



$a_2(1320)$ mass, 3π mode (MeV)

$K^\pm K_S^0$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.					

1318.1± 0.7 OUR AVERAGE

1319 ± 5	4700	2,3 CLELAND	82B SPEC	+	$50 \pi^+ p \rightarrow K_S^0 K^+ p$
1324 ± 6	5200	2,3 CLELAND	82B SPEC	-	$50 \pi^- p \rightarrow K_S^0 K^- p$
1320 ± 2	4000	CHABAUD	80 SPEC	-	$17 \pi^- A \rightarrow K_S^0 K^- A$
1312 ± 4	11000	CHABAUD	78 SPEC	-	$9.8 \pi^- p \rightarrow K^- K_S^0 p$
1316 ± 2	4730	CHABAUD	78 SPEC	-	$18.8 \pi^- p \rightarrow K^- K_S^0 p$
1318 ± 1		2,4 MARTIN	78D SPEC	-	$10 \pi^- p \rightarrow K_S^0 K^- p$
1320 ± 2	2724	MARGULIE	76 SPEC	-	$23 \pi^- p \rightarrow K^- K_S^0 p$
1313 ± 4	730	FOLEY	72 CNTR	-	$20.3 \pi^- p \rightarrow K^- K_S^0 p$
1319 ± 3	1500	4 GRAYER	71 ASPK	-	$17.2 \pi^- p \rightarrow K^- K_S^0 p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1330 ± 11	1000	2,3 CLELAND	82B SPEC	+	$30 \pi^+ p \rightarrow K_S^0 K^+ p$
1324 ± 5	350	HYAMS	78 ASPK	+	$12.7 \pi^+ p \rightarrow K^+ K_S^0 p$

²From a fit to $J^P = 2^+$ partial wave.

³ Number of events evaluated by us.⁴ Systematic error in mass scale subtracted. **$\eta\pi$ MODE**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.					

1317.7±1.4 OUR AVERAGE

1308 ± 9		BARBERIS	00H		450 $p p \rightarrow p_f \eta \pi^0 p_s$
1316 ± 9		BARBERIS	00H		450 $p p \rightarrow$
					$\Delta_f^{++} \eta \pi^- p_s$
1317 ± 1 ± 2		THOMPSON	97 MPS		18 $\pi^- p \rightarrow \eta \pi^- p$
1315 ± 5 ± 2	5	AMSLER	94D CBAR		0.0 $\bar{p} p \rightarrow \pi^0 \pi^0 \eta$
1325.1±5.1		AOYAGI	93 BKEI		$\pi^- p \rightarrow \eta \pi^- p$
1317.7±1.4±2.0		BELADIDZE	93 VES		37 $\pi^- N \rightarrow \eta \pi^- N$
1323 ± 8	1000	6 KEY	73 OSPK	-	6 $\pi^- p \rightarrow p \pi^- \eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1324 ± 5		ARMSTRONG	93C E760	0	$\bar{p} p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
1336.2±1.7	2561	DELFOSSE	81 SPEC	+	$\pi^\pm p \rightarrow p \pi^\pm \eta$
1330.7±2.4	1653	DELFOSSE	81 SPEC	-	$\pi^\pm p \rightarrow p \pi^\pm \eta$
1324 ± 8	6200	6,7 CONFORTO	73 OSPK	-	6 $\pi^- p \rightarrow p \text{MM}^-$

⁵ The systematic error of 2 MeV corresponds to the spread of solutions.⁶ Error includes 5 MeV systematic mass-scale error.⁷ Missing mass with enriched MMS = $\eta \pi^-$, $\eta = 2\gamma$. **$\eta'\pi$ MODE**

VALUE (MeV)		DOCUMENT ID	TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.				

1327.0±10.7		BELADIDZE	93 VES	$37\pi^- N \rightarrow \eta' \pi^- N$
--------------------	--	-----------	--------	---------------------------------------

 $a_2(1320)$ WIDTH **3π MODE**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
104.7± 1.9 OUR AVERAGE					
120 ± 10		BARBERIS	98B		450 $p p \rightarrow p_f \pi^+ \pi^- \pi^0 p_s$
105 ± 10 ± 11		ACCIARRI	97T L3		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
120 ± 10		ALBRECHT	97B ARG		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
103.0± 6.0± 3.3	72400	AMELIN	96 VES		36 $\pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$
120 ± 10		ARMSTRONG	90 OMEG 0		300.0 $p p \rightarrow p p \pi^+ \pi^- \pi^0$
107.0± 9.7	4022	AUGUSTIN	89 DM2	±	$J/\psi \rightarrow \rho^\pm a_2^\mp$
118.5±12.5	3562	AUGUSTIN	89 DM2	0	$J/\psi \rightarrow \rho^0 a_2^0$
97 ± 5		8 EVANGELISTA	81 OMEG	-	12 $\pi^- p \rightarrow 3\pi p$
96 ± 9	25000	8 DAUM	80C SPEC	-	63,94 $\pi^- p \rightarrow 3\pi p$

110	± 15	1097	⁸ BALTAY	78B	HBC	+0	$15 \pi^+ p \rightarrow p 4\pi^-$
112	± 18	1600	⁸ EMMS	75	DBC	0	$4 \pi^+ n \rightarrow p(3\pi)^0$
122	± 14	1200	^{8,9} WAGNER	75	HBC	0	$7 \pi^+ p \rightarrow \Delta^{++}(3\pi)^0$
115	± 15		⁸ ANTIPOV	73C	CNTR	-	$25,40 \pi^- p \rightarrow p\eta\pi^-$
99	± 15	1580	CHALOUPKA	73	HBC	-	$3.9 \pi^- p$
105	± 5	28000	BOWEN	71	MMS	-	$5 \pi^- p$
99	± 5	24000	BOWEN	71	MMS	+	$5 \pi^+ p$
103	± 5	17000	BOWEN	71	MMS	-	$7 \pi^- p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

120	± 40		CONDO	93	SHF		$\gamma p \rightarrow \eta\pi^+\pi^+\pi^-$
115	± 14	490	BALTAY	78B	HBC	0	$15 \pi^+ p \rightarrow \Delta 3\pi^-$
72	± 16	5000	BINNIE	71	MMS	-	$\pi^- p$ near a_2 thresh-old
79	± 12	941	ALSTON-...	70	HBC	+	$7.0 \pi^+ p \rightarrow 3\pi^- p$

⁸ From a fit to $J^P = 2^+$ $\rho\pi$ partial wave.

⁹ Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

$K^\pm K_S^0$ AND $\eta\pi$ MODES

VALUE (MeV)	DOCUMENT ID
-------------	-------------

107 ± 5 OUR ESTIMATE

110.4 ± 1.7 OUR AVERAGE Includes data from the 2 datablocks that follow this one.

$K^\pm K_S^0$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.					

109.8 ± 2.4 OUR AVERAGE

112	± 20	4700	^{10,11} CLELAND	82B	SPEC	+	$50 \pi^+ p \rightarrow K_S^0 K^+ p$
120	± 25	5200	^{10,11} CLELAND	82B	SPEC	-	$50 \pi^- p \rightarrow K_S^0 K^- p$
106	± 4	4000	CHABAUD	80	SPEC	-	$17 \pi^- A \rightarrow K_S^0 K^- A$
126	± 11	11000	CHABAUD	78	SPEC	-	$9.8 \pi^- p \rightarrow K^- K_S^0 p$
101	± 8	4730	CHABAUD	78	SPEC	-	$18.8 \pi^- p \rightarrow K^- K_S^0 p$
113	± 4		^{10,12} MARTIN	78D	SPEC	-	$10 \pi^- p \rightarrow K_S^0 K^- p$
105	± 8	2724	¹² MARGULIE	76	SPEC	-	$23 \pi^- p \rightarrow K^- K_S^0 p$
113	± 19	730	FOLEY	72	CNTR	-	$20.3 \pi^- p \rightarrow K^- K_S^0 p$
123	± 13	1500	¹² GRAYER	71	ASPK	-	$17.2 \pi^- p \rightarrow K^- K_S^0 p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

121	± 51	1000	^{10,11} CLELAND	82B	SPEC	+	$30 \pi^+ p \rightarrow K_S^0 K^+ p$
110	± 18	350	HYAMS	78	ASPK	+	$12.7 \pi^+ p \rightarrow K^+ K_S^0 p$

¹⁰ From a fit to $J^P = 2^+$ partial wave.

¹¹ Number of events evaluated by us.

¹² Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

$\eta\pi$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.					

111.1± 2.4 OUR AVERAGE

115 ± 20	BARBERIS	00H	450 $p p \rightarrow p_f \eta \pi^0 p_s$	■
112 ± 14	BARBERIS	00H	450 $p p \rightarrow \Delta_f^{++} \eta \pi^- p_s$	■
112 ± 3 ± 2	13 AMSLER	94D CBAR	0.0 $\bar{p} p \rightarrow \pi^0 \pi^0 \eta$	
103 ± 6 ± 3	BELADIDZE	93 VES	37 $\pi^- N \rightarrow \eta \pi^- N$	
112.2± 5.7	2561	DELFOSSE	81 SPEC + $\pi^\pm p \rightarrow p \pi^\pm \eta$	
116.6± 7.7	1653	DELFOSSE	81 SPEC - $\pi^\pm p \rightarrow p \pi^\pm \eta$	
108 ± 9	1000	KEY	73 OSPK - $6 \pi^- p \rightarrow p \pi^- \eta$	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
127 ± 2 ± 2	14 THOMPSON	97 MPS	18 $\pi^- p \rightarrow \eta \pi^- p$	
118 ± 10	ARMSTRONG	93C E760	0 $\bar{p} p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$	
104 ± 9	6200	15 CONFORTO	73 OSPK - $6 \pi^- p \rightarrow p \text{MM}^-$	

¹³The systematic error of 2 MeV corresponds to the spread of solutions.¹⁴Resolution is not unfolded.¹⁵Missing mass with enriched MMS = $\eta \pi^-$, $\eta = 2\gamma$. **$\eta'\pi$ MODE**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
106±32	BELADIDZE 93	VES	$37\pi^- N \rightarrow \eta' \pi^- N$

 $a_2(1320)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 $\rho \pi$	(70.1±2.7) %	S=1.2
Γ_2 $\eta \pi$	(14.5±1.2) %	
Γ_3 $\omega \pi \pi$	(10.6±3.2) %	S=1.3
Γ_4 $K \bar{K}$	(4.9±0.8) %	
Γ_5 $\eta'(958)\pi$	(5.3±0.9) $\times 10^{-3}$	
Γ_6 $\pi^\pm \gamma$	(2.8±0.6) $\times 10^{-3}$	
Γ_7 $\gamma \gamma$	(9.4±0.7) $\times 10^{-6}$	
Γ_8 $\pi^+ \pi^- \pi^-$	< 8 %	CL=90%
Γ_9 $e^+ e^-$	< 6 $\times 10^{-9}$	CL=90%

CONSTRAINED FIT INFORMATION

An overall fit to 5 branching ratios uses 18 measurements and one constraint to determine 4 parameters. The overall fit has a $\chi^2 = 9.3$ for 15 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	10			
x_3	-89	-46		
x_4	-1	-2	-24	
	x_1	x_2	x_3	

$a_2(1320)$ PARTIAL WIDTHS

$\Gamma(\pi^\pm \gamma)$

VALUE (keV)	DOCUMENT ID	TECN	CHG	COMMENT	Γ_6
295 ± 60	CIHANGIR	82	SPEC	+	$200 \pi^+ A$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
461 ± 110	MAY	77	SPEC	±	$9.7 \gamma A$

$\Gamma(\gamma\gamma)$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT	Γ_7
1.00 ± 0.06 OUR AVERAGE						
0.98 ± 0.05 ± 0.09		ACCIARRI	97T L3		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$	
0.96 ± 0.03 ± 0.13		ALBRECHT	97B ARG		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$	
1.26 ± 0.26 ± 0.18	36	BARU	90 MD1		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$	
1.00 ± 0.07 ± 0.15	415	BEHREND	90C CELL 0		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$	
1.03 ± 0.13 ± 0.21		BUTLER	90 MRK2		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$	
1.01 ± 0.14 ± 0.22	85	OEST	90 JADE		$e^+ e^- \rightarrow e^+ e^- \pi^0 \eta$	
0.90 ± 0.27 ± 0.15	56	16 ALTHOFF	86 TASS 0		$e^+ e^- \rightarrow e^+ e^- 3\pi$	
1.14 ± 0.20 ± 0.26		17 ANTREASYAN	86 CBAL 0		$e^+ e^- \rightarrow e^+ e^- \pi^0 \eta$	
1.06 ± 0.18 ± 0.19		BERGER	84C PLUT 0		$e^+ e^- \rightarrow e^+ e^- 3\pi$	
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.81 ± 0.19 ± 0.42	35	16 BEHREND	83B CELL 0		$e^+ e^- \rightarrow e^+ e^- 3\pi$	
0.77 ± 0.18 ± 0.27	22	17 EDWARDS	82F CBAL 0		$e^+ e^- \rightarrow e^+ e^- \pi^0 \eta$	

¹⁶ From $\rho\pi$ decay mode.

¹⁷ From $\eta\pi^0$ decay mode.

$\Gamma(e^+e^-)$					Γ_9
<u>VALUE (eV)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
< 0.56	90	ACHASOV	00K SND	$e^+e^- \rightarrow \pi^0\pi^0$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<25	90	VOROBIEV	88 ND	$e^+e^- \rightarrow \pi^0\eta$	

$a_2(1320) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$					$\Gamma_4\Gamma_7/\Gamma$
<u>VALUE (keV)</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.126±0.007±0.028		18 ALBRECHT	90G ARG	$e^+e^- \rightarrow e^+e^- K^+K^-$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.081±0.006±0.027		19 ALBRECHT	90G ARG	$e^+e^- \rightarrow e^+e^- K^+K^-$	

18 Using an incoherent background.

19 Using a coherent background.

$a_2(1320)$ BRANCHING RATIOS

$\Gamma(K\bar{K})/\Gamma(\rho\pi)$					Γ_4/Γ_1
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
0.070±0.012 OUR FIT					
0.078±0.017		CHABAUD	78 RVUE		
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.011±0.003		20 BERTIN	98B OBLX		0.0 $\bar{p}p \rightarrow K^\pm K_s \pi^\mp$
0.056±0.014	50	21 CHALOUPKA	73 HBC	–	3.9 $\pi^- p$
0.097±0.018	113	21 ALSTON-...	71 HBC	+	7.0 $\pi^+ p$
0.06 ± 0.03		21 ABRAMOVIC...	70B HBC	–	3.93 $\pi^- p$
0.054±0.022		21 CHUNG	68 HBC	–	3.2 $\pi^- p$

20 Using 4π data from BERTIN 97D.

21 Included in CHABAUD 78 review.

$\Gamma(\eta\pi)/[\Gamma(\rho\pi) + \Gamma(\eta\pi) + \Gamma(K\bar{K})]$					$\Gamma_2/(\Gamma_1+\Gamma_2+\Gamma_4)$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
0.162±0.012 OUR FIT					
0.140±0.028 OUR AVERAGE					
0.13 ± 0.04					
0.15 ± 0.04	34	ESPIGAT	72 HBC	±	0.0 $\bar{p}p$
		BARNHAM	71 HBC	+	3.7 $\pi^+ p$

$\Gamma(\eta\pi)/\Gamma(\rho\pi)$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	Γ_2/Γ_1
0.207±0.018 OUR FIT						
0.213±0.020 OUR AVERAGE						
0.18 ± 0.05		FORINO 76	HBC	—	11 $\pi^- p$	
0.22 ± 0.05	52	ANTIPOV 73	CNTR	—	40 $\pi^- p$	
0.211±0.044	149	CHALOUPKA 73	HBC	—	3.9 $\pi^- p$	
0.246±0.042	167	ALSTON... 71	HBC	+	7.0 $\pi^+ p$	
0.25 ± 0.09	15	BOECKMANN 70	HBC	+	5.0 $\pi^+ p$	
0.23 ± 0.08	22	ASCOLI 68	HBC	—	5 $\pi^- p$	
0.12 ± 0.08		CHUNG 68	HBC	—	3.2 $\pi^- p$	
0.22 ± 0.09		CONTE 67	HBC	—	11.0 $\pi^- p$	

 $\Gamma(\eta'(958)\pi)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	Γ_5/Γ
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<0.006	95	ALDE 92B	GAM2	—	38,100 $\pi^- p \rightarrow \eta' \pi^0 n$	
<0.02	97	BARNHAM 71	HBC	+	3.7 $\pi^+ p$	
0.004±0.004		BOESEBECK 68	HBC	+	8 $\pi^+ p$	

 $\Gamma(\eta'(958)\pi)/\Gamma(\rho\pi)$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	Γ_5/Γ_1
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<0.011	90	EISENSTEIN 73	HBC	—	5 $\pi^- p$	
<0.04		ALSTON... 71	HBC	+	7.0 $\pi^+ p$	
0.04 ± 0.03		BOECKMANN 70	HBC	0	5.0 $\pi^+ p$	

 $\Gamma(K\bar{K})/[\Gamma(\rho\pi) + \Gamma(\eta\pi) + \Gamma(K\bar{K})]$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	$\Gamma_4/(\Gamma_1+\Gamma_2+\Gamma_4)$
0.054±0.009 OUR FIT						
0.048±0.012 OUR AVERAGE						
0.05 ± 0.02		TOET 73	HBC	+	5 $\pi^+ p$	
0.09 ± 0.04		TOET 73	HBC	0	5 $\pi^+ p$	
0.03 ± 0.02	8	DAMERI 72	HBC	—	11 $\pi^- p$	
0.06 ± 0.03	17	BARNHAM 71	HBC	+	3.7 $\pi^+ p$	
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.020±0.004		ESPIGAT 72	HBC	±	0.0 $\bar{p}p$	

22 Not averaged because of discrepancy between masses from $K\bar{K}$ and $\rho\pi$ modes. $\Gamma(\pi^+\pi^-\pi^-)/\Gamma(\rho\pi)$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	Γ_8/Γ_1
<0.12	90	ABRAMOVI... 70B	HBC	—	3.93 $\pi^- p$	

$\Gamma(\pi^\pm\gamma)/\Gamma_{\text{total}}$

Γ_6/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			

$0.005^{+0.005}_{-0.003}$ 23 EISENBERG 72 HBC 4.3,5.25,7.5 γp

23 Pion-exchange model used in this estimation.

$\Gamma(\omega\pi\pi)/\Gamma(\rho\pi)$


Γ_3/Γ_1

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.15±0.05 OUR FIT Error includes scale factor of 1.3.					

0.15±0.05 OUR AVERAGE Error includes scale factor of 1.3. See the ideogram below.

0.28 ± 0.09	60	DIAZ	74	DBC	0	$6\pi^+n$
0.18 ± 0.08		24 KARSHON	74	HBC		Avg. of above two
0.10 ± 0.05	279	CHALOUPKA	73	HBC	—	$3.9\pi^-p$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.29 ± 0.08	140	24 KARSHON	74	HBC	0	$4.9\pi^+p$
0.10 ± 0.04	60	24 KARSHON	74	HBC	+	$4.9\pi^+p$
0.19 ± 0.08		DEFOIX	73	HBC	0	$0.7\bar{p}p$

24 KARSHON 74 suggest an additional $I = 0$ state strongly coupled to $\omega\pi\pi$ which could explain discrepancies in branching ratios and masses. We use a central value and a systematic spread.



$\Gamma(\omega\pi\pi)/\Gamma(\rho\pi)$

$\Gamma(\eta'(958)\pi)/\Gamma(\eta\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT
0.037±0.006 OUR AVERAGE			

0.032±0.009

DOCUMENT ID	TECN	COMMENT
ABELE 97C	CBAR	$0.0 \bar{p}p \rightarrow \pi^0 \pi^0 \eta'$
25 BELADIDZE 93	VES	$37\pi^- N \rightarrow a_2^- N$

0.047±0.010±0.004

BELADIDZE 92 VES

0.034±0.008±0.005

BELADIDZE 92 VES

25 Using $B(\eta' \rightarrow \pi^+ \pi^- \eta) = 0.441$, $B(\eta \rightarrow \gamma\gamma) = 0.389$ and $B(\eta \rightarrow \pi^+ \pi^- \pi^0) = 0.236$.

 $\Gamma(K\bar{K})/\Gamma(\eta\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			

0.08±0.02

DOCUMENT ID	TECN	COMMENT
26 BERTIN 98B	OBLX	$0.0 \bar{p}p \rightarrow K^\pm K_s \pi^\mp$

26 Using $\eta\pi\pi$ data from AMSLER 94D. $\Gamma(e^+ e^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-9})	CL%
<6	90

DOCUMENT ID	TECN	COMMENT
ACHASOV 00K	SND	$e^+ e^- \rightarrow \pi^0 \pi^0$

 Γ_5/Γ_2 Γ_9/Γ $a_2(1320)$ REFERENCES

ACHASOV 00K	PL B492 8	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
BARBERIS 00H	PL B488 225	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS 98B	PL B422 399	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BERTIN 98B	PL B434 180	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE 97C	PL B404 179	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACCIARRI 97T	PL B413 147	M. Acciarri <i>et al.</i>	(L3 Collab.)
ALBRECHT 97B	ZPHY C74 469	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
THOMPSON 97	PRL 79 1630	D.R. Thompson <i>et al.</i>	(E852 Collab.)
AMELIN 96	ZPHY C70 71	D.V. Amelin <i>et al.</i>	(SERP, TBIL)
AMSLER 94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AOYAGI 93	PL B314 246	H. Aoyagi <i>et al.</i>	(BKEI Collab.)
ARMSTRONG 93C	PL B307 394	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
BELADIDZE 93	PL 313 276	G.M. Beladidze <i>et al.</i>	(VES Collab.)
CONDÒ 93	PR D48 3045	G.T. Condo <i>et al.</i>	(SLAC Hybrid Collab.)
ALDE 92B	ZPHY C54 549	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
BELADIDZE 92	ZPHY C54 235	G.M. Beladidze <i>et al.</i>	(VES Collab.)
ALBRECHT 90G	ZPHY C48 183	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ARMSTRONG 90	ZPHY C48 213	T.A. Armstrong, M. Benayoun, W. Beusch	
BARU 90	ZPHY C48 581	S.E. Baru <i>et al.</i>	(MD-1 Collab.)
BEHREND 90C	ZPHY C46 583	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
BUTLER 90	PR D42 1368	F. Butler <i>et al.</i>	(Mark II Collab.)
OEST 90	ZPHY C47 343	T. Oest <i>et al.</i>	(JADE Collab.)
AUGUSTIN 89	NP B320 1	J.E. Augustin, G. Cosme	(DM2 Collab.)
VOROB'YEV 88	SJNP 48 273	P.V. Vorobiev <i>et al.</i>	(NOVO)
Translated from YAF 48 436.			
ALTHOFF 86	ZPHY C31 537	M. Althoff <i>et al.</i>	(TASSO Collab.)
ANTREASYAN 86	PR D33 1847	D. Antreasyan <i>et al.</i>	(Crystal Ball Collab.)
BERGER 84C	PL 149B 427	C. Berger <i>et al.</i>	(PLUTO Collab.)
BEHREND 83B	PL 125B 518	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
CIHANGIR 82	PL 117B 123	S. Cihangir <i>et al.</i>	(FNAL, MINN, ROCH)
CLELAND 82B	NP B208 228	W.E. Cleland <i>et al.</i>	(DURH, GEVA, LAUS+)
EDWARDS 82F	PL 110B 82	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
DELFOSSÉ 81	NP B183 349	A. Delfosse <i>et al.</i>	(GEVA, LAUS)
EVANGELISTA 81	NP B178 197	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)
CHABAUD 80	NP B175 189	V. Chabaud <i>et al.</i>	(CERN, MPIM, AMST)
DAUM 80C	PL 89B 276	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+) JP
BALTAY 78B	PR D17 62	C. Baltay <i>et al.</i>	(COLU, BING)

CHABAUD	78	NP B145 349	V. Chabaud <i>et al.</i>	(CERN, MPIM)
FERRERSORIA	78	PL 74B 287	A. Ferrer Soria <i>et al.</i>	(ORSAY, CERN, CDEF+)
HYAMS	78	NP B146 303	B.D. Hyams <i>et al.</i>	(CERN, MPIM, ATEN)
MARTIN	78D	PL 74B 417	A.D. Martin <i>et al.</i>	(DURH, GEVA) JP
MAY	77	PR D16 1983	E.N. May <i>et al.</i>	(ROCH, CORN)
FORINO	76	NC 35A 465	A. Forino <i>et al.</i>	(BGNA, FIRZ, GENO, MILA+)
MARGULIE	76	PR D14 667	M. Margulies <i>et al.</i>	(BNL, CUNY)
EMMS	75	PL 58B 117	M.J. Emms <i>et al.</i>	(BIRM, DURH, RHEL) JP
WAGNER	75	PL 58B 201	F. Wagner, M. Tabak, D.M. Chew	(LBL) JP
DIAZ	74	PRL 32 260	J. Diaz <i>et al.</i>	(CASE, CMU)
KARSHON	74	PRL 32 852	U. Karshon <i>et al.</i>	(REHO)
ANTIFOV	73	NP B63 175	Y.M. Antipov <i>et al.</i>	(CERN, SERP) JP
ANTIFOV	73C	NP B63 153	Y.M. Antipov <i>et al.</i>	(CERN, SERP) JP
CHALOUPKA	73	PL 44B 211	V. Chaloupka <i>et al.</i>	(CERN)
CONFORTO	73	PL 45B 154	G. Conforto <i>et al.</i>	(EFI, FNAL, TNOT+) (CDEF)
DEFOIX	73	PL 43B 141	C. Defoix <i>et al.</i>	(ILL)
EISENSTEIN	73	PR D7 278	L. Eisenstein <i>et al.</i>	(TNTO, EFI, FNAL, WISC)
KEY	73	PRL 30 503	A.W. Key <i>et al.</i>	(NIJM, BONN, DURH, TORI)
TOET	73	NP B63 248	D.Z. Toet <i>et al.</i>	(GENO, MILA, SACL)
DAMERI	72	NC 9A 1	M. Dameri <i>et al.</i>	(REHO, SLAC, TELA)
EISENBERG	72	PR D5 15	Y. Eisenberg <i>et al.</i>	(CERN, CDEF)
ESPIGAT	72	NP B36 93	P. Espigat <i>et al.</i>	(BNL, CUNY)
FOLEY	72	PR D6 747	K.J. Foley <i>et al.</i>	(LRL)
ALSTON-...	71	PL 34B 156	M. Alston-Garnjost <i>et al.</i>	(LBL)
BARNHAM	71	PRL 26 1494	K.W.J. Barnham <i>et al.</i>	(LOIC, SHMP)
BINNIE	71	PL 36B 257	D.M. Binnie <i>et al.</i>	(NEAS, STON)
BOWEN	71	PRL 26 1663	D.R. Bowen <i>et al.</i>	(CERN, MPIM)
GRAYER	71	PL 34B 333	G. Grayer <i>et al.</i>	(CERN) JP
ABRAMOVI...	70B	NP B23 466	M. Abramovich <i>et al.</i>	(LRL)
ALSTON-...	70	PL 33B 607	M. Alston-Garnjost <i>et al.</i>	(BONN, DURH, NIJM+)
BOECKMANN	70	NP B16 221	K. Boeckmann <i>et al.</i>	(ILL) JP
ASCOLI	68	PRL 20 1321	G. Ascoli <i>et al.</i>	(AACH, BERL, CERN)
BOESEBECK	68	NP B4 501	K. Boesebeck <i>et al.</i>	(LRL)
CHUNG	68	PR 165 1491	S.U. Chung <i>et al.</i>	(GENO, HAMB, MILA, SACL)
CONTE	67	NC 51A 175	F. Conte <i>et al.</i>	

OTHER RELATED PAPERS

ALDE	99B	PAN 62 421 Translated from YAF 62	D. Alde <i>et al.</i> 462.	(GAMS Collab.)
JENNI	83	PR D27 1031	P. Jenni <i>et al.</i>	(SLAC, LBL)
BEHREND	82C	PL 114B 378	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
ADERHOLZ	65	PR 138B 897	M. Aderholz	(AACH3, BERL, BIRM, BONN, HAMB+)
ALITTI	65	PL 15 69	J. Alitti <i>et al.</i>	(SACL, BGNA) JP
CHUNG	65	PRL 15 325	S.U. Chung <i>et al.</i>	(LRL)
FORINO	65B	PL 19 68	A. Forino <i>et al.</i>	(BGNA, BARI, FIRZ, ORSAY+)
LEFEBVRES	65	PL 19 434	F. Lefebvres <i>et al.</i>	
SEIDLITZ	65	PRL 15 217	L. Seidlitz, O.I. Dahl, D.H. Miller	(LRL)
ADERHOLZ	64	PL 10 226	M. Aderholz <i>et al.</i>	(AACH3, BERL, BIRM+)
CHUNG	64	PRL 12 621	S.U. Chung <i>et al.</i>	(LRL)
GOLDHABER	64	PRL 12 336	G. Goldhaber <i>et al.</i>	(LRL, UCB)
LANDER	64	PRL 13 346A	R.L. Lander <i>et al.</i>	(UCSD)