

$K_2(1770)$

$$I(J^P) = \frac{1}{2}(2^-)$$

A REVIEW GOES HERE – Check our WWW List of Reviews

 $K_2(1770)$ MASS

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
1773 ± 8		¹ ASTON	93	LASS	11 $K^- p \rightarrow K^- \omega p$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
1810 ± 20		FRAME	86	OMEG +	13 $K^+ p \rightarrow \phi K^+ p$
~ 1730		ARMSTRONG	83	OMEG -	18.5 $K^- p \rightarrow 3K p$
~ 1780		² DAUM	81C	CNTR -	63 $K^- p \rightarrow K^- 2\pi p$
1710 ± 15	60	CHUNG	74	HBC -	7.3 $K^- p \rightarrow K^- \omega p$
1767 ± 6		BLIEDEN	72	MMS -	11-16 $K^- p$
1730 ± 20	306	³ FIRESTONE	72B	DBC +	12 $K^+ d$
1765 ± 40		⁴ COLLEY	71	HBC +	10 $K^+ p \rightarrow K 2\pi N$
1740		DENEGRI	71	DBC -	12.6 $K^- d \rightarrow \bar{K} 2\pi d$
1745 ± 20		AGUILAR-...	70C	HBC -	4.6 $K^- p$
1780 ± 15		BARTSCH	70C	HBC -	10.1 $K^- p$
1760 ± 15		LUDLAM	70	HBC -	12.6 $K^- p$

¹ From a partial wave analysis of the $K^- \omega$ system.² From a partial wave analysis of the $K^- 2\pi$ system.³ Produced in conjunction with excited deuteron.⁴ Systematic errors added correspond to spread of different fits. **$K_2(1770)$ WIDTH**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
186 ± 14		⁵ ASTON	93	LASS	11 $K^- p \rightarrow K^- \omega p$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
140 ± 40		FRAME	86	OMEG +	13 $K^+ p \rightarrow \phi K^+ p$
~ 220		ARMSTRONG	83	OMEG -	18.5 $K^- p \rightarrow 3K p$
~ 210		⁶ DAUM	81C	CNTR -	63 $K^- p \rightarrow K^- 2\pi p$
110 ± 50	60	CHUNG	74	HBC -	7.3 $K^- p \rightarrow K^- \omega p$
100 ± 26		BLIEDEN	72	MMS -	11-16 $K^- p$
210 ± 30	306	⁷ FIRESTONE	72B	DBC +	12 $K^+ d$
90 ± 70		⁸ COLLEY	71	HBC +	10 $K^+ p \rightarrow K 2\pi N$
130		DENEGRI	71	DBC -	12.6 $K^- d \rightarrow \bar{K} 2\pi d$
100 ± 50		AGUILAR-...	70C	HBC -	4.6 $K^- p$
138 ± 40		BARTSCH	70C	HBC -	10.1 $K^- p$
50 ⁺⁴⁰ ₋₂₀		LUDLAM	70	HBC -	12.6 $K^- p$

⁵ From a partial wave analysis of the $K^- \omega$ system.⁶ From a partial wave analysis of the $K^- 2\pi$ system.⁷ Produced in conjunction with excited deuteron.⁸ Systematic errors added correspond to spread of different fits.

$K_2(1770)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $K\pi\pi$	
Γ_2 $K_2^*(1430)\pi$	dominant
Γ_3 $K^*(892)\pi$	seen
Γ_4 $Kf_2(1270)$	seen
Γ_5 $K\phi$	seen
Γ_6 $K\omega$	seen

$K_2(1770)$ BRANCHING RATIOS

$\Gamma(K_2^*(1430)\pi)/\Gamma(K\pi\pi)$ Γ_2/Γ_1 ($K_2^*(1430) \rightarrow K\pi$)

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
~ 0.03	DAUM	81C CNTR		63 $K^-p \rightarrow K^-2\pi p$
~ 1.0	⁹ FIRESTONE	72B DBC	+	12 K^+d
<1.0	COLLEY	71 HBC		10 K^+p
0.2 ± 0.2	AGUILAR-...	70C HBC	-	4.6 K^-p
<1.0	BARTSCH	70C HBC	-	10.1 K^-p
1.0	BARBARO-...	69 HBC	+	12.0 K^+p

⁹ Produced in conjunction with excited deuteron.

$\Gamma(K^*(892)\pi)/\Gamma(K\pi\pi)$ Γ_3/Γ_1

VALUE	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
~ 0.23	DAUM	81C CNTR	63 $K^-p \rightarrow K^-2\pi p$

$\Gamma(Kf_2(1270))/\Gamma(K\pi\pi)$ Γ_4/Γ_1 ($f_2(1270) \rightarrow \pi\pi$)

VALUE	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
~ 0.74	DAUM	81C CNTR	63 $K^-p \rightarrow K^-2\pi p$

$\Gamma(K\phi)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
seen	ARMSTRONG	83 OMEG	-	18.5 $K^-p \rightarrow K^- \phi N$

$\Gamma(K\omega)/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
seen	OTTER	81 HBC	±	8.25,10,16 $K^\pm p$
seen	CHUNG	74 HBC	-	7.3 $K^-p \rightarrow K^- \omega p$

$K_2(1770)$ REFERENCES

ASTON	93	PL B308 186	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
FRAME	86	NP B276 667	D. Frame <i>et al.</i>	(GLAS)
ARMSTRONG	83	NP B221 1	T.A. Armstrong <i>et al.</i>	(BARI, BIRM, CERN+)
DAUM	81C	NP B187 1	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)
OTTER	81	NP B181 1	G. Otter	(AACH3, BERL, LOIC, VIEN, BIRM+)
CHUNG	74	PL 51B 413	S.U. Chung <i>et al.</i>	(BNL)
BLIEDEN	72	PL 39B 668	H.R. Blieden <i>et al.</i>	(STON, NEAS)
FIRESTONE	72B	PR D5 505	A. Firestone <i>et al.</i>	(LBL)
COLLEY	71	NP B26 71	D.C. Colley <i>et al.</i>	(BIRM, GLAS)
DENEGRI	71	NP B28 13	D. Denegri <i>et al.</i>	(JHU) JP
AGUILAR-...	70C	PRL 25 54	M. Aguilar-Benitez <i>et al.</i>	(BNL)
BARTSCH	70C	PL 33B 186	J. Bartsch <i>et al.</i>	(AACH, BERL, CERN+)
LUDLAM	70	PR D2 1234	T. Ludlam, J. Sandweiss, A.J. Slaughter	(YALE)
BARBARO-...	69	PRL 22 1207	A. Barbaro-Galtieri <i>et al.</i>	(LRL)

———— OTHER RELATED PAPERS ————

BERLINGHIERI	67	PRL 18 1087	J.C. Berlinghieri <i>et al.</i>	(ROCH) I
CARMONY	67	PRL 18 615	D.D. Carmony, T. Hendricks, R.L. Lander	(UCSD)
JOBES	67	PL 26B 49	M. Jobes <i>et al.</i>	(BIRM, CERN, BRUX)
BARTSCH	66	PL 22 357	J. Bartsch <i>et al.</i>	(AACH, BERL, CERN+)