

**$\rho(1450)$**  $I^G(J^{PC}) = 1^+(1^{--})$ See the mini-review under the  $\rho(1700)$ . **$\rho(1450)$  MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>
<b><math>1465 \pm 25</math> OUR ESTIMATE</b>	This is only an educated guess; the error given is larger than the error on the average of the published values.
<b><math>1452 \pm 8</math> OUR AVERAGE</b>	Includes data from the 2 datablocks that follow this one.

 **$\eta\rho^0$  MODE**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
The data in this block is included in the average printed for a previous datablock.			

$1470 \pm 20$	ANTONELLI 88 DM2	$e^+ e^- \rightarrow \eta\pi^+\pi^-$	
$1446 \pm 10$	FUKUI 88 SPEC	$8.95\pi^- p \rightarrow \eta\pi^+\pi^- n$	
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>			
$1421 \pm 15$	<sup>1</sup> AKHMETSHIN 00D CMD2	$e^+ e^- \rightarrow \eta\pi^+\pi^-$	

<sup>1</sup> Using the data of ANTONELLI 88, DOLINSKY 91, and AKHMETSHIN 00D. The energy-independent width of the  $\rho(1450)$  and  $\rho(1700)$  mesons assumed.

 **$\omega\pi$  MODE**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
The data in this block is included in the average printed for a previous datablock.			

$1463 \pm 25$	<sup>2</sup> CLEGG 94 RVUE		
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>			
$1523 \pm 10$	<sup>3</sup> EDWARDS 00A CLE2	$\tau^- \rightarrow \omega\pi^-\nu_\tau$	
$1250$	<sup>4</sup> ASTON 80C OMEG	$20-70\gamma p \rightarrow \omega\pi^0 p$	
$1290 \pm 40$	<sup>4</sup> BARBER 80C SPEC	$3-5\gamma p \rightarrow \omega\pi^0 p$	

<sup>2</sup> Using data from BISELLO 91B, DOLINSKY 86 and ALBRECHT 87L.

<sup>3</sup> Mass-independent width parameterization.  $\rho(1700)$  mass and width fixed at 1700 MeV and 235 MeV respectively.

<sup>4</sup> Not separated from  $b_1(1235)$ , not pure  $J^P = 1^-$  effect.

 **$\pi\pi$  MODE**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>				
$1406 \pm 15$	87,000	<sup>5,6</sup> ANDERSON 00A CLE2	$\tau^- \rightarrow \pi^-\pi^0\nu_\tau$	
$\sim 1368$		<sup>7</sup> ABELE 99c CBAR	$0.0\bar{p}d \rightarrow \pi^+\pi^-\pi^-p$	
$1348 \pm 33$		BERTIN 98 OBLX	$0.05-0.405\bar{n}p \rightarrow \pi^+\pi^+\pi^-$	
$1411 \pm 14$		<sup>8</sup> ABELE 97 CBAR	$\bar{p}n \rightarrow \pi^-\pi^0\pi^0$	
$1370^{+90}_{-70}$		ACHASOV 97 RVUE	$e^+e^- \rightarrow \pi^+\pi^-$	
$1380 \pm 24$		<sup>9</sup> BARATE 97M ALEP	$\tau^- \rightarrow \pi^-\pi^0\nu_\tau$	
$1359 \pm 40$		<sup>6</sup> BERTIN 97C OBLX	$0.0\bar{p}p \rightarrow \pi^+\pi^-\pi^0$	
$1282 \pm 37$		BERTIN 97D OBLX	$0.05\bar{p}p \rightarrow 2\pi^+2\pi^-$	
$1424 \pm 25$		BISELLO 89 DM2	$e^+e^- \rightarrow \pi^+\pi^-$	
$1292 \pm 17$		<sup>10</sup> KURDADZE 83 OLYA	$0.64-1.4e^+e^- \rightarrow \pi^+\pi^-$	

<sup>5</sup> From the GOUNARIS 68 parametrization of the pion form factor.

<sup>6</sup>  $\rho(1700)$  mass and width fixed at 1700 MeV and 235 MeV, respectively.

<sup>7</sup>  $\rho(1700)$  mass and width fixed at 1780 MeV and 275 MeV respectively.

<sup>8</sup> T-matrix pole.

<sup>9</sup> Fixing  $\rho(1450)$  width to 310 MeV and  $\rho(1700)$  mass and width to 1700 MeV and 235 MeV respectively.

<sup>10</sup> Using for  $\rho(1700)$  mass and width  $1600 \pm 20$  and  $300 \pm 10$  MeV respectively.

## $\pi^+ \pi^- \pi^+ \pi^-$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>			
$1350 \pm 50$	ACHASOV 97 RVUE	$e^+ e^- \rightarrow 2(\pi^+ \pi^-)$	
$1449 \pm 4$	11 ARMSTRONG 89E OMEG	$300 \text{ } pp \rightarrow pp 2(\pi^+ \pi^-)$	

<sup>11</sup> Not clear whether this observation has  $I=1$  or 0.

## $\phi\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>				
$1480 \pm 40$	12,13 BITYUKOV 87 SPEC	0	$32.5 \pi^- p \rightarrow \phi \pi^0 n$	

<sup>12</sup> DONNACHIE 91 suggests this is a different particle.

<sup>13</sup> Not seen by ABELE 97H.

## $K\bar{K}$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>					
$1422.8 \pm 6.5$	27k	<sup>14</sup> ABELE	99D CBAR	$\pm$	$0.0 \bar{p}p \rightarrow K^+ K^- \pi^0$

<sup>14</sup> K-matrix pole. Isospin not determined, could be  $\omega(1420)$ .

## MIXED MODES

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>			
$1265.5 \pm 75.3$	DUBNICKA 89 RVUE	$e^+ e^- \rightarrow \pi^+ \pi^-$	

## $\rho(1450)$ WIDTH

VALUE (MeV)	DOCUMENT ID
<b>310 ± 60 OUR ESTIMATE</b>	This is only an educated guess; the error given is larger than the error on the average of the published values.

## $\eta\pi^0$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>			
$211 \pm 31$	15 AKHMETSHIN 00D CMD2	$e^+ e^- \rightarrow \eta \pi^+ \pi^-$	
$230 \pm 30$	ANTONELLI 88 DM2	$e^+ e^- \rightarrow \eta \pi^+ \pi^-$	
$60 \pm 15$	FUKUI 88 SPEC	$8.95 \pi^- p \rightarrow \eta \pi^+ \pi^- n$	

<sup>15</sup> Using the data of ANTONELLI 88, DOLINSKY 91, and AKHMETSHIN 00D. The energy-independent width of the  $\rho(1450)$  and  $\rho(1700)$  mesons assumed.

**$\omega\pi$  MODE**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.			

311 ± 62	16 CLEGG	94 RVUE	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
400 ± 35	17 EDWARDS	00A CLE2	$\tau^- \rightarrow \omega\pi^-\nu_\tau$
300	18 ASTON	80C OMEG	$20-70 \gamma p \rightarrow \omega\pi^0 p$
320 ± 100	18 BARBER	80C SPEC	$3-5 \gamma p \rightarrow \omega\pi^0 p$

16 Using data from BISELLO 91B, DOLINSKY 86 and ALBRECHT 87L.

17 Mass-independent width parameterization.  $\rho(1700)$  mass and width fixed at 1700 MeV and 235 MeV respectively.18 Not separated from  $b_1(1235)$ , not pure  $J^P = 1^-$  effect. **$\pi\pi$  MODE**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
455 ± 41	87,000 <sup>19,20</sup>	ANDERSON	00A CLE2	$\tau^- \rightarrow \pi^-\pi^0\nu_\tau$
~374	21	ABELE	99C CBAR	$0.0 \bar{p}d \rightarrow \pi^+\pi^-\pi^-p$
275 ± 10		BERTIN	98 OBLX	$0.05-0.405 \bar{n}p \rightarrow \pi^+\pi^+\pi^-$
343 ± 20	22	ABELE	97 CBAR	$\bar{p}n \rightarrow \pi^-\pi^0\pi^0$
310 ± 40	20	BERTIN	97C OBLX	$0.0 \bar{p}p \rightarrow \pi^+\pi^-\pi^0$
236 ± 36		BERTIN	97D OBLX	$0.05 \bar{p}p \rightarrow 2\pi^+2\pi^-$
269 ± 31		BISELLO	89 DM2	$e^+e^- \rightarrow \pi^+\pi^-$
218 ± 46	23	KURDADZE	83 OLYA	$0.64-1.4 e^+e^- \rightarrow \pi^+\pi^-$

19 From the GOUNARIS 68 parametrization of the pion form factor.

20  $\rho(1700)$  mass and width fixed at 1700 MeV and 235 MeV, respectively.21  $\rho(1700)$  mass and width fixed at 1780 MeV and 275 MeV respectively.

22 T-matrix pole.

23 Using for  $\rho(1700)$  mass and width  $1600 \pm 20$  and  $300 \pm 10$  MeV respectively. **$\phi\pi$  MODE**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
130 ± 60	24,25	BITYUKOV	87 SPEC	0	$32.5 \pi^-p \rightarrow \phi\pi^0n$

24 DONNACHIE 91 suggests this is a different particle.

25 Not seen by ABELE 97H.

 **$K\bar{K}$  MODE**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
146.5 ± 10.5	27k	26 ABELE	99D CBAR	±	$0.0 \bar{p}p \rightarrow K^+K^-\pi^0$

26 K-matrix pole. Isospin not determined, could be  $\omega(1420)$ .

**MIXED MODES**

<u>VALUE</u> (MeV)	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
391±70	DUBNICKA 89	RVUE	$e^+ e^- \rightarrow \pi^+ \pi^-$

 **$\rho(1450)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level
$\Gamma_1 \pi\pi$	seen	
$\Gamma_2 4\pi$	seen	
$\Gamma_3 \omega\pi$	<2.0 %	95%
$\Gamma_4 e^+ e^-$	seen	
$\Gamma_5 \eta\rho$	<4 %	
$\Gamma_6 a_2(1320)\pi$	not seen	
$\Gamma_7 \phi\pi$	<1 %	
$\Gamma_8 K\bar{K}$	$<1.6 \times 10^{-3}$	95%

 **$\rho(1450) \Gamma(i) \Gamma(e^+ e^-)/\Gamma(\text{total})$** 

$\Gamma(\pi\pi) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$	$\Gamma_1 \Gamma_4/\Gamma$		
<u>VALUE</u> (keV)	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
0.12	27 DIEKMAN 88	RVUE	$e^+ e^- \rightarrow \pi^+ \pi^-$
$0.027^{+0.015}_{-0.010}$	28 KURDADZE 83	OLYA	$0.64-1.4 e^+ e^- \rightarrow \pi^+ \pi^-$

27 Using total width = 235 MeV.

28 Using for  $\rho(1700)$  mass and width  $1600 \pm 20$  and  $300 \pm 10$  MeV respectively.

$\Gamma(\eta\rho) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$	$\Gamma_5 \Gamma_4/\Gamma$		
<u>VALUE</u> (eV)	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>91±19</b>			
91±19	ANTONELLI 88	DM2	$e^+ e^- \rightarrow \eta\pi^+ \pi^-$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
74±20	29 AKHMETSHIN 00D	CMD2	$e^+ e^- \rightarrow \eta\pi^+ \pi^-$

29 Using the data of ANTONELLI 88, DOLINSKY 91, and AKHMETSHIN 00D. The energy-independent width of the  $\rho(1450)$  and  $\rho(1700)$  mesons assumed.

$\Gamma(\phi\pi) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$	$\Gamma_7 \Gamma_4/\Gamma$			
<u>VALUE</u> (eV)	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<70	90	30 AULCHENKO 87B	ND	$e^+ e^- \rightarrow K_S^0 K_L^0 \pi^0$

30 Using mass  $1480 \pm 40$  MeV and total width  $130 \pm 60$  MeV of BITYUKOV 87. **$\rho(1450)$  BRANCHING RATIOS**

$\Gamma(\eta\rho)/\Gamma_{\text{total}}$	$\Gamma_5/\Gamma$		
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	
<0.04	DONNACHIE 87B	RVUE	

$\Gamma(a_2(1320)\pi)/\Gamma_{\text{total}}$	$\Gamma_6/\Gamma$			
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>			
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
not seen	AMELIN    00    VES    37 $\pi^- p \rightarrow \eta\pi^+\pi^- n$			
$\Gamma(\phi\pi)/\Gamma(\omega\pi)$	$\Gamma_7/\Gamma_3$			
<u>VALUE</u>	<u>CL%</u>			
<b>&gt;0.5</b>	95			
<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	
BITYUKOV	87	SPEC	0	32.5 $\pi^- p \rightarrow \phi\pi^0 n$
$\Gamma(\omega\pi)/\Gamma(4\pi)$	$\Gamma_3/\Gamma_2$			
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u>			
<b>&lt;0.14</b>	CLEGG    88    RVUE			
$\Gamma(\eta\rho)/\Gamma(\omega\pi)$	$\Gamma_5/\Gamma_3$			
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>			
$\sim 0.24$	31 DONNACHIE    91    RVUE			
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
>2	FUKUI    91    SPEC    8.95 $\pi^- p \rightarrow \omega\pi^0 n$			
$\Gamma(\omega\pi)/\Gamma_{\text{total}}$	$\Gamma_3/\Gamma$			
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u>			
$\sim 0.21$	CLEGG    94    RVUE			
$\Gamma(\pi\pi)/\Gamma(\omega\pi)$	$\Gamma_1/\Gamma_3$			
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u>			
$\sim 0.32$	CLEGG    94    RVUE			
$\Gamma(\phi\pi)/\Gamma_{\text{total}}$	$\Gamma_7/\Gamma$			
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>			
<b>&lt;0.01</b>	31 DONNACHIE    91    RVUE			
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
not seen	ABELE    97H CBAR $\bar{p}p \rightarrow K_L^0 K_S^0 \pi^0 \pi^0$			
$\Gamma(K\bar{K})/\Gamma(\omega\pi)$	$\Gamma_8/\Gamma_3$			
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u>			
<b>&lt;0.08</b>	31 DONNACHIE    91    RVUE			

31 Using data from BISELLO 91B, DOLINSKY 86 and ALBRECHT 87L.

---

## $\rho(1450)$ REFERENCES

AKHMETSHIN	00D	PL B489 125	R.R. Akhmetshin <i>et al.</i>	(CMD-2 Collab.)
AMELIN	00	NP B668 83	D. Amelin <i>et al.</i>	(VES Collab.)
ANDERSON	00A	PR D61 112002	S. Anderson <i>et al.</i>	(CLEO Collab.)
EDWARDS	00A	PR D61 072003	K.W. Edwards <i>et al.</i>	(CLEO Collab.)
ABELE	99C	PL B450 275	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	99D	PL B468 178	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BERTIN	98	PR D57 55	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	97	PL B391 191	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	97H	PL B415 280	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACHASOV	97	PR D55 2663	N.N. Achasov <i>et al.</i>	(NOVM)
BARATE	97M	ZPHY C76 15	R. Barate <i>et al.</i>	(ALEPH Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
BERTIN	97D	PL B414 220	A. Bertin <i>et al.</i>	(OBELIX Collab.)
CLEGG	94	ZPHY C62 455	A.B. Clegg, A. Donnachie	(LANC, MCHS)
BISELLO	91B	NP B21 111 (suppl)	D. Bisello	(DM2 Collab.)
DOLINSKY	91	PRPL 202 99	S.I. Dolinsky <i>et al.</i>	(NOVO)
DONNACHIE	91	ZPHY C51 689	A. Donnachie, A.B. Clegg	(MCHS, LANC)
FUKUI	91	PL B257 241	S. Fukui <i>et al.</i>	(SUGI, NAGO, KEK, KYOT+)
ARMSTRONG	89E	PL B228 536	T.A. Armstrong, M. Benayoun	(ATHU, BARI, BIRM+)
BISELLO	89	PL B220 321	D. Bisello <i>et al.</i>	(DM2 Collab.)
DUBNICKA	89	JPG 15 1349	S. Dubnicka <i>et al.</i>	(JINR, SLOV)
ANTONELLI	88	PL B212 133	A. Antonelli <i>et al.</i>	(DM2 Collab.)
CLEGG	88	ZPHY C40 313	A.B. Clegg, A. Donnachie	(MCHS, LANC)
DIEKMANN	88	PRPL 159 101	B. Diekmann	(BONN)
FUKUI	88	PL B202 441	S. Fukui <i>et al.</i>	(SUGI, NAGO, KEK, KYOT+)
ALBRECHT	87L	PL B185 223	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
AULCHENKO	87B	JETPL 45 145	V.M. Aulchenko <i>et al.</i>	(NOVO)
		Translated from ZETFP 45 118.		
BITYUKOV	87	PL B188 383	S.I. Bityukov <i>et al.</i>	(SERP)
DONNACHIE	87B	ZPHY C34 257	A. Donnachie, A.B. Clegg	(MCHS, LANC)
DOLINSKY	86	PL B174 453	S.I. Dolinsky <i>et al.</i>	(NOVO)
KURDADZE	83	JETPL 37 733	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 37 613.		
ASTON	80C	PL 92B 211	D. Aston	(BONN, CERN, EPOL, GLAS, LANC+)
BARBER	80C	ZPHY C4 169	D.P. Barber <i>et al.</i>	(DARE, LANC, SHEF)
GOUNARIS	68	PRL 21 244	G.J. Gounaris, J.J. Sakurai	

## OTHER RELATED PAPERS

ACHASOV	00E	NP B569 158	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00I	PL B486 29	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00J	PR D62 117503	N.N. Achasov, A.A. Kozhevnikov	
AULCHENKO	00A	JETP 90 927	V.M. Aulchenko <i>et al.</i>	
BELOZEROVA	98	PPN 29 63	T.S. Belozerova, V.K. Henner	
		Translated from FECAY 29 148.		
ABELE	97H	PL B415 280	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BARNES	97	PR D55 4157	T. Barnes <i>et al.</i>	(ORNL, RAL, MCHS)
CLOSE	97C	PR D56 1584	F.E. Close <i>et al.</i>	(RAL, MCHS)
URHEIM	97	NPBPS 55C 359	J. Urheim	(CLEO Collab.)
ACHASOV	96B	PAN 59 1262	N.N. Achasov, G.N. Shestakov	(NOVM)
		Translated from YAF 59 1319.		
MURADOV	94	PAN 57 864	R.K. Muradov	(BAKU)
LANDSBERG	92	SJNP 55 1051	L.G. Landsberg	(SERP)
		Translated from YAF 55 1896.		
BRAU	88	PR D37 2379	J.E. Brau <i>et al.</i>	
ASTON	87	NP B292 693	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
KURDADZE	86	JETPL 43 643	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 43 497.		
BARKOV	85	NP B256 365	L.M. Barkov <i>et al.</i>	(NOVO)
BISELLO	85	LAL 85-15	D. Bisello <i>et al.</i>	(PADO, LALO, CLER+)
ABE	84B	PRL 53 751	K. Abe <i>et al.</i>	
ATKINSON	84C	NP B243 1	M. Atkinson <i>et al.</i>	(BONN, CERN, GLAS+)
CORDIER	82	PL 109B 129	A. Cordier <i>et al.</i>	(LALO)
KILLIAN	80	PR D21 3005	T.J. Killian <i>et al.</i>	(CORN)
COSME	76	PL 63B 352	G. Cosme <i>et al.</i>	(ORSAY)
BINGHAM	72B	PL 41B 635	H.H. Bingham <i>et al.</i>	(LBL, UCB, SLAC)
FRENKIEL	72	NP B47 61	P. Frenkiel <i>et al.</i>	(CDEF, CERN)
LAYSSAC	71	NC 6A 134	J. Layssac, F.M. Renard	(MONP)