

$f_0(1370)$

$I^G(J^{PC}) = 0^+(0^{++})$

See also the mini-reviews on scalar mesons under $f_0(600)$ and on non- $q\bar{q}$ candidates. (See the index for the page number.)

$f_0(1370)$ T-MATRIX POLE POSITION

Note that $\Gamma \approx 2 \operatorname{Im}(\sqrt{s_{\text{pole}}})$.

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
(1200–1500)–i(150–250) OUR ESTIMATE			
• • • We do not use the following data for averages, fits, limits, etc. • • •			
(1302 ± 17)– i (166 ± 18)	1 BARBERIS 00C	450 $p p \rightarrow p_f 4\pi p_s$	
(1312 ± 25 ± 10)– i (109 ± 22 ± 15)	BARBERIS 99D OMEG	450 $p p \rightarrow K^+ K^-$, $\pi^+ \pi^-$	
(1406 ± 19)– i (80 ± 6)	2 KAMINSKI 99 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, \sigma\sigma$	
(1300 ± 20)– i (120 ± 20)	ANISOVICH 98B RVUE	Compilation	
(1290 ± 15)– i (145 ± 15)	BARBERIS 97B OMEG	450 $p p \rightarrow p p 2(\pi^+ \pi^-)$	
(1548 ± 40)– i (560 ± 40)	BERTIN 97C OBLX	0.0 $\bar{p} p \rightarrow \pi^+ \pi^- \pi^0$	
(1380 ± 40)– i (180 ± 25)	ABELE 96B CBAR	0.0 $\bar{p} p \rightarrow \pi^0 K_L^0 K_L^0$	
(1300 ± 15)– i (115 ± 8)	BUGG 96 RVUE		
(1330 ± 50)– i (150 ± 40)	3 AMSLER 95B CBAR	$\bar{p} p \rightarrow 3\pi^0$	
(1360 ± 35)– i (150–300)	3 AMSLER 95C CBAR	$\bar{p} p \rightarrow \pi^0 \eta\eta$	
(1390 ± 30)– i (190 ± 40)	4 AMSLER 95D CBAR	$\bar{p} p \rightarrow 3\pi^0, \pi^0 \eta\eta, \pi^0 \pi^0 \eta$	
1346 – i 249	5,6 JANSSEN 95 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$	
1214 – i 168	6,7 TORNQVIST 95 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, K\pi, \eta\pi$	
1364 – i 139	AMSLER 94D CBAR	$\bar{p} p \rightarrow \pi^0 \pi^0 \eta$	
(1365 ⁺²⁰ ₋₅₅)– i (134 ± 35)	ANISOVICH 94 CBAR	$\bar{p} p \rightarrow 3\pi^0, \pi^0 \eta\eta$	
(1340 ± 40)– i (127 ⁺³⁰ ₋₂₀)	8 BUGG 94 RVUE	$\bar{p} p \rightarrow 3\pi^0, \eta\eta\pi^0, \eta\pi^0 \pi^0$	
(1430 ± 5)– i (73 ± 13)	9 KAMINSKI 94 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$	
1515 – i 214	6,10 ZOU 93 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$	
1420 – i 220	11 AU 87 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$	

¹ Average between $\pi^+ \pi^- 2\pi^0$ and $2(\pi^+ \pi^-)$.

² T-matrix pole on sheet ——.

³ Supersedes ANISOVICH 94.

⁴ Coupled-channel analysis of $\bar{p} p \rightarrow 3\pi^0, \pi^0 \eta\eta$, and $\pi^0 \pi^0 \eta$ on sheet IV. Demonstrates explicitly that $f_0(600)$ and $f_0(1370)$ are two different poles.

⁵ Analysis of data from FALVARD 88.

⁶ The pole is on Sheet III. Demonstrates explicitly that $f_0(600)$ and $f_0(1370)$ are two different poles.

⁷ Uses data from BEIER 72B, OCHS 73, HYAMS 73, GRAYER 74, ROSSELET 77, CASON 83, ASTON 88, and ARMSTRONG 91B. Coupled channel analysis with flavor symmetry and all light two-pseudoscalars systems.

⁸ Reanalysis of ANISOVICH 94 data.

⁹ T-matrix pole on sheet III.

¹⁰ Analysis of data from OCHS 73, GRAYER 74, and ROSSELET 77.

¹¹ Analysis of data from OCHS 73, GRAYER 74, BECKER 79, and CASON 83.

$f_0(1370)$ BREIT-WIGNER MASS OR K-MATRIX POLE PARAMETER

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>
1200 to 1500 OUR ESTIMATE	

$\pi\pi$ MODE

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1434±18±9	848	AITALA 01A E791	$D_s^+ \rightarrow \pi^- \pi^+ \pi^+$	
1308±10		BARBERIS 99B OMEG	$p p \rightarrow p_s p_f \pi^+ \pi^-$	
1315±50		BELLAZZINI 99 GAM4	$p p \rightarrow p p \pi^0 \pi^0$	
1315±30		ALDE 98 GAM4	$100 \pi^- p \rightarrow \pi^0 \pi^0 n$	
1280±55		BERTIN 98 OBLX	$0.05-0.405 \bar{n} p \rightarrow \pi^+ \pi^+ \pi^-$	
1186	12,13	TORNQVIST 95 RVUE	$\pi \pi \rightarrow \pi \pi, K \bar{K}, K \pi, \eta \pi$	
1472±12		ARMSTRONG 91 OMEG	$300 p p \rightarrow p p \pi \pi, p p K \bar{K}$	
1275±20		BREAKSTONE 90 SFM	$62 p p \rightarrow p p \pi^+ \pi^-$	
1420±20		AKESSON 86 SPEC	$63 p p \rightarrow p p \pi^+ \pi^-$	
1256		FROGGATT 77 RVUE	$\pi^+ \pi^-$ channel	
12 Uses data from BEIER 72B, OCHS 73, HYAMS 73, GRAYER 74, ROSSELET 77, CASON 83, ASTON 88, and ARMSTRONG 91B. Coupled channel analysis with flavor symmetry and all light two-pseudoscalars systems.				
13 Also observed by ASNER 00 in $\tau^- \rightarrow \pi^- \pi^0 \pi^0 \nu_\tau$ decays				

$K \bar{K}$ MODE

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1440±50	BOLONKIN 88 SPEC	$40 \pi^- p \rightarrow K_S^0 K_S^0 n$	
1463± 9	ETKIN 82B MPS	$23 \pi^- p \rightarrow n 2 K_S^0$	
1425±15	WICKLUND 80 SPEC	$6 \pi N \rightarrow K^+ K^- N$	
~ 1300	POLYCHRO... 79 STRC	$7 \pi^- p \rightarrow n 2 K_S^0$	

4π MODE $2(\pi\pi)s + \rho\rho$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1395±40	ABELE 01 CBAR	$0.0 \bar{p} d \rightarrow \pi^- 4\pi^0 p$	
1374±38	AMSLER 94 CBAR	$0.0 \bar{p} p \rightarrow \pi^+ \pi^- 3\pi^0$	
1345±12	ADAMO 93 OBLX	$\bar{n} p \rightarrow 3\pi^+ 2\pi^-$	
1386±30	GASPERO 93 DBC	$0.0 \bar{p} n \rightarrow 2\pi^+ 3\pi^-$	

$\eta\eta$ MODE

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1430	AMSLER 92 CBAR	$0.0 \bar{p} p \rightarrow \pi^0 \eta\eta$	
1220±40	ALDE 86D GAM4	$100 \pi^- p \rightarrow n 2 \eta$	

$f_0(1370)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>
200 to 500 OUR ESTIMATE	

 $\pi\pi$ MODE

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
173±32±6	848	AITALA	01A E791	$D_s^+ \rightarrow \pi^- \pi^+ \pi^+$
222±20		BARBERIS	99B OMEG	$450 \text{ } pp \rightarrow p_s p_f \pi^+ \pi^-$
255±60		BELLAZZINI	99 GAM4	$450 \text{ } pp \rightarrow pp \pi^0 \pi^0$
190±50		ALDE	98 GAM4	$100 \pi^- p \rightarrow \pi^0 \pi^0 n$
323±13		BERTIN	98 OBLX	$0.05-0.405 \bar{n} p \rightarrow \pi^+ \pi^+ \pi^-$
350	14,15	TORNQVIST	95 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, K\pi, \eta\pi$
195±33		ARMSTRONG	91 OMEG	$300 \text{ } pp \rightarrow pp\pi\pi, pp\bar{K}\bar{K}$
285±60		BREAKSTONE	90 SFM	$62 \text{ } pp \rightarrow pp\pi^+ \pi^-$
460±50		AKESSON	86 SPEC	$63 \text{ } pp \rightarrow pp\pi^+ \pi^-$
~ 400	16	FROGGATT	77 RVUE	$\pi^+ \pi^- \text{ channel}$

¹⁴ Uses data from BEIER 72B, OCHS 73, HYAMS 73, GRAYER 74, ROSSELET 77, CASON 83, ASTON 88, and ARMSTRONG 91B. Coupled channel analysis with flavor symmetry and all light two-pseudoscalars systems.

¹⁵ Also observed by ASNER 00 in $\tau^- \rightarrow \pi^- \pi^0 \pi^0 \nu_\tau$ decays

¹⁶ Width defined as distance between 45 and 135° phase shift.

 $K\bar{K}$ MODE

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
250± 80		BOLONKIN	88 SPEC $40 \pi^- p \rightarrow K_S^0 K_S^0 n$
118 ⁺¹³⁸ ₋₁₆		ETKIN	82B MPS $23 \pi^- p \rightarrow n2K_S^0$
160± 30		WICKLUND	80 SPEC $6 \pi N \rightarrow K^+ K^- N$
~ 150		POLYCHRO...	79 STRC $7 \pi^- p \rightarrow n2K_S^0$

 4π MODE $2(\pi\pi)_S + \rho\rho$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
275±55		ABELE	01 CBAR $0.0 \bar{p}d \rightarrow \pi^- 4\pi^0 p$
375±61		AMSLER	94 CBAR $0.0 \bar{p}p \rightarrow \pi^+ \pi^- 3\pi^0$
398±26		ADAMO	93 OBLX $\bar{n}p \rightarrow 3\pi^+ 2\pi^-$
310±50		GASPERO	93 DBC $0.0 \bar{p}n \rightarrow 2\pi^+ 3\pi^-$

 $\eta\eta$ MODE

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
250		AMSLER	92 CBAR $0.0 \bar{p}p \rightarrow \pi^0 \eta\eta$
320±40		ALDE	86D GAM4 $100 \pi^- p \rightarrow n2\eta$

$f_0(1370)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \pi\pi$	seen
$\Gamma_2 4\pi$	seen
$\Gamma_3 4\pi^0$	seen
$\Gamma_4 2\pi^+ 2\pi^-$	seen
$\Gamma_5 \pi^+ \pi^- 2\pi^0$	seen
$\Gamma_6 \rho\rho$	dominant
$\Gamma_7 2(\pi\pi)_S$ -wave	seen
$\Gamma_8 \pi(1300)\pi$	
$\Gamma_9 a_1(1260)\pi$	
$\Gamma_{10} \eta\eta$	seen
$\Gamma_{11} K\bar{K}$	seen
$\Gamma_{12} \gamma\gamma$	seen
$\Gamma_{13} e^+ e^-$	not seen

$f_0(1370)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$

See $\gamma\gamma$ widths under $f_0(600)$ and MORGAN 90.

Γ_{12}

$\Gamma(e^+ e^-)$

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<20	90	VOROBYEV	88	$e^+ e^- \rightarrow \pi^0 \pi^0$

Γ_{13}

$f_0(1370)$ BRANCHING RATIOS

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
0.26 \pm 0.09	BUGG	96	RVUE
<0.15	17 AMSLER	94	CBAR $\bar{p}p \rightarrow \pi^+ \pi^- 3\pi^0$
<0.20	GASPERO	93	DBC 0.0 $\bar{p}n \rightarrow$ hadrons

17 Using AMSLER 95B ($3\pi^0$).

Γ_1/Γ

$\Gamma(4\pi)/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
0.80 \pm 0.04	GASPERO	93	DBC 0.0 $\bar{p}n \rightarrow$ hadrons

$\Gamma_2/\Gamma = (\Gamma_3 + \Gamma_4 + \Gamma_5)/\Gamma$

$\Gamma(4\pi^0)/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
seen	ABELE	96	CBAR 0.0 $\bar{p}p \rightarrow 5\pi^0$

Γ_3/Γ

$\Gamma(2\pi^+ 2\pi^-)/\Gamma(4\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.420 ± 0.014	18 GASPERO	93 DBC	0.0 $\bar{p}n \rightarrow 2\pi^+ 3\pi^-$
18 Model-dependent evaluation.			

$\Gamma(\pi^+ \pi^- 2\pi^0)/\Gamma(4\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.512 ± 0.019	19 GASPERO	93 DBC	0.0 $\bar{p}n \rightarrow$ hadrons
19 Model-dependent evaluation.			

$\Gamma(\rho\rho)/\Gamma(2(\pi\pi)s\text{-wave})$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
large	BARBERIS	00C	450 $p p \rightarrow p_f 4\pi p_s$
1.6 ± 0.2	AMSLER	94 CBAR	$\bar{p}p \rightarrow \pi^+ \pi^- 3\pi^0$
0.58 ± 0.16	GASPERO	93 DBC	0.0 $\bar{p}n \rightarrow 2\pi^+ 3\pi^-$

$\Gamma(2(\pi\pi)s\text{-wave})/\Gamma(4\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
5.6 ± 2.6	20 ABELE	01 CBAR	0.0 $\bar{p}d \rightarrow \pi^- 4\pi^0 p$

$\Gamma(2(\pi\pi)s\text{-wave})/\Gamma(4\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.51 ± 0.09	ABELE	01B CBAR	0.0 $\bar{p}n \rightarrow 5\pi$

$\Gamma(\rho\rho)/\Gamma(4\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.26 ± 0.07	ABELE	01B CBAR	0.0 $\bar{p}n \rightarrow 5\pi$

$\Gamma(\pi(1300)\pi)/\Gamma(4\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.17 ± 0.06	ABELE	01B CBAR	0.0 $\bar{p}n \rightarrow 5\pi$

$\Gamma(a_1(1260)\pi)/\Gamma(4\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.06 ± 0.02	ABELE	01B CBAR	0.0 $\bar{p}n \rightarrow 5\pi$

$\Gamma(K\bar{K})/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN
• • • We do not use the following data for averages, fits, limits, etc. • • •		
0.35 ± 0.13	BUGG	96 RVUE

$\Gamma(K\bar{K})/\Gamma(\pi\pi)$ Γ_{11}/Γ_1

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.46 \pm 0.15 \pm 0.11$	BARBERIS	99D OMEG 450 $p p \rightarrow K^+ K^-$, $\pi^+ \pi^-$	

 $\Gamma(\eta\eta)/\Gamma(4\pi)$ $\Gamma_{10}/\Gamma_2 = \Gamma_{10}/(\Gamma_3 + \Gamma_4 + \Gamma_5)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •		
$(4.7 \pm 2.0) \times 10^{-3}$	BARBERIS	00E 450 $p p \rightarrow p_f \eta \eta p_s$
20	From the combined data of ABELE 96 and ABELE 96C.	

f₀(1370) REFERENCES

ABELE	01	EPJ C19 667	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	01B	EPJ C21 261	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AITALA	01A	PRL 86 765	E.M. Aitala <i>et al.</i>	(FNAL E791 Collab.)
ASNER	00	PR D61 012002	D.M. Asner <i>et al.</i>	(CLEO Collab.)
BARBERIS	00C	PL B471 440	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	00E	PL B479 59	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	99B	PL B453 316	D. Barberis <i>et al.</i>	(Omega expt.)
BARBERIS	99D	PL B462 462	D. Barberis <i>et al.</i>	(Omega expt.)
BELLAZZINI	99	PL B467 296	R. Bellazzini <i>et al.</i>	
KAMINSKI	99	EPJ C9 141	R. Kaminski, L. Lesniak, B. Loiseau	(CRAC, PARIN)
ALDE	98	EPJ A3 361	D. Alde <i>et al.</i>	(GAM4 Collab.)
Also	99	PAN 62 405	D. Alde <i>et al.</i>	(GAMS Collab.)
		Translated from YAF 62 446.		
ANISOVICH	98B	UFN 41 419	V.V. Anisovich <i>et al.</i>	
BERTIN	98	PR D57 55	A. Bertin <i>et al.</i>	(OBELIX Collab.)
BARBERIS	97B	PL B413 217	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	96	PL B380 453	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	96B	PL B385 425	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	96C	NP A609 562	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BUGG	96	NP B471 59	D.V. Bugg, A.V. Sarantsev, B.S. Zou	(LOQM, PNPI)
AMSLER	95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95C	PL B353 571	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
JANSSEN	95	PR D52 2690	G. Janssen <i>et al.</i>	(STON, ADLD, JULI)
TORNQVIST	95	ZPHY C68 647	N.A. Tornqvist	(HELS)
AMSLER	94	PL B322 431	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.) JPC
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94	PL B323 233	V.V. Anisovich <i>et al.</i>	(Crystal Barrel Collab.) JPC
BUGG	94	PR D50 4412	D.V. Bugg <i>et al.</i>	(LOQM)
KAMINSKI	94	PR D50 3145	R. Kaminski, L. Lesniak, J.P. Maillet	(CRAC+)
ADAMO	93	NP A558 13C	A. Adamo <i>et al.</i>	(OBELIX Collab.) JPC
GASPERO	93	NP A562 407	M. Gaspero	(ROMAI) JPC
ZOU	93	PR D48 R3948	B.S. Zou, D.V. Bugg	(LOQM)
AMSLER	92	PL B291 347	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ARMSTRONG	91	ZPHY C51 351	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
ARMSTRONG	91B	ZPHY C52 389	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
BREAKSTONE	90	ZPHY C48 569	A.M. Breakstone <i>et al.</i>	(ISU, BGNA, CERN+)
MORGAN	90	ZPHY C48 623	D. Morgan, M.R. Pennington	(RAL, DURH)
ASTON	88	NP B296 493	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
BOLONKIN	88	NP B309 426	B.V. Bolonkin <i>et al.</i>	(ITEP, SERP)
FALVARD	88	PR D38 2706	A. Falvard <i>et al.</i>	(CLER, FRAS, LALO+)
VOROBIEV	88	SJNP 48 273	P.V. Vorobiev <i>et al.</i>	(NOVO)
		Translated from YAF 48 436.		

AU	87	PR D35 1633	K.L. Au, D. Morgan, M.R. Pennington (DURH, RAL)
AKESSON	86	NP B264 154	T. Akesson <i>et al.</i> (Axial Field Spec. Collab.)
ALDE	86D	NP B269 485	D.M. Alde <i>et al.</i> (BELG, LAPP, SERP, CERN+)
CASON	83	PR D28 1586	N.M. Cason <i>et al.</i> (NDAM, ANL)
ETKIN	82B	PR D25 1786	A. Etkin <i>et al.</i> (BNL, CUNY, TUFTS, VAND)
WICKLUND	80	PRL 45 1469	A.B. Wicklund <i>et al.</i> (ANL)
BECKER	79	NP B151 46	H. Becker <i>et al.</i> (MPIM, CERN, ZEEM, CRAC)
POLYCHRO...	79	PR D19 1317	V.A. Polychronakos <i>et al.</i> (NDAM, ANL)
FROGGATT	77	NP B129 89	C.D. Froggatt, J.L. Petersen (GLAS, NORD)
ROSSELET	77	PR D15 574	L. Rosselet <i>et al.</i> (GEVA, SACL)
GRAYER	74	NP B75 189	G. Grayer <i>et al.</i> (CERN, MPIM)
HYAMS	73	NP B64 134	B.D. Hyams <i>et al.</i> (CERN, MPIM)
OCHS	73	Thesis	W. Ochs (MPI, MUNI)
BEIER	72B	PRL 29 511	E.W. Beier <i>et al.</i> (PENN)

OTHER RELATED PAPERS

ANISOVICH	01H	EPJ A12 103	A.V. Anisovich, V.V. Anisovich, V.A. Nikonorov
KOPP	01	PR D63 092001	S. Kopp <i>et al.</i> (CLEO Collab.)
LI	01B	EPJ C19 529	D.-M. Li, H. Yu, Q.-X. Shen
SUROVTSEV	01	PR D63 054024	Y.S. Surovtsev, D. Krupa, M. Nagy
AKHMETSHIN	00C	PL B476 33	R.R. Akhmetshin <i>et al.</i> (Novosibirsk CMD-2 Collab.)
BEVEREN	00	PL B495 300	E. van Beveren, G. Rupp, M.D. Scadron
Also	01	PL B509 365 (erratum)	E. van Beveren, G. Rupp, M.D. Scadron
KAMINSKI	00	APP B31 895	R. Kaminski, L. Lesniak, K. Rybicki
SADOVSKY	00	NP A655 131c	S.A. Sadovsky
BEVEREN	99	EPJ C10 469	E. Van Beveren, G. Rupp
GODFREY	99	RMP 71 1411	S. Godfrey, J. Napolitano
ISHIDA	99	PTP 101 661	M. Ishida
MINKOWSKI	99	EPJ C9 283	P. Minkowski, W. Ochs
TORNQVIST	99	EPJ C11 359	N. Tornqvist
ACHASOV	98D	PAN 61 224	N.N. Achasov, V.V. Gubin
ACHASOV	98E	PR D58 054011	N.N. Achasov, G.N. Shestakov
AMSLER	98	RMP 70 1293	C. Amsler
ANISOVICH	98	PL B437 209	V.V. Anisovich <i>et al.</i>
BLACK	98	PR D58 054012	D. Black <i>et al.</i>
LOCHER	98	EPJ C4 317	M.P. Locher <i>et al.</i> (PSI)
NARISON	98	NP B509 312	S. Narison
ANISOVICH	97	PL B395 123	A.V. Anisovich, A.V. Sarantsev (PNPI)
ANISOVICH	97B	ZPHY A357 123	A.V. Anisovich <i>et al.</i> (PNPI)
ANISOVICH	97C	PL B413 137	A.V. Anisovich, A.V. Sarantsev
ANISOVICH	97E	PL B60 1892	A.V. Anisovich <i>et al.</i> (PNPI)
		Translated from YAF 60 2065.	
KAMINSKI	97	ZPHY C74 79	R. Kaminski, L. Lesniak, K. Rybicki (CRAC)
PROKOSHKIN	97	SPD 42 117	Y.D. Prokoshkin <i>et al.</i> (SERP)
		Translated from DANS 353 323.	
TORNQVIST	96	PRL 76 1575	N.A. Tornqvist, M. Roos (HELS)
GASPERO	95	NP A588 861	M. Gaspero (ROMA)
KLEMPPT	95	PL B361 160	E. Klemppt <i>et al.</i>
ZOU	94B	PR D50 591	B.S. Zou, D.V. Bugg (LOQM)
CLOSE	93A	PL B319 291	F.E. Close <i>et al.</i>
CLOSE	93B	NP B389 513	F.E. Close, N. Isgur, S. Kumano
MORGAN	93	PR D48 1185	D. Morgan, M.R. Pennington (RAL, DURH)
LI	91	PR D43 2161	Z.P. Li <i>et al.</i> (TENN)
BARNES	85	PL B165 434	T. Barnes
BIZZARRI	69	NP B14 169	R. Bizzarri <i>et al.</i> (CERN, CDEF)
BETTINI	66	NC 42A 695	A. Bettini <i>et al.</i> (PADO, PISA)
