

J/ ψ (1S) $I^G(J^{PC}) = 0^-(1^{--})$ **J/ ψ (1S) MASS**

<i>VALUE (MeV)</i>	<i>EVTS</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
3096.87±0.04 OUR AVERAGE				
3096.89±0.09	502	¹ ARTAMONOV 00	OLYA	$e^+ e^- \rightarrow$ hadrons
3096.87±0.03±0.03		ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+ e^-$
3096.95±0.1 ±0.3	193	BAGLIN	87	SPEC $\bar{p}p \rightarrow e^+ e^- X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3097.5 ±0.3		GRIBUSHIN	96	FMPS 515 $\pi^- Be \rightarrow 2\mu X$
3098.4 ±2.0	38k	LEMOIGNE	82	GOLI 190 $\pi^- Be \rightarrow 2\mu$
3096.93±0.09	502	² ZHOLENTZ	80	REDE $e^+ e^-$
3097.0 ±1		³ BRANDELIK	79c	DASP $e^+ e^-$

¹ Reanalysis of ZHOLENTZ 80 using new electron mass (COHEN 87) and radiative corrections (KURAEV 85).

² Superseded by ARTAMONOV 00.

³ From a simultaneous fit to $e^+ e^-$, $\mu^+ \mu^-$ and hadronic channels assuming $\Gamma(e^+ e^-) = \Gamma(\mu^+ \mu^-)$.

J/ ψ (1S) WIDTH

<i>VALUE (keV)</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
87 ± 5 OUR AVERAGE			
84.4± 8.9	BAI	95B BES	$e^+ e^-$
99 ±12 ±6	ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+ e^-$
85.5± 6.1 5.8	⁴ HSUEH	92 RVUE	See γ mini-review

⁴ Using data from COFFMAN 92, BALDINI-CELIO 75, BOYARSKI 75, ESPOSITO 75B, BRANDELIK 79c.

J/ ψ (1S) DECAY MODES

<i>Mode</i>	<i>Fraction (Γ_i/Γ)</i>	<i>Scale factor/ Confidence level</i>
Γ_1 hadrons	(87.7 ±0.5) %	
Γ_2 virtual $\gamma \rightarrow$ hadrons	(17.0 ±2.0) %	
Γ_3 $e^+ e^-$	(5.93±0.10) %	
Γ_4 $\mu^+ \mu^-$	(5.88±0.10) %	

Decays involving hadronic resonances

Γ_5	$\rho\pi$	(1.27 ± 0.09) %
Γ_6	$\rho^0\pi^0$	(4.2 ± 0.5) $\times 10^{-3}$
Γ_7	$a_2(1320)\rho$	(1.09 ± 0.22) %
Γ_8	$\omega\pi^+\pi^+\pi^-\pi^-$	(8.5 ± 3.4) $\times 10^{-3}$
Γ_9	$\omega\pi^+\pi^-$	(7.2 ± 1.0) $\times 10^{-3}$
Γ_{10}	$\omega f_2(1270)$	(4.3 ± 0.6) $\times 10^{-3}$
Γ_{11}	$K^*(892)^0\bar{K}_2^*(1430)^0 + \text{c.c.}$	(6.7 ± 2.6) $\times 10^{-3}$
Γ_{12}	$\omega K^*(892)\bar{K} + \text{c.c.}$	(5.3 ± 2.0) $\times 10^{-3}$
Γ_{13}	$K^+\bar{K}^*(892)^- + \text{c.c.}$	(5.0 ± 0.4) $\times 10^{-3}$
Γ_{14}	$K^0\bar{K}^*(892)^0 + \text{c.c.}$	(4.2 ± 0.4) $\times 10^{-3}$
Γ_{15}	$K_1(1400)^\pm K^\mp$	(3.8 ± 1.4) $\times 10^{-3}$
Γ_{16}	$\omega\pi^0\pi^0$	(3.4 ± 0.8) $\times 10^{-3}$
Γ_{17}	$b_1(1235)^\pm\pi^\mp$	[a] (3.0 ± 0.5) $\times 10^{-3}$
Γ_{18}	$\omega K^\pm K_S^0\pi^\mp$	[a] (2.9 ± 0.7) $\times 10^{-3}$
Γ_{19}	$b_1(1235)^0\pi^0$	(2.3 ± 0.6) $\times 10^{-3}$
Γ_{20}	$\phi K^*(892)\bar{K} + \text{c.c.}$	(2.04 ± 0.28) $\times 10^{-3}$
Γ_{21}	$\omega K\bar{K}$	(1.9 ± 0.4) $\times 10^{-3}$
Γ_{22}	$\omega f_0(1710) \rightarrow \omega K\bar{K}$	(4.8 ± 1.1) $\times 10^{-4}$
Γ_{23}	$\phi 2(\pi^+\pi^-)$	(1.60 ± 0.32) $\times 10^{-3}$
Γ_{24}	$\Delta(1232)^{++}\bar{p}\pi^-$	(1.6 ± 0.5) $\times 10^{-3}$
Γ_{25}	$\omega\eta$	(1.58 ± 0.16) $\times 10^{-3}$
Γ_{26}	$\phi K\bar{K}$	(1.48 ± 0.22) $\times 10^{-3}$
Γ_{27}	$\phi f_0(1710) \rightarrow \phi K\bar{K}$	(3.6 ± 0.6) $\times 10^{-4}$
Γ_{28}	$p\bar{p}\omega$	(1.30 ± 0.25) $\times 10^{-3}$
Γ_{29}	$\Delta(1232)^{++}\bar{\Delta}(1232)^{--}$	(1.10 ± 0.29) $\times 10^{-3}$
Γ_{30}	$\Sigma(1385)^-\bar{\Sigma}(1385)^+ (\text{or c.c.})$	[a] (1.03 ± 0.13) $\times 10^{-3}$
Γ_{31}	$p\bar{p}\eta'(958)$	(9 ± 4) $\times 10^{-4}$
Γ_{32}	$\phi f'_2(1525)$	(8 ± 4) $\times 10^{-4}$
Γ_{33}	$\phi\pi^+\pi^-$	(8.0 ± 1.2) $\times 10^{-4}$
Γ_{34}	$\phi K^\pm K_S^0\pi^\mp$	[a] (7.2 ± 0.9) $\times 10^{-4}$
Γ_{35}	$\omega f_1(1420)$	(6.8 ± 2.4) $\times 10^{-4}$
Γ_{36}	$\phi\eta$	(6.5 ± 0.7) $\times 10^{-4}$
Γ_{37}	$\Xi(1530)^-\bar{\Xi}^+$	(5.9 ± 1.5) $\times 10^{-4}$
Γ_{38}	$pK^-\bar{\Sigma}(1385)^0$	(5.1 ± 3.2) $\times 10^{-4}$
Γ_{39}	$\omega\pi^0$	(4.2 ± 0.6) $\times 10^{-4}$
Γ_{40}	$\phi\eta'(958)$	(3.3 ± 0.4) $\times 10^{-4}$
Γ_{41}	$\phi f_0(980)$	(3.2 ± 0.9) $\times 10^{-4}$
Γ_{42}	$\Xi(1530)^0\bar{\Xi}^0$	(3.2 ± 1.4) $\times 10^{-4}$
Γ_{43}	$\Sigma(1385)^-\bar{\Sigma}^+ (\text{or c.c.})$	[a] (3.1 ± 0.5) $\times 10^{-4}$
Γ_{44}	$\phi f_1(1285)$	(2.6 ± 0.5) $\times 10^{-4}$
Γ_{45}	$\rho\eta$	(1.93 ± 0.23) $\times 10^{-4}$
Γ_{46}	$\omega\eta'(958)$	(1.67 ± 0.25) $\times 10^{-4}$
Γ_{47}	$\omega f_0(980)$	(1.4 ± 0.5) $\times 10^{-4}$

Γ_{48}	$\rho\eta'(958)$	$(1.05 \pm 0.18) \times 10^{-4}$	
Γ_{49}	$p\bar{p}\phi$	$(4.5 \pm 1.5) \times 10^{-5}$	
Γ_{50}	$a_2(1320)^{\pm}\pi^{\mp}$	[a] < 4.3 $\times 10^{-3}$	CL=90%
Γ_{51}	$K\bar{K}_2^*(1430) + \text{c.c.}$	< 4.0 $\times 10^{-3}$	CL=90%
Γ_{52}	$K_1(1270)^{\pm}K^{\mp}$	< 3.0 $\times 10^{-3}$	CL=90%
Γ_{53}	$K_2^*(1430)^0\bar{K}_2^*(1430)^0$	< 2.9 $\times 10^{-3}$	CL=90%
Γ_{54}	$K^*(892)^0\bar{K}^*(892)^0$	< 5 $\times 10^{-4}$	CL=90%
Γ_{55}	$\phi f_2(1270)$	< 3.7 $\times 10^{-4}$	CL=90%
Γ_{56}	$p\bar{p}\rho$	< 3.1 $\times 10^{-4}$	CL=90%
Γ_{57}	$\phi\eta(1440) \rightarrow \phi\eta\pi\pi$	< 2.5 $\times 10^{-4}$	CL=90%
Γ_{58}	$\omega f_2'(1525)$	< 2.2 $\times 10^{-4}$	CL=90%
Γ_{59}	$\Sigma(1385)^0\bar{\Lambda}$	< 2 $\times 10^{-4}$	CL=90%
Γ_{60}	$\Delta(1232)^+\bar{\rho}$	< 1 $\times 10^{-4}$	CL=90%
Γ_{61}	$\Sigma^0\bar{\Lambda}$	< 9 $\times 10^{-5}$	CL=90%
Γ_{62}	$\phi\pi^0$	< 6.8 $\times 10^{-6}$	CL=90%

Decays into stable hadrons

Γ_{63}	$2(\pi^+\pi^-)\pi^0$	$(3.37 \pm 0.26) \%$	
Γ_{64}	$3(\pi^+\pi^-)\pi^0$	$(2.9 \pm 0.6) \%$	
Γ_{65}	$\pi^+\pi^-\pi^0$	$(1.50 \pm 0.20) \%$	
Γ_{66}	$\pi^+\pi^-\pi^0K^+K^-$	$(1.20 \pm 0.30) \%$	
Γ_{67}	$4(\pi^+\pi^-)\pi^0$	$(9.0 \pm 3.0) \times 10^{-3}$	
Γ_{68}	$\pi^+\pi^-K^+K^-$	$(7.2 \pm 2.3) \times 10^{-3}$	
Γ_{69}	$K\bar{K}\pi$	$(6.1 \pm 1.0) \times 10^{-3}$	
Γ_{70}	$p\bar{p}\pi^+\pi^-$	$(6.0 \pm 0.5) \times 10^{-3}$	S=1.3
Γ_{71}	$2(\pi^+\pi^-)$	$(4.0 \pm 1.0) \times 10^{-3}$	
Γ_{72}	$3(\pi^+\pi^-)$	$(4.0 \pm 2.0) \times 10^{-3}$	
Γ_{73}	$n\bar{n}\pi^+\pi^-$	$(4 \pm 4) \times 10^{-3}$	
Γ_{74}	$\Sigma^0\bar{\Sigma}^0$	$(1.27 \pm 0.17) \times 10^{-3}$	
Γ_{75}	$2(\pi^+\pi^-)K^+K^-$	$(3.1 \pm 1.3) \times 10^{-3}$	
Γ_{76}	$p\bar{p}\pi^+\pi^-\pi^0$	[b] $(2.3 \pm 0.9) \times 10^{-3}$	S=1.9
Γ_{77}	$p\bar{p}$	$(2.12 \pm 0.10) \times 10^{-3}$	
Γ_{78}	$p\bar{p}\eta$	$(2.09 \pm 0.18) \times 10^{-3}$	
Γ_{79}	$p\bar{n}\pi^-$	$(2.00 \pm 0.10) \times 10^{-3}$	
Γ_{80}	$n\bar{n}$	$(2.2 \pm 0.4) \times 10^{-3}$	
Γ_{81}	$\Xi\bar{\Xi}$	$(1.8 \pm 0.4) \times 10^{-3}$	S=1.8
Γ_{82}	$\Lambda\bar{\Lambda}$	$(1.30 \pm 0.12) \times 10^{-3}$	S=1.1
Γ_{83}	$p\bar{p}\pi^0$	$(1.09 \pm 0.09) \times 10^{-3}$	
Γ_{84}	$\Lambda\bar{\Sigma}^-\pi^+(\text{or c.c.})$	[a] $(1.06 \pm 0.12) \times 10^{-3}$	
Γ_{85}	$pK^-\bar{\Lambda}$	$(8.9 \pm 1.6) \times 10^{-4}$	
Γ_{86}	$2(K^+K^-)$	$(7.0 \pm 3.0) \times 10^{-4}$	
Γ_{87}	$pK^-\bar{\Sigma}^0$	$(2.9 \pm 0.8) \times 10^{-4}$	
Γ_{88}	K^+K^-	$(2.37 \pm 0.31) \times 10^{-4}$	
Γ_{89}	$\Lambda\bar{\Lambda}\pi^0$	$(2.2 \pm 0.6) \times 10^{-4}$	

Γ_{90}	$\pi^+ \pi^-$	$(1.47 \pm 0.23) \times 10^{-4}$	
Γ_{91}	$K_S^0 K_L^0$	$(1.08 \pm 0.14) \times 10^{-4}$	
Γ_{92}	$\Lambda \bar{\Sigma} + \text{c.c.}$	$< 1.5 \times 10^{-4}$	CL=90%
Γ_{93}	$K_S^0 K_S^0$	$< 5.2 \times 10^{-6}$	CL=90%

Radiative decays

Γ_{94}	$\gamma \eta_c(1S)$	$(1.3 \pm 0.4) \%$	
Γ_{95}	$\gamma \pi^+ \pi^- 2\pi^0$	$(8.3 \pm 3.1) \times 10^{-3}$	
Γ_{96}	$\gamma \eta \pi \pi$	$(6.1 \pm 1.0) \times 10^{-3}$	
Γ_{97}	$\gamma \eta(1440) \rightarrow \gamma K \bar{K} \pi$	$[c] (9.7 \pm 1.7) \times 10^{-4}$	
Γ_{98}	$\gamma \eta(1440) \rightarrow \gamma \gamma \rho^0$	$(6.4 \pm 1.4) \times 10^{-5}$	
Γ_{99}	$\gamma \eta(1440) \rightarrow \gamma \eta \pi^+ \pi^-$	$(3.0 \pm 0.5) \times 10^{-4}$	
Γ_{100}	$\gamma \rho \rho$	$(4.5 \pm 0.8) \times 10^{-3}$	
Γ_{101}	$\gamma \eta_2(1870) \rightarrow \gamma \pi^+ \pi^-$	$(6.2 \pm 2.4) \times 10^{-4}$	
Γ_{102}	$\gamma \eta'(958)$	$(4.31 \pm 0.30) \times 10^{-3}$	
Γ_{103}	$\gamma 2\pi^+ 2\pi^-$	$(2.8 \pm 0.5) \times 10^{-3}$	S=1.9
Γ_{104}	$\gamma K^+ K^- \pi^+ \pi^-$	$(2.1 \pm 0.6) \times 10^{-3}$	
Γ_{105}	$\gamma f_4(2050)$	$(2.7 \pm 0.7) \times 10^{-3}$	
Γ_{106}	$\gamma \omega \omega$	$(1.59 \pm 0.33) \times 10^{-3}$	
Γ_{107}	$\gamma \eta(1440) \rightarrow \gamma \rho^0 \rho^0$	$(1.7 \pm 0.4) \times 10^{-3}$	S=1.3
Γ_{108}	$\gamma f_2(1270)$	$(1.38 \pm 0.14) \times 10^{-3}$	
Γ_{109}	$\gamma f_0(1710) \rightarrow \gamma K \bar{K}$	$(8.5 \pm 1.2) \times 10^{-4}$	S=1.2
Γ_{110}	$\gamma f_0(1710) \rightarrow \gamma \pi \pi$		
Γ_{111}	$\gamma \eta$	$(8.6 \pm 0.8) \times 10^{-4}$	
Γ_{112}	$\gamma f_1(1420) \rightarrow \gamma K \bar{K} \pi$	$(7.9 \pm 1.3) \times 10^{-4}$	
Γ_{113}	$\gamma f_1(1285)$	$(6.1 \pm 0.8) \times 10^{-4}$	
Γ_{114}	$\gamma f_1(1510) \rightarrow \gamma \eta \pi^+ \pi^-$	$(4.5 \pm 1.2) \times 10^{-4}$	
Γ_{115}	$\gamma f'_2(1525)$	$(4.7 \pm 0.7) \times 10^{-4}$	
Γ_{116}	$\gamma f_2(1950) \rightarrow \gamma K^*(892) \bar{K}^*(892)$	$(7.0 \pm 2.2) \times 10^{-4}$	
Γ_{117}	$\gamma K^*(892) \bar{K}^*(892)$	$(4.0 \pm 1.3) \times 10^{-3}$	
Γ_{118}	$\gamma \phi \phi$	$(4.0 \pm 1.2) \times 10^{-4}$	S=2.1
Γ_{119}	$\gamma p \bar{p}$	$(3.8 \pm 1.0) \times 10^{-4}$	
Γ_{120}	$\gamma \eta(2225)$	$(2.9 \pm 0.6) \times 10^{-4}$	
Γ_{121}	$\gamma \eta(1760) \rightarrow \gamma \rho^0 \rho^0$	$(1.3 \pm 0.9) \times 10^{-4}$	
Γ_{122}	$\gamma(K \bar{K} \pi)_{JPC=0} - +$	$(7 \pm 4) \times 10^{-4}$	S=2.1
Γ_{123}	$\gamma \pi^0$	$(3.9 \pm 1.3) \times 10^{-5}$	
Γ_{124}	$\gamma p \bar{p} \pi^+ \pi^-$	$< 7.9 \times 10^{-4}$	CL=90%
Γ_{125}	$\gamma \gamma$	$< 5 \times 10^{-4}$	CL=90%
Γ_{126}	$\gamma \Lambda \bar{\Lambda}$	$< 1.3 \times 10^{-4}$	CL=90%
Γ_{127}	3γ	$< 5.5 \times 10^{-5}$	CL=90%
Γ_{128}	$\gamma f_0(2200)$		
Γ_{129}	$\gamma f_J(2220)$	$> 2.50 \times 10^{-3}$	CL=99.9%

Γ_{130}	$\gamma f_J(2220) \rightarrow \gamma\pi\pi$	$(8 \pm 4) \times 10^{-5}$
Γ_{131}	$\gamma f_J(2220) \rightarrow \gamma K\bar{K}$	$(8.1 \pm 3.0) \times 10^{-5}$
Γ_{132}	$\gamma f_J(2220) \rightarrow \gamma p\bar{p}$	$(1.5 \pm 0.8) \times 10^{-5}$
Γ_{133}	$\gamma f_0(1500)$	$<(5.7 \pm 0.8) \times 10^{-4}$
Γ_{134}	γe^+e^-	$(8.8 \pm 1.4) \times 10^{-3}$

[a] The value is for the sum of the charge states or particle/antiparticle states indicated.

[b] Includes $p\bar{p}\pi^+\pi^-\gamma$ and excludes $p\bar{p}\eta$, $p\bar{p}\omega$, $p\bar{p}\eta'$.

[c] See the "Note on the $\eta(1440)$ " in the $\eta(1440)$ Particle Listings.

J/ ψ (1S) PARTIAL WIDTHS

$\Gamma(\text{hadrons})$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT	Γ_1
• • • We do not use the following data for averages, fits, limits, etc. • • •				
74.1 \pm 8.1	BAI	95B BES	e^+e^-	
59 \pm 24	BALDINI-...	75 FRAG	e^+e^-	
59 \pm 14	BOYARSKI	75 MRK1	e^+e^-	
50 \pm 25	ESPOSITO	75B FRAM	e^+e^-	

$\Gamma(\text{virtual } \gamma \rightarrow \text{hadrons})$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT	Γ_2
12 \pm 2	⁵ BOYARSKI	75	MRK1 e^+e^-	

⁵ Included in $\Gamma(\text{hadrons})$.

$\Gamma(e^+e^-)$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT	Γ_3
5.14 \pm 0.31 OUR NEW EVALUATION				[5.26 ± 0.37 keV OUR 2002 EVALUATION]
• • • We do not use the following data for averages, fits, limits, etc. • • •				
5.14 \pm 0.39	BAI	95B BES	e^+e^-	
5.36 $^{+0.29}_{-0.28}$	⁶ HSUEH	92 RVUE	See γ mini-review	
4.72 \pm 0.35	ALEXANDER	89 RVUE	See γ mini-review	
4.4 \pm 0.6	⁶ BRANDELIK	79C DASP	e^+e^-	
4.6 \pm 0.8	⁷ BALDINI-...	75 FRAG	e^+e^-	
4.8 \pm 0.6	BOYARSKI	75 MRK1	e^+e^-	
4.6 \pm 1.0	ESPOSITO	75B FRAM	e^+e^-	

⁶ From a simultaneous fit to e^+e^- , $\mu^+\mu^-$, and hadronic channels assuming $\Gamma(e^+e^-) = \Gamma(\mu^+\mu^-)$.

⁷ Assuming equal partial widths for e^+e^- and $\mu^+\mu^-$.

$\Gamma(\mu^+\mu^-)$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT	Γ_4
• • • We do not use the following data for averages, fits, limits, etc. • • •				
5.13 \pm 0.52	BAI	95B BES	e^+e^-	
4.8 \pm 0.6	BOYARSKI	75 MRK1	e^+e^-	
5 \pm 1	ESPOSITO	75B FRAM	e^+e^-	

$\Gamma(\gamma\gamma)$				Γ_{125}
<u>VALUE (eV)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<5.4	90	BRANDELIK	79C DASP	$e^+ e^-$

$J/\psi(1S) \Gamma(i)\Gamma(e^+ e^-)/\Gamma(\text{total})$

This combination of a partial width with the partial width into $e^+ e^-$ and with the total width is obtained from the integrated cross section into channel i in the $e^+ e^-$ annihilation.

$\Gamma(\text{hadrons}) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$				$\Gamma_1\Gamma_3/\Gamma$
<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
4 ± 0.8	⁸ BALDINI-...	75 FRAG	$e^+ e^-$	
3.9 ± 0.8	⁸ ESPOSITO	75B FRAM	$e^+ e^-$	

$\Gamma(e^+ e^-) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$				$\Gamma_3\Gamma_3/\Gamma$
<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.35 ± 0.02	BRANDELIK	79C DASP	$e^+ e^-$	
0.32 ± 0.07	⁸ BALDINI-...	75 FRAG	$e^+ e^-$	
0.34 ± 0.09	⁸ ESPOSITO	75B FRAM	$e^+ e^-$	
0.36 ± 0.10	⁸ FORD	75 SPEC	$e^+ e^-$	

$\Gamma(\mu^+ \mu^-) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$				$\Gamma_4\Gamma_3/\Gamma$
<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.51 ± 0.09	DASP	75 DASP	$e^+ e^-$	
0.38 ± 0.05	⁸ ESPOSITO	75B FRAM	$e^+ e^-$	

$\Gamma(p\bar{p}) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$				$\Gamma_{77}\Gamma_3/\Gamma$
<u>VALUE (eV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
9.7 ± 1.7	⁹ ARMSTRONG	93B E760	$\bar{p}p \rightarrow e^+ e^-$	

⁸ Data redundant with branching ratios or partial widths above.

⁹ Using $\Gamma_{\text{total}} = 85.5^{+6.1}_{-5.8}$ MeV.

$J/\psi(1S)$ BRANCHING RATIOS

For the first four branching ratios, see also the partial widths, and (partial widths) $\times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$ above.

$\Gamma(\text{hadrons})/\Gamma_{\text{total}}$				Γ_1/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.877 ± 0.005 OUR AVERAGE				
0.878 ± 0.005	BAI	95B BES	$e^+ e^-$	
0.86 ± 0.02	BOYARSKI	75 MRK1	$e^+ e^-$	

$\Gamma(\text{virtual } \gamma \rightarrow \text{hadrons})/\Gamma_{\text{total}}$ Γ_2/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.17 ±0.02	10 BOYARSKI	75 MRK1	$e^+ e^-$

10 Included in $\Gamma(\text{hadrons})/\Gamma_{\text{total}}$. $\Gamma(e^+ e^-)/\Gamma_{\text{total}}$ Γ_3/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0593±0.0010 OUR AVERAGE			
0.0590±0.0005±0.0010	BAI	98D BES	$\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
0.0609±0.0033	BAI	95B BES	$e^+ e^-$
0.0592±0.0015±0.0020	COFFMAN	92 MRK3	$\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
0.069 ±0.009	BOYARSKI	75 MRK1	$e^+ e^-$

 $\Gamma(\mu^+ \mu^-)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0588±0.0010 OUR AVERAGE			
0.0584±0.0006±0.0010	BAI	98D BES	$\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
0.0608±0.0033	BAI	95B BES	$e^+ e^-$
0.0590±0.0015±0.0019	COFFMAN	92 MRK3	$\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
0.069 ±0.009	BOYARSKI	75 MRK1	$e^+ e^-$

 $\Gamma(e^+ e^-)/\Gamma(\mu^+ \mu^-)$ Γ_3/Γ_4

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1.00±0.07	BAI	95B BES	$e^+ e^-$
1.00±0.05	BOYARSKI	75 MRK1	$e^+ e^-$
0.91±0.15	ESPOSITO	75B FRAM	$e^+ e^-$
0.93±0.10	FORD	75 SPEC	$e^+ e^-$

HADRONIC DECAYS $\Gamma(\rho\pi)/\Gamma_{\text{total}}$ Γ_5/Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0127±0.0009 OUR AVERAGE				
0.0121±0.0020		BAI	96D BES	$e^+ e^- \rightarrow \rho\pi$
0.0142±0.0001±0.0019		COFFMAN	88 MRK3	$e^+ e^-$
0.013 ±0.003	150	FRANKLIN	83 MRK2	$e^+ e^-$
0.016 ±0.004	183	ALEXANDER	78 PLUT	$e^+ e^-$
0.0133±0.0021		BRANDELIK	78B DASP	$e^+ e^-$
0.010 ±0.002	543	BARTEL	76 CNTR	$e^+ e^-$
0.013 ±0.003	153	JEAN-MARIE	76 MRK1	$e^+ e^-$

 $\Gamma(\rho^0\pi^0)/\Gamma(\rho\pi)$ Γ_6/Γ_5

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.328±0.005±0.027	COFFMAN	88 MRK3	$e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.35 ±0.08	ALEXANDER	78 PLUT	$e^+ e^-$
0.32 ±0.08	BRANDELIK	78B DASP	$e^+ e^-$
0.39 ±0.11	BARTEL	76 CNTR	$e^+ e^-$
0.37 ±0.09	JEAN-MARIE	76 MRK1	$e^+ e^-$

$\Gamma(a_2(1320)\rho)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
10.9 ± 2.2 OUR AVERAGE	
$11.7 \pm 0.7 \pm 2.5$	7584
8.4 ± 4.5	36

 Γ_7/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
AUGUSTIN 89	DM2	$J/\psi \rightarrow \rho^0 \rho^\pm \pi^\mp$
VANNUCCI 77	MRK1	$e^+ e^- \rightarrow 2(\pi^+ \pi^-) \pi^0$

 $\Gamma(\omega\pi^+\pi^+\pi^-\pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
85 ± 34	140

 Γ_8/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
VANNUCCI 77	MRK1	$e^+ e^- \rightarrow 3(\pi^+ \pi^-) \pi^0$

 $\Gamma(\omega\pi^+\pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
7.2 ± 1.0 OUR AVERAGE	
7.0 ± 1.6	18058
7.8 ± 1.6	215
6.8 ± 1.9	348

 Γ_9/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
AUGUSTIN 89	DM2	$J/\psi \rightarrow 2(\pi^+ \pi^-) \pi^0$
BURMESTER 77D	PLUT	$e^+ e^-$
VANNUCCI 77	MRK1	$e^+ e^- \rightarrow 2(\pi^+ \pi^-) \pi^0$

 $\Gamma(\omega\pi^+\pi^-)/\Gamma(2(\pi^+\pi^-)\pi^0)$

<u>VALUE</u>

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.3	11 JEAN-MARIE 76	MRK1	$e^+ e^-$
-----	------------------	------	-----------

11 Final state $(\pi^+ \pi^-) \pi^0$ under the assumption that $\pi\pi$ is isospin 0.

 $\Gamma(K^*(892)^0 \bar{K}_2^*(1430)^0 + \text{c.c.})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
67 ± 26	40

 Γ_{11}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
VANNUCCI 77	MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$

 $\Gamma(\omega K^*(892) \bar{K} + \text{c.c.})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
$53 \pm 14 \pm 14$	530 ± 140

 Γ_{12}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BECKER 87	MRK3	$e^+ e^- \rightarrow \text{hadrons}$

 $\Gamma(\omega f_2(1270))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
4.3 ± 0.6 OUR AVERAGE	

$4.3 \pm 0.2 \pm 0.6$	5860
4.0 ± 1.6	70

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.9 ± 0.8	81
---------------	----

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

 $\Gamma(K^+ \bar{K}^*(892)^- + \text{c.c.})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
5.0 ± 0.4 OUR AVERAGE	

$4.57 \pm 0.17 \pm 0.70$	2285
$5.26 \pm 0.13 \pm 0.53$	

 Γ_{10}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
JOUSSET 90	DM2	$J/\psi \rightarrow \text{hadrons}$
COFFMAN 88	MRK3	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp, K^+ K^- \pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.6 ± 0.6	24	FRANKLIN	83	MRK2	$J/\psi \rightarrow K^+ K^- \pi^0$
3.2 ± 0.6	48	VANNUCCI	77	MRK1	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$
4.1 ± 1.2	39	BRAUNSCH...	76	DASP	$J/\psi \rightarrow K^\pm X$

$\Gamma(K^0 \bar{K}^*(892)^0 + \text{c.c.})/\Gamma_{\text{total}}$

VALUE (units 10^{-3}) EVTS

4.2 ± 0.4 OUR AVERAGE

$3.96 \pm 0.15 \pm 0.60$ 1192

$4.33 \pm 0.12 \pm 0.45$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.7 ± 0.6 45 VANNUCCI 77 MRK1 $J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$

Γ_{14}/Γ

DOCUMENT ID TECN COMMENT

$\Gamma(K^0 \bar{K}^*(892)^0 + \text{c.c.})/\Gamma(K^+ \bar{K}^*(892)^- + \text{c.c.})$

VALUE

0.82 ± 0.05 ± 0.09

DOCUMENT ID TECN COMMENT

COFFMAN 88 MRK3 $J/\psi \rightarrow K \bar{K}^*(892)^0 + \text{c.c.}$

Γ_{14}/Γ_{13}

$\Gamma(K_1(1400)^\pm K^\mp)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})

3.8 ± 0.8 ± 1.2

DOCUMENT ID TECN COMMENT

12 BAI 99C BES $e^+ e^-$

¹² Assuming $B(K_1(1400) \rightarrow K^* \pi) = 0.94 \pm 0.06$

Γ_{15}/Γ

$\Gamma(\omega \pi^0 \pi^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-3}) EVTS

3.4 ± 0.3 ± 0.7 509

DOCUMENT ID TECN COMMENT

AUGUSTIN 89 DM2 $J/\psi \rightarrow \pi^+ \pi^- 3\pi^0$

Γ_{16}/Γ

$\Gamma(b_1(1235)^\pm \pi^\mp)/\Gamma_{\text{total}}$

VALUE (units 10^{-4}) EVTS

30 ± 5 OUR AVERAGE

31 ± 6 4600

29 ± 7 87

DOCUMENT ID TECN COMMENT

AUGUSTIN 89 DM2 $J/\psi \rightarrow 2(\pi^+ \pi^-) \pi^0$
BURMESTER 77D PLUT $e^+ e^-$

Γ_{17}/Γ

$\Gamma(\omega K^\pm K_S^0 \pi^\mp)/\Gamma_{\text{total}}$

VALUE (units 10^{-4}) EVTS

29.5 ± 1.4 ± 7.0 879 ± 41

DOCUMENT ID TECN COMMENT

BECKER 87 MRK3 $e^+ e^- \rightarrow \text{hadrons}$

Γ_{18}/Γ

$\Gamma(b_1(1235)^0 \pi^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-4}) EVTS

23 ± 3 ± 5 229

DOCUMENT ID TECN COMMENT

AUGUSTIN 89 DM2 $e^+ e^-$

Γ_{19}/Γ

$\Gamma(\phi K^*(892) \bar{K} + \text{c.c.})/\Gamma_{\text{total}}$

VALUE (units 10^{-4}) EVTS

20.4 ± 2.8 OUR AVERAGE

$20.7 \pm 2.4 \pm 3.0$

$20 \pm 3 \pm 3$ 155 ± 20

DOCUMENT ID TECN COMMENT

FALVARD 88 DM2 $J/\psi \rightarrow \text{hadrons}$
BECKER 87 MRK3 $e^+ e^- \rightarrow \text{hadrons}$

Γ_{20}/Γ

$\Gamma(\omega K\bar{K})/\Gamma_{\text{total}}$ Γ_{21}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
19 \pm 4 OUR AVERAGE				
19.8 \pm 2.1 \pm 3.9		¹³ FALVARD	88	DM2 $J/\psi \rightarrow$ hadrons
16 \pm 10	22	FELDMAN	77	MRK1 $e^+ e^-$
13 Addition of $\omega K^+ K^-$ and $\omega K^0 \bar{K}^0$ branching ratios.				

 $\Gamma(\omega f_0(1710) \rightarrow \omega K\bar{K})/\Gamma_{\text{total}}$ Γ_{22}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.8 \pm 1.1 \pm 0.3				
		^{14,15} FALVARD	88	DM2 $J/\psi \rightarrow$ hadrons
14 Includes unknown branching fraction $f_0(1710) \rightarrow K\bar{K}$.				
15 Addition of $f_0(1710) \rightarrow K^+ K^-$ and $f_0(1710) \rightarrow K^0 \bar{K}^0$ branching ratios.				

 $\Gamma(\phi 2(\pi^+ \pi^-))/\Gamma_{\text{total}}$ Γ_{23}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
16.0 \pm 1.0 \pm 3.0				
		FALVARD	88	DM2 $J/\psi \rightarrow$ hadrons

 $\Gamma(\Delta(1232)^{++} \bar{p}\pi^-)/\Gamma_{\text{total}}$ Γ_{24}/Γ

<u>VALUE</u> (units 10^{-3})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.58 \pm 0.23 \pm 0.40				
	332	EATON	84	MRK2 $e^+ e^-$

 $\Gamma(\omega \eta)/\Gamma_{\text{total}}$ Γ_{25}/Γ

<u>VALUE</u> (units 10^{-3})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.58 \pm 0.16 OUR AVERAGE				
1.43 \pm 0.10 \pm 0.21	378	JOUSSET	90	DM2 $J/\psi \rightarrow$ hadrons
1.71 \pm 0.08 \pm 0.20		COFFMAN	88	MRK3 $e^+ e^- \rightarrow 3\pi\eta$

 $\Gamma(\phi K\bar{K})/\Gamma_{\text{total}}$ Γ_{26}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
14.8 \pm 2.2 OUR AVERAGE				
14.6 \pm 0.8 \pm 2.1		¹⁶ FALVARD	88	DM2 $J/\psi \rightarrow$ hadrons
18 \pm 8	14	FELDMAN	77	MRK1 $e^+ e^-$
16 Addition of $\phi K^+ K^-$ and $\phi K^0 \bar{K}^0$ branching ratios.				

 $\Gamma(\phi f_0(1710) \rightarrow \phi K\bar{K})/\Gamma_{\text{total}}$ Γ_{27}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.6 \pm 0.2 \pm 0.6				
		^{17,18} FALVARD	88	DM2 $J/\psi \rightarrow$ hadrons
17 Including interference with $f_2'(1525)$.				
18 Includes unknown branching fraction $f_0(1710) \rightarrow K\bar{K}$.				

 $\Gamma(p\bar{p}\omega)/\Gamma_{\text{total}}$ Γ_{28}/Γ

<u>VALUE</u> (units 10^{-3})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.30 \pm 0.25 OUR AVERAGE				
		Error includes scale factor of 1.3.		
1.10 \pm 0.17 \pm 0.18	486	EATON	84	MRK2 $e^+ e^-$
1.6 \pm 0.3	77	PERUZZI	78	MRK1 $e^+ e^-$

$\Gamma(\Delta(1232)^{++}\overline{\Delta}(1232)^{--})/\Gamma_{\text{total}}$ Γ_{29}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$1.10 \pm 0.09 \pm 0.28$	233	EATON	84	MRK2 $e^+ e^-$

 $\Gamma(\Sigma(1385)^-\overline{\Sigma}(1385)^+(\text{or c.c.})/\Gamma_{\text{total}}$ Γ_{30}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.03 ± 0.13 OUR AVERAGE				
$1.00 \pm 0.04 \pm 0.21$	631 \pm 25	HENRARD	87	DM2 $e^+ e^- \rightarrow \Sigma^{*-}$
$1.19 \pm 0.04 \pm 0.25$	754 \pm 27	HENRARD	87	DM2 $e^+ e^- \rightarrow \Sigma^{*+}$
$0.86 \pm 0.18 \pm 0.22$	56	EATON	84	MRK2 $e^+ e^- \rightarrow \Sigma^{*-}$
$1.03 \pm 0.24 \pm 0.25$	68	EATON	84	MRK2 $e^+ e^- \rightarrow \Sigma^{*+}$

 $\Gamma(p\bar{p}\eta'(958))/\Gamma_{\text{total}}$ Γ_{31}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.9 ± 0.4 OUR AVERAGE		Error includes scale factor of 1.7.		
$0.68 \pm 0.23 \pm 0.17$	19	EATON	84	MRK2 $e^+ e^-$
1.8 ± 0.6	19	PERUZZI	78	MRK1 $e^+ e^-$

 $\Gamma(\phi f'_2(1525))/\Gamma_{\text{total}}$ Γ_{32}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8 ± 4 OUR AVERAGE		Error includes scale factor of 2.7.		
$12.3 \pm 0.6 \pm 2.0$	19,20	FALVARD	88	DM2 $J/\psi \rightarrow \text{hadrons}$
4.8 ± 1.8	46	GIDAL	81	MRK2 $J/\psi \rightarrow K^+ K^- K^+ K^-$

19 Re-evaluated using $B(f'_2(1525) \rightarrow K\bar{K}) = 0.713$.20 Including interference with $f_0(1710)$. $\Gamma(\phi\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{33}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.80 ± 0.12 OUR AVERAGE				
$0.78 \pm 0.03 \pm 0.12$		FALVARD	88	$J/\psi \rightarrow \text{hadrons}$
2.1 ± 0.9	23	FELDMAN	77	MRK1 $e^+ e^-$

 $\Gamma(\phi K^\pm K_S^0 \pi^\mp)/\Gamma_{\text{total}}$ Γ_{34}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7.2 ± 0.9 OUR AVERAGE				
$7.4 \pm 0.9 \pm 1.1$		FALVARD	88	$J/\psi \rightarrow \text{hadrons}$
$7 \pm 0.6 \pm 1.0$	163 \pm 15	BECKER	87	MRK3 $e^+ e^- \rightarrow \text{hadrons}$

 $\Gamma(\omega f_1(1420))/\Gamma_{\text{total}}$ Γ_{35}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$6.8^{+1.9}_{-1.6} \pm 1.7$	111^{+31}_{-26}	BECKER	87	MRK3 $e^+ e^- \rightarrow \text{hadrons}$

$\Gamma(\phi\eta)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
0.65 ± 0.07 OUR AVERAGE	
0.64 ± 0.04 ± 0.11	346
0.661 ± 0.045 ± 0.078	

 Γ_{36}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
JOUSSET	90	DM2 $J/\psi \rightarrow \text{hadrons}$
COFFMAN	88	MRK3 $e^+ e^- \rightarrow K^+ K^- \eta$

 $\Gamma(\Xi(1530)^-\bar{\Xi}^+)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
0.59 ± 0.09 ± 0.12	75 ± 11

 Γ_{37}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
HENRARD	87	DM2 $e^+ e^-$

 $\Gamma(pK^-\bar{\Sigma}(1385)^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
0.51 ± 0.26 ± 0.18	89

 Γ_{38}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
EATON	84	MRK2 $e^+ e^-$

 $\Gamma(\omega\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
0.42 ± 0.06 OUR AVERAGE	

Error includes scale factor of 1.4.

<u>0.360 ± 0.028 ± 0.054</u>	<u>222</u>
0.482 ± 0.019 ± 0.064	

 Γ_{39}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
JOUSSET	90	DM2 $J/\psi \rightarrow \text{hadrons}$

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
COFFMAN	88	MRK3 $e^+ e^- \rightarrow \pi^0 \pi^+ \pi^- \pi^0$

 $\Gamma(\phi\eta'(958))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>EVTS</u>
0.33 ± 0.04 OUR AVERAGE		

<u>0.41 ± 0.03 ± 0.08</u>	<u>167</u>
0.308 ± 0.034 ± 0.036	

 Γ_{40}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
JOUSSET	90	DM2 $J/\psi \rightarrow \text{hadrons}$

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
COFFMAN	88	MRK3 $e^+ e^- \rightarrow K^+ K^- \eta'$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<u><1.3</u>	<u>90</u>	<u>VANNUCCI</u>	<u>77</u>	<u>MRK1</u>	<u>$e^+ e^-$</u>
----------------	-----------	-----------------	-----------	-------------	-----------------------------

 $\Gamma(\phi f_0(980))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
3.2 ± 0.9 OUR AVERAGE	

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
FALVARD	88	DM2 $J/\psi \rightarrow \text{hadrons}$

<u>4.6 ± 0.4 ± 0.8</u>	<u>21</u>
2.6 ± 0.6	50

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
GIDAL	81	MRK2 $J/\psi \rightarrow K^+ K^- K^+ K^-$

²¹ Assuming $B(f_0(980) \rightarrow \pi\pi) = 0.78$. $\Gamma(\Xi(1530)^0\bar{\Xi}^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
0.32 ± 0.12 ± 0.07	24 ± 9

 Γ_{41}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
HENRARD	87	DM2 $e^+ e^-$

$\Gamma(\Sigma(1385)^-\bar{\Sigma}^+(\text{or c.c.})/\Gamma_{\text{total}}$ Γ_{43}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.31 ± 0.05 OUR AVERAGE				
$0.30 \pm 0.03 \pm 0.07$	74 ± 8	HENRARD	87	$DM2 \quad e^+ e^- \rightarrow \Sigma^{*-}$
$0.34 \pm 0.04 \pm 0.07$	77 ± 9	HENRARD	87	$DM2 \quad e^+ e^- \rightarrow \Sigma^{*+}$
$0.29 \pm 0.11 \pm 0.10$	26	EATON	84	$MRK2 \quad e^+ e^- \rightarrow \Sigma^{*-}$
$0.31 \pm 0.11 \pm 0.11$	28	EATON	84	$MRK2 \quad e^+ e^- \rightarrow \Sigma^{*+}$

$\Gamma(\phi f_1(1285))/\Gamma_{\text{total}}$ Γ_{44}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.6 ± 0.5 OUR AVERAGE Error includes scale factor of 1.1.				
$3.2 \pm 0.6 \pm 0.4$		JOUSSET	90	$DM2 \quad J/\psi \rightarrow \phi 2(\pi^+ \pi^-)$
$2.1 \pm 0.5 \pm 0.4$	25	JOUSSET	90	$DM2 \quad J/\psi \rightarrow \phi \eta \pi^+ \pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$0.6 \pm 0.2 \pm 0.1$	16 ± 6	BECKER	87	$MRK3 \quad J/\psi \rightarrow \phi K\bar{K}\pi$

²²We attribute to the $f_1(1285)$ the signal observed in the $\pi^+ \pi^- \eta$ invariant mass distribution at 1297 Mev.

$\Gamma(\rho\eta)/\Gamma_{\text{total}}$ Γ_{45}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.193 ± 0.023 OUR AVERAGE				
$0.194 \pm 0.017 \pm 0.029$	299	JOUSSET	90	$DM2 \quad J/\psi \rightarrow \text{hadrons}$
$0.193 \pm 0.013 \pm 0.029$		COFFMAN	88	$MRK3 \quad e^+ e^- \rightarrow \pi^+ \pi^- \eta$

$\Gamma(\omega\eta'(958))/\Gamma_{\text{total}}$ Γ_{46}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.167 ± 0.025 OUR AVERAGE				
$0.18 \begin{array}{l} +0.10 \\ -0.08 \end{array} \pm 0.03$	6	JOUSSET	90	$DM2 \quad J/\psi \rightarrow \text{hadrons}$
$0.166 \pm 0.017 \pm 0.019$		COFFMAN	88	$MRK3 \quad e^+ e^- \rightarrow 3\pi\eta'$

$\Gamma(\omega f_0(980))/\Gamma_{\text{total}}$ Γ_{47}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$1.41 \pm 0.27 \pm 0.47$				

²³Assuming $B(f_0(980) \rightarrow \pi\pi) = 0.78$.

$\Gamma(\rho\eta'(958))/\Gamma_{\text{total}}$ Γ_{48}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.105 ± 0.018 OUR AVERAGE				
$0.083 \pm 0.030 \pm 0.012$	19	JOUSSET	90	$DM2 \quad J/\psi \rightarrow \text{hadrons}$
$0.114 \pm 0.014 \pm 0.016$		COFFMAN	88	$MRK3 \quad J/\psi \rightarrow \pi^+ \pi^- \eta'$

$\Gamma(p\bar{p}\phi)/\Gamma_{\text{total}}$ Γ_{49}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.45 \pm 0.13 \pm 0.07$				

$\Gamma(a_2(1320)^{\pm}\pi^{\mp})/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	CL%
<43	90

DOCUMENT ID	TECN	COMMENT
BRAUNSCH... 76	DASP	$e^+ e^-$

Γ_{50}/Γ

$\Gamma(K\bar{K}_2^*(1430)+\text{c.c.})/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	CL%
<40	90

DOCUMENT ID	TECN	COMMENT
VANNUCCI 77	MRK1	$e^+ e^- \rightarrow K^0 \bar{K}_2^{*0}$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<66	90	BRAUNSCH... 76	DASP	$e^+ e^- \rightarrow K^{\pm} \bar{K}_2^{*\mp}$
-----	----	----------------	------	--

$\Gamma(K_1(1270)^{\pm}K^{\mp})/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	CL%
<3.0	90

DOCUMENT ID	TECN	COMMENT
24 BAI	99c BES	$e^+ e^-$

²⁴ Assuming $B(K_1(1270) \rightarrow K\rho) = 0.42 \pm 0.06$

Γ_{52}/Γ

$\Gamma(K_2^*(1430)^0 \bar{K}_2^*(1430)^0)/\Gamma_{\text{total}}$

Γ_{53}/Γ

VALUE (units 10^{-4})	CL%
<29	90

DOCUMENT ID	TECN	COMMENT
VANNUCCI 77	MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$

$\Gamma(K^*(892)^0 \bar{K}^*(892)^0)/\Gamma_{\text{total}}$

Γ_{54}/Γ

VALUE (units 10^{-4})	CL%
<5	90

DOCUMENT ID	TECN	COMMENT
VANNUCCI 77	MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$

$\Gamma(\phi f_2(1270))/\Gamma_{\text{total}}$

Γ_{55}/Γ

VALUE (units 10^{-4})	CL%
<3.7	90

DOCUMENT ID	TECN	COMMENT
VANNUCCI 77	MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<4.5	90	FALVARD 88	DM2	$J/\psi \rightarrow \text{hadrons}$
------	----	------------	-----	-------------------------------------

$\Gamma(p\bar{p}\rho)/\Gamma_{\text{total}}$

Γ_{56}/Γ

VALUE (units 10^{-3})	CL%
<0.31	90

DOCUMENT ID	TECN	COMMENT
EATON 84	MRK2	$e^+ e^- \rightarrow \text{hadrons} \gamma$

$\Gamma(\phi\eta(1440) \rightarrow \phi\eta\pi\pi)/\Gamma_{\text{total}}$

Γ_{57}/Γ

VALUE (units 10^{-4})	CL%
<2.5	90

DOCUMENT ID	TECN	COMMENT
25 FALVARD 88	DM2	$J/\psi \rightarrow \text{hadrons}$

²⁵ Includes unknown branching fraction $\eta(1440) \rightarrow \eta\pi\pi$.

$\Gamma(\omega f'_2(1525))/\Gamma_{\text{total}}$

Γ_{58}/Γ

VALUE (units 10^{-4})	CL%
<2.2	90

DOCUMENT ID	TECN	COMMENT
26 VANNUCCI 77	MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<2.8	90	26 FALVARD 88	DM2	$J/\psi \rightarrow \text{hadrons}$
------	----	---------------	-----	-------------------------------------

²⁶ Re-evaluated assuming $B(f'_2(1525) \rightarrow K\bar{K}) = 0.713$.

$\Gamma(\Sigma(1385)^0 \bar{\Lambda})/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-3})	<u>CL%</u>
<0.2	90

Γ_{59}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
HENRARD	87	DM2 $e^+ e^-$

$\Gamma(\Delta(1232)^+ \bar{p})/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-3})	<u>CL%</u>
<0.1	90

Γ_{60}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
HENRARD	87	DM2 $e^+ e^-$

$\Gamma(\Sigma^0 \bar{\Lambda})/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>
<0.9	90

Γ_{61}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
HENRARD	87	DM2 $e^+ e^-$

$\Gamma(\phi \pi^0)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>
<0.068	90

Γ_{62}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
COFFMAN	88	MRK3 $e^+ e^- \rightarrow K^+ K^- \pi^0$

$\Gamma(2(\pi^+ \pi^-)\pi^0)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>EVTS</u>
0.0337 ± 0.0026 OUR AVERAGE	

0.0325 ± 0.0049	46055
0.0317 ± 0.0042	147
0.0364 ± 0.0052	1500
0.04 ± 0.01	675

Γ_{63}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
AUGUSTIN	89	DM2 $J/\psi \rightarrow 2(\pi^+ \pi^-)\pi^0$
FRANKLIN	83	MRK2 $e^+ e^- \rightarrow \text{hadrons}$
BURMESTER	77D	PLUT $e^+ e^-$
JEAN-MARIE	76	MRK1 $e^+ e^-$

$\Gamma(3(\pi^+ \pi^-)\pi^0)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>EVTS</u>
0.029 ± 0.006 OUR AVERAGE	

0.028 ± 0.009	11
0.029 ± 0.007	181

Γ_{64}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
FRANKLIN	83	MRK2 $e^+ e^- \rightarrow \text{hadrons}$
JEAN-MARIE	76	MRK1 $e^+ e^-$

$\Gamma(\pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>EVTS</u>
0.015 ± 0.002	168

Γ_{65}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
FRANKLIN	83	MRK2 $e^+ e^-$

$\Gamma(\pi^+ \pi^- \pi^0 K^+ K^-)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>EVTS</u>
0.012 ± 0.003	309

Γ_{66}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
VANNUCCI	77	MRK1 $e^+ e^-$

$\Gamma(4(\pi^+ \pi^-)\pi^0)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>
90 ± 30	13

Γ_{67}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
JEAN-MARIE	76	MRK1 $e^+ e^-$

$\Gamma(\pi^+ \pi^- K^+ K^-)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>
72 ± 23	205

Γ_{68}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
VANNUCCI	77	MRK1 $e^+ e^-$

$\Gamma(K\bar{K}\pi)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS
61 ± 10 OUR AVERAGE	
55.2 ± 12.0	25
78.0 ± 21.0	126

DOCUMENT ID TECN COMMENT

FRANKLIN	83	MRK2	$e^+ e^- \rightarrow K^+ K^- \pi^0$
VANNUCCI	77	MRK1	$e^+ e^- \rightarrow K_S^0 K^\pm \pi^\mp$

Γ_{69}/Γ

$\Gamma(p\bar{p}\pi^+\pi^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	EVTS
6.0 ± 0.5 OUR AVERAGE	
6.46 ± 0.17 ± 0.43	1435
3.8 ± 1.6	48
5.5 ± 0.6	533


DOCUMENT ID TECN COMMENT

Error includes scale factor of 1.3. See the ideogram below.

EATON	84	MRK2	$e^+ e^-$
BESCH	81	BONA	$e^+ e^-$
PERUZZI	78	MRK1	$e^+ e^-$

Γ_{70}/Γ

WEIGHTED AVERAGE
6.0 ± 0.5 (Error scaled by 1.3)



$\Gamma(p\bar{p}\pi^+\pi^-)/\Gamma_{\text{total}}$ (units 10^{-3})

$\Gamma(2(\pi^+\pi^-))/\Gamma_{\text{total}}$

VALUE	EVTS
0.004 ± 0.001	76

DOCUMENT ID TECN COMMENT

JEAN-MARIE	76	MRK1	$e^+ e^-$
------------	----	------	-----------

Γ_{71}/Γ

$\Gamma(3(\pi^+\pi^-))/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS
40 ± 20	32

DOCUMENT ID TECN COMMENT

JEAN-MARIE	76	MRK1	$e^+ e^-$
------------	----	------	-----------

Γ_{72}/Γ

$\Gamma(n\bar{n}\pi^+\pi^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	EVTS
3.8 ± 3.6	5

DOCUMENT ID TECN COMMENT

BESCH	81	BONA	$e^+ e^-$
-------	----	------	-----------

Γ_{73}/Γ

$\Gamma(\Sigma^0 \bar{\Sigma}^0)/\Gamma_{\text{total}}$ Γ_{74}/Γ

<u>VALUE</u> (units 10^{-3})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.27 ± 0.17 OUR AVERAGE				
1.06 $\pm 0.04 \pm 0.23$	884 ± 30	PALLIN	87	DM2 $e^+ e^- \rightarrow \Sigma^0 \bar{\Sigma}^0$
1.58 $\pm 0.16 \pm 0.25$	90	EATON	84	MRK2 $e^+ e^- \rightarrow \Sigma^0 \bar{\Sigma}^0$
1.3 ± 0.4	52	PERUZZI	78	MRK1 $e^+ e^- \rightarrow \Sigma^0 \bar{\Sigma}^0$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
2.4 ± 2.6	3	BESCH	81	BONA $e^+ e^- \rightarrow \Sigma^+ \bar{\Sigma}^-$

 $\Gamma(2(\pi^+ \pi^-) K^+ K^-)/\Gamma_{\text{total}}$ Γ_{75}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
31 ± 13	30	VANNUCCI	77	MRK1 $e^+ e^-$

 $\Gamma(p\bar{p}\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$ Γ_{76}/Γ Including $p\bar{p}\pi^+\pi^-\gamma$ and excluding ω, η, η'

<u>VALUE</u> (units 10^{-3})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.3 ± 0.9 OUR AVERAGE				
				Error includes scale factor of 1.9.
3.36 $\pm 0.65 \pm 0.28$	364	EATON	84	MRK2 $e^+ e^-$
1.6 ± 0.6	39	PERUZZI	78	MRK1 $e^+ e^-$

 $\Gamma(p\bar{p})/\Gamma_{\text{total}}$ Γ_{77}/Γ

<u>VALUE</u> (units 10^{-3})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.12 ± 0.10 OUR AVERAGE				
1.97 ± 0.22	99	BALDINI	98	FENI $e^+ e^-$
1.91 $\pm 0.04 \pm 0.30$		PALLIN	87	DM2 $e^+ e^-$
2.16 $\pm 0.07 \pm 0.15$	1420	EATON	84	MRK2 $e^+ e^-$
2.5 ± 0.4	133	BRANDELIK	79c	DASP $e^+ e^-$
2.0 ± 0.5		BESCH	78	BONA $e^+ e^-$
2.2 ± 0.2	331	PERUZZI	78	MRK1 $e^+ e^-$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
2.0 ± 0.3	48	ANTONELLI	93	SPEC $e^+ e^-$

27 Assuming angular distribution $(1+\cos^2\theta)$. $\Gamma(p\bar{p}\eta)/\Gamma_{\text{total}}$ Γ_{78}/Γ

<u>VALUE</u> (units 10^{-3})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.09 ± 0.18 OUR AVERAGE				
2.03 $\pm 0.13 \pm 0.15$	826	EATON	84	MRK2 $e^+ e^-$
2.5 ± 1.2		BRANDELIK	79c	DASP $e^+ e^-$
2.3 ± 0.4	197	PERUZZI	78	MRK1 $e^+ e^-$


 $\Gamma(p\bar{n}\pi^-)/\Gamma_{\text{total}}$ Γ_{79}/Γ

<u>VALUE</u> (units 10^{-3})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.00 ± 0.10 OUR AVERAGE				
2.02 $\pm 0.07 \pm 0.16$	1288	EATON	84	MRK2 $e^+ e^- \rightarrow p\pi^-$
1.93 $\pm 0.07 \pm 0.16$	1191	EATON	84	MRK2 $e^+ e^- \rightarrow \bar{p}\pi^+$
1.7 ± 0.7	32	BESCH	81	BONA $e^+ e^- \rightarrow p\pi^-$
1.6 ± 1.2	5	BESCH	81	BONA $e^+ e^- \rightarrow \bar{p}\pi^+$
2.16 ± 0.29	194	PERUZZI	78	MRK1 $e^+ e^- \rightarrow p\pi^-$
2.04 ± 0.27	204	PERUZZI	78	MRK1 $e^+ e^- \rightarrow \bar{p}\pi^+$

$\Gamma(\Xi\bar{\Xi})/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.8 ± 0.4 OUR AVERAGE	Error includes scale factor of 1.8. See the ideogram below.			
1.40 ± 0.12 ± 0.24	132 ± 11	HENRARD	87 DM2	$e^+ e^- \rightarrow \Xi^- \bar{\Xi}^+$
2.28 ± 0.16 ± 0.40	194	EATON	84 MRK2	$e^+ e^- \rightarrow \Xi^- \bar{\Xi}^+$
3.2 ± 0.8	71	PERUZZI	78 MRK1	$e^+ e^-$

WEIGHTED AVERAGE
1.8±0.4 (Error scaled by 1.8)



$\Gamma(\Xi\bar{\Xi})/\Gamma_{\text{total}}$ (units 10^{-3})

$\Gamma(n\bar{n})/\Gamma_{\text{total}}$

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
0.22 ± 0.04 OUR AVERAGE				
0.231 ± 0.049	79	BALDINI	98 FENI	$e^+ e^-$
0.18 ± 0.09		BESCH	78 BONA	$e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.190 ± 0.055	40	ANTONELLI	93 SPEC	$e^+ e^-$

$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.30 ± 0.12 OUR AVERAGE	Error includes scale factor of 1.1.			
1.08 ± 0.06 ± 0.24	631	BAI	98G BES	$e^+ e^-$
1.38 ± 0.05 ± 0.20	1847	PALLIN	87 DM2	$e^+ e^-$
1.58 ± 0.08 ± 0.19	365	EATON	84 MRK2	$e^+ e^-$
2.6 ± 1.6	5	BESCH	81 BONA	$e^+ e^-$
1.1 ± 0.2	196	PERUZZI	78 MRK1	$e^+ e^-$

Γ_{81}/Γ

Γ_{82}/Γ

$\Gamma(p\bar{p}\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
1.09 ± 0.09 OUR AVERAGE	
1.13 $\pm 0.09 \pm 0.09$	685
1.4 ± 0.4	
1.00 ± 0.15	109

 Γ_{83}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
EATON	84	MRK2 $e^+ e^-$
BRANDELIK	79C	DASP $e^+ e^-$
PERUZZI	78	MRK1 $e^+ e^-$

 $\Gamma(\Lambda\bar{\Sigma}^-\pi^+(\text{or c.c.})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
1.06 ± 0.12 OUR AVERAGE	
0.90 $\pm 0.06 \pm 0.16$	225 ± 15
1.11 $\pm 0.06 \pm 0.20$	342 ± 18
1.53 $\pm 0.17 \pm 0.38$	135
1.38 $\pm 0.21 \pm 0.35$	118

 Γ_{84}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
HENRARD	87	DM2 $e^+ e^- \rightarrow \Lambda\bar{\Sigma}^+\pi^-$
HENRARD	87	DM2 $e^+ e^- \rightarrow \Lambda\bar{\Sigma}^-\pi^+$
EATON	84	MRK2 $e^+ e^- \rightarrow \Lambda\bar{\Sigma}^+\pi^-$
EATON	84	MRK2 $e^+ e^- \rightarrow \Lambda\bar{\Sigma}^-\pi^+$

 $\Gamma(pK^-\bar{\Lambda})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
$0.89 \pm 0.07 \pm 0.14$	

 Γ_{85}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
EATON	84	MRK2 $e^+ e^-$

 $\Gamma(2(K^+K^-))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
7 \pm 3	

 Γ_{86}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
VANNUCCI	77	MRK1 $e^+ e^-$

 $\Gamma(pK^-\bar{\Sigma}^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
$0.29 \pm 0.06 \pm 0.05$	

 Γ_{87}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
EATON	84	MRK2 $e^+ e^-$

 $\Gamma(K^+K^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
2.37 ± 0.31 OUR AVERAGE	
2.39 $\pm 0.24 \pm 0.22$	107
2.2 ± 0.9	6

 Γ_{88}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BALTRUSAIT..85D	MRK3	$e^+ e^-$
BRANDELIK	79C	DASP $e^+ e^-$

 $\Gamma(\Lambda\bar{\Lambda}\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
0.22 ± 0.06 OUR AVERAGE	
0.23 $\pm 0.07 \pm 0.08$	11
0.22 $\pm 0.05 \pm 0.05$	19 ± 4

 Γ_{89}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BAI	98G	BES $e^+ e^-$
HENRARD	87	DM2 $e^+ e^-$

 $\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
1.47 ± 0.23 OUR AVERAGE	
1.58 $\pm 0.20 \pm 0.15$	84
1.0 ± 0.5	5
1.6 ± 1.6	1

 Γ_{90}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BALTRUSAIT..85D	MRK3	$e^+ e^-$
BRANDELIK	78B	DASP $e^+ e^-$
VANNUCCI	77	MRK1 $e^+ e^-$

$\Gamma(K_S^0 K_L^0)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>
1.08 ± 0.14 OUR AVERAGE	
$1.18 \pm 0.12 \pm 0.18$	
$1.01 \pm 0.16 \pm 0.09$	74

Γ_{91}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
JOUSSET 90 DM2		$J/\psi \rightarrow \text{hadrons}$
BALTRUSAIT..85D MRK3		$e^+ e^-$

$\Gamma(\Lambda \bar{\Sigma} + \text{c.c.})/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-3})	<u>CL%</u>
<0.15	90

Γ_{92}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
PERUZZI 78	MRK1	$e^+ e^- \rightarrow \Lambda X$

$\Gamma(K_S^0 K_S^0)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>
<0.052	90

28 Forbidden by CP.

Γ_{93}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
28 BALTRUSAIT..85C	MRK3	$e^+ e^-$

RADIATIVE DECAYS

$\Gamma(\gamma \eta_c(1S))/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>EVTS</u>
0.0127 ± 0.0036	

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	16

Γ_{94}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
GAISER 86	CBAL	$J/\psi \rightarrow \gamma X$
BALTRUSAIT..84	MRK3	$J/\psi \rightarrow 2\phi\gamma$

$\Gamma(\gamma \pi^+ \pi^- 2\pi^0)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-3})	
$8.3 \pm 0.2 \pm 3.1$	

29 4π mass less than 2.0 GeV.

Γ_{95}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
29 BALTRUSAIT..86B	MRK3	$J/\psi \rightarrow 4\pi\gamma$

$\Gamma(\gamma \eta \pi \pi)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-3})	
6.1 ± 1.0 OUR AVERAGE	

5.85 $\pm 0.3 \pm 1.05$	30 EDWARDS	83B CBAL $J/\psi \rightarrow \eta \pi^+ \pi^-$
$7.8 \pm 1.2 \pm 2.4$	30 EDWARDS	83B CBAL $J/\psi \rightarrow \eta 2\pi^0$

30 Broad enhancement at 1700 MeV.

Γ_{96}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
30 BAI 00D BES		$J/\psi \rightarrow \gamma K_S^0 \pi^\mp$
33,34 AUGUSTIN 92 DM2		$J/\psi \rightarrow \gamma K \bar{K} \pi$

$\Gamma(\gamma \eta(1440) \rightarrow \gamma K \bar{K} \pi)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-3})	
0.97 ± 0.17 OUR AVERAGE	

$1.66 \pm 0.1 \pm 0.58$	31,32 BAI	00D BES $J/\psi \rightarrow \gamma K_S^0 \pi^\mp$
$0.83 \pm 0.13 \pm 0.18$	33,34 AUGUSTIN	92 DM2 $J/\psi \rightarrow \gamma K \bar{K} \pi$

$1.03^{+0.21+0.26}_{-0.18-0.19}$	33,35 BAI	90C MRK3 $J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$1.78 \pm 0.21 \pm 0.33$	33,36 AUGUSTIN	92 DM2 $J/\psi \rightarrow \gamma K \bar{K} \pi$

$3.8 \pm 0.3 \pm 0.6$	33 AUGUSTIN	90 DM2 $J/\psi \rightarrow \gamma K \bar{K} \pi$

$0.66^{+0.17+0.24}_{-0.16-0.15}$	33,37 BAI	90C MRK3 $J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$

$4.0 \pm 0.7 \pm 1.0$	33 EDWARDS	82E CBAL $J/\psi \rightarrow K^+ K^- \pi^0 \gamma$

4.3 ± 1.7	33,38 SCHARRE	80 MRK2 $e^+ e^-$

Γ_{97}/Γ

- ³¹ Interference with the $J/\psi(1S)$ radiative transition to the broad $K\bar{K}\pi$ pseudoscalar state around 1800 is $(0.15 \pm 0.01 \pm 0.05) \times 10^{-3}$.
³² Interference with $J/\psi \rightarrow \gamma f_1(1420)$ is $(-0.03 \pm 0.01 \pm 0.01) \times 10^{-3}$.
³³ Includes unknown branching fraction $\eta(1440) \rightarrow K\bar{K}\pi$.
³⁴ From fit to the $K^*(892)K$ $0^- +$ partial wave.
³⁵ From $K^*(890)K$ final state.
³⁶ From fit to the $a_0(980)\pi$ $0^- +$ partial wave.
³⁷ From $a_0(980)\pi$ final state.
³⁸ Corrected for spin-zero hypothesis for $\eta(1440)$.

$\Gamma(\gamma\eta(1440) \rightarrow \gamma\gamma\rho^0)/\Gamma_{\text{total}}$ Γ_{98}/Γ

VALUE (units 10^{-5})	DOCUMENT ID	TECN	COMMENT
6.4 ± 1.2 ± 0.7	39 COFFMAN	90 MRK3	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$

³⁹ Includes unknown branching fraction $\eta(1440) \rightarrow \gamma\rho^0$.

$\Gamma(\gamma\eta(1440) \rightarrow \gamma\eta\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{99}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
3.0 ± 0.5 OUR AVERAGE				

2.6 $\pm 0.7 \pm 0.4$ BAI 99 BES $J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
 $3.38 \pm 0.33 \pm 0.64$ 40 BOLTON 92B MRK3 $J/\psi \rightarrow \gamma\eta\pi^+\pi^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

7.0 $\pm 0.6 \pm 1.1$ 261 41 AUGUSTIN 90 DM2 $J/\psi \rightarrow \gamma\eta\pi^+\pi^-$

⁴⁰ Via $a_0(980)\pi$.

⁴¹ Includes unknown branching fraction to $\eta\pi^+\pi^-$.

$\Gamma(\gamma\rho\rho)/\Gamma_{\text{total}}$ Γ_{100}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT
4.5 ± 0.8 OUR AVERAGE				

4.7 $\pm 0.3 \pm 0.9$ 42 BALTRUSAIT..86B MRK3 $J/\psi \rightarrow 4\pi\gamma$
 $3.75 \pm 1.05 \pm 1.20$ 43 BURKE 82 MRK2 $J/\psi \rightarrow 4\pi\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.09 90 44 BISELLO 89B $J/\psi \rightarrow 4\pi\gamma$

⁴² 4π mass less than 2.0 GeV.

⁴³ 4π mass less than 2.0 GeV, $2\rho^0$ corrected to 2ρ by factor of 3.

⁴⁴ 4π mass in the range 2.0–25 GeV.

$\Gamma(\gamma\eta_2(1870) \rightarrow \gamma\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{101}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
6.2 ± 2.2 ± 0.9	BAI	99 BES	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$

$\Gamma(\gamma\eta'(958))/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	EVTS
4.31±0.30 OUR AVERAGE	

		DOCUMENT ID	TECN	COMMENT
4.50±0.14±0.53		BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-\eta, \eta \rightarrow \gamma\gamma$
4.30±0.31±0.71		BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-\eta, \eta \rightarrow \pi^+\pi^-\pi^0$
4.04±0.16±0.85	622	AUGUSTIN	90 DM2	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
4.39±0.09±0.66	2420	AUGUSTIN	90 DM2	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
4.1 ± 0.3 ± 0.6		BLOOM	83 CBAL	$e^+e^- \rightarrow 3\gamma + \text{hadrons}\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2.9 ± 1.1	6	BRANDELIK	79C DASP	$e^+e^- \rightarrow 3\gamma$
2.4 ± 0.7	57	BARTEL	76 CNTR	$e^+e^- \rightarrow 2\gamma\rho$


$\Gamma(\gamma 2\pi^+ 2\pi^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})
2.8 ± 0.5 OUR AVERAGE

DOCUMENT ID TECN COMMENT

2.8 ± 0.5 OUR AVERAGE	Error includes scale factor of 1.9. See the ideogram below.
4.32±0.14±0.73	45 BISELLO 89B DM2 $J/\psi \rightarrow 4\pi\gamma$
2.08±0.13±0.35	46 BISELLO 89B DM2 $J/\psi \rightarrow 4\pi\gamma$
3.05±0.08±0.45	46 BALTRUSAIT... 86B MRK3 $J/\psi \rightarrow 4\pi\gamma$
4.85±0.45±1.20	47 BURKE 82 MRK2 e^+e^-

⁴⁵ 4π mass less than 3.0 GeV.
⁴⁶ 4π mass less than 2.0 GeV.
⁴⁷ 4π mass less than 2.5 GeV.



$$\Gamma(\gamma 2\pi^+ 2\pi^-)/\Gamma_{\text{total}} (\text{units } 10^{-3})$$

$\Gamma(\gamma K^+ K^- \pi^+ \pi^-)/\Gamma_{\text{total}}$		Γ_{104}/Γ		
<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2.1 \pm 0.1 \pm 0.6$	1516	BAI	00B BES	$J/\psi \rightarrow \gamma K^+ K^0 \pi^+ \pi^-$

$\Gamma(\gamma f_4(2050))/\Gamma_{\text{total}}$		Γ_{105}/Γ		
<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$2.7 \pm 0.5 \pm 0.5$	48 BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^-$	

48 Assuming branching fraction $f_4(2050) \rightarrow \pi\pi/\text{total} = 0.167$.

$\Gamma(\gamma \omega \omega)/\Gamma_{\text{total}}$		Γ_{106}/Γ		
<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.59 ± 0.33 OUR AVERAGE				
$1.41 \pm 0.2 \pm 0.42$	120 ± 17	BISELLO	87 SPEC	$e^+ e^-$, hadrons γ
$1.76 \pm 0.09 \pm 0.45$		BALTRUSAIT..85C	MRK3	$e^+ e^- \rightarrow \text{hadrons} \gamma$

$\Gamma(\gamma \eta(1440) \rightarrow \gamma \rho^0 \rho^0)/\Gamma_{\text{total}}$		Γ_{107}/Γ		
<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
1.7 ± 0.4 OUR AVERAGE	Error includes scale factor of 1.3.			
2.1 ± 0.4	BUGG	95 MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^- \pi^+ \pi^-$	
1.36 ± 0.38	49,50 BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$	

49 Estimated by us from various fits.

50 Includes unknown branching fraction to $\rho^0 \rho^0$.

$\Gamma(\gamma f_2(1270))/\Gamma_{\text{total}}$		Γ_{108}/Γ			
<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
1.38 ± 0.14 OUR AVERAGE					
$1.33 \pm 0.05 \pm 0.20$		51 AUGUSTIN	87 DM2		$J/\psi \rightarrow \gamma \pi^+ \pi^-$
$1.36 \pm 0.09 \pm 0.23$		51 BALTRUSAIT..87	MRK3		$J/\psi \rightarrow \gamma \pi^+ \pi^-$
$1.48 \pm 0.25 \pm 0.30$	178	EDWARDS	82B CBAL		$e^+ e^- \rightarrow 2\pi^0 \gamma$
2.0 ± 0.7	35	ALEXANDER	78 PLUT	0	$e^+ e^-$
1.2 ± 0.6	30	52 BRANDELIK	78B DASP		$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$

51 Estimated using $B(f_2(1270) \rightarrow \pi\pi) = 0.843 \pm 0.012$. The errors do not contain the uncertainty in the $f_2(1270)$ decay.

52 Restated by us to take account of spread of E1, M2, E3 transitions.

$\Gamma(\gamma f_0(1710) \rightarrow \gamma K\bar{K})/\Gamma_{\text{total}}$		Γ_{109}/Γ		
<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$8.5^{+1.2}_{-0.9}$ OUR AVERAGE	Error includes scale factor of 1.2.			
$5.0 \pm 0.8^{+1.8}_{-0.4}$		53,54 BAI	96C BES	$J/\psi \rightarrow \gamma K^+ K^-$
$9.2 \pm 1.4 \pm 1.4$		54 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K^+ K^-$
$10.4 \pm 1.2 \pm 1.6$		54 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
$9.6 \pm 1.2 \pm 1.8$		54 BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$1.6 \pm 0.2 \pm 0.6$	54,55	BAI	96c BES	$J/\psi \rightarrow \gamma K^+ K^-$
< 0.8	90	56 BISELLO	89B	$J/\psi \rightarrow 4\pi\gamma$
$1.6 \pm 0.4 \pm 0.3$	57	BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-$
3.8 ± 1.6	58	EDWARDS	82D CBAL	$e^+e^- \rightarrow \eta\eta\gamma$

53 Assuming $J^P = 2^+$ for $f_0(1710)$.

54 Includes unknown branching fraction to $K^+ K^-$ or $K_S^0 K_S^0$. We have multiplied $K^+ K^-$ measurement by 2, and $K_S^0 K_S^0$ by 4 to obtain $K\bar{K}$ result.

55 Assuming $J^P = 0^+$ for $f_0(1710)$.

56 Includes unknown branching fraction to $\rho^0 \rho^0$.

57 Includes unknown branching fraction to $\pi^+\pi^-$.

58 Includes unknown branching fraction to $\eta\eta$.

$\Gamma(\gamma f_0(1710) \rightarrow \gamma\pi\pi)/\Gamma_{\text{total}}$

Γ_{110}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$2.5 \pm 1.6 \pm 0.8$	BAI	98H BES	$J/\psi \rightarrow \gamma\pi^0\pi^0$

$\Gamma(\gamma\eta)/\Gamma_{\text{total}}$

Γ_{111}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
0.86 ± 0.08 OUR AVERAGE				
0.88 ± 0.08 ± 0.11		BLOOM	83 CBAL	e^+e^-
0.82 ± 0.10		BRANDELIK	79c DASP	e^+e^-
1.3 ± 0.4	21	BARTEL	77 CNTR	e^+e^-

$\Gamma(\gamma f_1(1420) \rightarrow \gamma K\bar{K}\pi)/\Gamma_{\text{total}}$

Γ_{112}/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
0.79 ± 0.13 OUR AVERAGE			
0.68 ± 0.04 ± 0.24	BAI	00D BES	$J/\psi \rightarrow \gamma K^\pm K_S^0 \pi^\mp$
0.76 ± 0.15 ± 0.21	59,60 AUGUSTIN	92 DM2	$J/\psi \rightarrow \gamma K\bar{K}\pi$
0.87 ± 0.14 ± 0.14	59 BAI	90c MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$

59 Included unknown branching fraction $f_1(1420) \rightarrow K\bar{K}\pi$.

60 From fit to the $K^*(892)K 1^{++}$ partial wave.

$\Gamma(\gamma f_1(1285))/\Gamma_{\text{total}}$

Γ_{113}/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
0.61 ± 0.08 OUR AVERAGE			
0.61 ± 0.04 ± 0.21	61 BAI	00D BES	$J/\psi \rightarrow \gamma K^\pm K_S^0 \pi^\mp$
0.45 ± 0.09 ± 0.17	62 BAI	99 BES	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
0.625 ± 0.063 ± 0.103	63 BOLTON	92 MRK3	$J/\psi \rightarrow \gamma f_1(1285)$
0.70 ± 0.08 ± 0.16	64 BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$

⁶¹ Assuming $\Gamma(f_1(1285) \rightarrow K\bar{K}\pi)/\Gamma_{\text{total}} = 0.09 \pm 0.04$.

⁶² Assuming $\Gamma(f_1(1285) \rightarrow \eta\pi\pi)/\Gamma_{\text{total}} = 0.5 \pm 0.18$.

⁶³ Obtained summing the sequential decay channels

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow \pi\pi\pi\pi) = (1.44 \pm 0.39 \pm 0.27) \times 10^{-4};$$

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow a_0(980)\pi, a_0(980) \rightarrow \eta\pi) = (3.90 \pm 0.42 \pm 0.87) \times 10^{-4};$$

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow a_0(980)\pi, a_0(980) \rightarrow K\bar{K}) = (0.66 \pm 0.26 \pm 0.29) \times 10^{-4};$$

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow \gamma\rho^0) = (0.25 \pm 0.07 \pm 0.03) \times 10^{-4}.$$

⁶⁴ Using $B(f_1(1285) \rightarrow a_0(980)\pi) = 0.37$, and including unknown branching ratio for $a_0(980) \rightarrow \eta\pi$.

$\Gamma(\gamma f_1(1510) \rightarrow \gamma\eta\pi^+\pi^-)/\Gamma_{\text{total}}$

Γ_{114}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
4.5±1.0±0.7	BAI	99	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$

$\Gamma(\gamma f'_2(1525))/\Gamma_{\text{total}}$

Γ_{115}/Γ

VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

0.47^{+0.07}_{-0.05} OUR AVERAGE

$$0.36 \pm 0.04 \pm 0.14$$

65 BAI 96C BES $J/\psi \rightarrow \gamma K^+ K^-$

$$0.56 \pm 0.14 \pm 0.09$$

65 AUGUSTIN 88 DM2 $J/\psi \rightarrow \gamma K^+ K^-$

$$0.45 \pm 0.04 \pm 0.09$$

65 AUGUSTIN 88 DM2 $J/\psi \rightarrow \gamma K_S^0 K_S^0$

$$0.68 \pm 0.16 \pm 0.14$$

65 BALTRUSAIT..87 MRK3 $J/\psi \rightarrow \gamma K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$$<0.34$$

90 4 66 BRANDELIK 79C DASP $e^+ e^- \rightarrow \pi^+ \pi^- \gamma$

$$<0.23$$

90 3 ALEXANDER 78 PLUT $e^+ e^- \rightarrow K^+ K^- \gamma$

⁶⁵ Using $B(f'_2(1525) \rightarrow K\bar{K}) = 0.888$.

⁶⁶ Assuming isotropic production and decay of the $f'_2(1525)$ and isospin.

$\Gamma(\gamma f_2(1950) \rightarrow \gamma K^*(892)\bar{K}^*(892))/\Gamma_{\text{total}}$

Γ_{116}/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
0.7 ±0.1 ±0.2	BAI	00B	$J/\psi \rightarrow \gamma K^+ K^0 \pi^+ \pi^-$

$\Gamma(\gamma K^*(892)\bar{K}^*(892))/\Gamma_{\text{total}}$

Γ_{117}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
4.0±0.3±1.3	320	67 BAI	00B	$J/\psi \rightarrow \gamma K^+ K^0 \pi^+ \pi^-$


⁶⁷ Summed over all charges.

$\Gamma(\gamma\phi\phi)/\Gamma_{\text{total}}$

Γ_{118}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
4.0±1.2 OUR AVERAGE Error includes scale factor of 2.1. See the ideogram below.				
7.5±0.6±1.2	168	BAI	90B MRK3	$J/\psi \rightarrow \gamma 4K$
3.4±0.8±0.6	33 ± 7	68 BISELLO	90 DM2	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$
3.1±0.7±0.4	68	BISELLO	86B DM2	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$

68 $\phi\phi$ mass less than 2.9 GeV, η_c excluded.



$\Gamma(\gamma\phi\phi)/\Gamma_{\text{total}}$ (units 10^{-4})

$\Gamma(\gamma p\bar{p})/\Gamma_{\text{total}}$

Γ_{119}/Γ

VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.38±0.07±0.07		49	EATON	84 MRK2	$e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.11		90	PERUZZI	78 MRK1	$e^+ e^-$

$\Gamma(\gamma\eta(2225))/\Gamma_{\text{total}}$

Γ_{120}/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
0.29±0.06 OUR AVERAGE			
0.33±0.08±0.05	69 BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
0.27±0.06±0.06	69 BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$
$0.24^{+0.15}_{-0.10}$	70,71 BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$

69 Includes unknown branching fraction to $\phi\phi$.

70 Estimated by us from various fits.

71 Includes unknown branching fraction to $\rho^0\rho^0$. $\Gamma(\gamma\eta(1760) \rightarrow \gamma\rho^0\rho^0)/\Gamma_{\text{total}}$ Γ_{121}/Γ

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.13 ± 0.09	72,73 BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$

72 Estimated by us from various fits.

73 Includes unknown branching fraction to $\rho^0\rho^0$. $\Gamma(\gamma(K\bar{K}\pi)_{JPC=0-+})/\Gamma_{\text{total}}$ Γ_{122}/Γ

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.7 ± 0.4 OUR AVERAGE	Error includes scale factor of 2.1.		
0.58 ± 0.03 ± 0.20	74 BAI	00D BES	$J/\psi \rightarrow \gamma K^\pm K_S^0 \pi^\mp$
2.1 ± 0.1 ± 0.7	75 BAI	00D BES	$J/\psi \rightarrow \gamma K^\pm K_S^0 \pi^\mp$

74 For a broad structure around 1800 MeV.

75 For a broad structure around 2040 MeV.

 $\Gamma(\gamma\pi^0)/\Gamma_{\text{total}}$ Γ_{123}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.039 ± 0.013 OUR AVERAGE				
0.036 ± 0.011 ± 0.007		BLOOM	83 CBAL	e^+e^-
0.073 ± 0.047	10	BRANDELIK	79C DASP	e^+e^-

 $\Gamma(\gamma p\bar{p}\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{124}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.79	90	EATON	84	MRK2 e^+e^-

 $\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ Γ_{125}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.5	90	BARTEL	77 CNTR	e^+e^-

 $\Gamma(\gamma\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$ Γ_{126}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.13	90	HENRARD	87 DM2	e^+e^-
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.16	90	BAI	98G BES	e^+e^-

 $\Gamma(3\gamma)/\Gamma_{\text{total}}$ Γ_{127}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.055	90	PARTRIDGE	80 CBAL	e^+e^-

 $\Gamma(\gamma f_0(2200))/\Gamma_{\text{total}}$ Γ_{128}/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.5	76 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$

76 Includes unknown branching fraction to $K_S^0 K_S^0$.

$\Gamma(\gamma f_J(2220))/\Gamma_{\text{total}}$

Γ_{129}/Γ

<u>VALUE</u> (units 10^{-5})	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
>250	99.9	77	HASAN	96	SPEC $\bar{p}p \rightarrow \pi^+ \pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
>300	78	BAI	96B	BES	$e^+ e^- \rightarrow \gamma \bar{p}p, K\bar{K}$
< 2.3	95	79	AUGUSTIN	88	DM2 $J/\psi \rightarrow \gamma K^+ K^-$
< 1.6	95	79	AUGUSTIN	88	DM2 $J/\psi \rightarrow \gamma K_S^0 K_S^0$
$12.4^{+6.4}_{-5.2} \pm 2.8$	23	79	BALTRUSAIT..86D	MRK3	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
$8.4^{+3.4}_{-2.8} \pm 1.6$	93	79	BALTRUSAIT..86D	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$

77 Using BAI 96B.

78 Using BARNES 93.

79 Includes unknown branching fraction to $K^+ K^-$ or $K_S^0 K_S^0$.

$\Gamma(\gamma f_J(2220) \rightarrow \gamma \pi \pi)/\Gamma_{\text{total}}$

Γ_{130}/Γ

<u>VALUE</u> (units 10^{-4})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.84±0.26±0.30	BAI	96B	$BES \quad e^+ e^- \rightarrow J/\psi \rightarrow \gamma \pi^+ \pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$1.4 \pm 0.8 \pm 0.4$	BAI	98H	$BES \quad J/\psi \rightarrow \gamma \pi^0 \pi^0$

$\Gamma(\gamma f_J(2220) \rightarrow \gamma K\bar{K})/\Gamma_{\text{total}}$

Γ_{131}/Γ

<u>VALUE</u> (units 10^{-5})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8.1±3.0 OUR AVERAGE	BAI	96B	$BES \quad e^+ e^- \rightarrow J/\psi \rightarrow \gamma K^+ K^-$
$6.6 \pm 2.9 \pm 2.4$	BAI	96B	$BES \quad e^+ e^- \rightarrow J/\psi \rightarrow \gamma K_S^0 K_S^0$
$10.8 \pm 4.0 \pm 3.2$			

$\Gamma(\gamma f_J(2220) \rightarrow \gamma p\bar{p})/\Gamma_{\text{total}}$

Γ_{132}/Γ

<u>VALUE</u> (units 10^{-5})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.5±0.6±0.5	BAI	96B	$BES \quad e^+ e^- \rightarrow J/\psi \rightarrow \gamma p\bar{p}$

$\Gamma(\gamma f_0(1500))/\Gamma_{\text{total}}$

Γ_{133}/Γ

<u>VALUE</u> (units 10^{-4})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$>5.7 \pm 0.8$	80,81 BUGG	95	$MRK3 \quad J/\psi \rightarrow \gamma \pi^+ \pi^- \pi^+ \pi^-$

80 Including unknown branching ratio for $f_0(1500) \rightarrow \pi^+ \pi^- \pi^+ \pi^-$.

81 Assuming that $f_0(1500)$ decays only to two S-wave dipions.

$\Gamma(\gamma e^+ e^-)/\Gamma_{\text{total}}$	Γ_{134}/Γ		
VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
8.8±1.3±0.4	82 ARMSTRONG 96	E760	$\bar{p}p \rightarrow e^+ e^- \gamma$
⁸² For $E_\gamma > 100$ MeV.			

J/ψ(1S) REFERENCES

ARTAMONOV 00	PL B474 427	A.S. Artamonov <i>et al.</i>	
BAI 00B	PL B472 200	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI 00D	PL B476 25	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI 99	PL B446 356	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI 99C	PRL 83 1918	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI 98D	PR D58 092006	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI 98G	PL B424 213	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI 98H	PRL 81 1179	J.Z. Bai <i>et al.</i>	(BES Collab.)
BALDINI 98	PL B444 111	R. Baldini <i>et al.</i>	(FENICE Collab.)
ARMSTRONG 96	PR D54 7067	T.A. Armstrong <i>et al.</i>	(E760 Collab.)
BAI 96B	PRL 76 3502	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI 96C	PRL 77 3959	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI 96D	PR D54 1221	J.Z. Bai <i>et al.</i>	(BES Collab.)
GRIBUSHIN 96	PR D53 4723	A. Gribushin <i>et al.</i>	(E672 Collab., E706 Collab.)
HASAN 96	PL B388 376	A. Hasan, D.V. Bugg	(BRUN, LOQM)
BAI 95B	PL B355 374	J.Z. Bai <i>et al.</i>	(BES Collab.)
BUGG 95	PL B353 378	D.V. Bugg <i>et al.</i>	(LOQM, PNPI, WASH)
ANTONELLI 93	PL B301 317	A. Antonelli <i>et al.</i>	(FENICE Collab.)
ARMSTRONG 93B	PR D47 772	T.A. Armstrong <i>et al.</i>	(FNAL E760 Collab.)
BARNES 93	PL B309 469	P.D. Barnes, P. Birien, W.H. Breunlich	
AUGUSTIN 92	PR D46 1951	J.E. Augustin, G. Cosme	(DM2 Collab.)
BOLTON 92	PL B278 495	T. Bolton <i>et al.</i>	(Mark III Collab.)
BOLTON 92B	PRL 69 1328	T. Bolton <i>et al.</i>	(Mark III Collab.)
COFFMAN 92	PRL 68 282	D.M. Coffman <i>et al.</i>	(Mark III Collab.)
HSUEH 92	PR D45 R2181	S. Hsueh, S. Palestini	(FNAL, TORI)
AUGUSTIN 90	PR D42 10	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
BAI 90B	PRL 65 1309	Z. Bai <i>et al.</i>	(Mark III Collab.)
BAI 90C	PRL 65 2507	Z. Bai <i>et al.</i>	(Mark III Collab.)
BISELLO 90	PL B241 617	D. Bisello <i>et al.</i>	(DM2 Collab.)
COFFMAN 90	PR D41 1410	D.M. Coffman <i>et al.</i>	(Mark III Collab.)
JOUSSET 90	PR D41 1389	J. Jousset <i>et al.</i>	(DM2 Collab.)
ALEXANDER 89	NP B320 45	J.P. Alexander <i>et al.</i>	(LBL, MICH, SLAC)
AUGUSTIN 89	NP B320 1	J.E. Augustin, G. Cosme	(DM2 Collab.)
BISELLO 89B	PR D39 701	G. Busetto <i>et al.</i>	(DM2 Collab.)
AUGUSTIN 88	PRL 60 2238	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
COFFMAN 88	PR D38 2695	D.M. Coffman <i>et al.</i>	(Mark III Collab.)
FALVARD 88	PR D38 2706	A. Falvard <i>et al.</i>	(CLER, FRAS, LAZO+)
AUGUSTIN 87	ZPHY C36 369	J.E. Augustin <i>et al.</i>	(LAZO, CLER, FRAS+)
BAGLIN 87	NP B286 592	C. Baglin <i>et al.</i>	(LAPP, CERN, GENO, LYON+)
BALTRUSAIT... 87	PR D35 2077	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
BECKER 87	PRL 59 186	J.J. Becker <i>et al.</i>	(Mark III Collab.)
BISELLO 87	PL B192 239	D. Bisello <i>et al.</i>	(PADO, CLER, FRAS+)
COHEN 87	RMP 59 1121	E.R. Cohen, B.N. Taylor	(RISC, NBS)
HENRARD 87	NP B292 670	P. Henrard <i>et al.</i>	(CLER, FRAS, LAZO+)
PALLIN 87	NP B292 653	D. Pallin <i>et al.</i>	(CLER, FRAS, LAZO, PADO)
BALTRUSAIT... 86B	PR D33 1222	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
BALTRUSAIT... 86D	PRL 56 107	R.M. Baltrusaitis	(CIT, UCSC, ILL, SLAC+)
BISELLO 86B	PL B179 294	D. Bisello <i>et al.</i>	(DM2 Collab.)
GAISER 86	PR D34 711	J. Gaisser <i>et al.</i>	(Crystal Ball Collab.)
BALTRUSAIT... 85C	PRL 55 1723	R.M. Baltrusaitis <i>et al.</i>	(CIT, UCSC+)
BALTRUSAIT... 85D	PR D32 566	R.M. Baltrusaitis <i>et al.</i>	(CIT, UCSC+)
KURAEV 85	SJNP 41 466	E.A. Kuraev, V.S. Fadin	(NOVO)
	Translated from YAF 41	733.	
BALTRUSAIT... 84	PRL 52 2126	R.M. Baltrusaitis <i>et al.</i>	(CIT, UCSC+)
EATON 84	PR D29 804	M.W. Eaton <i>et al.</i>	(LBL, SLAC)
BLOOM 83	ARNS 33 143	E.D. Bloom, C. Peck	(SLAC, CIT)
EDWARDS 83B	PRL 51 859	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
FRANKLIN 83	PRL 51 963	M.E.B. Franklin <i>et al.</i>	(LBL, SLAC)
BURKE 82	PRL 49 632	D.L. Burke <i>et al.</i>	(LBL, SLAC)

EDWARDS	82B	PR D25 3065	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
EDWARDS	82D	PRL 48 458	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
Also	83	ARNS 33 143	E.D. Bloom, C. Peck	(SLAC, CIT)
EDWARDS	82E	PRL 49 259	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
LEMOIGNE	82	PL 113B 509	Y. Lemoigne <i>et al.</i>	(SACL, LOIC, SHMP+)
BESCH	81	ZPHY C8 1	H.J. Besch <i>et al.</i>	(BONN, DESY, MANZ)
GIDAL	81	PL 107B 153	G. Gidal <i>et al.</i>	(SLAC, LBL)
PARTRIDGE	80	PRL 44 712	R. Partridge <i>et al.</i>	(CIT, HARV, PRIN+)
SCHARRE	80	PL 97B 329	D.L. Scharre <i>et al.</i>	(SLAC, LBL)
ZHOLENTZ	80	PL 96B 214	A.A. Zholents <i>et al.</i>	(NOVO)
Also	81	SJNP 34 814	A.A. Zholents <i>et al.</i>	(NOVO)
		Translated from YAF 34 1471.		
BRANDELIK	79C	ZPHY C1 233	R. Brandelik <i>et al.</i>	(DASP Collab.)
ALEXANDER	78	PL 72B 493	G. Alexander <i>et al.</i>	(DESY, HAMB, SIEG+)
BESCH	78	PL 78B 347	H.J. Besch <i>et al.</i>	(BONN, DESY, MANZ)
BRANDELIK	78B	PL 74B 292	R. Brandelik <i>et al.</i>	(DASP Collab.)
PERUZZI	78	PR D17 2901	I. Peruzzi <i>et al.</i>	(SLAC, LBL)
BARTEL	77	PL 66B 489	W. Bartel <i>et al.</i>	(DESY, HEIDP)
BURMESTER	77D	PL 72B 135	J. Burmester <i>et al.</i>	(DESY, HAMB, SIEG+)
FELDMAN	77	PRPL 33C 285	G.J. Feldman, M.L. Perl	(LBL, SLAC)
VANNUCCI	77	PR D15 1814	F. Vannucci <i>et al.</i>	(SLAC, LBL)
BARTEL	76	PL 64B 483	W. Bartel <i>et al.</i>	(DESY, HEIDP)
BRAUNSCH...	76	PL 63B 487	W. Braunschweig <i>et al.</i>	(DASP Collab.)
JEAN-MARIE	76	PRL 36 291	B. Jean-Marie <i>et al.</i>	(SLAC, LBL) IG
BALDINI...	75	PL 58B 471	R. Baldini-Celio <i>et al.</i>	(FRAS, ROMA)
BOYARSKI	75	PRL 34 1357	A.M. Boyarski <i>et al.</i>	(SLAC, LBL) JPC
DASP	75	PL 56B 491	W. Braunschweig <i>et al.</i>	(DASP Collab.)
ESPOSITO	75B	LNC 14 73	B. Esposito <i>et al.</i>	(FRAS, NAPL, PADO+)
FORD	75	PRL 34 604	R.L. Ford <i>et al.</i>	(SLAC, PENN)

OTHER RELATED PAPERS

BAI	01B	PL B510 75	J.Z. Bai <i>et al.</i>	(BEPC BES Collab.)
BUGG	99	PL B458 511	D.V. Bugg <i>et al.</i>	
CHEN	98	PRL 80 5060	Y.Q. Chen, E. Braaten	
SUZUKI	98	PR D57 5717	M. Suzuki	
HOU	97	PR D55 6952	W.-S. Hou	
BARATE	83	PL 121B 449	R. Barate <i>et al.</i>	(SACL, LOIC, SHMP, IND)
ABRAMS	74	PRL 33 1453	G.S. Abrams <i>et al.</i>	(LBL, SLAC)
ASH	74	LNC 11 705	W.W. Ash <i>et al.</i>	(FRAS, UMD, NAPL, PADO+)
AUBERT	74	PRL 33 1404	J.J. Aubert <i>et al.</i>	(MIT, BNL)
AUGUSTIN	74	PRL 33 1406	J.E. Augustin <i>et al.</i>	(SLAC, LBL)
BACCI	74	PRL 33 1408	C. Bacci <i>et al.</i>	(FRAS)
Also	74B	PRL 33 1649 (erratum)	C. Bacci	
BALDINI...	74	LNC 11 711	R. Baldini-Celio <i>et al.</i>	(FRAS, ROMA)
BARBIELLINI	74	LNC 11 718	G. Barbieri <i>et al.</i>	(FRAS, NAPL, PISA+)
BRAUNSCH...	74	PL 53B 393	W. Braunschweig <i>et al.</i>	(DASP Collab.)
CHRISTENS...	70	PRL 25 1523	J.C. Christenson <i>et al.</i>	(COLU, BNL, CERN)