

$\psi(2S)$

$I^G(J^{PC}) = 0^-(1^{--})$

See the Review on “ $\psi(2S)$ and χ_c branching ratios” before the $\chi_{c0}(1P)$ Listings.

$\psi(2S)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
3685.96±0.09 OUR AVERAGE				
3685.95±0.10	413	¹ ARTAMONOV 00	OLYA	$e^+ e^- \rightarrow$ hadrons
3686.02±0.09±0.27		ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3684 ±2		GRIBUSHIN 96	FMPS	$515 \pi^- Be \rightarrow 2\mu X$
3683 ±5	77	ANTONIAZZI 94	E705	$300 \pi^\pm, pLi \rightarrow J/\psi \pi^+ \pi^- X$
3686.00±0.10	413	² ZHOLENTZ 80	OLYA	$e^+ e^-$

¹ Reanalysis of ZHOLENTZ 80 using new electron mass (COHEN 87) and radiative corrections (KURAEV 85).

² Superseded by ARTAMONOV 00.

$m_{\psi(2S)} - m_{J/\psi(1S)}$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
589.07±0.13 OUR AVERAGE			
589.7 ±1.2	LEMOIGNE 82	GOLI	$190 \pi^- Be \rightarrow 2\mu$
589.07±0.13	³ ZHOLENTZ 80	OLYA	$e^+ e^-$
588.7 ±0.8	LUTH 75	MRK1	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
588 ±1	⁴ BAI	98E BES	$e^+ e^-$

³ Redundant with data in mass above.

⁴ Systematic errors not evaluated.

$\psi(2S)$ WIDTH

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
280±17 OUR NEW UNCHECKED FIT [300 ± 25 keV OUR 2002 FIT]			
277±22 OUR NEW AVERAGE [306 ± 40 keV OUR 2002 AVERAGE]			
264±27	⁵ BAI	02B BES	$e^+ e^-$
306±36±16	ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+ e^-$
⁵ From a simultaneous fit to the hadronic and $\mu^+ \mu^-$ cross section, assuming $\Gamma = \Gamma_h + \Gamma_e + \Gamma_\mu + \Gamma_\tau$ and lepton universality.			

$\psi(2S)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 hadrons	$(97.85 \pm 0.13) \%$	
Γ_2 virtual $\gamma \rightarrow$ hadrons	$(2.16 \pm 0.35) \%$	S=2.1
Γ_3 $e^+ e^-$	$(7.58 \pm 0.29) \times 10^{-3}$	
Γ_4 $\mu^+ \mu^-$	$(7.3 \pm 0.8) \times 10^{-3}$	
Γ_5 $\tau^+ \tau^-$	$(2.8 \pm 0.7) \times 10^{-3}$	
Decays into $J/\psi(1S)$ and anything		
Γ_6 $J/\psi(1S)$ anything	$(57.9 \pm 1.9) \%$	
Γ_7 $J/\psi(1S)$ neutrals	$(24.7 \pm 1.1) \%$	
Γ_8 $J/\psi(1S) \pi^+ \pi^-$	$(31.8 \pm 1.0) \%$	
Γ_9 $J/\psi(1S) \pi^0 \pi^0$	$(18.9 \pm 1.1) \%$	
Γ_{10} $J/\psi(1S) \eta$	$(3.17 \pm 0.21) \%$	
Γ_{11} $J/\psi(1S) \pi^0$	$(9.6 \pm 2.1) \times 10^{-4}$	
Hadronic decays		
Γ_{12} $3(\pi^+ \pi^-) \pi^0$	$(3.5 \pm 1.6) \times 10^{-3}$	
Γ_{13} $2(\pi^+ \pi^-) \pi^0$	$(3.0 \pm 0.8) \times 10^{-3}$	
Γ_{14} $\rho a_2(1320)$	$< 2.3 \times 10^{-4}$	CL=90%
Γ_{15} $\omega \pi^+ \pi^-$	$(4.8 \pm 0.9) \times 10^{-4}$	
Γ_{16} $b_1^\pm \pi^\mp$	$(3.2 \pm 0.8) \times 10^{-4}$	
Γ_{17} $\omega f_2(1270)$	$< 1.5 \times 10^{-4}$	CL=90%
Γ_{18} $\pi^+ \pi^- K^+ K^-$	$(1.6 \pm 0.4) \times 10^{-3}$	
Γ_{19} $K^*(892) \bar{K}_2^*(1430)^0$	$< 1.2 \times 10^{-4}$	CL=90%
Γ_{20} $K_1(1270)^\pm K^\mp$	$(1.00 \pm 0.28) \times 10^{-3}$	
Γ_{21} $\pi^+ \pi^- p \bar{p}$	$(8.0 \pm 2.0) \times 10^{-4}$	
Γ_{22} $K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.}$	$(6.7 \pm 2.5) \times 10^{-4}$	
Γ_{23} $2(\pi^+ \pi^-)$	$(4.5 \pm 1.0) \times 10^{-4}$	
Γ_{24} $\rho^0 \pi^+ \pi^-$	$(4.2 \pm 1.5) \times 10^{-4}$	
Γ_{25} $\omega K^+ K^-$	$(1.5 \pm 0.4) \times 10^{-4}$	
Γ_{26} $\omega p \bar{p}$	$(8.0 \pm 3.2) \times 10^{-5}$	
Γ_{27} $\bar{p} p$	$(2.07 \pm 0.31) \times 10^{-4}$	
Γ_{28} $\Lambda \bar{\Lambda}$	$(1.81 \pm 0.34) \times 10^{-4}$	
Γ_{29} $3(\pi^+ \pi^-)$	$(1.5 \pm 1.0) \times 10^{-4}$	
Γ_{30} $\bar{p} p \pi^0$	$(1.4 \pm 0.5) \times 10^{-4}$	
Γ_{31} $\Delta^{++} \bar{\Delta}^{--}$	$(1.28 \pm 0.35) \times 10^{-4}$	
Γ_{32} $\Sigma^0 \bar{\Sigma}^0$	$(1.2 \pm 0.6) \times 10^{-4}$	
Γ_{33} $\Sigma^{*+} \bar{\Sigma}^{*-}$	$(1.1 \pm 0.4) \times 10^{-4}$	
Γ_{34} $K^+ K^-$	$(1.0 \pm 0.7) \times 10^{-4}$	
Γ_{35} $\pi^+ \pi^- \pi^0$	$(8 \pm 5) \times 10^{-5}$	
Γ_{36} $\rho \pi$	$< 8.3 \times 10^{-5}$	CL=90%
Γ_{37} $\pi^+ \pi^-$	$(8 \pm 5) \times 10^{-5}$	

Γ_{38}	$\Xi^- \Xi^+$	$(9.4 \pm 3.1) \times 10^{-5}$	
Γ_{39}	$K_1(1400)^{\pm} K^{\mp}$	$< 3.1 \times 10^{-4}$	CL=90%
Γ_{40}	$\Xi^{*0} \Xi^{*0}$	$< 8.1 \times 10^{-5}$	CL=90%
Γ_{41}	$\Omega^- \bar{\Omega}^+$	$< 7.3 \times 10^{-5}$	CL=90%
Γ_{42}	$K^+ K^- \pi^0$	$< 2.96 \times 10^{-5}$	CL=90%
Γ_{43}	$K^+ \bar{K}^*(892)^- + \text{c.c.}$	$< 5.4 \times 10^{-5}$	CL=90%
Γ_{44}	$\phi \pi^+ \pi^-$	$(1.50 \pm 0.28) \times 10^{-4}$	
Γ_{45}	$\phi K^+ K^-$	$(1.1 \pm 0.4) \times 10^{-4}$	
Γ_{46}	$\phi p \bar{p}$	$< 2.6 \times 10^{-5}$	CL=90%
Γ_{47}	$\phi f_0(980)$	$(1.1 \pm 0.4) \times 10^{-4}$	
Γ_{48}	$\phi f'_2(1525)$	$< 4.5 \times 10^{-5}$	CL=90%

Radiative decays

Γ_{49}	$\gamma \chi_{c0}(1P)$	$(8.4 \pm 0.7) \%$	
Γ_{50}	$\gamma \chi_{c1}(1P)$	$(8.4 \pm 0.6) \%$	
Γ_{51}	$\gamma \chi_{c2}(1P)$	$(6.4 \pm 0.6) \%$	
Γ_{52}	$\gamma \eta_c(1S)$	$(2.8 \pm 0.6) \times 10^{-3}$	
Γ_{53}	$\gamma \eta_c(2S)$		
Γ_{54}	$\gamma \pi^0$		
Γ_{55}	$\gamma \eta'(958)$	$(1.5 \pm 0.4) \times 10^{-4}$	
Γ_{56}	$\gamma f_0(1270)$	$(2.1 \pm 0.4) \times 10^{-4}$	
Γ_{57}	$\gamma f_0(1710) \rightarrow \gamma \pi \pi$	$(3.0 \pm 1.3) \times 10^{-5}$	
Γ_{58}	$\gamma f_0(1710) \rightarrow \gamma K \bar{K}$	$(6.0 \pm 1.6) \times 10^{-5}$	
Γ_{59}	$\gamma \gamma$	$< 1.5 \times 10^{-4}$	CL=90%
Γ_{60}	$\gamma \eta$	$< 9 \times 10^{-5}$	CL=90%
Γ_{61}	$\gamma \eta(1440) \rightarrow \gamma K \bar{K} \pi$	$< 1.2 \times 10^{-4}$	CL=90%

$\psi(2S)$ PARTIAL WIDTHS

$\Gamma(\text{hadrons})$

Γ_1

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
258 \pm 26	BAI	02B BES	$e^+ e^-$
224 \pm 56	LUTH	75 MRK1	$e^+ e^-$

$\Gamma(e^+ e^-)$

Γ_3

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
2.12 \pm 0.12 OUR NEW UNCHECKED FIT			[2.19 ± 0.15 keV OUR 2002 FIT]
2.14 \pm 0.21	ALEXANDER 89 RVUE		See γ mini-review
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2.44 \pm 0.21	7 BAI	02B BES	$e^+ e^-$
2.0 \pm 0.3	BRANDELIK	79C DASP	$e^+ e^-$
2.1 \pm 0.3	6 LUTH	75 MRK1	$e^+ e^-$

⁶ From a simultaneous fit to $e^+ e^-$, $\mu^+ \mu^-$, and hadronic channels assuming $\Gamma(e^+ e^-) = \Gamma(\mu^+ \mu^-)$.

$\Gamma(\gamma\gamma)$				Γ_{59}
VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<43	90	BRANDELIK	79c DASP	$e^+ e^-$
7 From a simultaneous fit to $e^+ e^-$, $\mu^+ \mu^-$, and hadronic channel, assuming $\Gamma_e = \Gamma_\mu = \Gamma_\tau / 0.38847$.				

$\psi(2S) \Gamma(i)\Gamma(e^+ e^-)/\Gamma(\text{total})$

This combination of a partial width with the partial width into $e^+ e^-$ and with the total width is obtained from the integrated cross section into channel I in the $e^+ e^-$ annihilation. We list only data that have not been used to determine the partial width $\Gamma(I)$ or the branching ratio $\Gamma(I)/\text{total}$.

$\Gamma(\text{hadrons}) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$				$\Gamma_1\Gamma_3/\Gamma$
VALUE (keV)	DOCUMENT ID	TECN	COMMENT	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2.2 ± 0.4	ABRAMS	75	MRK1 $e^+ e^-$	

$\Gamma(e^+ e^-) \times \Gamma(J/\psi(1S)\pi^+\pi^-)/\Gamma_{\text{total}}$				$\Gamma_3\Gamma_8/\Gamma$
VALUE (keV)	DOCUMENT ID	TECN	COMMENT	
0.67 ± 0.05 OUR NEW UNCHECKED FIT [0.67 ± 0.06 keV OUR 2002 FIT]				
0.68 ± 0.09	⁸ BAI	98E	BES $e^+ e^-$	

⁸ The value of $\Gamma(e^+ e^-)$ quoted in BAI 98E is derived using $B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) = (32.4 \pm 2.6) \times 10^{-2}$ and $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.1203 \pm 0.0038$. Recalculated by us using $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.1181 \pm 0.0020$.

$\psi(2S)$ BRANCHING RATIOS

$\Gamma(\text{hadrons})/\Gamma_{\text{total}}$				Γ_1/Γ
VALUE	DOCUMENT ID	TECN	COMMENT	
0.9785 ± 0.0013 OUR NEW AVERAGE [0.9810 ± 0.0030 OUR 2002 AVERAGE]				
0.9779 ± 0.0015	⁹ BAI	02B	BES $e^+ e^-$	
0.981 ± 0.003	⁹ LUTH	75	MRK1 $e^+ e^-$	

$\Gamma(\text{virtual } \gamma \rightarrow \text{hadrons})/\Gamma_{\text{total}}$				Γ_2/Γ
VALUE	DOCUMENT ID	TECN	COMMENT	
0.0216 ± 0.0035 OUR NEW AVERAGE Error includes scale factor of 2.1. [0.029 ± 0.004 OUR 2002 AVERAGE]				
0.0199 ± 0.0019	¹⁰ BAI	02B	BES $e^+ e^-$	
0.029 ± 0.004	¹⁰ LUTH	75	MRK1 $e^+ e^-$	

$\Gamma(e^+ e^-)/\Gamma_{\text{total}}$				Γ_3/Γ
VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT	
75.8 ± 2.9 OUR NEW UNCHECKED FIT [(73 ± 4) × 10 ⁻⁴ OUR 2002 FIT]				
• • • We do not use the following data for averages, fits, limits, etc. • • •				
88 ± 13	¹¹ FELDMAN	77	RVUE $e^+ e^-$	

$\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$ Γ_4/Γ VALUE (units 10^{-4})DOCUMENT ID**73±8 OUR NEW UNCHECKED FIT** $[(70 \pm 9) \times 10^{-4}$ OUR 2002 FIT] $\Gamma(\tau^+\tau^-)/\Gamma_{\text{total}}$ Γ_5/Γ VALUE (units 10^{-4})DOCUMENT ID**28±7 OUR NEW UNCHECKED FIT** $[(27 \pm 7) \times 10^{-3}$ OUR 2002 FIT] $\Gamma(\mu^+\mu^-)/\Gamma(e^+e^-)$ Γ_4/Γ_3 VALUEDOCUMENT IDTECNCOMMENT**0.97±0.12 OUR NEW UNCHECKED FIT** $[0.97 \pm 0.14$ OUR 2002 FIT]

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.89±0.16

BOYARSKI 75C MRK1 e^+e^- ⁹ Includes cascade decay into $J/\psi(1S)$.¹⁰ Included in $\Gamma(\text{hadrons})/\Gamma_{\text{total}}$.¹¹ From an overall fit assuming equal partial widths for e^+e^- and $\mu^+\mu^-$. For a measurement of the ratio see the entry $\Gamma(\mu^+\mu^-)/\Gamma(e^+e^-)$ below. Includes LUTH 75, HILGER 75, BURMESTER 77.**— DECAYS INTO $J/\psi(1S)$ AND ANYTHING —** $\Gamma(J/\psi(1S)\text{anything})/\Gamma_{\text{total}}$ Γ_6/Γ VALUEDOCUMENT IDTECNCOMMENT**0.579±0.019 OUR NEW UNCHECKED FIT** $[0.557 \pm 0.026$ OUR 2002 FIT]**0.55 ±0.07 OUR AVERAGE**

0.51 ±0.12

BRANDELIK 79C DASP $e^+e^- \rightarrow \mu^+\mu^-X$

0.57 ±0.08

ABRAMS 75B MRK1 $e^+e^- \rightarrow \mu^+\mu^-X$ $\Gamma(J/\psi(1S)\text{neutrals})/\Gamma_{\text{total}}$ Γ_7/Γ VALUEDOCUMENT ID**0.247±0.011 OUR NEW UNCHECKED FIT** $[0.239 \pm 0.012$ OUR 2002 FIT] $\Gamma(J/\psi(1S)\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_8/Γ VALUEDOCUMENT IDTECNCOMMENT**0.318±0.010 OUR NEW UNCHECKED FIT** $[0.305 \pm 0.016$ OUR 2002 FIT]**0.323±0.013 OUR NEW AVERAGE** $[0.32 \pm 0.04$ OUR 2002 AVERAGE]

0.323±0.014

BAI 02B BES e^+e^-


0.32 ±0.04

ABRAMS 75B MRK1 $e^+e^- \rightarrow J/\psi\pi^+\pi^-$ $\Gamma(J/\psi(1S)\pi^0\pi^0)/\Gamma_{\text{total}}$ Γ_9/Γ VALUEDOCUMENT ID**0.189±0.011 OUR NEW UNCHECKED FIT** $[0.182 \pm 0.012$ OUR 2002 FIT]

$\Gamma(J/\psi(1S)\eta)/\Gamma_{\text{total}}$

Γ_{10}/Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.0317 ± 0.0021 OUR NEW UNCHECKED FIT	$[0.0313 \pm 0.0021$ OUR 2002 FIT]			
0.029 ± 0.005 OUR AVERAGE	Error includes scale factor of 2.0. See the ideogram below.			
0.0255 ± 0.0029	386	12 OREGLIA	80 CBAL	$e^+ e^- \rightarrow J/\psi 2\gamma$
0.045 ± 0.012	17	13 BRANDELIK	79B DASP	$e^+ e^- \rightarrow J/\psi 2\gamma$
0.042 ± 0.006	164	13 BARTEL	78B CNTR	$e^+ e^-$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.043 ± 0.008	44	TANENBAUM	76 MRK1	$e^+ e^-$



$\Gamma(J/\psi(1S)\eta)/\Gamma_{\text{total}}$

$\Gamma(J/\psi(1S)\pi^0)/\Gamma_{\text{total}}$

Γ_{11}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
9.6 ± 2.1 OUR AVERAGE				
14 ± 6	7	HIMEL	80 MRK2	$e^+ e^-$
$9 \pm 2 \pm 1$	23	12 OREGLIA	80 CBAL	$\psi(2S) \rightarrow J/\psi 2\gamma$

$\Gamma(J/\psi(1S)\text{ neutrals})/\Gamma(J/\psi(1S)\pi^+\pi^-)$

Γ_7/Γ_8

VALUE	DOCUMENT ID	TECN	COMMENT
0.776 ± 0.032 OUR NEW UNCHECKED FIT	$[0.784 \pm 0.035$ OUR 2002 FIT]		
0.73 ± 0.09	TANENBAUM	76 MRK1	$e^+ e^-$

$\Gamma(J/\psi(1S)\pi^+\pi^-)/\Gamma(J/\psi(1S)\text{anything})$ Γ_8/Γ_6

VALUE	DOCUMENT ID	TECN	COMMENT
0.550±0.011 OUR NEW UNCHECKED FIT	[0.547 ± 0.011 OUR 2002 FIT]		
0.496±0.037	ARMSTRONG 97 E760	$p\bar{p} \rightarrow \psi(2S)$	

 $\Gamma(J/\psi(1S)\pi^0\pi^0)/\Gamma(J/\psi(1S)\text{anything})$ Γ_9/Γ_6

VALUE	DOCUMENT ID	TECN	COMMENT
0.327±0.012 OUR NEW UNCHECKED FIT	[0.326 ± 0.012 OUR 2002 FIT]		
0.327±0.014 OUR AVERAGE			
0.328±0.013±0.008	AMBROGIANI 00A E835	$p\bar{p} \rightarrow \psi(2S)$	
0.323±0.033	ARMSTRONG 97 E760	$\bar{p}p \rightarrow \psi(2S)$	

 $\Gamma(J/\psi(1S)\pi^0\pi^0)/\Gamma(J/\psi(1S)\pi^+\pi^-)$ Γ_9/Γ_8

VALUE	DOCUMENT ID	TECN	COMMENT
0.59±0.05 OUR NEW UNCHECKED FIT	[0.60 ± 0.06 OUR 2002 FIT]		
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.53±0.06	TANENBAUM 76 MRK1	$e^+ e^-$	
0.64±0.15	¹⁴ HILGER 75 SPEC	$e^+ e^-$	

 $\Gamma(J/\psi(1S)\eta)/\Gamma(J/\psi(1S)\text{anything})$ Γ_{10}/Γ_6

VALUE	DOCUMENT ID	TECN	COMMENT
0.055±0.004 OUR NEW UNCHECKED FIT	[0.056 ± 0.004 OUR 2002 FIT]		
0.069±0.008 OUR AVERAGE			
0.072±0.009	AMBROGIANI 00A E835	$p\bar{p} \rightarrow \psi(2S)$	
0.061±0.015	ARMSTRONG 97 E760	$\bar{p}p \rightarrow \psi(2S)$	

 $\Gamma(J/\psi(1S)\eta)/\Gamma(J/\psi(1S)\pi^+\pi^-)$ Γ_{10}/Γ_8

VALUE	DOCUMENT ID	TECN	COMMENT
0.100±0.008 OUR NEW UNCHECKED FIT	[0.103 ± 0.010 OUR 2002 FIT]		
0.091±0.021	¹⁵ HIMEL 80 MRK2	$e^+ e^- \rightarrow \psi(2S) X$	

 $\Gamma(e^+e^-)/\Gamma(J/\psi(1S)\text{anything})$ Γ_3/Γ_6

VALUE	DOCUMENT ID	TECN	COMMENT
0.0131±0.0010 OUR NEW UNCHECKED FIT	[0.01308 ± 0.00032 OUR 2002 FIT]		
0.0131±0.0006 OUR AVERAGE	Error includes scale factor of 1.8.		
0.0128±0.0003±0.0002	¹⁶ AMBROGIANI 00A E835	$p\bar{p} \rightarrow \psi(2S)$	
0.0144±0.0008±0.0002	¹⁶ ARMSTRONG 97 E760	$\bar{p}p \rightarrow \psi(2S)$	

 $\Gamma(e^+e^-)/\Gamma(J/\psi(1S)\pi^+\pi^-)$ Γ_3/Γ_8

VALUE	DOCUMENT ID	TECN	COMMENT
0.0238±0.0015 OUR NEW UNCHECKED FIT	[0.0239 ± 0.0024 OUR 2002 FIT]		
0.0252±0.0028±0.0011	¹⁶ AUBERT 02B BABR	$e^+ e^-$	

 $\Gamma(\mu^+\mu^-)/\Gamma(J/\psi(1S)\text{anything})$ Γ_4/Γ_6

VALUE	DOCUMENT ID	TECN	COMMENT
0.0127±0.0033 OUR NEW UNCHECKED FIT	[0.0126 ± 0.0014 OUR 2002 FIT]		
0.014 ±0.003	HILGER 75 SPEC	$e^+ e^-$	

$\Gamma(\mu^+\mu^-)/\Gamma(J/\psi(1S)\pi^+\pi^-)$ Γ_4/Γ_8

VALUE	DOCUMENT ID	TECN	COMMENT
0.0231±0.0029 OUR NEW UNCHECKED FIT	[0.0231 ± 0.0035 OUR 2002 FIT]		
0.0224±0.0029 OUR AVERAGE			
0.0216±0.0026±0.0014	17 AUBERT	02B BABR	e^+e^-
0.0327±0.0077±0.0072	17 GRIBUSHIN	96 FMPS	515 π^- Be → $2\mu X$

 $\Gamma(\tau^+\tau^-)/\Gamma(J/\psi(1S)\pi^+\pi^-)$ Γ_5/Γ_8

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
8.7 ± 2.2 OUR NEW UNCHECKED FIT	$[(8.7 \pm 2.3) \times 10^{-3}$ OUR 2002 FIT]		
8.73±1.39±1.57	BAI	02 BES	e^+e^-

12 Recalculated by us using $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.1181 \pm 0.0020$.13 Recalculated by us using $B(J/\psi(1S) \rightarrow \mu^+\mu^-) = 0.0588 \pm 0.0010$.14 Ignoring the $J/\psi(1S)\eta$ and $J/\psi(1S)\gamma\gamma$ decays.15 The value for $B(\psi(2S) \rightarrow J/\psi(1S)\eta)$ reported in HIMEL 80 is derived using $B(\psi(2S)) \rightarrow J/\psi(1S)\pi^+\pi^-) = (33 \pm 3)\%$ and $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.138 \pm 0.018$. Calculated by us using $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = (0.1181 \pm 0.0020)$.16 Using $B(J/\psi(1S) \rightarrow e^+e^-) = 0.0593 \pm 0.0010$.17 Using $B(J/\psi(1S) \rightarrow \mu^+\mu^-) = 0.0588 \pm 0.0010$.

— HADRONIC DECAYS — $\Gamma(3(\pi^+\pi^-)\pi^0)/\Gamma_{\text{total}}$ Γ_{12}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
35±16	6	FRANKLIN	83	$e^+e^- \rightarrow$ hadrons

 $\Gamma(2(\pi^+\pi^-)\pi^0)/\Gamma_{\text{total}}$ Γ_{13}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
30±8	42	FRANKLIN	83	e^+e^-

 $\Gamma(\omega\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{15}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
4.8±0.6±0.7	100±22	18 BAI	03B BES	$\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$

 $\Gamma(b_1^\pm\pi^\mp)/\Gamma_{\text{total}}$ Γ_{16}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
3.2±0.8 OUR NEW AVERAGE		$[(5.2 \pm 1.3) \times 10^{-4}$ OUR 2002 AVERAGE]		

3.2±0.6±0.5	61 ± 11	18,19 BAI	03B BES	$\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$
-------------	---------	-----------	---------	---

• • • We do not use the following data for averages, fits, limits, etc. • • •

5.2±0.8±1.0	19 BAI	99c BES	Repl. by BAI 03B
-------------	--------	---------	------------------

 $\Gamma(\omega f_2(1270))/\Gamma_{\text{total}}$ Γ_{17}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
<1.5 (CL = 90%)	$[<1.7 \times 10^{-4}$ (CL = 90%) OUR 2002 BEST LIMIT]			

<1.5	90	18 BAI	03B BES	$\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$
----------------	----	--------	---------	---

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1.7	90	BAI	98J BES	Repl. by BAI 03B
------	----	-----	---------	------------------

$\Gamma(\pi^+\pi^-K^+K^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})

16±4

	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
20	TANENBAUM 78	MRK1	e^+e^-

Γ_{18}/Γ

$\Gamma(K_1(1270)^{\pm}K^{\mp})/\Gamma_{\text{total}}$

VALUE (units 10^{-4})

10.0±1.8±2.1

	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
21	BAI	99C	BES

Γ_{20}/Γ

$\Gamma(\pi^+\pi^-p\bar{p})/\Gamma_{\text{total}}$

VALUE (units 10^{-4})

8 ±2

	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
20	TANENBAUM 78	MRK1	e^+e^-

Γ_{21}/Γ

$\Gamma(K^+\bar{K}^*(892)^0\pi^- + \text{c.c.})/\Gamma_{\text{total}}$

VALUE (units 10^{-4})

6.7±2.5

	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
TANENBAUM 78	MRK1		e^+e^-

Γ_{22}/Γ

$\Gamma(\omega K^+K^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})

1.5±0.3±0.2

EVTS

23.0±5.2

	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
18	BAI	03B	BES

Γ_{25}/Γ

$\Gamma(\omega p\bar{p})/\Gamma_{\text{total}}$

VALUE (units 10^{-4})

0.8 ±0.3 ±0.1

EVTS

14.0±0.1

	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
18	BAI	03B	BES

Γ_{26}/Γ

$\Gamma(2(\pi^+\pi^-))/\Gamma_{\text{total}}$

VALUE (units 10^{-4})

4.5±1.0

	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
TANENBAUM 78	MRK1		e^+e^-

Γ_{23}/Γ

$\Gamma(\rho^0\pi^+\pi^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})

4.2±1.5

	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
TANENBAUM 78	MRK1		e^+e^-

Γ_{24}/Γ

$\Gamma(\rho a_2(1320))/\Gamma_{\text{total}}$

VALUE (units 10^{-4})

<2.3

CL%

90

	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BAI	98J	BES	e^+e^-

Γ_{14}/Γ

$\Gamma(\bar{p}p)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})

2.07±0.31 OUR AVERAGE

EVTS

201

2.16±0.15±0.36

4

1.4 ±0.8

2.3 ±0.7

	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
22	BAI	01	BES
BRANDELIK	79C	DASP	e^+e^-
FELDMAN	77	MRK1	e^+e^-

Γ_{27}/Γ

$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.81±0.20±0.27		80	22 BAI	01 BES	$e^+e^- \rightarrow \psi(2S)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<4

90

FELDMAN

77

MRK1

 e^+e^- Γ_{28}/Γ $\Gamma(3(\pi^+\pi^-))/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.5±1.0	20 TANENBAUM	78 MRK1	e^+e^-

 Γ_{29}/Γ $\Gamma(\bar{p}p\pi^0)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.4±0.5	9	FRANKLIN	83	MRK2 e^+e^-

 Γ_{30}/Γ $\Gamma(K^+K^-)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.0±0.7		BRANDELIK	79C DASP	e^+e^-

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.5

90

FELDMAN

77

MRK1

 e^+e^- Γ_{34}/Γ $\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.8±0.5		BRANDELIK	79C DASP	e^+e^-

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.5

90

FELDMAN

77

MRK1

 e^+e^- Γ_{37}/Γ $\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.85±0.46	4	FRANKLIN	83	MRK2 $e^+e^- \rightarrow \text{hadrons}$

 Γ_{35}/Γ $\Gamma(\Delta^{++}\bar{\Delta}^{--})/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-5})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
12.8±1.0±3.4	157	22 BAI	01 BES	$e^+e^- \rightarrow \psi(2S)$

 Γ_{31}/Γ $\Gamma(\Sigma^0\bar{\Sigma}^0)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-5})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
12±4±4	8	22 BAI	01 BES	$e^+e^- \rightarrow \psi(2S)$

 Γ_{32}/Γ $\Gamma(\Sigma^{*+}\bar{\Sigma}^{*-})/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-5})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
11±3±3	14	22 BAI	01 BES	$e^+e^- \rightarrow \psi(2S)$

 Γ_{33}/Γ $\Gamma(K_1(1400)^{\pm}K^{\mp})/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<3.1	90	23 BAI	99C BES	e^+e^-

 Γ_{39}/Γ

$\Gamma(\Xi^-\Xi^+)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
9.4±2.7±1.5	12	22	BAI	01	BES $e^+e^- \rightarrow \psi(2S)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<20 90 FELDMAN 77 MRK1 e^+e^-

 Γ_{38}/Γ $\Gamma(\Xi^*\Xi^*)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<8.1	90	22	BAI	01 BES $e^+e^- \rightarrow \psi(2S)$

 $\Gamma(\Omega^-\bar{\Omega}^+)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<7.3	90	22	BAI	01 BES $e^+e^- \rightarrow \psi(2S)$

 $\Gamma(\rho\pi)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 0.83	90	1	FRANKLIN	83	MRK2 e^+e^-
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<10	90		BARTEL	76	CNTR e^+e^-
<10	90		ABRAMS	75	MRK1 e^+e^-

 Γ_{41}/Γ $\Gamma(K^+\bar{K}^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<2.96	90	1	FRANKLIN	83	MRK2 $e^+e^- \rightarrow \text{hadrons}$

 Γ_{42}/Γ $\Gamma(K^+\bar{K}^*(892)^- + \text{c.c.})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<5.4	90	FRANKLIN	83	MRK2 $e^+e^- \rightarrow \text{hadrons}$

 Γ_{43}/Γ $\Gamma(K^*(892)\bar{K}_2^*(1430)^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<1.2	90	BAI	98J	BES e^+e^-

 Γ_{19}/Γ $\Gamma(\phi\pi^+\pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.5 ±0.2 ±0.2	51.5±8.3	18 BAI	03B	BES $\psi(2S) \rightarrow K^+K^-\pi^+\pi^-$

 Γ_{44}/Γ $\Gamma(\phi K^+K^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.1±0.4±0.1	16.1±5.0	18 BAI	03B	BES $\psi(2S) \rightarrow 2(K^+K^-)$

 Γ_{45}/Γ $\Gamma(\phi p\bar{p})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.26	90	18 BAI	03B	BES $\psi(2S) \rightarrow K^+K^-p\bar{p}$

 Γ_{46}/Γ

$\Gamma(\phi f_0(980))/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{47}/Γ
$1.1 \pm 0.4 \pm 0.1$	18.4 ± 6.4	18 BAI	03B BES	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^-$	

$\Gamma(\phi f'_2(1525))/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{48}/Γ
<0.45	90	BAI	98J BES	$e^+ e^- \rightarrow 2(K^+ K^-)$	

18 Normalized to $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$.

19 Assuming $B(b_1 \rightarrow \omega \pi) = 1$.

20 Assuming entirely strong decay.

21 Assuming $B(K_1(1270) \rightarrow K \rho) = 0.42 \pm 0.06$

22 Estimated using $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$.

23 Assuming $B(K_1(1400) \rightarrow K^* \pi) = 0.94 \pm 0.06$

24 Final state $\rho^0 \pi^0$.

———— RADIATIVE DECAYS ————

$\Gamma(\gamma \chi_{c0}(1P))/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-2})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{49}/Γ
8.4 ± 0.7 OUR NEW UNCHECKED FIT	$[(8.7 \pm 0.8) \times 10^{-2}$ OUR 2002 FIT]			
9.3 ± 0.8 OUR AVERAGE				

9.9 $\pm 0.5 \pm 0.8$ 25 GAISER 86 CBAL $e^+ e^- \rightarrow \gamma X$
 7.2 ± 2.3 25 BIDDICK 77 CNTR $e^+ e^- \rightarrow \gamma X$
 7.5 ± 2.6 25 WHITAKER 76 MRK1 $e^+ e^-$

$\Gamma(\gamma \chi_{c1}(1P))/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-2})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{50}/Γ
8.4 ± 0.6 OUR NEW UNCHECKED FIT	$[(8.4 \pm 0.7) \times 10^{-2}$ OUR 2002 FIT]			
8.7 ± 0.8 OUR AVERAGE				

9.0 $\pm 0.5 \pm 0.7$ 26 GAISER 86 CBAL $e^+ e^- \rightarrow \gamma X$
 7.1 ± 1.9 27 BIDDICK 77 CNTR $e^+ e^- \rightarrow \gamma X$

$\Gamma(\gamma \chi_{c2}(1P))/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-2})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{51}/Γ
6.4 ± 0.6 OUR NEW UNCHECKED FIT	$[(6.8 \pm 0.6) \times 10^{-2}$ OUR 2002 FIT]			
7.8 ± 0.8 OUR AVERAGE				

8.0 $\pm 0.5 \pm 0.7$ 28 GAISER 86 CBAL $e^+ e^- \rightarrow \gamma X$
 7.0 ± 2.0 27 BIDDICK 77 CNTR $e^+ e^- \rightarrow \gamma X$

$\Gamma(\gamma \eta_c(1S))/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-2})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{52}/Γ
0.28 ± 0.06	GAISER	86	CBAL	$e^+ e^- \rightarrow \gamma X$

$\Gamma(\gamma \eta_c(2S))/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-2})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{53}/Γ
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.2 to 1.3	95	EDWARDS	82C CBAL	$e^+ e^- \rightarrow \gamma X$	

$\Gamma(\gamma\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{54}/Γ
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
< 54	95	29 LIBERMAN	75	SPEC $e^+ e^-$	
<100	90	WIIK	75	DASP $e^+ e^-$	

$\Gamma(\gamma\eta'(958))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{55}/Γ
$1.54 \pm 0.31 \pm 0.20$		~ 43	BAI	98F BES	$\psi(2S) \rightarrow \pi^+ \pi^- 2\gamma,$ $\pi^+ \pi^- 3\gamma$	

$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$

<60	90	30 BRAUNSCH...	77	DASP $e^+ e^-$
<11	90	31 BARTEL	76	CNTR $e^+ e^-$

$\Gamma(\gamma f_0(1270))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{56}/Γ
$2.12 \pm 0.19 \pm 0.32$	32,33 BAI		03C BES	$\psi(2S) \rightarrow \gamma \pi \pi$	

$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$

$2.08 \pm 0.19 \pm 0.33$	200.6 ± 18.8	32 BAI	03C BES	$\psi(2S) \rightarrow \gamma \pi^+ \pi^-$
$2.90 \pm 1.08 \pm 1.07$	29.9 ± 11.1	32 BAI	03C BES	$\psi(2S) \rightarrow \gamma \pi^0 \pi^0$

$\Gamma(\gamma f_0(1710) \rightarrow \gamma \pi \pi)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{57}/Γ
$0.301 \pm 0.041 \pm 0.124$	35.6 ± 4.8	32 BAI	03C BES	$\psi(2S) \rightarrow \gamma \pi^+ \pi^-$	

$\Gamma(\gamma f_0(1710) \rightarrow \gamma K \bar{K})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{58}/Γ
$0.604 \pm 0.090 \pm 0.132$		39.6 ± 5.4	32,34 BAI	03C BES	$\psi(2S) \rightarrow \gamma K^+ K^-$	

$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$

<1.56	90	18,34 BAI	03C BES	$\psi(2S) \rightarrow \gamma K_S^0 K_S^0$
-------	----	-----------	---------	---

$\Gamma(\gamma\eta)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{60}/Γ
<0.9	90	BAI	98F BES	$\psi(2S) \rightarrow \pi^+ \pi^- 3\gamma$	

$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$

<2	90	YAMADA	77 DASP	$e^+ e^- \rightarrow 3\gamma$
----	----	--------	---------	-------------------------------

$\Gamma(\gamma\eta(1440) \rightarrow \gamma K\bar{K}\pi)/\Gamma_{\text{total}}$ Γ_{61}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT
<0.12	90	35 SCHARRE	80	MRK1 $e^+ e^-$
25		Angular distribution ($1+\cos^2\theta$) assumed.		
26		Angular distribution ($1-0.189 \cos^2\theta$) assumed.		
27		Valid for isotropic distribution of the photon.		
28		Angular distribution ($1-0.052 \cos^2\theta$) assumed.		
29		Restated by us using $B(\psi(2S) \rightarrow \mu^+ \mu^-) = 0.0077$.		
30		Restated by us using total decay width 228 keV.		
31		The value is normalized to the branching ratio for $\Gamma(J/\psi(1S)\eta)/\Gamma_{\text{total}}$.		
32		Normalized to $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$.		
33		Combining the results from $\pi^+\pi^-$ and $\pi^0\pi^0$ decay modes.		
34		Includes unknown branching fractions to K^+K^- or $K_S^0K_S^0$. We have multiplied the K^+K^- result by a factor of 2 and the $K_S^0K_S^0$ result by a factor of 4 to obtain the $K\bar{K}$ result.		
35		Includes unknown branching fraction $\eta(1440) \rightarrow K\bar{K}\pi$.		

$\psi(2S)$ CROSS-PARTICLE BRANCHING RATIOS

For measurements involving $B(\psi(2S) \rightarrow \gamma\chi_{cJ}(1P)) \times B(\chi_{cJ}(1P) \rightarrow X)$
see the corresponding entries in the $\chi_{cJ}(1P)$ sections.

$\psi(2S)$ REFERENCES

BAI	03B	PR D67 052002	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	03C	PR D67 032004	J.Z. Bai <i>et al.</i>	(BES Collab.)
AUBERT	02B	PR D65 031101R	B. Aubert <i>et al.</i>	(BaBar Collab.)
BAI	02	PR D65 052004	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	02B	PL B550 24	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	01	PR D63 032002	J.Z. Bai <i>et al.</i>	(BES Collab.)
AMBROGIANI	00A	PR D62 032004	M. Ambrogiani <i>et al.</i>	(FNAL E835 Collab.)
ARTAMONOV	00	PL B474 427	A.S. Artamonov <i>et al.</i>	
BAI	99C	PRL 83 1918	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98E	PR D57 3854	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98F	PR D58 097101	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98J	PRL 81 5080	J.Z. Bai <i>et al.</i>	(BES Collab.)
ARMSTRONG	97	PR D55 1153	T.A. Armstrong <i>et al.</i>	(E760 Collab.)
GRIBUSHIN	96	PR D53 4723	A. Gribushin <i>et al.</i>	(E672 Collab., E706 Collab.)
ANTONIAZZI	94	PR D50 4258	L. Antoniazz <i>et al.</i>	(E705 Collab.)
ARMSTRONG	93B	PR D47 772	T.A. Armstrong <i>et al.</i>	(FNAL E760 Collab.)
ALEXANDER	89	NP B320 45	J.P. Alexander <i>et al.</i>	(LBL, MICH, SLAC)
COHEN	87	RMP 59 1121	E.R. Cohen, B.N. Taylor	(RISC, NBS)
GAISER	86	PR D34 711	J. Gaiser <i>et al.</i>	(Crystal Ball Collab.)
KURAEV	85	SJNP 41 466	E.A. Kuraev, V.S. Fadin	(NOVO)
		Translated from YAF 41 733.		
FRANKLIN	83	PRL 51 963	M.E.B. Franklin <i>et al.</i>	(LBL, SLAC)
EDWARDS	82C	PRL 48 70	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
LEMOIGNE	82	PL 113B 509	Y. Lemoigne <i>et al.</i>	(SACL, LOIC, SHMP+)
HIMEL	80	PRL 44 920	T. Himel <i>et al.</i>	(LBL, SLAC)
OREGLIA	80	PRL 45 959	M.J. Oreglia <i>et al.</i>	(SLAC, CIT, HARV+)
SCHARRE	80	PL 97B 329	D.L. Scharre <i>et al.</i>	(SLAC, LBL)
ZHOLENTZ	80	PL 96B 214	A.A. Zholents <i>et al.</i>	(NOVO)
Also	81	SJNP 34 814	A.A. Zholents <i>et al.</i>	(NOVO)
		Translated from YAF 34 1471.		

BRANDELIK	79B	NP B160 426	R. Brandelik <i>et al.</i>	(DASP Collab.)
BRANDELIK	79C	ZPHY C1 233	R. Brandelik <i>et al.</i>	(DASP Collab.)
BARTEL	78B	PL 79B 492	W. Bartel <i>et al.</i>	(DESY, HEIDP) (SLAC, LBL)
TANENBAUM	78	PR D17 1731	W.M. Tanenbaum <i>et al.</i>	(UCSD, UMD, PAVI+)
BIDDICK	77	PRL 38 1324	C.J. Biddick <i>et al.</i>	(DASP Collab.)
BRAUNSCH...	77	PL 67B 249	W. Braunschweig <i>et al.</i>	(DESY, HAMB, SIEG+)
BURMESTER	77	PL 66B 395	J. Burmester <i>et al.</i>	(LBL, SLAC)
FELDMAN	77	PRPL 33C 285	G.J. Feldman, M.L. Perl	(DASP Collab.)
YAMADA	77	Hamburg Conf. 69	S. Yamada	(DESY, HEIDP)
BARTEL	76	PL 64B 483	W. Bartel <i>et al.</i>	(SLAC, LBL) IG
TANENBAUM	76	PRL 36 402	W.M. Tanenbaum <i>et al.</i>	(SLAC, LBL)
WHITAKER	76	PRL 37 1596	J.S. Whitaker <i>et al.</i>	(LBL)
ABRAMS	75	Stanford Symp. 25	G.S. Abrams	(LBL, SLAC)
ABRAMS	75B	PRL 34 1181	G.S. Abrams <i>et al.</i>	(SLAC, LBL)
BOYARSKI	75C	Palermo Conf. 54	A.M. Boyarski <i>et al.</i>	(STAN, PENN)
HILGER	75	PRL 35 625	E. Hilger <i>et al.</i>	(STAN)
LIBERMAN	75	Stanford Symp. 55	A.D. Liberman	(SLAC, LBL) JPC
LUTH	75	PRL 35 1124	V. Luth <i>et al.</i>	(DESY)
WIJK	75	Stanford Symp. 69	B.H. Wiik	

OTHER RELATED PAPERS

CHEN	98	PRL 80 5060	Y.Q. Chen, E. Braaten	
SUZUKI	98	PR D57 5717	M. Suzuki	
HOU	97	PR D55 6952	W.-S. Hou	
BARATE	83	PL 121B 449	R. Barate <i>et al.</i>	(SACL, LOIC, SHMP, IND)
AUBERT	75B	PRL 33 1624	J.J. Aubert <i>et al.</i>	(MIT, BNL)
BRAUNSCH...	75B	PL 57B 407	W. Braunschweig <i>et al.</i>	(DASP Collab.)
CAMERINI	75	PRL 35 483	U. Camerini <i>et al.</i>	(WISC, SLAC)
FELDMAN	75B	PRL 35 821	G.J. Feldman <i>et al.</i>	(LBL, SLAC)
GRECO	75	PL 56B 367	M. Greco, G. Pancheri-Srivastava, Y. Srivastava	(LBL)
JACKSON	75	NIM 128 13	J.D. Jackson, D.L. Scharre	(STAN, PENN)
SIMPSON	75	PRL 35 699	J.W. Simpson <i>et al.</i>	(LBL, SLAC)
ABRAMS	74	PRL 33 1453	G.S. Abrams <i>et al.</i>	