

$K_1(1650)$

$I(J^P) = \frac{1}{2}(1^+)$

OMMITTED FROM SUMMARY TABLE

This entry contains various peaks in strange meson systems ($K^+\phi$, $K\pi\pi$) reported in partial-wave analysis in the 1600–1900 mass region.

$K_1(1650)$ MASS

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
1650 ± 50	FRAME 86	OMEG +	13	$K^+ p \rightarrow \phi K^+ p$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
~ 1840	ARMSTRONG 83	OMEG –	18.5	$K^- p \rightarrow 3K^- p$
~ 1800	DAUM 81C	CNTR –	63	$K^- p \rightarrow K^- 2\pi^- p$

$K_1(1650)$ WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
150 ± 50	FRAME 86	OMEG +	13	$K^+ p \rightarrow \phi K^+ p$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
~ 250	DAUM 81C	CNTR –	63	$K^- p \rightarrow K^- 2\pi^- p$

$K_1(1650)$ DECAY MODES

Mode
$\Gamma_1 \quad K\pi\pi$
$\Gamma_2 \quad K\phi$

$K_1(1650)$ REFERENCES

FRAME 86	NP B276 667	D. Frame <i>et al.</i>	(GLAS)
ARMSTRONG 83	NP B221 1	T.A. Armstrong <i>et al.</i>	(BARI, BIRM, CERN+)
DAUM 81C	NP B187 1	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)