

$f'_2(1525)$ $I^G(J^{PC}) = 0^+(2^{++})$ **$f'_2(1525)$ MASS**VALUE (MeV) DOCUMENT ID **1525 ± 5 OUR ESTIMATE** This is only an educated guess; the error given is larger than the error on the average of the published values.**PRODUCED BY PION BEAM**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1521 \pm 13		TIKHOMIROV 03	SPEC	$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
1547 $^{+10}_{-2}$	2	LONGACRE	86	MPS $22 \pi^- p \rightarrow K_S^0 K_S^0 n$
1496 $^{+9}_{-8}$	3	CHABAUD	81	ASPK $6 \pi^- p \rightarrow K^+ K^- n$
1497 $^{+8}_{-9}$		CHABAUD	81	ASPK $18.4 \pi^- p \rightarrow K^+ K^- n$
1492 \pm 29		GORLICH	80	ASPK $17 \pi^- p$ polarized $\rightarrow K^+ K^- n$
1502 \pm 25	4	CORDEN	79	OMEG $12-15 \pi^- p \rightarrow \pi^+ \pi^- n$
1480	14	CRENNELL	66	HBC $6.0 \pi^- p \rightarrow K_S^0 K_S^0 n$

PRODUCED BY K^\pm BEAM

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1523.4 ± 1.3 OUR AVERAGE Includes data from the datablock that follows this one. Error includes scale factor of 1.1.				
1526.8 \pm 4.3		ASTON	88D LASS	$11 K^- p \rightarrow K_S^0 K_S^0 \Lambda$
1504 \pm 12		BOLONKIN	86 SPEC	$40 K^- p \rightarrow K_S^0 K_S^0 Y$
1529 \pm 3		ARMSTRONG	83B OMEG	$18.5 K^- p \rightarrow K^- K^+ \Lambda$
1521 \pm 6	650	AGUILAR-...	81B HBC	$4.2 K^- p \rightarrow \Lambda K^+ K^-$
1521 \pm 3	572	ALHARRAN	81 HBC	$8.25 K^- p \rightarrow \Lambda K \bar{K}$
1522 \pm 6	123	BARREIRO	77 HBC	$4.15 K^- p \rightarrow \Lambda K_S^0 K_S^0$
1528 \pm 7	166	EVANGELISTA	77 OMEG	$10 K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$
1527 \pm 3	120	BRANDENB...	76C ASPK	$13 K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$
1519 \pm 7	100	AGUILAR-...	72B HBC	$3.9, 4.6 K^- p \rightarrow K \bar{K} (\Lambda, \Sigma)$

• • • We do not use the following data for averages, fits, limits, etc. • • •1513 \pm 10 5 BARKOV 99 SPEC $40 K^- p \rightarrow K_S^0 K_S^0 y$

PRODUCED IN $e^+ e^-$ ANNIHILATION

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	--------------------	-------------	----------------

The data in this block is included in the average printed for a previous datablock.

1520.7 \pm 2.0 OUR AVERAGE

1521 \pm 5		ABLIKIM	05 BES2	$J/\psi \rightarrow \phi \pi^+ \pi^-$
1518 \pm 1 \pm 3		ABE	04 BELL	$10.6 e^+ e^- \rightarrow e^+ e^- K^+ K^-$
1519 \pm 2 $\begin{matrix} +15 \\ -5 \end{matrix}$		BAI	03G BES	$J/\psi \rightarrow \gamma K\bar{K}$
1523 \pm 6	331	⁶ ACCIARRI	01H L3	$91, 183-209 e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$
1535 \pm 5 \pm 4		ABREU	96C DLPH	$Z^0 \rightarrow K^+ K^- + X$
1516 \pm 5 $\begin{matrix} +9 \\ -15 \end{matrix}$		BAI	96C BES	$J/\psi \rightarrow \gamma K^+ K^-$
1531.6 \pm 10.0		AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K^+ K^-$
1515 \pm 5	⁷ FALVARD	88 DM2	$J/\psi \rightarrow \phi K^+ K^-$	
1525 \pm 10 \pm 10		BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1529 \pm 10		ACCIARRI	95J L3	Repl. by ACCIARRI 01H
1496 \pm 2		⁸ FALVARD	88 DM2	$J/\psi \rightarrow \phi K^+ K^-$

PRODUCED IN $\bar{p}p$ ANNIHILATION

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1508 \pm 9	⁹ AMSLER	02 CBAR	$0.9 \bar{p}p \rightarrow \pi^0 \eta\eta, \pi^0 \pi^0 \pi^0$

CENTRAL PRODUCTION

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1515 \pm 15	BARBERIS	99 OMEG	$450 p\bar{p} \rightarrow p_S p_F K^+ K^-$

PRODUCED IN $e\bar{p}$ COLLISIONS

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				

1537 $\begin{matrix} +9 \\ -8 \end{matrix}$	84	¹ CHEKANOV	04 ZEUS	$e\bar{p} \rightarrow K_S^0 K_S^0 X$
---	----	-----------------------	---------	--------------------------------------

¹ Systematic errors not estimated.

² From a partial-wave analysis of data using a K-matrix formalism with 5 poles.

³ CHABAUD 81 is a reanalysis of PAWLICKI 77 data.

⁴ From an amplitude analysis where the $f_2'(1525)$ width and elasticity are in complete disagreement with the values obtained from $K\bar{K}$ channel, making the solution dubious.

⁵ Systematic errors not estimated.

⁶ Supersedes ACCIARRI 95J.

⁷ From an analysis ignoring interference with $f_0(1710)$.

⁸ From an analysis including interference with $f_0(1710)$.

⁹ T-matrix pole.

$f'_2(1525)$ WIDTH

VALUE (MeV)	DOCUMENT ID	COMMENT
73\pm 6 5 OUR FIT		
76\pm10	PDG	90 For fitting

PRODUCED BY PION BEAM

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
102 \pm 42	TIKHOMIROV 03	SPEC	$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
108 \pm 5 2	11 LONGACRE 86	MPS	$22 \pi^- p \rightarrow K_S^0 K_S^0 n$
69 \pm 22 16	12 CHABAUD 81	ASPK	$6 \pi^- p \rightarrow K^+ K^- n$
137 \pm 23 21	CHABAUD 81	ASPK	$18.4 \pi^- p \rightarrow K^+ K^- n$
150 \pm 83 50	GORLICH 80	ASPK	$17 \pi^- p$ polarized $\rightarrow K^+ K^- n$
165 \pm 42	13 CORDEN 79	OMEG	$12\text{--}15 \pi^- p \rightarrow \pi^+ \pi^- n$
92 \pm 39 22	14 POLYCHRO... 79	STRC	$7 \pi^- p \rightarrow n K_S^0 K_S^0$

PRODUCED BY K^\pm BEAM

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
80.2\pm 2.6 OUR AVERAGE	Includes data from the datablock that follows this one.			
90 \pm 12		ASTON 88D LASS		$11 K^- p \rightarrow K_S^0 K_S^0 \Lambda$
73 \pm 18		BOLONKIN 86	SPEC	$40 K^- p \rightarrow K_S^0 K_S^0 Y$
83 \pm 15		ARMSTRONG 83B OMEG		$18.5 K^- p \rightarrow K^- K^+ \Lambda$
85 \pm 16	650	AGUILAR-...	81B HBC	$4.2 K^- p \rightarrow \Lambda K^+ K^-$
80 \pm 14 -11	572	ALHARRAN 81	HBC	$8.25 K^- p \rightarrow \Lambda K \bar{K}$
72 \pm 25	166	EVANGELISTA 77	OMEG	$10 K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$
69 \pm 22	100	AGUILAR-...	72B HBC	$3.9, 4.6 K^- p \rightarrow K \bar{K} (\Lambda, \Sigma)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

75 \pm 20	15 BARKOV 99	SPEC	$40 K^- p \rightarrow K_S^0 K_S^0 y$
62 \pm 19 -14	123	BARREIRO 77	$4.15 K^- p \rightarrow \Lambda K_S^0 K_S^0$
61 \pm 8	120	BRANDENB... 76C ASPK	$13 K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$

PRODUCED IN $e^+ e^-$ ANNIHILATION

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.				

79.9± 3.3 OUR AVERAGE Error includes scale factor of 1.1.

77 ± 15	ABLIKIM	05	BES2	$J/\psi \rightarrow \phi\pi^+\pi^-$
82 ± 2 ± 3	ABE	04	BELL	$10.6 e^+e^- \rightarrow e^+e^- K^+K^-$
75 ± 4 ± 5	BAI	03G	BES	$J/\psi \rightarrow \gamma K\bar{K}$
100 ± 15	331	16	ACCIARRI	01H L3 91, 183–209 $e^+e^- \rightarrow e^+e^- K_S^0 K_S^0$
60 ± 20 ± 19	ABREU	96C	DLPH	$Z^0 \rightarrow K^+K^- + X$
60 ± 23 ± 13	BAI	96C	BES	$J/\psi \rightarrow \gamma K^+K^-$
103 ± 30	AUGUSTIN	88	DM2	$J/\psi \rightarrow \gamma K^+K^-$
62 ± 10	17 FALVARD	88	DM2	$J/\psi \rightarrow \phi K^+K^-$
85 ± 35	BALTRUSAIT..87	MRK3		$J/\psi \rightarrow \gamma K^+K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
76 ± 40	ACCIARRI	95J	L3	Repl. by ACCIARRI 01H
100 ± 3	18 FALVARD	88	DM2	$J/\psi \rightarrow \phi K^+K^-$

PRODUCED IN $\bar{p}p$ ANNIHILATION

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
79±8	19 AMSLER	02	CBAR $0.9 \bar{p}p \rightarrow \pi^0\eta\eta, \pi^0\pi^0\pi^0$

CENTRAL PRODUCTION

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
70±25	BARBERIS	99	OMEG 450 $p p \rightarrow p_s p_f K^+K^-$

PRODUCED IN ep COLLISIONS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

50⁺³⁴₋₂₂ 84 10 CHEKANOV 04 ZEUS $ep \rightarrow K_S^0 K_S^0 X$

10 Systematic errors not estimated.

11 From a partial-wave analysis of data using a K-matrix formalism with 5 poles.

12 CHABAUD 81 is a reanalysis of PAWLICKI 77 data.

13 From an amplitude analysis where the $f_2'(1525)$ width and elasticity are in complete disagreement with the values obtained from $K\bar{K}$ channel, making the solution dubious.

14 From a fit to the D with $f_2(1270)-f_2'(1525)$ interference. Mass fixed at 1516 MeV.

15 Systematic errors not estimated.

16 Supersedes ACCIARRI 95J.

17 From an analysis ignoring interference with $f_0(1710)$.

18 From an analysis including interference with $f_0(1710)$.

19 T-matrix pole.

$f'_2(1525)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 K\bar{K}$	(88.8 \pm 3.1) %
$\Gamma_2 \eta\eta$	(10.3 \pm 3.1) %
$\Gamma_3 \pi\pi$	(8.2 \pm 1.5) $\times 10^{-3}$
$\Gamma_4 K\bar{K}^*(892) + \text{c.c.}$	
$\Gamma_5 \pi K\bar{K}$	
$\Gamma_6 \pi\pi\eta$	
$\Gamma_7 \pi^+\pi^+\pi^-\pi^-$	
$\Gamma_8 \gamma\gamma$	(1.11 \pm 0.14) $\times 10^{-6}$

CONSTRAINED FIT INFORMATION

An overall fit to the total width, 2 partial widths, a combination of partial widths obtained from integrated cross sections, and 3 branching ratios uses 15 measurements and one constraint to determine 5 parameters. The overall fit has a $\chi^2 = 14.0$ for 11 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$, in percent, from the fit to parameters p_i , including the branching fractions, $x_i \equiv \Gamma_i/\Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

$$\begin{array}{c|cccc} & x_2 & -100 & & \\ x_2 & & & & \\ & x_3 & -3 & -1 & \\ x_3 & & & & \\ & x_8 & -8 & 8 & 1 \\ x_8 & & & & \\ \Gamma & -32 & 32 & -1 & -53 \\ & x_1 & x_2 & x_3 & x_8 \end{array}$$

Mode	Rate (MeV)
$\Gamma_1 K\bar{K}$	65 $^{+5}_{-4}$
$\Gamma_2 \eta\eta$	7.6 \pm 2.5
$\Gamma_3 \pi\pi$	0.60 \pm 0.12
$\Gamma_8 \gamma\gamma$	(8.1 \pm 0.9) $\times 10^{-5}$

$f'_2(1525)$ PARTIAL WIDTHS

$\Gamma(K\bar{K})$	Γ_1
VALUE (MeV)	
65^{+5}_{-4} OUR FIT	
63^{+6}_{-5}	20 LONGACRE 86 MPS 22 $\pi^- p \rightarrow K_S^0 K_S^0 n$

$\Gamma(\pi\pi)$				Γ_3
VALUE (MeV)	DOCUMENT ID	TECN	COMMENT	
0.60±0.12 OUR FIT				
1.4 ± 1.0 -0.5	20 LONGACRE	86 MPS	$22 \pi^- p \rightarrow K_S^0 K_S^0 n$	

$\Gamma(\eta\eta)$				Γ_2
VALUE (MeV)	DOCUMENT ID	TECN	COMMENT	
7.6±2.5 OUR FIT				
• • • We do not use the following data for averages, fits, limits, etc. • • •				
24 ± 3 -1	20 LONGACRE	86 MPS	$22 \pi^- p \rightarrow K_S^0 K_S^0 n$	
20 From a partial-wave analysis of data using a K-matrix formalism with 5 poles.				

$f'_2(1525) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$				$\Gamma_1\Gamma_8/\Gamma$
VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
0.072 ±0.007 OUR FIT				
0.072 ±0.007 OUR AVERAGE				
0.0564±0.0048±0.0116		ABE	04 BELL	$10.6 e^+ e^- \rightarrow e^+ e^- K^+ K^-$
0.076 $\pm 0.006 \pm 0.011$	331	23 ACCIARRI	01H L3	$91, 183-209$ $e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$
0.067 $\pm 0.008 \pm 0.015$		21 ALBRECHT	90G ARG	$e^+ e^- \rightarrow e^+ e^- K^+ K^-$
0.11 $\pm 0.03 \pm 0.02$		BEHREND	89C CELL	$e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$
0.10 $\pm 0.04 \pm 0.03$		BERGER	88 PLUT	$e^+ e^- \rightarrow e^+ e^- K_S^0 K_S^0$
0.12 $\pm 0.07 \pm 0.04$		21 AIHARA	86B TPC	$e^+ e^- \rightarrow e^+ e^- K^+ K^-$
0.11 $\pm 0.02 \pm 0.04$		21 ALTHOFF	83 TASS	$e^+ e^- \rightarrow e^+ e^- K\bar{K}$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.093 $\pm 0.018 \pm 0.022$		21 ACCIARRI	95J L3	Repl. by ACCIARRI 01H
0.0314±0.0050±0.0077		22 ALBRECHT	90G ARG	$e^+ e^- \rightarrow e^+ e^- K^+ K^-$

21 Using an incoherent background.

22 Using a coherent background.

23 Supersedes ACCIARRI 95J.

$f'_2(1525)$ BRANCHING RATIOS

$\Gamma(\eta\eta)/\Gamma(K\bar{K})$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
0.12±0.04 OUR FIT				
0.11±0.04		24 PROKOSHKIN 91	GAM4	300 $\pi^- p \rightarrow \pi^- p \eta\eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.14	90	BARBERIS	00E	450 $p p \rightarrow p_f \eta\eta p_s$
<0.50		BARNES	67 HBC	4.6,5.0 $K^- p$

²⁴ Combining results of GAM4 with those of WA76 on $K\bar{K}$ central production and results of CBAL, MRK3 and DM2 on $J/\psi \rightarrow \gamma\eta\eta$.

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
0.0082±0.0016 OUR FIT				
0.0075±0.0016 OUR AVERAGE				
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.007 ±0.002		COSTA...	80 OMEG	10 $\pi^- p \rightarrow K^+ K^- n$
0.027 +0.071 -0.013		25 GORLICH	80 ASPK	17,18 $\pi^- p$
0.0075±0.0025		25,26 MARTIN	79 RVUE	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.06	95	AGUILAR-...	81B HBC	4.2 $K^- p \rightarrow \Lambda K^+ K^-$
0.19 ±0.03		CORDEN	79 OMEG	12–15 $\pi^- p \rightarrow \pi^+ \pi^- n$
<0.045	95	BARREIRO	77 HBC	4.15 $K^- p \rightarrow \Lambda K_S^0 K_S^0$
0.012 ±0.004		25 PAWLICKI	77 SPEC	6 $\pi N \rightarrow K^+ K^- N$
<0.063	90	BRANDENB...	76C ASPK	13 $K^- p \rightarrow K^+ K^- (\Lambda, \Sigma)$
<0.0086		25 BEUSCH	75B OSPK	8.9 $\pi^- p \rightarrow K^0 \bar{K}^0 n$

²⁵ Assuming that the $f'_2(1525)$ is produced by an one-pion exchange production mechanism.

²⁶ MARTIN 79 uses the PAWLICKI 77 data with different input value of the $f'_2(1525) \rightarrow K\bar{K}$ branching ratio.

$\Gamma(\pi\pi)/\Gamma(K\bar{K})$

VALUE	DOCUMENT ID	TECN	COMMENT
0.0092±0.0018 OUR FIT			
0.075 ±0.035	AUGUSTIN	87 DM2	$J/\psi \rightarrow \gamma\pi^+\pi^-$

$\Gamma(\pi\pi\eta)/\Gamma(K\bar{K})$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.41	95	AGUILAR-...	72B HBC	3.9,4.6 $K^- p$
<0.3	67	AMMAR	67 HBC	

$[\Gamma(K\bar{K}^*(892)+\text{c.c.}) + \Gamma(\pi K\bar{K})]/\Gamma(K\bar{K})$

$(\Gamma_4+\Gamma_5)/\Gamma_1$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.35	95	AGUILAR-...	72B HBC	3.9,4.6 $K^- p$
<0.4	67	AMMAR	67 HBC	

$\Gamma(\pi^+\pi^+\pi^-\pi^-)/\Gamma(K\bar{K})$ Γ_7/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.32	95	AGUILAR-...	72B HBC	3.9,4.6 $K^- p$

 $\Gamma(\eta\eta)/\Gamma_{\text{total}}$ Γ_2/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.10 ± 0.03	27 PROKOSHKIN 91 GAM4	300 $\pi^- p \rightarrow \pi^- p\eta\eta$	
27 Combining results of GAM4 with those of WA76 on $K\bar{K}$ central production and results of CBAL, MRK3 and DM2 on $J/\psi \rightarrow \gamma\eta\eta$.			

 $f'_2(1525)$ REFERENCES

ABLIKIM	05	PL B607 243	M. Ablikim <i>et al.</i>	(BES Collab.)
ABE	04	EPJ C32 323	K. Abe <i>et al.</i>	(BELLE Collab.)
CHEKANOV	04	PL B578 33	S. Chekanov <i>et al.</i>	(ZEUS Collab.)
BAI	03G	PR D68 052003	J.Z. Bai <i>et al.</i>	(BES Collab.)
TIKHOIROV	03	PAN 66 828	G.D. Tikhomirov <i>et al.</i>	
		Translated from YAF 66 860.		
AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	
ACCIARRI	01H	PL B501 173	M. Acciarri <i>et al.</i>	(L3 Collab.)
BARBERIS	00E	PL B479 59	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	99	PL B453 305	D. Barberis <i>et al.</i>	(Omega Expt.)
BARKOV	99	JETPL 70 248	B.P. Barkov <i>et al.</i>	
		Translated from ZETFP 70 242.		
ABREU	96C	PL B379 309	P. Abreu <i>et al.</i>	(DELPHI Collab.)
BAI	96C	PRL 77 3959	J.Z. Bai <i>et al.</i>	(BES Collab.)
ACCIARRI	95J	PL B363 118	M. Acciarri <i>et al.</i>	(L3 Collab.)
PROKOSHKIN	91	SPD 36 155	Y.D. Prokoshkin	(GAM2, GAM4 Collab.)
		Translated from DANS 316 900.		
ALBRECHT	90G	ZPHY C48 183	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
PDG	90	PL B239	J.J. Hernandez <i>et al.</i>	(IFIC, BOST, CIT+)
BEHREND	89C	ZPHY C43 91	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
ASTON	88D	NP B301 525	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
AUGUSTIN	88	PRL 60 2238	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
BERGER	88	ZPHY C37 329	C. Berger <i>et al.</i>	(PLUTO Collab.)
FALVARD	88	PR D38 2706	A. Falvard <i>et al.</i>	(CLER, FRAS, LALO+)
AUGUSTIN	87	ZPHY C36 369	J.E. Augustin <i>et al.</i>	(LALO, CLER, FRAS+)
BALTRUSAIT...	87	PR D35 2077	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
AIHARA	86B	PRL 57 404	H. Aihara <i>et al.</i>	(TPC-2 γ Collab.)
BOLONKIN	86	SJNP 43 776	B.V. Bolonkin <i>et al.</i>	(ITEP) JP
		Translated from YAF 43 1211.		
LONGACRE	86	PL B177 223	R.S. Longacre <i>et al.</i>	(BNL, BRAN, CUNY+)
ALTHOFF	83	PL 121B 216	M. Althoff <i>et al.</i>	(TASSO Collab.)
ARMSTRONG	83B	NP B224 193	T.A. Armstrong <i>et al.</i>	(BARI, BIRM, CERN+)
AGUILAR-...	81B	ZPHY C8 313	M. Aguilar-Benitez <i>et al.</i>	(CERN, CDEF+)
ALHARRAN	81	NP B191 26	S. Al-Harran <i>et al.</i>	(BIRM, CERN, GLAS+)
CHABAUD	81	APP B12 575	V. Chabaud <i>et al.</i>	(CERN, CRAC, MPIM)
COSTA...	80	NP B175 402	G. Costa de Beauregard <i>et al.</i>	(BARI, BONN+)
GORLICH	80	NP B174 16	L. Gorlich <i>et al.</i>	(CRAC, MPIM, CERN+)
CORDEN	79	NP B157 250	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+) JP
MARTIN	79	NP B158 520	A.D. Martin, E.N. Ozmutlu	(DURH)
POLYCHRO...	79	PR D19 1317	V.A. Polychronakos <i>et al.</i>	(NDAM, ANL)
BARREIRO	77	NP B121 237	F. Barreiro <i>et al.</i>	(CERN, AMST, NIJM+)
EVANGELISTA	77	NP B127 384	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)
PAWLICKI	77	PR D15 3196	A.J. Pawlicki <i>et al.</i>	(ANL) IJP
BRANDENB...	76C	NP B104 413	G.W. Brandenburg <i>et al.</i>	(SLAC)
BEUSCH	75B	PL 60B 101	W. Beusch <i>et al.</i>	(CERN, ETH)
AGUILAR-...	72B	PR D6 29	M. Aguilar-Benitez <i>et al.</i>	(BNL)
AMMAR	67	PRL 19 1071	R. Ammar <i>et al.</i>	(NWES, ANL) JP
BARNES	67	PRL 19 964	V.E. Barnes <i>et al.</i>	(BNL, SYRA) IJPC
CRENNELL	66	PRL 16 1025	D.J. Crennell <i>et al.</i>	(BNL) I

— OTHER RELATED PAPERS —

LI	01	JPG 27 807	D.-M. Li, H. Yu, Q.-X. Shen	
ALBERICO	98	PL B438 430	A. Alberico <i>et al.</i>	(Obelix Collab.)
JENNI	83	PR D27 1031	P. Jenni <i>et al.</i>	(SLAC, LBL)
ARMSTRONG	82	PL 110B 77	T.A. Armstrong <i>et al.</i>	(BARI, BIRM, CERN+)
ETKIN	82B	PR D25 1786	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
ABRAMS	67B	PRL 18 620	G.S. Abrams <i>et al.</i>	(UMD)
BARNES	65	PRL 15 322	V.E. Barnes <i>et al.</i>	(BNL, SYRA)