

J/ ψ (1S)

$I^G(J^{PC}) = 0^-(1^{--})$

J/ ψ (1S) MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
3096.916±0.011 OUR AVERAGE				
3096.917±0.010±0.007		AULCHENKO 03	KEDR	$e^+ e^- \rightarrow$ hadrons
3096.89 ±0.09	502	ARTAMONOV 00	OLYA	$e^+ e^- \rightarrow$ hadrons
3096.91 ±0.03 ±0.01		ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+ e^-$
3096.95 ±0.1 ±0.3	193	BAGLIN	SPEC	$\bar{p}p \rightarrow e^+ e^- X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3097.5 ±0.3		GRIBUSHIN	96	FMPS $515 \pi^- Be \rightarrow 2\mu X$
3098.4 ±2.0	38k	LEMOIGNE	82	GOLI $190 \pi^- Be \rightarrow 2\mu$
3096.93 ±0.09	502	ZHOLENTZ	80	REDE $e^+ e^-$
3097.0 ±1		BRANDELIK	79C	DASP $e^+ e^-$

¹ Reanalysis of ZHOLENTZ 80 using new electron mass (COHEN 87) and radiative corrections (KURAEV 85).

² Mass central value and systematic error recalculated by us according to Eq. (16) in ARMSTRONG 93B, using the value for the $\psi(2S)$ mass from AULCHENKO 03.

³ Superseded by ARTAMONOV 00.

⁴ From a simultaneous fit to $e^+ e^-$, $\mu^+ \mu^-$ and hadronic channels assuming $\Gamma(e^+ e^-) = \Gamma(\mu^+ \mu^-)$.

J/ ψ (1S) WIDTH

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
91.0± 3.2 OUR AVERAGE				
94.7± 4.4	7.8k	AUBERT 04	BABR	$e^+ e^- \rightarrow \mu^+ \mu^- \gamma$
84.4± 8.9		BAI 95B	BES	$e^+ e^-$
99 ±12 ±6		ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+ e^-$
85.5± 6.1 — 5.8		HSUEH 92	RVUE	See γ mini-review

⁵ From a direct measurement of $\Gamma(e^+ e^-) \times B(\mu^+ \mu^-)$.

⁶ Using data from COFFMAN 92, BALDINI-CELIO 75, BOYARSKI 75, ESPOSITO 75B, BRANDELIK 79C.

J/ ψ (1S) DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 hadrons	(87.7 ±0.5) %	
Γ_2 virtual $\gamma \rightarrow$ hadrons	(13.50±0.30) %	
Γ_3 $e^+ e^-$	(5.93±0.10) %	
Γ_4 $\mu^+ \mu^-$	(5.88±0.10) %	

Decays involving hadronic resonances

Γ_5	$\rho\pi$	(1.69 ± 0.15) %	
Γ_6	$\rho^0\pi^0$	(5.6 ± 0.7) $\times 10^{-3}$	
Γ_7	$a_2(1320)\rho$	(1.09 ± 0.22) %	
Γ_8	$\omega\pi^+\pi^+\pi^-\pi^-$	(8.5 ± 3.4) $\times 10^{-3}$	
Γ_9	$\omega\pi^+\pi^-$	(7.2 ± 1.0) $\times 10^{-3}$	
Γ_{10}	$\omega f_2(1270)$	(4.3 ± 0.6) $\times 10^{-3}$	
Γ_{11}	$K^*(892)^0\bar{K}_2^*(1430)^0 + \text{c.c.}$	(6.7 ± 2.6) $\times 10^{-3}$	
Γ_{12}	$\omega K^*(892)\bar{K} + \text{c.c.}$	(5.3 ± 2.0) $\times 10^{-3}$	
Γ_{13}	$K^+\bar{K}^*(892)^- + \text{c.c.}$	(5.0 ± 0.4) $\times 10^{-3}$	
Γ_{14}	$K^0\bar{K}^*(892)^0 + \text{c.c.}$	(4.2 ± 0.4) $\times 10^{-3}$	
Γ_{15}	$K_1(1400)^\pm K^\mp$	(3.8 ± 1.4) $\times 10^{-3}$	
Γ_{16}	$\omega\pi^0\pi^0$	(3.4 ± 0.8) $\times 10^{-3}$	
Γ_{17}	$b_1(1235)^\pm\pi^\mp$	[a] (3.0 ± 0.5) $\times 10^{-3}$	
Γ_{18}	$\omega K^\pm K_S^0\pi^\mp$	[a] (2.9 ± 0.7) $\times 10^{-3}$	
Γ_{19}	$b_1(1235)^0\pi^0$	(2.3 ± 0.6) $\times 10^{-3}$	
Γ_{20}	$\phi K^*(892)\bar{K} + \text{c.c.}$	(2.04 ± 0.28) $\times 10^{-3}$	
Γ_{21}	$\omega K\bar{K}$	(1.9 ± 0.4) $\times 10^{-3}$	
Γ_{22}	$\omega f_0(1710) \rightarrow \omega K\bar{K}$	(4.8 ± 1.1) $\times 10^{-4}$	
Γ_{23}	$\phi 2(\pi^+\pi^-)$	(1.60 ± 0.32) $\times 10^{-3}$	
Γ_{24}	$\Delta(1232)^{++}\bar{p}\pi^-$	(1.6 ± 0.5) $\times 10^{-3}$	
Γ_{25}	$\omega\eta$	(1.58 ± 0.16) $\times 10^{-3}$	
Γ_{26}	$\phi K\bar{K}$	(1.83 ± 0.24) $\times 10^{-3}$	S=1.5
Γ_{27}	$\phi f_0(1710) \rightarrow \phi K\bar{K}$	(3.6 ± 0.6) $\times 10^{-4}$	
Γ_{28}	$p\bar{p}\omega$	(1.30 ± 0.25) $\times 10^{-3}$	S=1.3
Γ_{29}	$\Delta(1232)^{++}\bar{\Delta}(1232)^{--}$	(1.10 ± 0.29) $\times 10^{-3}$	
Γ_{30}	$\Sigma(1385)^-\bar{\Sigma}(1385)^+ (\text{or c.c.})$	[a] (1.03 ± 0.13) $\times 10^{-3}$	
Γ_{31}	$p\bar{p}\eta'(958)$	(9 ± 4) $\times 10^{-4}$	S=1.7
Γ_{32}	$\phi f'_2(1525)$	(8 ± 4) $\times 10^{-4}$	S=2.7
Γ_{33}	$\phi\pi^+\pi^-$	(9.4 ± 1.5) $\times 10^{-4}$	S=1.7
Γ_{34}	$\phi K^\pm K_S^0\pi^\mp$	[a] (7.2 ± 0.9) $\times 10^{-4}$	
Γ_{35}	$\omega f_1(1420)$	(6.8 ± 2.4) $\times 10^{-4}$	
Γ_{36}	$\phi\eta$	(6.5 ± 0.7) $\times 10^{-4}$	
Γ_{37}	$\Xi(1530)^-\bar{\Xi}^+$	(5.9 ± 1.5) $\times 10^{-4}$	
Γ_{38}	$pK^-\bar{\Sigma}(1385)^0$	(5.1 ± 3.2) $\times 10^{-4}$	
Γ_{39}	$\omega\pi^0$	(4.2 ± 0.6) $\times 10^{-4}$	S=1.4
Γ_{40}	$\phi\eta'(958)$	(3.3 ± 0.4) $\times 10^{-4}$	
Γ_{41}	$\phi f_0(980)$	(3.2 ± 0.9) $\times 10^{-4}$	S=1.9
Γ_{42}	$\Xi(1530)^0\bar{\Xi}^0$	(3.2 ± 1.4) $\times 10^{-4}$	
Γ_{43}	$\Sigma(1385)^-\bar{\Sigma}^+ (\text{or c.c.})$	[a] (3.1 ± 0.5) $\times 10^{-4}$	
Γ_{44}	$\phi f_1(1285)$	(2.6 ± 0.5) $\times 10^{-4}$	S=1.1
Γ_{45}	$\rho\eta$	(1.93 ± 0.23) $\times 10^{-4}$	
Γ_{46}	$\omega\eta'(958)$	(1.67 ± 0.25) $\times 10^{-4}$	
Γ_{47}	$\omega f_0(980)$	(1.4 ± 0.5) $\times 10^{-4}$	

Γ_{48}	$\rho\eta'(958)$	$(1.05 \pm 0.18) \times 10^{-4}$	
Γ_{49}	$p\bar{p}\phi$	$(4.5 \pm 1.5) \times 10^{-5}$	
Γ_{50}	$a_2(1320)^{\pm}\pi^{\mp}$	$[a] < 4.3 \times 10^{-3}$	CL=90%
Γ_{51}	$K\bar{K}_2^*(1430) + \text{c.c.}$	$< 4.0 \times 10^{-3}$	CL=90%
Γ_{52}	$K_1(1270)^{\pm}K^{\mp}$	$< 3.0 \times 10^{-3}$	CL=90%
Γ_{53}	$K_2^*(1430)^0\bar{K}_2^*(1430)^0$	$< 2.9 \times 10^{-3}$	CL=90%
Γ_{54}	$K^*(892)^0\bar{K}^*(892)^0$	$< 5 \times 10^{-4}$	CL=90%
Γ_{55}	$\phi f_2(1270)$	$< 3.7 \times 10^{-4}$	CL=90%
Γ_{56}	$p\bar{p}\rho$	$< 3.1 \times 10^{-4}$	CL=90%
Γ_{57}	$\phi\eta(1405) \rightarrow \phi\eta\pi\pi$	$< 2.5 \times 10^{-4}$	CL=90%
Γ_{58}	$\omega f_2'(1525)$	$< 2.2 \times 10^{-4}$	CL=90%
Γ_{59}	$\Sigma(1385)^0\bar{\Lambda}$	$< 2 \times 10^{-4}$	CL=90%
Γ_{60}	$\Delta(1232)^+\bar{\rho}$	$< 1 \times 10^{-4}$	CL=90%
Γ_{61}	$\Theta(1540)\bar{\Theta}(1540) \rightarrow K_S^0 p K^- \bar{n} + \text{c.c.}$	$< 1.1 \times 10^{-5}$	CL=90%
Γ_{62}	$\Theta(1540)K^-\bar{n} \rightarrow K_S^0 p K^- \bar{n}$	$< 2.1 \times 10^{-5}$	CL=90%
Γ_{63}	$\Theta(1540)K_S^0\bar{p} \rightarrow K_S^0\bar{p} K^+ n$	$< 1.6 \times 10^{-5}$	CL=90%
Γ_{64}	$\bar{\Theta}(1540)K^+ n \rightarrow K_S^0\bar{p} K^+ n$	$< 5.6 \times 10^{-5}$	CL=90%
Γ_{65}	$\bar{\Theta}(1540)K_S^0 p \rightarrow K_S^0 p K^- \bar{n}$	$< 1.1 \times 10^{-5}$	CL=90%
Γ_{66}	$\Sigma^0\bar{\Lambda}$	$< 9 \times 10^{-5}$	CL=90%
Γ_{67}	$\phi\pi^0$	$< 6.8 \times 10^{-6}$	CL=90%

Decays into stable hadrons

Γ_{68}	$2(\pi^+\pi^-)\pi^0$	$(3.37 \pm 0.26) \%$	
Γ_{69}	$3(\pi^+\pi^-)\pi^0$	$(2.9 \pm 0.6) \%$	
Γ_{70}	$\pi^+\pi^-\pi^0$	$(2.02 \pm 0.14) \%$	S=1.7
Γ_{71}	$\pi^+\pi^-\pi^0 K^+ K^-$	$(1.20 \pm 0.30) \%$	
Γ_{72}	$4(\pi^+\pi^-)\pi^0$	$(9.0 \pm 3.0) \times 10^{-3}$	
Γ_{73}	$\pi^+\pi^- K^+ K^-$	$(7.2 \pm 2.3) \times 10^{-3}$	
Γ_{74}	$K\bar{K}\pi$	$(6.1 \pm 1.0) \times 10^{-3}$	
Γ_{75}	$p\bar{p}\pi^+\pi^-$	$(6.0 \pm 0.5) \times 10^{-3}$	S=1.3
Γ_{76}	$2(\pi^+\pi^-)$	$(4.0 \pm 1.0) \times 10^{-3}$	
Γ_{77}	$3(\pi^+\pi^-)$	$(4.0 \pm 2.0) \times 10^{-3}$	
Γ_{78}	$2(\pi^+\pi^-)\eta$	$(2.26 \pm 0.28) \times 10^{-3}$	
Γ_{79}	$3(\pi^+\pi^-)\eta$	$(7.2 \pm 1.5) \times 10^{-4}$	
Γ_{80}	$n\bar{n}\pi^+\pi^-$	$(4 \pm 4) \times 10^{-3}$	
Γ_{81}	$\Sigma^0\bar{\Sigma}^0$	$(1.27 \pm 0.17) \times 10^{-3}$	
Γ_{82}	$2(\pi^+\pi^-)K^+ K^-$	$(3.1 \pm 1.3) \times 10^{-3}$	
Γ_{83}	$p\bar{p}\pi^+\pi^-\pi^0$	$[b] (2.3 \pm 0.9) \times 10^{-3}$	S=1.9
Γ_{84}	$p\bar{p}$	$(2.17 \pm 0.08) \times 10^{-3}$	
Γ_{85}	$p\bar{p}\eta$	$(2.09 \pm 0.18) \times 10^{-3}$	
Γ_{86}	$p\bar{n}\pi^-$	$(2.00 \pm 0.10) \times 10^{-3}$	
Γ_{87}	$n\bar{n}$	$(2.2 \pm 0.4) \times 10^{-3}$	

Γ_{88}	$\Xi\bar{\Xi}$	$(1.8 \pm 0.4) \times 10^{-3}$	S=1.8
Γ_{89}	$\Lambda\bar{\Lambda}$	$(1.30 \pm 0.12) \times 10^{-3}$	S=1.1
Γ_{90}	$p\bar{p}\pi^0$	$(1.09 \pm 0.09) \times 10^{-3}$	
Γ_{91}	$\Lambda\bar{\Sigma}^-\pi^+$ (or c.c.)	[a] $(1.06 \pm 0.12) \times 10^{-3}$	
Γ_{92}	$pK^-\bar{\Lambda}$	$(8.9 \pm 1.6) \times 10^{-4}$	
Γ_{93}	$2(K^+K^-)$	$(9.2 \pm 3.3) \times 10^{-4}$	S=1.3
Γ_{94}	$pK^-\bar{\Sigma}^0$	$(2.9 \pm 0.8) \times 10^{-4}$	
Γ_{95}	K^+K^-	$(2.37 \pm 0.31) \times 10^{-4}$	
Γ_{96}	$K_S^0 K_L^0$	$(1.46 \pm 0.26) \times 10^{-4}$	S=2.7
Γ_{97}	$\Lambda\bar{\Lambda}\pi^0$	$(2.2 \pm 0.6) \times 10^{-4}$	
Γ_{98}	$\pi^+\pi^-$	$(1.47 \pm 0.23) \times 10^{-4}$	
Γ_{99}	$\Lambda\bar{\Sigma}^+ + \text{c.c.}$	< 1.5 $\times 10^{-4}$	CL=90%
Γ_{100}	$K_S^0 K_S^0$	< 1 $\times 10^{-6}$	CL=95%

Radiative decays

Γ_{101}	$\gamma\eta_c(1S)$	$(1.3 \pm 0.4) \%$	
Γ_{102}	$\gamma\pi^+\pi^-2\pi^0$	$(8.3 \pm 3.1) \times 10^{-3}$	
Γ_{103}	$\gamma\eta\pi\pi$	$(6.1 \pm 1.0) \times 10^{-3}$	
Γ_{104}	$\gamma\eta(1405/1475) \rightarrow \gamma K\bar{K}\pi$	[c] $(2.8 \pm 0.6) \times 10^{-3}$	S=1.6
Γ_{105}	$\gamma\eta(1405/1475) \rightarrow \gamma\gamma\rho^0$	$(6.4 \pm 1.4) \times 10^{-5}$	
Γ_{106}	$\gamma\eta(1405/1475) \rightarrow \gamma\eta\pi^+\pi^-$	$(3.0 \pm 0.5) \times 10^{-4}$	
Γ_{107}	$\gamma\rho\rho$	$(4.5 \pm 0.8) \times 10^{-3}$	
Γ_{108}	$\gamma\eta_2(1870) \rightarrow \gamma\pi^+\pi^-$	$(6.2 \pm 2.4) \times 10^{-4}$	
Γ_{109}	$\gamma\eta'(958)$	$(4.31 \pm 0.30) \times 10^{-3}$	
Γ_{110}	$\gamma 2\pi^+2\pi^-$	$(2.8 \pm 0.5) \times 10^{-3}$	S=1.9
Γ_{111}	$\gamma f_2(1270)f_2(1270)$	$(9.5 \pm 1.7) \times 10^{-4}$	
Γ_{112}	$\gamma f_2(1270)f_2(1270)$ (non resonant)	$(8.2 \pm 1.9) \times 10^{-4}$	
Γ_{113}	$\gamma K^+K^-\pi^+\pi^-$	$(2.1 \pm 0.6) \times 10^{-3}$	
Γ_{114}	$\gamma f_4(2050)$	$(2.7 \pm 0.7) \times 10^{-3}$	
Γ_{115}	$\gamma\omega\omega$	$(1.59 \pm 0.33) \times 10^{-3}$	
Γ_{116}	$\gamma\eta(1405/1475) \rightarrow \gamma\rho^0\rho^0$	$(1.7 \pm 0.4) \times 10^{-3}$	S=1.3
Γ_{117}	$\gamma f_2(1270)$	$(1.38 \pm 0.14) \times 10^{-3}$	
Γ_{118}	$\gamma f_0(1710) \rightarrow \gamma K\bar{K}$	$(8.5 \pm 1.2) \times 10^{-4}$	S=1.2
Γ_{119}	$\gamma f_0(1710) \rightarrow \gamma\pi\pi$		
Γ_{120}	$\gamma\eta$	$(8.6 \pm 0.8) \times 10^{-4}$	
Γ_{121}	$\gamma f_1(1420) \rightarrow \gamma K\bar{K}\pi$	$(7.9 \pm 1.3) \times 10^{-4}$	
Γ_{122}	$\gamma f_1(1285)$	$(6.1 \pm 0.8) \times 10^{-4}$	
Γ_{123}	$\gamma f_1(1510) \rightarrow \gamma\eta\pi^+\pi^-$	$(4.5 \pm 1.2) \times 10^{-4}$	
Γ_{124}	$\gamma f'_2(1525)$	$(4.5 \pm 0.7) \times 10^{-4}$	
Γ_{125}	$\gamma f_2(1950) \rightarrow \gamma K^*(892)\bar{K}^*(892)$	$(7.0 \pm 2.2) \times 10^{-4}$	
Γ_{126}	$\gamma K^*(892)\bar{K}^*(892)$	$(4.0 \pm 1.3) \times 10^{-3}$	

Γ_{127}	$\gamma\phi\phi$	$(4.0 \pm 1.2) \times 10^{-4}$	S=2.1
Γ_{128}	$\gamma p\bar{p}$	$(3.8 \pm 1.0) \times 10^{-4}$	
Γ_{129}	$\gamma\eta(2225)$	$(2.9 \pm 0.6) \times 10^{-4}$	
Γ_{130}	$\gamma\eta(1760) \rightarrow \gamma\rho^0\rho^0$	$(1.3 \pm 0.9) \times 10^{-4}$	
Γ_{131}	$\gamma(K\bar{K}\pi)_{JPC=0-+}$	$(7 \pm 4) \times 10^{-4}$	S=2.1
Γ_{132}	$\gamma\pi^0$	$(3.9 \pm 1.3) \times 10^{-5}$	
Γ_{133}	$\gamma p\bar{p}\pi^+\pi^-$	$< 7.9 \times 10^{-4}$	CL=90%
Γ_{134}	$\gamma\gamma$	$< 5 \times 10^{-4}$	CL=90%
Γ_{135}	$\gamma\Lambda\bar{\Lambda}$	$< 1.3 \times 10^{-4}$	CL=90%
Γ_{136}	3γ	$< 5.5 \times 10^{-5}$	CL=90%
Γ_{137}	$\gamma f_0(2200)$		
Γ_{138}	$\gamma f_J(2220)$	$> 2.50 \times 10^{-3}$	CL=99.9%
Γ_{139}	$\gamma f_J(2220) \rightarrow \gamma\pi\pi$	$(8 \pm 4) \times 10^{-5}$	
Γ_{140}	$\gamma f_J(2220) \rightarrow \gamma K\bar{K}$	$(8.1 \pm 3.0) \times 10^{-5}$	
Γ_{141}	$\gamma f_J(2220) \rightarrow \gamma p\bar{p}$	$(1.5 \pm 0.8) \times 10^{-5}$	
Γ_{142}	$\gamma f_0(1500)$	$>(5.7 \pm 0.8) \times 10^{-4}$	
Γ_{143}	γe^+e^-	$(8.8 \pm 1.4) \times 10^{-3}$	

Lepton Family number (*LF*) violating modes

Γ_{144}	$e^\pm\mu^\mp$	<i>LF</i>	$< 1.1 \times 10^{-6}$	CL=90%
Γ_{145}	$e^\pm\tau^\mp$	<i>LF</i>	$< 8.3 \times 10^{-6}$	CL=90%
Γ_{146}	$\mu^\pm\tau^\mp$	<i>LF</i>	$< 2.0 \times 10^{-6}$	CL=90%

[a] The value is for the sum of the charge states or particle/antiparticle states indicated.

[b] Includes $p\bar{p}\pi^+\pi^-\gamma$ and excludes $p\bar{p}\eta$, $p\bar{p}\omega$, $p\bar{p}\eta'$.

[c] See the “Note on the $\eta(1405)$ ” in the $\eta(1405)$ Particle Listings.

J/ ψ (1S) PARTIAL WIDTHS

$\Gamma(\text{hadrons})$			Γ_1
VALUE (keV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
74.1 \pm 8.1	BAI	95B BES	e^+e^-
59 \pm 24	BALDINI...	75 FRAG	e^+e^-
59 \pm 14	BOYARSKI	75 MRK1	e^+e^-
50 \pm 25	ESPOSITO	75B FRAM	e^+e^-

$\Gamma(e^+e^-)$		Γ_3		
VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
5.40 \pm 0.15 \pm 0.07 OUR EVALUATION				

• • • We do not use the following data for averages, fits, limits, etc. • • •

5.61±0.20	7.8k	⁷ AUBERT BAI	04 95B	BABR BES	$e^+ e^- \rightarrow \mu^+ \mu^- \gamma$ $e^+ e^-$
5.14±0.39					
5.36 ^{+0.29} _{-0.28}		⁸ HSUEH	92	RVUE	See γ mini-review
4.72±0.35		ALEXANDER	89	RVUE	See γ mini-review
4.4 ±0.6		⁸ BRANDELIK	79C	DASP	$e^+ e^-$
4.6 ±0.8		⁹ BALDINI-...	75	FRAG	$e^+ e^-$
4.8 ±0.6		BOYARSKI	75	MRK1	$e^+ e^-$
4.6 ±1.0		ESPOSITO	75B	FRAM	$e^+ e^-$

⁷ From a direct measurement of $\Gamma(e^+ e^-) \times B(\mu^+ \mu^-)$.

⁸ From a simultaneous fit to $e^+ e^-$, $\mu^+ \mu^-$, and hadronic channels assuming $\Gamma(e^+ e^-) = \Gamma(\mu^+ \mu^-)$.

⁹ Assuming equal partial widths for $e^+ e^-$ and $\mu^+ \mu^-$.

$\Gamma(\mu^+ \mu^-)$

Γ_4

VALUE (keV) DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

5.13±0.52	BAI	95B	BES	$e^+ e^-$
4.8 ±0.6	BOYARSKI	75	MRK1	$e^+ e^-$
5 ±1	ESPOSITO	75B	FRAM	$e^+ e^-$

$\Gamma(\gamma\gamma)$

Γ_{134}

VALUE (eV) CL% DOCUMENT ID TECN COMMENT

<5.4 90 BRANDELIK 79C DASP $e^+ e^-$

$J/\psi(1S) \Gamma(i) \Gamma(e^+ e^-)/\Gamma(\text{total})$

This combination of a partial width with the partial width into $e^+ e^-$ and with the total width is obtained from the integrated cross section into channel i in the $e^+ e^-$ annihilation.

$\Gamma(\text{hadrons}) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$

$\Gamma_1 \Gamma_3 / \Gamma$

VALUE (keV) DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

4 ±0.8	¹⁰ BALDINI-...	75	FRAG	$e^+ e^-$
3.9±0.8	ESPOSITO	75B	FRAM	$e^+ e^-$

$\Gamma(e^+ e^-) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$

$\Gamma_3 \Gamma_3 / \Gamma$

VALUE (keV) DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.35±0.02	BRANDELIK	79C	DASP	$e^+ e^-$
0.32±0.07	¹⁰ BALDINI-...	75	FRAG	$e^+ e^-$
0.34±0.09	¹⁰ ESPOSITO	75B	FRAM	$e^+ e^-$
0.36±0.10	¹⁰ FORD	75	SPEC	$e^+ e^-$

$\Gamma(\mu^+\mu^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$		$\Gamma_4\Gamma_3/\Gamma$		
VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
0.3301±0.0077±0.0073	7.8k	AUBERT	04	BABR $e^+e^- \rightarrow \mu^+\mu^-\gamma$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.51 ± 0.09		DASP	75	DASP e^+e^-
0.38 ± 0.05	10	ESPOSITO	75B	FRAM e^+e^-

$\Gamma(e^+e^-) \times \Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$		$\Gamma_3\Gamma_{70}/\Gamma$		
VALUE (keV)	DOCUMENT ID	TECN	COMMENT	
0.122±0.005±0.008	AUBERT,B	04N	BABR	$10.6 e^+e^- \rightarrow \pi^+\pi^-\pi^0\gamma$

$\Gamma(p\bar{p}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$		$\Gamma_{84}\Gamma_3/\Gamma$		
VALUE (eV)	DOCUMENT ID	TECN	COMMENT	
9.7±1.7	11	ARMSTRONG	93B	E760 $\bar{p}p \rightarrow e^+e^-$

10 Data redundant with branching ratios or partial widths above.

11 Using $\Gamma_{\text{total}} = 85.5^{+6.1}_{-5.8}$ MeV.

J/ $\psi(1S)$ BRANCHING RATIOS

For the first four branching ratios, see also the partial widths, and (partial widths) $\times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ above.

$\Gamma(\text{hadrons})/\Gamma_{\text{total}}$		Γ_1/Γ		
VALUE	DOCUMENT ID	TECN	COMMENT	
0.877±0.005 OUR AVERAGE				
0.878±0.005	BAI	95B	BES e^+e^-	
0.86 ± 0.02	BOYARSKI	75	MRK1 e^+e^-	

$\Gamma(\text{virtual } \gamma \rightarrow \text{hadrons})/\Gamma_{\text{total}}$		Γ_2/Γ		
VALUE	DOCUMENT ID	TECN	COMMENT	
0.135 ± 0.003	12,13 SETH	04	RVUE e^+e^-	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.17 ± 0.02	12 BOYARSKI	75	MRK1 e^+e^-	

12 Included in $\Gamma(\text{hadrons})/\Gamma_{\text{total}}$.

13 Using $B(J/\psi \rightarrow \ell^+\ell^-) = (5.90 \pm 0.09)\%$ from RPP-2002 and $R = 2.28 \pm 0.04$ determined by a fit to data from BAI 00 and BAI 02C.

$\Gamma(e^+e^-)/\Gamma_{\text{total}}$		Γ_3/Γ		
VALUE	DOCUMENT ID	TECN	COMMENT	
0.0593±0.0010 OUR AVERAGE				
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.0590±0.0005±0.0010	BAI	98D	BES $\psi(2S) \rightarrow J/\psi\pi^+\pi^-$	
0.0609±0.0033	BAI	95B	BES e^+e^-	
0.0592±0.0015±0.0020	COFFMAN	92	MRK3 $\psi(2S) \rightarrow J/\psi\pi^+\pi^-$	
0.069 ± 0.009	BOYARSKI	75	MRK1 e^+e^-	

$\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT	Γ_4/Γ
0.0588 ± 0.0010 OUR AVERAGE				
0.0584 ± 0.0006 ± 0.0010	BAI	98D BES	$\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$	
0.0608 ± 0.0033	BAI	95B BES	$e^+ e^-$	
0.0590 ± 0.0015 ± 0.0019	COFFMAN	92 MRK3	$\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$	
0.069 ± 0.009	BOYARSKI	75 MRK1	$e^+ e^-$	

$\Gamma(e^+e^-)/\Gamma(\mu^+\mu^-)$

VALUE	DOCUMENT ID	TECN	COMMENT	Γ_3/Γ_4
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.00 ± 0.07	BAI	95B BES	$e^+ e^-$	
1.00 ± 0.05	BOYARSKI	75 MRK1	$e^+ e^-$	
0.91 ± 0.15	ESPOSITO	75B FRAM	$e^+ e^-$	
0.93 ± 0.10	FORD	75 SPEC	$e^+ e^-$	

— HADRONIC DECAYS —

$\Gamma(\rho\pi)/\Gamma_{\text{total}}$


VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT	Γ_5/Γ
1.69 ± 0.15 OUR AVERAGE Error includes scale factor of 2.4. See the ideogram below.					
2.18 ± 0.19		14,15 AUBERT,B	04N BABR	$10.6 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 \gamma$	
2.184 ± 0.005 ± 0.201	220k	15,16 BAI	04H BES	$e^+ e^- \rightarrow J/\psi \rightarrow \pi^+ \pi^- \pi^0$	
2.091 ± 0.021 ± 0.116		15,17 BAI	04H BES	$\psi(2S) \rightarrow \pi^+ \pi^- J/\psi$	
1.21 ± 0.20		BAI	96D BES	$e^+ e^- \rightarrow \rho\pi$	
1.42 ± 0.01 ± 0.19		COFFMAN	88 MRK3	$e^+ e^-$	
1.3 ± 0.3	150	FRANKLIN	83 MRK2	$e^+ e^-$	
1.6 ± 0.4	183	ALEXANDER	78 PLUT	$e^+ e^-$	
1.33 ± 0.21		BRANDELIK	78B DASP	$e^+ e^-$	
1.0 ± 0.2	543	BARTEL	76 CNTR	$e^+ e^-$	
1.3 ± 0.3	153	JEAN-MARIE	76 MRK1	$e^+ e^-$	

¹⁴ From the ratio of $\Gamma(e^+e^-) B(\pi^+\pi^-\pi^0)$ and $\Gamma(e^+e^-) B(\mu^+\mu^-)$ (AUBERT 04).

¹⁵ Not independent of their $B(\pi^+\pi^-\pi^0)$.

¹⁶ From $J/\psi \rightarrow \pi^+\pi^-\pi^0$ events directly.

¹⁷ Obtained comparing the rates for $\pi^+\pi^-\pi^0$ and $\mu^+\mu^-$, using J/ψ events produced via $\psi(2S) \rightarrow \pi^+\pi^- J/\psi$ and with $B(J/\psi \rightarrow \mu^+\mu^-) = 5.88 \pm 0.10\%$.



$\Gamma(\rho\pi)/\Gamma_{\text{total}}$

Γ_5/Γ

$\Gamma(\rho^0\pi^0)/\Gamma(\rho\pi)$

Γ_6/Γ_5

VALUE

DOCUMENT ID

TECN

COMMENT

0.328±0.005±0.027

COFFMAN 88 MRK3 e^+e^-

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.35 ± 0.08

ALEXANDER 78 PLUT e^+e^-

0.32 ± 0.08

BRANDELIK 78B DASP e^+e^-

0.39 ± 0.11

BARTEL 76 CNTR e^+e^-

0.37 ± 0.09

JEAN-MARIE 76 MRK1 e^+e^-

$\Gamma(a_2(1320)\rho)/\Gamma_{\text{total}}$

Γ_7/Γ

VALUE (units 10^{-3})

DOCUMENT ID

TECN

COMMENT

10.9±2.2 OUR AVERAGE

AUGUSTIN 89 DM2 $J/\psi \rightarrow \rho^0 \rho^\pm \pi^\mp$

11.7±0.7±2.5 7584

VANNUCCI 77 MRK1 $e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$

8.4±4.5 36

$\Gamma(\omega\pi^+\pi^+\pi^-\pi^-)/\Gamma_{\text{total}}$

Γ_8/Γ

VALUE (units 10^{-4})

DOCUMENT ID

TECN

COMMENT

85±34 140

VANNUCCI 77 MRK1 $e^+e^- \rightarrow 3(\pi^+\pi^-)\pi^0$

$\Gamma(\omega\pi^+\pi^-)/\Gamma_{\text{total}}$

Γ_9/Γ

VALUE (units 10^{-3})

DOCUMENT ID

TECN

COMMENT

7.2±1.0 OUR AVERAGE

AUGUSTIN 89 DM2 $J/\psi \rightarrow 2(\pi^+\pi^-)\pi^0$

7.0±1.6 18058

BURMESTER 77D PLUT e^+e^-

7.8±1.6 215

VANNUCCI 77 MRK1 $e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$

6.8±1.9 348

$\Gamma(\omega\pi^+\pi^-)/\Gamma(2(\pi^+\pi^-)\pi^0)$ Γ_9/Γ_{68}

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.3	¹⁸ JEAN-MARIE	76	MRK1 e^+e^-
18 Final state $(\pi^+\pi^-)\pi^0$ under the assumption that $\pi\pi$ is isospin 0.			

 $\Gamma(K^*(892)^0 \bar{K}_2^*(1430)^0 + c.c.)/\Gamma_{\text{total}}$ Γ_{11}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
67±26	40	VANNUCCI	77	MRK1 $e^+e^- \rightarrow \pi^+\pi^- K^+K^-$

 $\Gamma(\omega K^*(892) \bar{K} + c.c.)/\Gamma_{\text{total}}$ Γ_{12}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
53±14±14	530 ± 140	BECKER	87	MRK3 $e^+e^- \rightarrow \text{hadrons}$

 $\Gamma(\omega f_2(1270))/\Gamma_{\text{total}}$ Γ_{10}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.3±0.6 OUR AVERAGE				
4.3±0.2±0.6	5860	AUGUSTIN	89	DM2 e^+e^-
4.0±1.6	70	BURMESTER	77D	PLUT e^+e^-
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.9±0.8	81	VANNUCCI	77	MRK1 $e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$

 $\Gamma(K^+ \bar{K}^*(892)^- + c.c.)/\Gamma_{\text{total}}$ Γ_{13}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5.0 ± 0.4 OUR AVERAGE				
4.57±0.17±0.70	2285	JOUSSET	90	DM2 $J/\psi \rightarrow \text{hadrons}$
5.26±0.13±0.53		COFFMAN	88	MRK3 $J/\psi \rightarrow K^\pm K_S^0 \pi^\mp, K^+K^-\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2.6 ± 0.6	24	FRANKLIN	83	MRK2 $J/\psi \rightarrow K^+K^-\pi^0$
3.2 ± 0.6	48	VANNUCCI	77	MRK1 $J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$
4.1 ± 1.2	39	BRAUNSCH...	76	DASP $J/\psi \rightarrow K^\pm X$

 $\Gamma(K^0 \bar{K}^*(892)^0 + c.c.)/\Gamma_{\text{total}}$ Γ_{14}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.2 ± 0.4 OUR AVERAGE				
3.96±0.15±0.60	1192	JOUSSET	90	DM2 $J/\psi \rightarrow \text{hadrons}$
4.33±0.12±0.45		COFFMAN	88	MRK3 $J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2.7 ± 0.6	45	VANNUCCI	77	MRK1 $J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$

 $\Gamma(K^0 \bar{K}^*(892)^0 + c.c.)/\Gamma(K^+ \bar{K}^*(892)^- + c.c.)$ Γ_{14}/Γ_{13}

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.82±0.05±0.09	COFFMAN	88	MRK3 $J/\psi \rightarrow K\bar{K}^*(892)^0 + c.c.$

$\Gamma(\Delta(1232)^{++}\bar{p}\pi^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
$1.58 \pm 0.23 \pm 0.40$	332	EATON	84	MRK2 $e^+ e^-$

Γ_{24}/Γ

$\Gamma(\omega\eta)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.58 ± 0.16 OUR AVERAGE				
$1.43 \pm 0.10 \pm 0.21$	378	JOUSSET	90	DM2 $J/\psi \rightarrow \text{hadrons}$
$1.71 \pm 0.08 \pm 0.20$		COFFMAN	88	MRK3 $e^+ e^- \rightarrow 3\pi\eta$

Γ_{25}/Γ


$\Gamma(\phi K\bar{K})/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
18.3 ± 2.4 OUR AVERAGE				Error includes scale factor of 1.5. See the ideogram below.
$21.4 \pm 0.4 \pm 2.2$		ABLIKIM	05	BES2 $J/\psi \rightarrow \phi\pi^+\pi^-$
$48 \pm 20 \pm 6$	9.0 ± 3.7	HUANG	03	BELL $B^+ \rightarrow (\phi K^+ K^-) K^+$
$14.6 \pm 0.8 \pm 2.1$		FALVARD	88	DM2 $J/\psi \rightarrow \text{hadrons}$
18 ± 8	14	FELDMAN	77	MRK1 $e^+ e^-$

²³ Addition of $\phi K^+ K^-$ and $\phi K^0 \bar{K}^0$ branching ratios.

Γ_{26}/Γ

WEIGHTED AVERAGE
 18.3 ± 2.4 (Error scaled by 1.5)



$\Gamma(\phi K\bar{K})/\Gamma_{\text{total}}$

Γ_{26}/Γ

$\Gamma(\phi f_0(1710) \rightarrow \phi K\bar{K})/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
$3.6 \pm 0.2 \pm 0.6$	24,25	FALVARD	88 $J/\psi \rightarrow \text{hadrons}$

Γ_{27}/Γ

²⁴ Including interference with $f_2'(1525)$.

²⁵ Includes unknown branching fraction $f_0(1710) \rightarrow K\bar{K}$.

$\Gamma(p\bar{p}\omega)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.30 ± 0.25 OUR AVERAGE	Error includes scale factor of 1.3.			
$1.10 \pm 0.17 \pm 0.18$	486	EATON	84	MRK2 $e^+ e^-$
1.6 ± 0.3	77	PERUZZI	78	MRK1 $e^+ e^-$

 Γ_{28}/Γ $\Gamma(\Delta(1232)^{++} \overline{\Delta}(1232)^{--})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$1.10 \pm 0.09 \pm 0.28$	233	EATON	84	MRK2 $e^+ e^-$

 Γ_{29}/Γ $\Gamma(\Sigma(1385)^- \overline{\Sigma}(1385)^+ (\text{or c.c.})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.03 ± 0.13 OUR AVERAGE				
$1.00 \pm 0.04 \pm 0.21$	631 ± 25	HENRARD	87	DM2 $e^+ e^- \rightarrow \Sigma^{*-}$
$1.19 \pm 0.04 \pm 0.25$	754 ± 27	HENRARD	87	DM2 $e^+ e^- \rightarrow \Sigma^{*+}$
$0.86 \pm 0.18 \pm 0.22$	56	EATON	84	MRK2 $e^+ e^- \rightarrow \Sigma^{*-}$
$1.03 \pm 0.24 \pm 0.25$	68	EATON	84	MRK2 $e^+ e^- \rightarrow \Sigma^{*+}$

 Γ_{30}/Γ $\Gamma(p\bar{p}\eta'(958))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.9 ± 0.4 OUR AVERAGE	Error includes scale factor of 1.7.			
$0.68 \pm 0.23 \pm 0.17$	19	EATON	84	MRK2 $e^+ e^-$
1.8 ± 0.6	19	PERUZZI	78	MRK1 $e^+ e^-$

 Γ_{31}/Γ $\Gamma(\phi f'_2(1525))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8 ± 4 OUR AVERAGE	Error includes scale factor of 2.7.			
$12.3 \pm 0.6 \pm 2.0$	26,27	FALVARD	88	DM2 $J/\psi \rightarrow \text{hadrons}$
4.8 ± 1.8	46	GIDAL	81	MRK2 $J/\psi \rightarrow K^+ K^- K^+ K^-$

 Γ_{32}/Γ


²⁶ Re-evaluated using $B(f'_2(1525) \rightarrow K\bar{K}) = 0.713$.

²⁷ Including interference with $f_0(1710)$.

 $\Gamma(\phi\pi^+\pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.94 ± 0.15 OUR AVERAGE	Error includes scale factor of 1.7. See the ideogram below.			
$1.09 \pm 0.02 \pm 0.13$		ABLIKIM	05	BES2 $J/\psi \rightarrow \phi\pi^+\pi^-$
$0.78 \pm 0.03 \pm 0.12$		FALVARD	88	DM2 $J/\psi \rightarrow \text{hadrons}$
2.1 ± 0.9	23	FELDMAN	77	MRK1 $e^+ e^-$

 Γ_{33}/Γ



$\Gamma(\phi\pi^+\pi^-)/\Gamma_{\text{total}}$

Γ_{33}/Γ

$\Gamma(\phi K^\pm K_S^0 \pi^\mp)/\Gamma_{\text{total}}$

Γ_{34}/Γ

VALUE (units 10^{-4}) EVTS
7.2±0.9 OUR AVERAGE

$7.4 \pm 0.9 \pm 1.1$
 $7 \pm 0.6 \pm 1.0$ 163 ± 15

DOCUMENT ID TECN COMMENT

FALVARD 88 DM2 $J/\psi \rightarrow \text{hadrons}$
BECKER 87 MRK3 $e^+ e^- \rightarrow \text{hadrons}$

$\Gamma(\omega f_1(1420))/\Gamma_{\text{total}}$

Γ_{35}/Γ

VALUE (units 10^{-4}) EVTS

$6.8^{+1.9}_{-1.6} \pm 1.7$ 111^{+31}_{-26}

DOCUMENT ID TECN COMMENT

BECKER 87 MRK3 $e^+ e^- \rightarrow \text{hadrons}$

$\Gamma(\phi\eta)/\Gamma_{\text{total}}$

Γ_{36}/Γ

VALUE (units 10^{-3}) EVTS

0.65 ±0.07 OUR AVERAGE

$0.64 \pm 0.04 \pm 0.11$ 346
 $0.661 \pm 0.045 \pm 0.078$

DOCUMENT ID TECN COMMENT

JOUSSET 90 DM2 $J/\psi \rightarrow \text{hadrons}$
COFFMAN 88 MRK3 $e^+ e^- \rightarrow K^+ K^- \eta$

$\Gamma(\Xi(1530)^-\bar{\Xi}^+)/\Gamma_{\text{total}}$

Γ_{37}/Γ

VALUE (units 10^{-3}) EVTS

0.59±0.09±0.12 75 ± 11

DOCUMENT ID TECN COMMENT

HENRARD 87 DM2 $e^+ e^-$

$\Gamma(pK^-\bar{\Sigma}(1385)^0)/\Gamma_{\text{total}}$

Γ_{38}/Γ

VALUE (units 10^{-3}) EVTS

0.51±0.26±0.18 89

DOCUMENT ID TECN COMMENT

EATON 84 MRK2 $e^+ e^-$

$\Gamma(\omega\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.42 ± 0.06 OUR AVERAGE				Error includes scale factor of 1.4.
0.360 ± 0.028 ± 0.054	222	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
0.482 ± 0.019 ± 0.064		COFFMAN	88 MRK3	$e^+ e^- \rightarrow \pi^0 \pi^+ \pi^- \pi^0$

 Γ_{39}/Γ $\Gamma(\phi\eta'(958))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.33 ± 0.04 OUR AVERAGE					
0.41 ± 0.03 ± 0.08		167	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
0.308 ± 0.034 ± 0.036			COFFMAN	88 MRK3	$e^+ e^- \rightarrow K^+ K^- \eta'$

 Γ_{40}/Γ

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1.3	90	VANNUCCI	77 MRK1	$e^+ e^-$
------	----	----------	---------	-----------

 $\Gamma(\phi f_0(980))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.2 ± 0.9 OUR AVERAGE				Error includes scale factor of 1.9.
4.6 ± 0.4 ± 0.8	28	FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
2.6 ± 0.6	50	28 GIDAL	81 MRK2	$J/\psi \rightarrow K^+ K^- K^+ K^-$

 Γ_{41}/Γ

28 Assuming $B(f_0(980) \rightarrow \pi\pi) = 0.78$.

 $\Gamma(\Xi(1530)^0 \Xi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.32 ± 0.12 ± 0.07	24 ± 9	HENRARD	87 DM2	$e^+ e^-$

 Γ_{42}/Γ $\Gamma(\Sigma(1385)^- \bar{\Sigma}^+ (\text{or c.c.}))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.31 ± 0.05 OUR AVERAGE				
0.30 ± 0.03 ± 0.07	74 ± 8	HENRARD	87 DM2	$e^+ e^- \rightarrow \Sigma^{*-}$
0.34 ± 0.04 ± 0.07	77 ± 9	HENRARD	87 DM2	$e^+ e^- \rightarrow \Sigma^{*+}$
0.29 ± 0.11 ± 0.10	26	EATON	84 MRK2	$e^+ e^- \rightarrow \Sigma^{*-}$
0.31 ± 0.11 ± 0.11	28	EATON	84 MRK2	$e^+ e^- \rightarrow \Sigma^{*+}$

 Γ_{43}/Γ $\Gamma(\phi f_1(1285))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.6 ± 0.5 OUR AVERAGE				Error includes scale factor of 1.1.
3.2 ± 0.6 ± 0.4		JOUSSET	90 DM2	$J/\psi \rightarrow \phi 2(\pi^+ \pi^-)$
2.1 ± 0.5 ± 0.4	25	29 JOUSSET	90 DM2	$J/\psi \rightarrow \phi \eta \pi^+ \pi^-$

 Γ_{44}/Γ

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.6 ± 0.2 ± 0.1	16 ± 6	BECKER	87 MRK3	$J/\psi \rightarrow \phi K \bar{K} \pi$
-----------------	--------	--------	---------	---

29 We attribute to the $f_1(1285)$ the signal observed in the $\pi^+ \pi^- \eta$ invariant mass distribution at 1297 Mev.

$\Gamma(K^*(892)^0 \bar{K}^*(892)^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<5	90	VANNUCCI 77	MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$

 Γ_{54}/Γ $\Gamma(\phi f_2(1270))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<3.7	90	VANNUCCI 77	MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<4.5	90	FALVARD 88	DM2	$J/\psi \rightarrow \text{hadrons}$

 Γ_{55}/Γ $\Gamma(p\bar{p}\rho)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.31	90	EATON 84	MRK2	$e^+ e^- \rightarrow \text{hadrons} \gamma$

 Γ_{56}/Γ $\Gamma(\phi\eta(1405) \rightarrow \phi\eta\pi\pi)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<2.5	90	32 FALVARD 88	DM2	$J/\psi \rightarrow \text{hadrons}$

 Γ_{57}/Γ $\Gamma(\omega f'_2(1525))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<2.2	90	33 VANNUCCI 77	MRK1	$e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. **• • •**

<2.8	90	33 FALVARD 88	DM2	$J/\psi \rightarrow \text{hadrons}$
------	----	---------------	-----	-------------------------------------

33 Re-evaluated assuming $B(f'_2(1525) \rightarrow K\bar{K}) = 0.713$. Γ_{58}/Γ $\Gamma(\Sigma(1385)^0 \bar{\Lambda})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.2	90	HENRARD 87	DM2	$e^+ e^-$

 Γ_{59}/Γ $\Gamma(\Delta(1232)^+ \bar{p})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.1	90	HENRARD 87	DM2	$e^+ e^-$

 Γ_{60}/Γ $\Gamma(\Sigma^0 \bar{\Lambda})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.9	90	HENRARD 87	DM2	$e^+ e^-$

 Γ_{66}/Γ $\Gamma(\phi\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.068	90	COFFMAN 88	MRK3	$e^+ e^- \rightarrow K^+ K^- \pi^0$

 Γ_{67}/Γ

$\Gamma(\Theta(1540)\bar{\Theta}(1540) \rightarrow K_S^0 p K^- \bar{n} + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{61}/Γ

<u>VALUE</u> (units 10^{-5})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<1.1	90	BAI	04G BES2	$e^+ e^-$

 $\Gamma(\Theta(1540)K^- \bar{n} \rightarrow K_S^0 p K^- \bar{n})/\Gamma_{\text{total}}$ Γ_{62}/Γ

<u>VALUE</u> (units 10^{-5})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<2.1	90	BAI	04G BES2	$e^+ e^-$

 $\Gamma(\Theta(1540)K_S^0 \bar{p} \rightarrow K_S^0 \bar{p} K^+ n)/\Gamma_{\text{total}}$ Γ_{63}/Γ

<u>VALUE</u> (units 10^{-5})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<1.6	90	BAI	04G BES2	$e^+ e^-$

 $\Gamma(\bar{\Theta}(1540)K^+ n \rightarrow K_S^0 \bar{p} K^+ n)/\Gamma_{\text{total}}$ Γ_{64}/Γ

<u>VALUE</u> (units 10^{-5})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<5.6	90	BAI	04G BES2	$e^+ e^-$

 $\Gamma(\bar{\Theta}(1540)K_S^0 p \rightarrow K_S^0 p K^- \bar{n})/\Gamma_{\text{total}}$ Γ_{65}/Γ

<u>VALUE</u> (units 10^{-5})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<1.1	90	BAI	04G BES2	$e^+ e^-$

³⁴ We have multiplied $K^+ K^-$ measurement by 2 to obtain $K\bar{K}$.³⁵ Using $B(B^+ \rightarrow J/\psi K^+) = (1.01 \pm 0.05) \times 10^{-3}$.

 STABLE HADRONS

 $\Gamma(2(\pi^+ \pi^-)\pi^0)/\Gamma_{\text{total}}$ Γ_{68}/Γ


<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0337 ± 0.0026 OUR AVERAGE				
0.0325 ± 0.0049	46055	AUGUSTIN	89 DM2	$J/\psi \rightarrow 2(\pi^+ \pi^-)\pi^0$
0.0317 ± 0.0042	147	FRANKLIN	83 MRK2	$e^+ e^- \rightarrow \text{hadrons}$
0.0364 ± 0.0052	1500	BURMESTER	77D PLUT	$e^+ e^-$
0.04 ± 0.01	675	JEAN-MARIE	76 MRK1	$e^+ e^-$

 $\Gamma(3(\pi^+ \pi^-)\pi^0)/\Gamma_{\text{total}}$ Γ_{69}/Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.029 ± 0.006 OUR AVERAGE				
0.028 ± 0.009	11	FRANKLIN	83 MRK2	$e^+ e^- \rightarrow \text{hadrons}$
0.029 ± 0.007	181	JEAN-MARIE	76 MRK1	$e^+ e^-$

 $\Gamma(\pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$ Γ_{70}/Γ

<u>VALUE</u> (units 10^{-3})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
20.2 ± 1.4 OUR AVERAGE		Error includes scale factor of 1.7. See the ideogram below.		
21.8 ± 1.9	38,39	AUBERT,B	04N BABR	$10.6 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 \gamma$
21.84 ± 0.05 ± 2.01	220k	BAI	04H BES	$e^+ e^-$
20.91 ± 0.21 ± 1.16	39,41	BAI	04H BES	$e^+ e^-$
15 ± 2	168	FRANKLIN	83 MRK2	$e^+ e^-$



$\Gamma(\pi^+ \pi^- \pi^0 K^+ K^-)/\Gamma_{\text{total}}$

VALUE	EVTS
0.012 ±0.003	309

Γ_{71}/Γ

DOCUMENT ID	TECN	COMMENT
VANNUCCI	77	MRK1 $e^+ e^-$

$\Gamma(4(\pi^+ \pi^-)\pi^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS
90±30	13

Γ_{72}/Γ

DOCUMENT ID	TECN	COMMENT
JEAN-MARIE	76	MRK1 $e^+ e^-$

$\Gamma(\pi^+ \pi^- K^+ K^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS
72±23	205

Γ_{73}/Γ

DOCUMENT ID	TECN	COMMENT
VANNUCCI	77	MRK1 $e^+ e^-$

$\Gamma(K\bar{K}\pi)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS
61 ±10 OUR AVERAGE	

	EVTS
55.2±12.0	25
78.0±21.0	126

Γ_{74}/Γ

DOCUMENT ID	TECN	COMMENT
FRANKLIN	83	MRK2 $e^+ e^- \rightarrow K^+ K^- \pi^0$
VANNUCCI	77	MRK1 $e^+ e^- \rightarrow K_S^0 K^\pm \pi^\mp$

$\Gamma(p\bar{p}\pi^+\pi^-)/\Gamma_{\text{total}}$


VALUE (units 10^{-3})	EVTS
6.0 ±0.5 OUR AVERAGE	

Error includes scale factor of 1.3. See the ideogram below.

	EVTS
6.46±0.17±0.43	1435
3.8 ±1.6	48
5.5 ±0.6	533

Γ_{75}/Γ

DOCUMENT ID	TECN	COMMENT
EATON	84	MRK2 $e^+ e^-$
BESCH	81	BONA $e^+ e^-$
PERUZZI	78	MRK1 $e^+ e^-$



$\Gamma(2(\pi^+\pi^-))/\Gamma_{\text{total}}$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.004 ±0.001	76	JEAN-MARIE	76	MRK1 e^+e^-

Γ_{76}/Γ

$\Gamma(3(\pi^+\pi^-))/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
40±20	32	JEAN-MARIE	76	MRK1 e^+e^-

Γ_{77}/Γ

$\Gamma(2(\pi^+\pi^-)\eta)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	EVTS
2.26±0.08±0.27	4839

Γ_{78}/Γ

DOCUMENT ID	TECN	COMMENT
ABLIKIM	05C BES2	$e^+e^- \rightarrow 2(\pi^+\pi^-)\eta$

$\Gamma(3(\pi^+\pi^-)\eta)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS
7.24±0.96±1.11	616

Γ_{79}/Γ

DOCUMENT ID	TECN	COMMENT
ABLIKIM	05C BES2	$e^+e^- \rightarrow 3(\pi^+\pi^-)\eta$

$\Gamma(n\bar{n}\pi^+\pi^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	EVTS
3.8±3.6	5

Γ_{80}/Γ


DOCUMENT ID	TECN	COMMENT
BESCH	81	BONA e^+e^-

$\Gamma(\Xi\bar{\Xi})/\Gamma_{\text{total}}$

Γ_{88}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.8 ± 0.4 OUR AVERAGE	Error includes scale factor of 1.8. See the ideogram below.			
1.40 ± 0.12 ± 0.24	132 ± 11	HENRARD	87	DM2 $e^+ e^- \rightarrow \Xi^- \bar{\Xi}^+$
2.28 ± 0.16 ± 0.40	194	EATON	84	MRK2 $e^+ e^- \rightarrow \Xi^- \bar{\Xi}^+$
3.2 ± 0.8	71	PERUZZI	78	MRK1 $e^+ e^-$

WEIGHTED AVERAGE
1.8±0.4 (Error scaled by 1.8)



$\Gamma(n\bar{n})/\Gamma_{\text{total}}$


Γ_{87}/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
0.22 ± 0.04 OUR AVERAGE				
0.231 ± 0.049	79	BALDINI	98	FENI $e^+ e^-$
0.18 ± 0.09		BESCH	78	BONA $e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.190 ± 0.055	40	ANTONELLI	93	SPEC $e^+ e^-$

$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$

Γ_{89}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.30 ± 0.12 OUR AVERAGE	Error includes scale factor of 1.1.			
1.08 ± 0.06 ± 0.24	631	BAI	98G	BES $e^+ e^-$
1.38 ± 0.05 ± 0.20	1847	PALLIN	87	DM2 $e^+ e^-$
1.58 ± 0.08 ± 0.19	365	EATON	84	MRK2 $e^+ e^-$
2.6 ± 1.6	5	BESCH	81	BONA $e^+ e^-$
1.1 ± 0.2	196	PERUZZI	78	MRK1 $e^+ e^-$



$\Gamma(\Lambda\bar{\Lambda}\pi^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	EVTS
0.22±0.06 OUR AVERAGE	
0.23±0.07±0.08	11
0.22±0.05±0.05	19 ± 4

DOCUMENT ID	TECN	COMMENT
BAI	98G BES	$e^+ e^-$
HENRARD	87 DM2	$e^+ e^-$

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS
1.47±0.23 OUR AVERAGE	
1.58±0.20±0.15	84
1.0 ± 0.5	5
1.6 ± 1.6	1

DOCUMENT ID	TECN	COMMENT
BALTRUSAIT..85D MRK3	e ⁺ e ⁻	
BRANDELIK	78B DASP	$e^+ e^-$
VANNUCCI	77 MRK1	$e^+ e^-$

$\Gamma(\Lambda\bar{\Sigma} + \text{c.c.})/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	CL%
<0.15	90

DOCUMENT ID	TECN	COMMENT
PERUZZI	78	MRK1 $e^+ e^- \rightarrow \Lambda X$

$\Gamma(K_S^0 K_S^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	CL%
<0.01	95

DOCUMENT ID	TECN	COMMENT
37 BAI	04D BES	$e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.052 90 37 BALTRUSAIT..85C MRK3 $e^+ e^-$

37 Forbidden by CP.

Γ_{97}/Γ

Γ_{99}/Γ

Γ_{100}/Γ

³⁸ From the ratio of $\Gamma(e^+ e^-) B(\pi^+ \pi^- \pi^0)$ and $\Gamma(e^+ e^-) B(\mu^+ \mu^-)$ (AUBERT 04).

³⁹ Mostly $\rho\pi$, see also $\rho\pi$ subsection.

⁴⁰ From $J/\psi \rightarrow \pi^+ \pi^- \pi^0$ events directly.

⁴¹ Obtained comparing the rates for $\pi^+ \pi^- \pi^0$ and $\mu^+ \mu^-$, using J/ψ events produced via $\psi(2S) \rightarrow \pi^+ \pi^- J/\psi$ and with $B(J/\psi \rightarrow \mu^+ \mu^-) = 5.88 \pm 0.10\%$.

⁴² Using $B(K_S^0 \rightarrow \pi^+ \pi^-) = 0.6868 \pm 0.0027$.

———— RADIATIVE DECAYS ——

$\Gamma(\gamma\eta_c(1S))/\Gamma_{\text{total}}$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	Γ_{101}/Γ
0.0127 ± 0.0036		GAISER	86	CBAL $J/\psi \rightarrow \gamma X$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
seen	16	BALTRUSAIT..84	MRK3	$J/\psi \rightarrow 2\phi\gamma$	

$\Gamma(\gamma\pi^+\pi^-2\pi^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT	Γ_{102}/Γ
8.3 ± 0.2 ± 3.1	43 BALTRUSAIT..86B	MRK3	$J/\psi \rightarrow 4\pi\gamma$	

⁴³ 4π mass less than 2.0 GeV.

$\Gamma(\gamma\eta\pi\pi)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT	Γ_{103}/Γ
6.1 ± 1.0 OUR AVERAGE				
5.85 ± 0.3 ± 1.05	44 EDWARDS	83B CBAL	$J/\psi \rightarrow \eta\pi^+\pi^-$	
7.8 ± 1.2 ± 2.4	44 EDWARDS	83B CBAL	$J/\psi \rightarrow \eta 2\pi^0$	
⁴⁴ Broad enhancement at 1700 MeV.				

$\Gamma(\gamma\eta(1405/1475) \rightarrow \gamma K\bar{K}\pi)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT	Γ_{104}/Γ
2.8 ± 0.6 OUR AVERAGE	Error includes scale factor of 1.6. See the ideogram below.			
1.66 ± 0.1 ± 0.58	45,46 BAI	00D BES	$J/\psi \rightarrow \gamma K^\pm K_S^0 \pi^\mp$	
3.8 ± 0.3 ± 0.6	47 AUGUSTIN	90 DM2	$J/\psi \rightarrow \gamma K\bar{K}\pi$	
4.0 ± 0.7 ± 1.0	47 EDWARDS	82E CBAL	$J/\psi \rightarrow K^+ K^- \pi^0 \gamma$	
4.3 ± 1.7	47,48 SCHARRE	80 MRK2	$e^+ e^-$	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.78 ± 0.21 ± 0.33	47,49,50 AUGUSTIN	92 DM2	$J/\psi \rightarrow \gamma K\bar{K}\pi$	
0.83 ± 0.13 ± 0.18	47,51,52 AUGUSTIN	92 DM2	$J/\psi \rightarrow \gamma K\bar{K}\pi$	
$0.66^{+0.17}_{-0.16}{}^{+0.24}_{-0.15}$	47,50,53 BAI	90C MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$	
$1.03^{+0.21}_{-0.18}{}^{+0.26}_{-0.19}$	47,52,54 BAI	90C MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$	

⁴⁵ Interference with the $J/\psi(1S)$ radiative transition to the broad $K\bar{K}\pi$ pseudoscalar state around 1800 is $(0.15 \pm 0.01 \pm 0.05) \times 10^{-3}$.

⁴⁶ Interference with $J/\psi \rightarrow \gamma f_1(1420)$ is $(-0.03 \pm 0.01 \pm 0.01) \times 10^{-3}$.

⁴⁷ Includes unknown branching fraction $\eta(1405) \rightarrow K\bar{K}\pi$.

⁴⁸ Corrected for spin-zero hypothesis for $\eta(1405)$.

⁴⁹ From fit to the $a_0(980)\pi^- \pi^+$ partial wave.


⁵⁰ $a_0(980)\pi$ mode.

⁵¹ From fit to the $K^*(892)K^- \pi^+$ partial wave.

⁵² $K^* K$ mode.

⁵³ From $a_0(980)\pi$ final state.

⁵⁴ From $K^*(890)K$ final state.



$\Gamma(\gamma\eta(1405/1475) \rightarrow \gamma\gamma\rho^0)/\Gamma_{\text{total}}$

Γ_{105}/Γ

VALUE (units 10^{-5})	DOCUMENT ID	TECN	COMMENT
6.4±1.2±0.7	55 COFFMAN	90 MRK3	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$

⁵⁵ Includes unknown branching fraction $\eta(1405) \rightarrow \gamma\rho^0$.

$\Gamma(\gamma\eta(1405/1475) \rightarrow \gamma\eta\pi^+\pi^-)/\Gamma_{\text{total}}$

Γ_{106}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
3.0 ±0.5 OUR AVERAGE				

2.6 ± 0.7 ± 0.4	BAI	99	BES	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
3.38±0.33±0.64	56 BOLTON	92B	MRK3	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

7.0 ± 0.6 ± 1.1	261	57 AUGUSTIN	90 DM2	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
-----------------	-----	-------------	--------	---

⁵⁶ Via $a_0(980)\pi$.

⁵⁷ Includes unknown branching fraction to $\eta\pi^+\pi^-$.

$\Gamma(\gamma\rho\rho)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>
4.5 ± 0.8 OUR AVERAGE	

4.7 ± 0.3 ± 0.9

3.75 ± 1.05 ± 1.20

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.09

90

58 BISELLO

89B

 $J/\psi \rightarrow 4\pi\gamma$ 58 4π mass less than 2.0 GeV.59 4π mass less than 2.0 GeV. We have multiplied $2\rho^0$ measurement by 3 to obtain 2ρ .60 4π mass in the range 2.0–25 GeV. Γ_{107}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

58 BALTRUSAIT..86B	MRK3	$J/\psi \rightarrow 4\pi\gamma$
59 BURKE	82 MRK2	$J/\psi \rightarrow 4\pi\gamma$

 $\Gamma(\gamma\eta_2(1870) \rightarrow \gamma\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{108}/Γ

<u>VALUE (units 10^{-4})</u>
6.2±2.2±0.9

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BAI	99 BES	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$

 $\Gamma(\gamma\eta'(958))/\Gamma_{\text{total}}$ Γ_{109}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>
4.31±0.30 OUR AVERAGE	

4.50 ± 0.14 ± 0.53

4.30 ± 0.31 ± 0.71

4.04 ± 0.16 ± 0.85

4.39 ± 0.09 ± 0.66

4.1 ± 0.3 ± 0.6

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-\eta, \eta \rightarrow \gamma\gamma$
BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-\eta, \eta \rightarrow \pi^+\pi^-\pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.9 ± 1.1

6

BRANDELIK 79C DASP $e^+e^- \rightarrow 3\gamma$

2.4 ± 0.7

57


BARTEL 76 CNTR $e^+e^- \rightarrow 2\gamma\rho$ $\Gamma(\gamma 2\pi^+ 2\pi^-)/\Gamma_{\text{total}}$ Γ_{110}/Γ

<u>VALUE (units 10^{-3})</u>
2.8 ± 0.5 OUR AVERAGE

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

Error includes scale factor of 1.9. See the ideogram below.

61 BISELLO 89B DM2 $J/\psi \rightarrow 4\pi\gamma$ 62 BISELLO 89B DM2 $J/\psi \rightarrow 4\pi\gamma$ 62 BALTRUSAIT..86B MRK3 $J/\psi \rightarrow 4\pi\gamma$ 63 BURKE 82 MRK2 $e^+e^- \rightarrow$ 61 4π mass less than 3.0 GeV.62 4π mass less than 2.0 GeV.63 4π mass less than 2.5 GeV.



$\Gamma(\gamma f_2(1270) f_2(1270))/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
$9.5 \pm 0.7 \pm 1.6$	646 ± 45	ABLIKIM	04M BES	$J/\psi \rightarrow \gamma 2\pi^+ 2\pi^-$

Γ_{111}/Γ

$\Gamma(\gamma f_2(1270) f_2(1270)(\text{non resonant}))/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
$8.2 \pm 0.8 \pm 1.7$	64 ABLIKIM	04M BES	$J/\psi \rightarrow \gamma 2\pi^+ 2\pi^-$

⁶⁴ Subtracting contribution from intermediate $\eta_c(1S)$ decays.

Γ_{112}/Γ

$\Gamma(\gamma K^+ K^- \pi^+ \pi^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
$2.1 \pm 0.1 \pm 0.6$	1516	BAI	00B BES	$J/\psi \rightarrow \gamma K^+ K^0 \pi^+ \pi^-$

Γ_{113}/Γ

$\Gamma(\gamma f_4(2050))/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
$2.7 \pm 0.5 \pm 0.5$	65 BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^-$

⁶⁵ Assuming branching fraction $f_4(2050) \rightarrow \pi\pi/\text{total} = 0.167$.

Γ_{114}/Γ

$\Gamma(\gamma \omega \omega)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
$1.59 \pm 0.33 \text{ OUR AVERAGE}$				

$1.41 \pm 0.2 \pm 0.42$ 120 ± 17
 $1.76 \pm 0.09 \pm 0.45$

Γ_{115}/Γ

BISELLO	87	SPEC	$e^+ e^-$, hadrons γ
BALTRUSAIT..85C		MRK3	$e^+ e^- \rightarrow$ hadrons γ

$\Gamma(\gamma\eta(1405/1475) \rightarrow \gamma\rho^0\rho^0)/\Gamma_{\text{total}}$ Γ_{116}/Γ

VALUE (units 10^{-3})		DOCUMENT ID	TECN	COMMENT
1.7 ± 0.4 OUR AVERAGE	Error includes scale factor of 1.3.			
2.1 ± 0.4	BUGG	95	MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-\pi^+\pi^-$
1.36 ± 0.38	BISELLO	66,67	DM2	$J/\psi \rightarrow 4\pi\gamma$

66 Estimated by us from various fits.

67 Includes unknown branching fraction to $\rho^0\rho^0$.

$\Gamma(\gamma f_2(1270))/\Gamma_{\text{total}}$ Γ_{117}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
1.38 ± 0.14 OUR AVERAGE					
1.33 ± 0.05 ± 0.20	68	AUGUSTIN	87	DM2	$J/\psi \rightarrow \gamma\pi^+\pi^-$
1.36 ± 0.09 ± 0.23	68	BALTRUSAIT..	87	MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-$
1.48 ± 0.25 ± 0.30	178	EDWARDS	82B	CBAL	$e^+e^- \rightarrow 2\pi^0\gamma$
2.0 ± 0.7	35	ALEXANDER	78	PLUT	e^+e^-
1.2 ± 0.6	30	BRANDELIK	78B	DASP	$e^+e^- \rightarrow \pi^+\pi^-\gamma$

68 Estimated using $B(f_2(1270) \rightarrow \pi\pi) = 0.843 \pm 0.012$. The errors do not contain the uncertainty in the $f_2(1270)$ decay.

69 Restated by us to take account of spread of E1, M2, E3 transitions.

$\Gamma(\gamma f_0(1710) \rightarrow \gamma K\bar{K})/\Gamma_{\text{total}}$ Γ_{118}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
8.5 ± 1.2 OUR AVERAGE				Error includes scale factor of 1.2.
9.62 ± 0.29	+3.51 -1.86	70 BAI	03G BES	$J/\psi \rightarrow \gamma K\bar{K}$
5.0 ± 0.8	+1.8 -0.4	71,72 BAI	96C BES	$J/\psi \rightarrow \gamma K^+K^-$
9.2 ± 1.4	+1.4 -1.4	72 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K^+K^-$
10.4 ± 1.2	+1.6 -1.6	72 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
9.6 ± 1.2	+1.8 -1.8	72 BALTRUSAIT..	87 MRK3	$J/\psi \rightarrow \gamma K^+K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.6 ± 0.2	+0.6 -0.2	72,73 BAI	96C BES	$J/\psi \rightarrow \gamma K^+K^-$
< 0.8	90	74 BISELLO	89B	$J/\psi \rightarrow 4\pi\gamma$
1.6 ± 0.4	+0.3 -0.3	75 BALTRUSAIT..	87 MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-$
3.8 ± 1.6		76 EDWARDS	82D CBAL	$e^+e^- \rightarrow \eta\eta\gamma$

70 Includes unknown branching ratio to K^+K^- or $K_S^0 K_S^0$.71 Assuming $J^P = 2^+$ for $f_0(1710)$.72 Includes unknown branching fraction to K^+K^- or $K_S^0 K_S^0$. We have multiplied K^+K^- measurement by 2, and $K_S^0 K_S^0$ by 4 to obtain $K\bar{K}$ result.73 Assuming $J^P = 0^+$ for $f_0(1710)$.74 Includes unknown branching fraction to $\rho^0\rho^0$.75 Includes unknown branching fraction to $\pi^+\pi^-$.76 Includes unknown branching fraction to $\eta\eta$.

$\Gamma(\gamma f_0(1710) \rightarrow \gamma\pi\pi)/\Gamma_{\text{total}}$ Γ_{119}/Γ

<u>VALUE</u> (units 10^{-4})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$2.5 \pm 1.6 \pm 0.8$	BAI	98H BES	$J/\psi \rightarrow \gamma\pi^0\pi^0$

 $\Gamma(\gamma\eta)/\Gamma_{\text{total}}$ Γ_{120}/Γ

<u>VALUE</u> (units 10^{-3})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.86 ± 0.08 OUR AVERAGE				
$0.88 \pm 0.08 \pm 0.11$		BLOOM	83	CBAL e^+e^-
0.82 ± 0.10		BRANDELIK	79c	DASP e^+e^-
1.3 ± 0.4	21	BARTEL	77	CNTR e^+e^-

 $\Gamma(\gamma f_1(1420) \rightarrow \gamma K\bar{K}\pi)/\Gamma_{\text{total}}$ Γ_{121}/Γ

<u>VALUE</u> (units 10^{-3})		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.79 ± 0.13 OUR AVERAGE				
$0.68 \pm 0.04 \pm 0.24$		BAI	00D BES	$J/\psi \rightarrow \gamma K^\pm K_S^0 \pi^\mp$
$0.76 \pm 0.15 \pm 0.21$	77,78	AUGUSTIN	92	DM2 $J/\psi \rightarrow \gamma K\bar{K}\pi$
$0.87 \pm 0.14^{+0.14}_{-0.11}$	77	BAI	90c MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$

⁷⁷ Included unknown branching fraction $f_1(1420) \rightarrow K\bar{K}\pi$.⁷⁸ From fit to the $K^*(892)K$ 1^{++} partial wave. $\Gamma(\gamma f_1(1285))/\Gamma_{\text{total}}$ Γ_{122}/Γ

<u>VALUE</u> (units 10^{-3})		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.61 ± 0.08 OUR AVERAGE				
$0.61 \pm 0.04 \pm 0.21$		79 BAI	00D BES	$J/\psi \rightarrow \gamma K^\pm K_S^0 \pi^\mp$
$0.45 \pm 0.09 \pm 0.17$		80 BAI	99 BES	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
$0.625 \pm 0.063 \pm 0.103$		81 BOLTON	92 MRK3	$J/\psi \rightarrow \gamma f_1(1285)$
$0.70 \pm 0.08 \pm 0.16$		82 BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$

⁷⁹ Assuming $\Gamma(f_1(1285) \rightarrow K\bar{K}\pi)/\Gamma_{\text{total}} = 0.09 \pm 0.04$.⁸⁰ Assuming $\Gamma(f_1(1285) \rightarrow \eta\pi\pi)/\Gamma_{\text{total}} = 0.5 \pm 0.18$.⁸¹ Obtained summing the sequential decay channels

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow \pi\pi\pi\pi) = (1.44 \pm 0.39 \pm 0.27) \times 10^{-4};$$

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow a_0(980)\pi, a_0(980) \rightarrow \eta\pi) = (3.90 \pm 0.42 \pm 0.87) \times 10^{-4};$$

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow a_0(980)\pi, a_0(980) \rightarrow K\bar{K}) = (0.66 \pm 0.26 \pm 0.29) \times 10^{-4};$$

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow \gamma\rho^0) = (0.25 \pm 0.07 \pm 0.03) \times 10^{-4}.$$

⁸² Using $B(f_1(1285) \rightarrow a_0(980)\pi) = 0.37$, and including unknown branching ratio for $a_0(980) \rightarrow \eta\pi$. $\Gamma(\gamma f_1(1510) \rightarrow \gamma\eta\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{123}/Γ

<u>VALUE</u> (units 10^{-4})		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.5 ± 1.0 ± 0.7		BAI	99 BES	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$

$\Gamma(\gamma f'_2(1525))/\Gamma_{\text{total}}$ Γ_{124}/Γ

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.5 ± 0.7 OUR AVERAGE					
3.85 ± 0.17 ± 1.91		83 BAI	03G BES	$J/\psi \rightarrow \gamma K\bar{K}$	
3.6 ± 0.4 ± 1.4		83 BAI	96C BES	$J/\psi \rightarrow \gamma K^+ K^-$	
5.6 ± 1.4 ± 0.9		83 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K^+ K^-$	
4.5 ± 0.4 ± 0.9		83 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$	
6.8 ± 1.6 ± 1.4		83 BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

<3.4	90	4	84 BRANDELIK	79C DASP	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$
<2.3	90	3	ALEXANDER	78 PLUT	$e^+ e^- \rightarrow K^+ K^- \gamma$

⁸³ Using $B(f'_2(1525) \rightarrow K\bar{K}) = 0.888$.

⁸⁴ Assuming isotropic production and decay of the $f'_2(1525)$ and isospin.

 $\Gamma(\gamma f_2(1950) \rightarrow \gamma K^*(892)\bar{K}^*(892))/\Gamma_{\text{total}}$ Γ_{125}/Γ

<u>VALUE</u> (units 10^{-3})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.7 $\pm 0.1 \pm 0.2$	BAI	00B BES	$J/\psi \rightarrow \gamma K^+ K^0 \pi^+ \pi^-$

 $\Gamma(\gamma K^*(892)\bar{K}^*(892))/\Gamma_{\text{total}}$ Γ_{126}/Γ


<u>VALUE</u> (units 10^{-3})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.0 $\pm 0.3 \pm 1.3$	320	85 BAI	00B BES	$J/\psi \rightarrow \gamma K^+ K^0 \pi^+ \pi^-$

⁸⁵ Summed over all charges.

 $\Gamma(\gamma\phi\phi)/\Gamma_{\text{total}}$ Γ_{127}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.0 ± 1.2 OUR AVERAGE				Error includes scale factor of 2.1. See the ideogram below.
7.5 $\pm 0.6 \pm 1.2$	168	BAI	90B MRK3	$J/\psi \rightarrow \gamma 4K$
3.4 $\pm 0.8 \pm 0.6$	33 ± 7	86 BISELLO	90 DM2	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$
3.1 $\pm 0.7 \pm 0.4$		86 BISELLO	86B DM2	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$

⁸⁶ $\phi\phi$ mass less than 2.9 GeV, η_c excluded.



$\Gamma(\gamma p\bar{p})/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.38±0.07±0.07	49		EATON	84	MRK2 $e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.11	90		PERUZZI	78	MRK1 $e^+ e^-$

$\Gamma(\gamma\eta(2225))/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
0.29±0.06 OUR AVERAGE			
0.33±0.08±0.05	87 BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
0.27±0.06±0.06	87 BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$
0.24 ^{+0.15} _{-0.10}	88,89 BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$

87 Includes unknown branching fraction to $\phi\phi$.

88 Estimated by us from various fits.

89 Includes unknown branching fraction to $\rho^0\rho^0$.

$\Gamma(\gamma\eta(1760) \rightarrow \gamma\rho^0\rho^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
0.13±0.09	90,91 BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$

90 Estimated by us from various fits.

91 Includes unknown branching fraction to $\rho^0\rho^0$.

$\Gamma(\gamma K\bar{K}\pi)_{JPC=0-+}/\Gamma_{\text{total}}$ Γ_{131}/Γ

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.7 ± 0.4 OUR AVERAGE	Error includes scale factor of 2.1.		
0.58 ± 0.03 ± 0.20	92 BAI	00D BES	$J/\psi \rightarrow \gamma K^{\pm} K_S^0 \pi^{\mp}$
2.1 ± 0.1 ± 0.7	93 BAI	00D BES	$J/\psi \rightarrow \gamma K^{\pm} K_S^0 \pi^{\mp}$

⁹² For a broad structure around 1800 MeV.⁹³ For a broad structure around 2040 MeV. $\Gamma(\gamma\pi^0)/\Gamma_{\text{total}}$ Γ_{132}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.039 ± 0.013 OUR AVERAGE				
0.036 ± 0.011 ± 0.007		BLOOM	83 CBAL	$e^+ e^-$
0.073 ± 0.047	10	BRANDELIK	79c DASP	$e^+ e^-$

 $\Gamma(\gamma p\bar{p}\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{133}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.79	90	EATON	84	MRK2 $e^+ e^-$

 $\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ Γ_{134}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.5	90	BARTEL	77	CNTR $e^+ e^-$

 $\Gamma(\gamma\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$ Γ_{135}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.13	90	HENRARD	87 DM2	$e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.16	90	BAI	98G BES	$e^+ e^-$

 $\Gamma(3\gamma)/\Gamma_{\text{total}}$ Γ_{136}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.055	90	PARTRIDGE	80 CBAL	$e^+ e^-$

 $\Gamma(\gamma f_0(2200))/\Gamma_{\text{total}}$ Γ_{137}/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1.5	94 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$

⁹⁴ Includes unknown branching fraction to $K_S^0 K_S^0$. $\Gamma(\gamma f_0(2220))/\Gamma_{\text{total}}$ Γ_{138}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
>250	99.9	95 HASAN	96 SPEC	$\bar{p}p \rightarrow \pi^+ \pi^-$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

>300		⁹⁶ BAI	96B BES	$e^+ e^- \rightarrow \gamma \bar{p}p, K\bar{K}$
< 2.3	95	97 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K^+ K^-$
< 1.6	95	97 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$
$12.4^{+6.4}_{-5.2} \pm 2.8$	23	97 BALTRUSAIT..86D MRK3	$J/\psi \rightarrow \gamma K_S^0 K_S^0$	
$8.4^{+3.4}_{-2.8} \pm 1.6$	93	97 BALTRUSAIT..86D MRK3	$J/\psi \rightarrow \gamma K^+ K^-$	

⁹⁵ Using BAI 96B.

⁹⁶ Using BARNES 93.

⁹⁷ Includes unknown branching fraction to $K^+ K^-$ or $K_S^0 K_S^0$.

$\Gamma(\gamma f_J(2220) \rightarrow \gamma \pi\pi)/\Gamma_{\text{total}}$

Γ_{139}/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.84 \pm 0.26 \pm 0.30$	BAI	96B BES	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma \pi^+ \pi^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.4 $\pm 0.8 \pm 0.4$	BAI	98H BES	$J/\psi \rightarrow \gamma \pi^0 \pi^0$
-----------------------	-----	---------	---

$\Gamma(\gamma f_J(2220) \rightarrow \gamma K\bar{K})/\Gamma_{\text{total}}$

Γ_{140}/Γ

<u>VALUE (units 10^{-5})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8.1 ± 3.0 OUR AVERAGE	BAI	96B BES	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma K^+ K^-$
$6.6 \pm 2.9 \pm 2.4$	BAI	96B BES	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma K_S^0 K_S^0$
$10.8 \pm 4.0 \pm 3.2$			

$\Gamma(\gamma f_J(2220) \rightarrow \gamma p\bar{p})/\Gamma_{\text{total}}$

Γ_{141}/Γ

<u>VALUE (units 10^{-5})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$1.5 \pm 0.6 \pm 0.5$	BAI	96B BES	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma p\bar{p}$

$\Gamma(\gamma f_0(1500))/\Gamma_{\text{total}}$

Γ_{142}/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$>5.7 \pm 0.8$	98,99 BUGG	95 MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^- \pi^+ \pi^-$

⁹⁸ Including unknown branching ratio for $f_0(1500) \rightarrow \pi^+ \pi^- \pi^+ \pi^-$.

⁹⁹ Assuming that $f_0(1500)$ decays only to two S -wave dipions.

$\Gamma(\gamma e^+ e^-)/\Gamma_{\text{total}}$

Γ_{143}/Γ

<u>VALUE (units 10^{-3})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$8.8 \pm 1.3 \pm 0.4$	100 ARMSTRONG	96 E760	$\bar{p}p \rightarrow e^+ e^- \gamma$

¹⁰⁰ For $E_\gamma > 100$ MeV.

LEPTON FAMILY NUMBER (*LF*) VIOLATING MODES **$\Gamma(e^\pm \mu^\mp)/\Gamma_{\text{total}}$**

VALUE (units 10^{-6})	CL%	DOCUMENT ID	TECN	COMMENT
<1.1	90	BAI	03D BES	$e^+ e^- \rightarrow J/\psi$

 Γ_{144}/Γ **$\Gamma(e^\pm \tau^\mp)/\Gamma_{\text{total}}$**

VALUE (units 10^{-6})	CL%	DOCUMENT ID	TECN	COMMENT
<8.3	90	ABLIKIM	04 BES	$e^+ e^- \rightarrow J/\psi$

 Γ_{145}/Γ **$\Gamma(\mu^\pm \tau^\mp)/\Gamma_{\text{total}}$**

VALUE (units 10^{-6})	CL%	DOCUMENT ID	TECN	COMMENT
<2.0	90	ABLIKIM	04 BES	$e^+ e^- \rightarrow J/\psi$

 Γ_{146}/Γ **$J/\psi(1S)$ REFERENCES**

ABLIKIM	05	PL B607 243	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05C	PL B610 192	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	04	PL B598 172	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	04M	PR D70 112008	M. Ablikim <i>et al.</i>	(BES Collab.)
AUBERT	04	PR D69 011103	B. Aubert <i>et al.</i>	(BaBar Collab.)
AUBERT,B	04N	PR D70 072004	B. Aubert <i>et al.</i>	(BABAR Collab.)
BAI	04A	PR D69 012003	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04D	PL B589 7	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04E	PL B591 42	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04G	PR D70 012004	J.Z. Bai <i>et al.</i>	(BEPC BES Collab.)
BAI	04H	PR D70 012005	J.Z. Bai <i>et al.</i>	(BES Collab.)
SETH	04	PR D69 097503	K.K. Seth	
AULCHENKO	03	PL B573 63	V.M. Aulchenko <i>et al.</i>	(KEDR Collab.)
BAI	03D	PL B561 49	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	03G	PR D68 052003	J.Z. Bai <i>et al.</i>	(BES Collab.)
HUANG	03	PRL 91 241802	H.-C. Huang <i>et al.</i>	(BELLE Collab.)
BAI	02C	PRL 88 101802	J.Z. Bai <i>et al.</i>	(BES Collab.)
ARTAMONOV	00	PL B474 427	A.S. Artamonov <i>et al.</i>	
BAI	00	PRL 84 594	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	00B	PL B472 200	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	00D	PL B476 25	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	99	PL B446 356	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	99C	PRL 83 1918	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98D	PR D58 092006	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98G	PL B424 213	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98H	PRL 81 1179	J.Z. Bai <i>et al.</i>	(BES Collab.)
BALDINI	98	PL B444 111	R. Baldini <i>et al.</i>	(FENICE Collab.)
ARMSTRONG	96	PR D54 7067	T.A. Armstrong <i>et al.</i>	(E760 Collab.)
BAI	96B	PRL 76 3502	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	96C	PRL 77 3959	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	96D	PR D54 1221	J.Z. Bai <i>et al.</i>	(BES Collab.)
GRIBUSHIN	96	PR D53 4723	A. Gribushin <i>et al.</i>	(E672 Collab., E706 Collab.)
HASAN	96	PL B388 376	A. Hasan, D.V. Bugg	(BRUN, LOQM)
BAI	95B	PL B355 374	J.Z. Bai <i>et al.</i>	(BES Collab.)
BUGG	95	PL B353 378	D.V. Bugg <i>et al.</i>	(LOQM, PNPI, WASH)
ANTONELLI	93	PL B301 317	A. Antonelli <i>et al.</i>	(FENICE Collab.)
ARMSTRONG	93B	PR D47 772	T.A. Armstrong <i>et al.</i>	(FNAL E760 Collab.)
BARNES	93	PL B309 469	P.D. Barnes, P. Birien, W.H. Breunlich	
AUGUSTIN	92	PR D46 1951	J.E. Augustin, G. Cosme	(DM2 Collab.)
BOLTON	92	PL B278 495	T. Bolton <i>et al.</i>	(Mark III Collab.)
BOLTON	92B	PRL 69 1328	T. Bolton <i>et al.</i>	(Mark III Collab.)
COFFMAN	92	PRL 68 282	D.M. Coffman <i>et al.</i>	(Mark III Collab.)
HSUEH	92	PR D45 R2181	S. Hsueh, S. Palestini	(FNAL, TORI)
AUGUSTIN	90	PR D42 10	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
BAI	90B	PRL 65 1309	Z. Bai <i>et al.</i>	(Mark III Collab.)
BAI	90C	PRL 65 2507	Z. Bai <i>et al.</i>	(Mark III Collab.)
BISELLO	90	PL B241 617	D. Bisello <i>et al.</i>	(DM2 Collab.)

ASH	74	LNC 11 705	W.W. Ash <i>et al.</i>	(FRAS, UMD, NAPL, PADO+)
AUBERT	74	PRL 33 1404	J.J. Aubert <i>et al.</i>	(MIT, BNL)
AUGUSTIN	74	PRL 33 1406	J.E. Augustin <i>et al.</i>	(SLAC, LBL)
BACCI	74	PRL 33 1408	C. Bacci <i>et al.</i>	(FRAS)
Also	74B	PRL 33 1649 (erratum)	C. Bacci	
BALDINI...	74	LNC 11 711	R. Baldini-Celio <i>et al.</i>	(FRAS, ROMA)
BARBIELLINI	74	LNC 11 718	G. Barbiellini <i>et al.</i>	(FRAS, NAPL, PISA+)
BRAUNSCH...	74	PL 53B 393	W. Braunschweig <i>et al.</i>	(DASP Collab.)
CHRISTENS...	70	PRL 25 1523	J.C. Christenson <i>et al.</i>	(COLU, BNL, CERN)
