



$$I^G(J^{PC}) = 0^+(0^{-+})$$


We have omitted some results that have been superseded by later experiments. The omitted results may be found in our 1988 edition Physics Letters **B204** (1988).

η MASS

We no longer use the bubble-chamber measurements from the 1960's, which seem to have been systematically high by about 1 MeV. (However, note that the latest measurement is midway between those old values and the newer ones.) Some early results have been omitted altogether.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
547.75 ±0.12 OUR AVERAGE		Error includes scale factor of 2.6. See the ideogram below.		
547.843±0.030±0.041	1134	LAI	02 NA48	$\eta \rightarrow 3\pi^0$
547.12 ±0.06 ±0.25		KRUSCHE	95D SPEC	$\gamma p \rightarrow \eta p$, threshold
547.30 ±0.15		PLOUIN	92 SPEC	$d p \rightarrow \eta {}^3\text{He}$
547.45 ±0.25		DUANE	74 SPEC	$\pi^- p \rightarrow n$ neutrals
• • • We do not use the following data for averages, fits, limits, etc. • • •				
548.2 ±0.65		FOSTER	65C HBC	
549.0 ±0.7	148	FOELSCHE	64 HBC	
548.0 ±1.0	91	ALFF-...	62 HBC	
549.0 ±1.2	53	BASTIEN	62 HBC	

WEIGHTED AVERAGE
547.75±0.12 (Error scaled by 2.6)



η WIDTH

This is the partial decay rate $\Gamma(\eta \rightarrow \gamma\gamma)$ divided by the fitted branching fraction for that mode. See the note at the start of the $\Gamma(2\gamma)$ data block, next below.

VALUE (keV)
 1.29 ± 0.07 OUR FIT

DOCUMENT ID

η DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Neutral modes		
Γ_1 neutral modes	(72.0 \pm 0.5) %	S=1.3
Γ_2 2γ	[a] (39.42 \pm 0.26) %	S=1.2
Γ_3 $3\pi^0$	(32.56 \pm 0.28) %	S=1.2
Γ_4 $\pi^0 2\gamma$	(4.0 \pm 1.9) $\times 10^{-4}$	S=2.3
Γ_5 other neutral modes	< 2.8 %	CL=90%
Charged modes		
Γ_6 charged modes	(28.0 \pm 0.5) %	S=1.3
Γ_7 $\pi^+ \pi^- \pi^0$	(22.6 \pm 0.4) %	S=1.3
Γ_8 $\pi^+ \pi^- \gamma$	(4.68 \pm 0.11) %	S=1.2
Γ_9 $e^+ e^- \gamma$	(6.0 \pm 0.8) $\times 10^{-3}$	S=1.4
Γ_{10} $\mu^+ \mu^- \gamma$	(3.1 \pm 0.4) $\times 10^{-4}$	
Γ_{11} $e^+ e^-$	< 7.7 $\times 10^{-5}$	CL=90%
Γ_{12} $\mu^+ \mu^-$	(5.8 \pm 0.8) $\times 10^{-6}$	
Γ_{13} $e^+ e^- e^+ e^-$	< 6.9 $\times 10^{-5}$	CL=90%
Γ_{14} $\pi^+ \pi^- e^+ e^-$	(4.0 \pm 11.0) $\times 10^{-4}$	S=4.3
Γ_{15} $\pi^+ \pi^- 2\gamma$	< 2.0 $\times 10^{-3}$	
Γ_{16} $\pi^+ \pi^- \pi^0 \gamma$	< 5 $\times 10^{-4}$	CL=90%
Γ_{17} $\pi^0 \mu^+ \mu^- \gamma$	< 3 $\times 10^{-6}$	CL=90%
Charge conjugation (C), Parity (P), Charge conjugation \times Parity (CP), or Lepton Family number (LF) violating modes		
Γ_{18} $\pi^+ \pi^-$	P,CP < 3.3 $\times 10^{-4}$	CL=90%
Γ_{19} $\pi^0 \pi^0$	P,CP < 4.3 $\times 10^{-4}$	CL=90%
Γ_{20} 3γ	C < 1.6 $\times 10^{-5}$	CL=90%
Γ_{21} $4\pi^0$	P,CP < 6.9 $\times 10^{-7}$	CL=90%
Γ_{22} $\pi^0 e^+ e^-$	C [b] < 4 $\times 10^{-5}$	CL=90%
Γ_{23} $\pi^0 \mu^+ \mu^-$	C [b] < 5 $\times 10^{-6}$	CL=90%
Γ_{24} $\mu^+ e^- + \mu^- e^+$	LF < 6 $\times 10^{-6}$	CL=90%

- [a] Due to removing an old measurement from the average, this is 0.11 keV larger than the width we gave in our 2002 edition, 1.18 ± 0.11 keV. See the $\Gamma(2\gamma)$ data block in the Data Listings.
 - [b] C parity forbids this to occur as a single-photon process.
-

CONSTRAINED FIT INFORMATION

An overall fit to a decay rate and 19 branching ratios uses 41 measurements and one constraint to determine 9 parameters. The overall fit has a $\chi^2 = 22.5$ for 33 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_3	48							
x_4	0	0						
x_7	-81	-83	-4					
x_8	-64	-67	-3	67				
x_9	-8	-8	0	-7	-6			
x_{10}	0	0	0	-1	0	0		
x_{14}	-5	-6	0	-13	-10	-1	0	
Γ	-13	-6	0	10	8	1	0	1
	x_2	x_3	x_4	x_7	x_8	x_9	x_{10}	x_{14}

	Mode	Rate (keV)	Scale factor
Γ_2	2γ	[a] 0.510 ± 0.026	
Γ_3	$3\pi^0$	0.422 ± 0.022	
Γ_4	$\pi^0 2\gamma$	$(5.2 \pm 2.5) \times 10^{-4}$	2.3
Γ_7	$\pi^+ \pi^- \pi^0$	0.293 ± 0.016	
Γ_8	$\pi^+ \pi^- \gamma$	0.0606 ± 0.0035	
Γ_9	$e^+ e^- \gamma$	0.0078 ± 0.0011	1.3
Γ_{10}	$\mu^+ \mu^- \gamma$	$(4.0 \pm 0.6) \times 10^{-4}$	
Γ_{14}	$\pi^+ \pi^- e^+ e^-$	$(0.52 \pm 1.40) \times 10^{-3}$	4.3

η DECAY RATES

$\Gamma(2\gamma)$

See the table immediately above giving the fitted decay rates. Following the advice of NEFKENS 02, we have removed the Primakoff-effect measurement from the average. See also the “Note on the Decay Width $\Gamma(\eta \rightarrow \gamma\gamma)$,” in our 1994 edition, Phys. Rev. D**50**, 1 August 1994, Part I, p. 1451, for a discussion of the various measurements.

Γ_2

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
0.510±0.026 OUR FIT				
0.510±0.026 OUR AVERAGE				
0.51 ± 0.12 ± 0.05	36	BARU	90	MD1 $e^+ e^- \rightarrow e^+ e^- \eta$
0.490±0.010±0.048	2287	ROE	90	ASP $e^+ e^- \rightarrow e^+ e^- \eta$
0.514±0.017±0.035	1295	WILLIAMS	88	CBAL $e^+ e^- \rightarrow e^+ e^- \eta$
0.53 ± 0.04 ± 0.04		BARTEL	85E	JADE $e^+ e^- \rightarrow e^+ e^- \eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.64 ± 0.14 ± 0.13		AIHARA	86	TPC $e^+ e^- \rightarrow e^+ e^- \eta$
0.56 ± 0.16	56	WEINSTEIN	83	CBAL $e^+ e^- \rightarrow e^+ e^- \eta$
0.324±0.046		BROWMAN	74B	CNTR Primakoff effect
1.00 ± 0.22		¹ BEMPORAD	67	CNTR Primakoff effect
1 BEMPORAD 67 gives $\Gamma(2\gamma) = 1.21 \pm 0.26$ keV assuming $\Gamma(2\gamma)/\Gamma(\text{total}) = 0.314$. Bemporad private communication gives $\Gamma(2\gamma)^2/\Gamma(\text{total}) = 0.380 \pm 0.083$. We evaluate this using $\Gamma(2\gamma)/\Gamma(\text{total}) = 0.38 \pm 0.01$. Not included in average because the uncertainty resulting from the separation of the coulomb and nuclear amplitudes has apparently been underestimated.				

η BRANCHING RATIOS

Neutral modes

$\Gamma(\text{neutral modes})/\Gamma_{\text{total}}$		$\Gamma_1/\Gamma = (\Gamma_2 + \Gamma_3 + \Gamma_4)/\Gamma$		
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.720±0.005 OUR FIT		Error includes scale factor of 1.3.		
0.705±0.008	16k	BASILE	71D	CNTR MM spectrometer
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.79 ± 0.08		BUNIATOV	67	OSPK

$\Gamma(2\gamma)/\Gamma_{\text{total}}$		Γ_2/Γ		
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.3942±0.0026 OUR FIT		Error includes scale factor of 1.2.		
0.3949±0.0017±0.0030	65k	ABEGG	96	SPEC $p d \rightarrow {}^3\text{He} \eta$

$\Gamma(2\gamma)/\Gamma(\text{neutral modes})$		$\Gamma_2/\Gamma_1 = \Gamma_2/(\Gamma_2 + \Gamma_3 + \Gamma_4)$		
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.5474±0.0020 OUR FIT				
0.548 ± 0.023 OUR AVERAGE		Error includes scale factor of 1.5.		
0.535 ± 0.018		BUTTRAM	70	OSPK
0.59 ± 0.033		BUNIATOV	67	OSPK
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.52 ± 0.09	88	ABROSIMOV	80	HLBC
0.60 ± 0.14	113	KENDALL	74	OSPK
0.57 ± 0.09		STRUGALSKI	71	HLBC
0.579 ± 0.052		FELDMAN	67	OSPK
0.416 ± 0.044		DIGIUGNO	66	CNTR Error doubled
0.44 ± 0.07		GRUNHAUS	66	OSPK
0.39 ± 0.06	² JONES		66	CNTR

² This result from combining cross sections from two different experiments.

$\Gamma(3\pi^0)/\Gamma(\text{neutral modes})$

VALUE	EVTS
0.4521±0.0020 OUR FIT	

0.439 ±0.024

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.44	± 0.08	75
0.32	± 0.09	
0.41	± 0.033	
0.177	± 0.035	
0.209	± 0.054	
0.29	± 0.10	

$\Gamma_3/\Gamma_1 = \Gamma_3/(\Gamma_2+\Gamma_3+\Gamma_4)$

DOCUMENT ID	TECN	COMMENT
-------------	------	---------

BUTTRAM	70	OSPK
• • • We do not use the following data for averages, fits, limits, etc. • • •		
ABROSIMOV	80	HLBC
STRUGALSKI	71	HLBC
BUNIATOV	67	OSPK
FELDMAN	67	OSPK
DIGIUGNO	66	CNTR
GRUNHAUS	66	OSPK

$\Gamma(3\pi^0)/\Gamma(2\gamma)$

VALUE	EVTS
0.826±0.007 OUR FIT	

0.826±0.007 OUR AVERAGE

0.826±0.024		
0.832±0.005±0.012		
0.841±0.034		
0.822±0.009		
• • • We do not use the following data for averages, fits, limits, etc. • • •		
0.796±0.016±0.016		
0.91 ±0.14		
0.75 ±0.09		
0.88 ±0.16		
1.1 ±0.2		
1.25 ±0.39		

Γ_3/Γ_2

DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-----	---------

ACHASOV	00D	SND	$e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$
KRUSCHE	95D	SPEC	$\gamma p \rightarrow \eta p,$ threshold
AMSLER	93	CBAR	$\bar{p} p \rightarrow \pi^+ \pi^- \eta$ at rest
ALDE	84	GAM2	0
• • • We do not use the following data for averages, fits, limits, etc. • • •			
ACHASOV	00	SND	See ACHASOV 00D
COX	70B	HBC	
DEVONS	70	OSPK	
BALTAY	67D	DBC	
CENCE	67	OSPK	
BACCI	63	CNTR	Inverse BR re- ported

$\Gamma(\pi^0 2\gamma)/\Gamma(2\gamma)$

VALUE (units 10^{-3})	EVTS
1.0±0.5 OUR FIT	Error includes scale factor of 2.3.

1.8±0.4

³ ALDE 84 GAM2 0

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.5±0.6 70 BINON 82 GAM2 See ALDE 84

³ The measurement of Γ_4/Γ_3 by KNECHT 04 implies a lower value of Γ_4 than the result from ALDE 84.

Γ_4/Γ_2

$\Gamma(\pi^0 2\gamma)/\Gamma_{\text{total}}$

Early results are summarized in the review by LANDSBERG 85.

VALUE (units 10^{-4})	CL%	EVTS
4.0±1.9 OUR FIT	Error includes scale factor of 2.3.	

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 8.4	90	7	ACHASOV	01D	SND	$e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$
<30	90	0	DAVYDOV	81	GAM2	$\pi^- p \rightarrow \eta n$

Γ_4/Γ

$\Gamma(\pi^0 2\gamma)/\Gamma(3\pi^0)$ Γ_4/Γ_3

<u>VALUE</u> (units 10^{-4})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
12 ± 6 OUR FIT Error includes scale factor of 2.3.			

8.3±2.8±1.4 ⁴KNECHT 04 CRYB $\pi^- p \rightarrow n\eta$

⁴The value of Γ_4 implied by KNECHT 04 is lower than the one obtained by ALDE 84 from Γ_4/Γ_2 .

 $\Gamma(\text{neutral modes}) / [\Gamma(\pi^+ \pi^- \pi^0) + \Gamma(\pi^+ \pi^- \gamma) + \Gamma(e^+ e^- \gamma)]$ $\Gamma_1/(\Gamma_7+\Gamma_8+\Gamma_9) = (\Gamma_2+\Gamma_3+\Gamma_4)/(\Gamma_7+\Gamma_8+\Gamma_9)$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
--------------	-------------	--------------------	-------------

2.58±0.06 OUR FIT Error includes scale factor of 1.3.

2.64±0.23 BALTAY 67B DBC

• • • We do not use the following data for averages, fits, limits, etc. • • •

4.5 ± 1.0	280	⁵ JAMES	66	HBC
3.20±1.26	53	⁵ BASTIEN	62	HBC
2.5 ± 1.0	10	⁵ PICKUP	62	HBC

⁵These experiments are not used in the averages as they do not separate clearly $\eta \rightarrow \pi^+ \pi^- \pi^0$ and $\eta \rightarrow \pi^+ \pi^- \gamma$ from each other. The reported values thus probably contain some unknown fraction of $\eta \rightarrow \pi^+ \pi^- \gamma$.

 $\Gamma(\text{neutral modes}) / \Gamma(\pi^+ \pi^- \pi^0)$ $\Gamma_1/\Gamma_7 = (\Gamma_2+\Gamma_3+\Gamma_4)/\Gamma_7$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
--------------	-------------	--------------------	-------------

3.18±0.08 OUR FIT Error includes scale factor of 1.3.

3.26±0.30 OUR AVERAGE

2.54±1.89	74	KENDALL	74	OSPK
3.4 ± 1.1	29	AGUILAR-...	72B	HBC
2.83±0.80	70	⁶ BLOODWO...	72B	HBC
3.6 ± 0.6	244	FLATTE	67B	HBC
2.89±0.56		ALFF-...	66	HBC
3.6 ± 0.8	50	KRAEMER	64	DBC
3.8 ± 1.1		PAULI	64	DBC

⁶Error increased from published value 0.5 by Bloodworth (private communication).

 $\Gamma(2\gamma) / [\Gamma(\pi^+ \pi^- \pi^0) + \Gamma(\pi^+ \pi^- \gamma) + \Gamma(e^+ e^- \gamma)]$ $\Gamma_2/(\Gamma_7+\Gamma_8+\Gamma_9)$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
--------------	-------------	--------------------	-------------

1.412±0.033 OUR FIT Error includes scale factor of 1.3.

1.1 ± 0.4 OUR AVERAGE

1.51 ± 0.93	75	KENDALL	74	OSPK
0.99 ± 0.48		CRAWFORD	63	HBC

 $\Gamma(2\gamma) / \Gamma(\pi^+ \pi^- \pi^0)$ Γ_2/Γ_7

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------	-------------	--------------------	-------------	----------------

1.74±0.04 OUR FIT Error includes scale factor of 1.3.

1.75±0.13 OUR AVERAGE

1.78±0.10±0.13	1077	AMSLER	95	CBAR $\bar{p}p \rightarrow \pi^+ \pi^- \eta$ at rest
1.72±0.25	401	BAGLIN	69	HLBC
1.61±0.39		FOSTER	65	HBC

$\Gamma(3\pi^0)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_3/Γ_7

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
1.44±0.04 OUR FIT	Error includes scale factor of 1.3.			
1.49±0.06 OUR AVERAGE				
1.52±0.04±0.08	23k	7 AKHMETSHIN 01B	CMD2	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
1.44±0.09±0.10	1627	AMSLER	95 CBAR	$\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest
1.50 ^{+0.15} _{-0.29}	199	BAGLIN	69 HLBC	
1.47 ^{+0.20} _{-0.17}		BULLOCK	68 HLBC	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.3 ±0.4		BAGLIN	67B HLBC	
0.90±0.24		FOSTER	65 HBC	
2.0 ±1.0		FOELSCHE	64 HBC	
0.83±0.32		CRAWFORD	63 HBC	

⁷ AKHMETSHIN 01B uses results from AKHMETSHIN 99F.

 $\Gamma(\text{other neutral modes})/\Gamma_{\text{total}}$ Γ_5/Γ

These are neutral modes other than $\gamma\gamma$, $3\pi^0$, and $\pi^0\gamma\gamma$. Nearly any such mode one can think of would violate P , or C , or both.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.028	90	ABEGG	96 SPEC	$p\bar{d} \rightarrow {}^3\text{He}\eta$

Charged modes $\Gamma(\pi^+\pi^-\pi^0)/[\Gamma(2\gamma) + \Gamma(3\pi^0)]$ $\Gamma_7/(\Gamma_2+\Gamma_3)$

VALUE	DOCUMENT ID	TECN	COMMENT
0.314 ±0.007 OUR FIT	Error includes scale factor of 1.3.		
0.304 ±0.012	ACHASOV 00D SND		
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.3141±0.0081±0.0058	ACHASOV 00B SND		See ACHASOV 00D

 $\Gamma(\pi^+\pi^-\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_8/Γ_7

VALUE	EVTS	DOCUMENT ID	TECN
0.207±0.004 OUR FIT	Error includes scale factor of 1.1.		
0.207±0.004 OUR AVERAGE	Error includes scale factor of 1.1.		
0.209±0.004	18k	THALER	73 ASPK
0.201±0.006	7250	GORMLEY	70 ASPK
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.28 ±0.04		BALTAY	67B DBC
0.25 ±0.035		LITCHFIELD	67 DBC
0.30 ±0.06		CRAWFORD	66 HBC
0.196±0.041		FOSTER	65C HBC

 $\Gamma(e^+e^-\gamma)/\Gamma_{\text{total}}$ Γ_9/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
6.0 ±0.8 OUR FIT	Error includes scale factor of 1.4.			
6.3 ±1.0 OUR AVERAGE	Error includes scale factor of 1.6.			
5.15±0.62±0.74	283	ACHASOV 01B SND	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$	
7.10±0.64±0.46	323	AKHMETSHIN 01 CMD2	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$	

$\Gamma(e^+ e^- \gamma)/\Gamma(\pi^+ \pi^- \pi^0)$ Γ_9/Γ_7

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.65 ± 0.35 OUR FIT	Error includes scale factor of 1.5.			
2.1 ± 0.5	80	JANE	75B OSPK	See the erratum

 $\Gamma(\mu^+ \mu^- \gamma)/\Gamma_{\text{total}}$ Γ_{10}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.1 ± 0.4 OUR FIT				
3.1 ± 0.4	600	DZHELYADIN	80	SPEC $\pi^- p \rightarrow \eta n$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
1.5 ± 0.75	100	BUSHNIN	78	SPEC See DZHELYADIN 80

 $\Gamma(e^+ e^-)/\Gamma_{\text{total}}$ Γ_{11}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.77	90	BROWDER	97B CLE2	$e^+ e^- \simeq 10.5$ GeV
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
<2	90	WHITE	96	SPEC $p d \rightarrow \eta {}^3\text{He}$
<3	90	DAVIES	74	RVUE Uses ESTEN 67

 $\Gamma(\mu^+ \mu^-)/\Gamma_{\text{total}}$ Γ_{12}/Γ

<u>VALUE (units 10^{-6})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5.8 ± 0.8 OUR AVERAGE					
$5.7 \pm 0.7 \pm 0.5$	114	ABEGG	94	SPEC $p d \rightarrow \eta {}^3\text{He}$	
6.5 ± 2.1	27	DZHELYADIN	80B	SPEC $\pi^- p \rightarrow \eta n$	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
$5.6^{+0.6}_{-0.7} \pm 0.5$	100	KESSLER	93	SPEC See ABEGG 94	
<20	95	WEHMANN	68	OSPK	

 $\Gamma(\mu^+ \mu^-)/\Gamma(2\gamma)$ Γ_{12}/Γ_2

<u>VALUE (units 10^{-5})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$		
5.9 ± 2.2	HYAMS	69 OSPK

 $\Gamma(e^+ e^- e^+ e^-)/\Gamma_{\text{total}}$ Γ_{13}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<6.9	90	AKHMETSHIN	01 CMD2	$e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$

 $\Gamma(\pi^+ \pi^- e^+ e^-)/\Gamma(\pi^+ \pi^- \gamma)$ Γ_{14}/Γ_8

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
$0.9^{+2.3}_{-0.6}$ OUR FIT	Error includes scale factor of 4.4.		
2.6 ± 2.6	1	GROSSMAN	66 HBC

$\Gamma(\pi^+\pi^-e^+e^-)/\Gamma_{\text{total}}$ Γ_{14}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
---------------------------------	-------------	--------------------	-------------	----------------

4.0 $^{+11.0}_{-2.7}$ OUR FIT Error includes scale factor of 4.3.**3.7 $^{+2.5}_{-1.8}$ ± 0.3** 4 AKHMETSHIN 01 CMD2 $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$ $\Gamma(\pi^+\pi^-2\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_{15}/Γ_7

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
--------------	------------	--------------------	-------------

<0.009 PRICE 67 HBC

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.016 95 BALTAY 67B DBC

 $\Gamma(\pi^+\pi^-\pi^0\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_{16}/Γ_7

<u>VALUE</u> (units 10^{-2})	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
---------------------------------	------------	-------------	--------------------	-------------

<0.24 90 0 THALER 73 ASPK

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1.7 90 ARNOLD 68 HLBC

<1.6 95 BALTAY 67B DBC

<7.0 FLATTE 67 HBC

<0.9 PRICE 67 HBC

 $\Gamma(\pi^0\mu^+\mu^-\gamma)/\Gamma_{\text{total}}$ Γ_{17}/Γ

<u>VALUE</u> (units 10^{-6})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<3	90	DZHELYADIN 81	SPEC	$\pi^- p \rightarrow \eta n$

Rare or forbidden modes $\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{18}/Γ Forbidden by P and CP invariance.

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 3.3	90		AKHMETSHIN 99B	CMD2	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 9	90		AKHMETSHIN 97C	CMD2	See AKHMETSHIN 99B
<15	0		THALER	73	ASPK

 $\Gamma(\pi^0\pi^0)/\Gamma_{\text{total}}$ Γ_{19}/Γ Forbidden by P and CP invariance.

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<u>VALUE</u> (units 10^{-4})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<4.3	90	AKHMETSHIN 99C	CMD2	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<6	90	⁸ ACHASOV 98	SND	$e^+e^- \rightarrow \phi \rightarrow \eta\gamma$	

⁸ ACHASOV 98 observes one event in a $\pm 3\sigma$ region around the η mass, while a Monte Carlo calculation gives 10 ± 5 events. The limit here is the Poisson upper limit for one observed event and no background.

$\Gamma(4\pi^0)/\Gamma_{\text{total}}$

Forbidden by P and CP invariance.

<u>VALUE</u> (units 10^{-7})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<6.9	90	PRAKHOV	00	$\pi^- p \rightarrow n\eta, 720$ MeV/c

Γ_{21}/Γ

$\Gamma(3\gamma)/\Gamma(2\gamma)$

<u>VALUE</u> (units 10^{-3})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>
<1.2	95	ALDE	84	GAM2 0

Γ_{20}/Γ_2

<u>VALUE</u> (units 10^{-5})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<4.9	90	ALOISIO	04	KLOE $\phi \rightarrow \eta\gamma$

Γ_{20}/Γ_3

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
< 1.9	90		JANE	75 OSPK
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 42	90		BAGLIN	67 HLBC
< 16	90	0	BILLING	67 HLBC
< 77		0	FOSTER	65B HBC
<110			PRICE	65 HBC

Γ_{22}/Γ_7

C parity forbids this to occur as a single-photon process.

<u>VALUE</u> (units 10^{-2})	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.016	90	0	MARTYNOV	76 HLBC
<0.084	90		BAZIN	68 DBC
<0.7			RITTENBERG	65 HBC

Γ_{22}/Γ

$\Gamma(\pi^0 e^+ e^-)/\Gamma_{\text{total}}$

C parity forbids this to occur as a single-photon process.

<u>VALUE</u> (units 10^{-2})	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.016	90	0	MARTYNOV	76 HLBC
<0.084	90		BAZIN	68 DBC
<0.7			RITTENBERG	65 HBC

Γ_{23}/Γ

$\Gamma(\pi^0 \mu^+ \mu^-)/\Gamma_{\text{total}}$

C parity forbids this to occur as a single-photon process.

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.05	90	DZHELYADIN	81 SPEC	$\pi^- p \rightarrow \eta n$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<5		WEHMANN	68 OSPK	

Γ_{24}/Γ

$[\Gamma(\mu^+ e^-) + \Gamma(\mu^- e^+)/\Gamma_{\text{total}}$

Forbidden by lepton family number conservation.

<u>VALUE</u> (units 10^{-6})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<6	90	WHITE	96 SPEC	$p d \rightarrow \eta {}^3\text{He}$

η C-NONCONSERVING DECAY PARAMETERS

$\pi^+ \pi^- \pi^0$ LEFT-RIGHT ASYMMETRY PARAMETER

Measurements with an error $> 1.0 \times 10^{-2}$ have been omitted.

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN
0.09 ± 0.17 OUR AVERAGE			
0.28 ± 0.26	165k	JANE	74 OSPK
-0.05 ± 0.22	220k	LAYER	72 ASPK

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.5 ± 0.5	37k	9 GORMLEY	68C ASPK
-----------	-----	-----------	----------

⁹ The GORMLEY 68C asymmetry is probably due to unmeasured ($\mathbf{E} \times \mathbf{B}$) spark chamber effects. New experiments with ($\mathbf{E} \times \mathbf{B}$) controls don't observe an asymmetry.

$\pi^+ \pi^- \pi^0$ SEXTANT ASYMMETRY PARAMETER

Measurements with an error $> 2.0 \times 10^{-2}$ have been omitted.

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN
0.18 ± 0.16 OUR AVERAGE			
0.20 ± 0.25	165k	JANE	74 OSPK
0.10 ± 0.22	220k	LAYER	72 ASPK
0.5 ± 0.5	37k	GORMLEY	68C WIRE

$\pi^+ \pi^- \pi^0$ QUADRANT ASYMMETRY PARAMETER

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN
-0.17 ± 0.17 OUR AVERAGE			
-0.30 ± 0.25	165k	JANE	74 OSPK
-0.07 ± 0.22	220k	LAYER	72 ASPK

$\pi^+ \pi^- \gamma$ LEFT-RIGHT ASYMMETRY PARAMETER

Measurements with an error $> 2.0 \times 10^{-2}$ have been omitted.

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN
0.9 ± 0.4 OUR AVERAGE			
1.2 ± 0.6	35k	JANE	74B OSPK
0.5 ± 0.6	36k	THALER	72 ASPK
1.22 ± 1.56	7257	GORMLEY	70 ASPK

$\pi^+ \pi^- \gamma$ PARAMETER β (D -wave)

Sensitive to a D -wave contribution: $dN/d\cos\theta = \sin^2\theta (1 + \beta \cos^2\theta)$.

VALUE	EVTS	DOCUMENT ID	TECN
-0.02 ± 0.07 OUR AVERAGE			

Error includes scale factor of 1.3.

0.11 ± 0.11	35k	JANE	74B OSPK
-0.060 ± 0.065	7250	GORMLEY	70 WIRE

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.12 ± 0.06	10 THALER	72 ASPK
-------------	-----------	---------

¹⁰ The authors don't believe this indicates D -wave because the dependence of β on the γ energy is inconsistent with the theoretical prediction. A $\cos^2\theta$ dependence can also come from P - and F -wave interference.

ENERGY DEPENDENCE OF $\eta \rightarrow 3\pi$ DALITZ PLOTS

PARAMETERS FOR $\eta \rightarrow \pi^+ \pi^- \pi^0$

See the “Note on η Decay Parameters” in our 1994 edition, Phys. Rev. **D50**, 1 August 1994, Part I, p. 1454. The following experiments fit to one or more of the coefficients a , b , c , d , or e for $|\text{matrix element}|^2 = 1 + ay + by^2 + cx + dx^2 + exy$.

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3230	11	ABELE	98D	CBAR $\bar{p}p \rightarrow \pi^0 \pi^0 \eta$ at rest
1077	12	AMSLER	95	CBAR $\bar{p}p \rightarrow \pi^+ \pi^- \eta$ at rest
81k		LAYER	73	ASPK
220k		LAYER	72	ASPK
1138		CARPENTER	70	HBC
349		DANBURG	70	DBC
7250		GORMLEY	70	WIRE
526		BAGLIN	69	HLBC
7170		CNOPS	68	OSPK
37k		GORMLEY	68C	WIRE
1300		CLPWY	66	HBC
705		LARRIBE	66	HBC

¹¹ ABELE 98D obtains $a = -1.22 \pm 0.07$ and $b = 0.22 \pm 0.11$ when c (our d) is fixed at 0.06.

¹² AMSLER 95 fits to $(1+ay+by^2)$ and obtains $a = -0.94 \pm 0.15$ and $b = 0.11 \pm 0.27$.

α PARAMETER FOR $\eta \rightarrow 3\pi^0$

See the “Note on η Decay Parameters” in our 1994 edition, Phys. Rev. **D50**, 1 August 1994, Part I, p. 1454. The value here is of α in $|\text{matrix element}|^2 = 1 + 2\alpha z$.

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-0.031 ± 0.004 OUR AVERAGE		Error includes scale factor of 1.1.		
$-0.010 \pm 0.021 \pm 0.010$	12k	ACHASOV	01C	SND $e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$
-0.031 ± 0.004	1M	TIPPENS	01	CRYB $\pi^- p \rightarrow n\eta$, 720 MeV/c
$-0.052 \pm 0.017 \pm 0.010$	98k	ABELE	98C	CBAR $\bar{p}p \rightarrow 5\pi^0$
-0.022 ± 0.023	50k	ALDE	84	GAM2
• • • We do not use the following data for averages, fits, limits, etc. • • •				
-0.32 ± 0.37	192	BAGLIN	70	HLBC

η REFERENCES

ALOISIO	04	PL B591 49	A. Aloisio <i>et al.</i>	(KLOE Collab.)
KNECHT	04	PL B589 14	N. Knecht <i>et al.</i>	
LAI	02	PL B533 196	A. Lai <i>et al.</i>	(CERN NA48 Collab.)
NEFKENS	02	PS T99 114	B.M.K. Nefkens, J.W. Price	(UCLA)
ACHASOV	01B	PL B504 275	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	01C	JETPL 73 451	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETFP 73 511.		
ACHASOV	01D	NP B600 3	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AKHMETSHIN	01	PL B501 191	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	01B	PL B509 217	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
TIPPENS	01	PRL 87 192001	W.B. Tippens <i>et al.</i>	(BNL Crystal Ball Collab.)
ACHASOV	00	EPJ C12 25	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00B	JETP 90 17	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETFP 117 22.		
ACHASOV	00D	JETPL 72 282	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETFP 72 411.		

PRAKHOV	00	PRL 84 4802	S. Prakhov <i>et al.</i>	(BNL Crystal Ball Collab.)
AKHMETSHIN	99B	PL B462 371	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	99C	PL B462 380	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	99F	PL B460 242	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
ABELE	98C	PL B417 193	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	98D	PL B417 197	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACHASOV	98	PL B425 388	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AKHMETSHIN	97C	PL B415 452	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
BROWDER	97B	PR D56 5359	T.E. Browder <i>et al.</i>	(CLEO Collab.)
ABEGG	96	PR D53 11	R. Abegg <i>et al.</i>	(Saturne SPES2 Collab.)
WHITE	96	PR D53 6658	D.B. White <i>et al.</i>	(Saturne SPES2 Collab.)
AMSLER	95	PL B346 203	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
KRUSCHE	95D	ZPHY A351 237	B. Krusche <i>et al.</i>	(TAPS + A2 Collab.)
ABEGG	94	PR D50 92	R. Abegg <i>et al.</i>	(Saturne SPES2 Collab.)
AMSLER	93	ZPHY C58 175	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
KESSLER	93	PRL 70 892	R.S. Kessler <i>et al.</i>	(Saturne SPES2 Collab.)
PLOUIN	92	PL B276 526	F. Plouin <i>et al.</i>	(Saturne SPES4 Collab.)
BARU	90	ZPHY C48 581	S.E. Baru <i>et al.</i>	(MD-1 Collab.)
ROE	90	PR D41 17	N.A. Roe <i>et al.</i>	(ASP Collab.)
WILLIAMS	88	PR D38 1365	D.A. Williams <i>et al.</i>	(Crystal Ball Collab.)
AIHARA	86	PR D33 844	H. Aihara <i>et al.</i>	(TPC-2 γ Collab.)
BARTEL	85E	PL 160B 421	W. Bartel <i>et al.</i>	(JADE Collab.)
LANDSBERG	85	PRPL 128 310	L.G. Landsberg	(SERP)
ALDE	84	ZPHY C25 225	D.M. Alde <i>et al.</i>	(SERP, BELG, LAPP)
Also	84B	SJNP 40 918	D.M. Alde <i>et al.</i>	(SERP, BELG, LAPP)
		Translated from YAF 40	1447.	
WEINSTEIN	83	PR D28 2896	A.J. Weinstein <i>et al.</i>	(Crystal Ball Collab.)
BINON	82	SJNP 36 391	F.G. Binon <i>et al.</i>	(SERP, BELG, LAPP+)
Also		Translated from YAF 36	670.	
DAVYDOV	82B	NC 71A 497	F.G. Binon <i>et al.</i>	(SERP, BELG, LAPP+)
Also	81	LNC 32 45	V.A. Davyдов <i>et al.</i>	(SERP, BELG, LAPP+)
Also	81B	SJNP 33 825	V.A. Davyдов <i>et al.</i>	(SERP, BELG, LAPP+)
		Translated from YAF 33	1534.	
DZHELYADIN	81	PL 105B 239	R.I. Dzhelyadin <i>et al.</i>	(SERP)
Also	81C	SJNP 33 822	R.I. Dzhelyadin <i>et al.</i>	(SERP)
		Translated from YAF 33	1529.	
ABROSIMOV	80	SJNP 31 195	A.T. Abrosimov <i>et al.</i>	(JINR)
		Translated from YAF 31	371.	
DZHELYADIN	80	PL 94B 548	R.I. Dzhelyadin <i>et al.</i>	(SERP)
Also	80C	SJNP 32 516	R.I. Dzhelyadin <i>et al.</i>	(SERP)
		Translated from YAF 32	998.	
DZHELYADIN	80B	PL 97B 471	R.I. Dzhelyadin <i>et al.</i>	(SERP)
Also	80D	SJNP 32 518	R.I. Dzhelyadin <i>et al.</i>	(SERP)
		Translated from YAF 32	1002.	
BUSHNIN	78	PL 79B 147	Y.B. Bushnin <i>et al.</i>	(SERP)
Also	78B	SJNP 28 775	Y.B. Bushnin <i>et al.</i>	(SERP)
		Translated from YAF 28	1507.	
MARTYNOV	76	SJNP 23 48	A.S. Martynov <i>et al.</i>	(JINR)
Also		Translated from YAF 23	93.	
JANE	75	PL 59B 99	M.R. Jane <i>et al.</i>	(RHEL, LOWC)
JANE	75B	PL 59B 103	M.R. Jane <i>et al.</i>	(RHEL, LOWC)
Also	78B	PL 73B 503	M.R. Jane	
		Erratum in private communication.		
BROWMAN	74B	PRL 32 1067	A. Browman <i>et al.</i>	(CORN, BING)
DAVIES	74	NC 24A 324	J.D. Davies, J.G. Guy, R.K.P. Zia	(BIRM, RHEL+)
DUANE	74	PRL 32 425	A. Duane <i>et al.</i>	(LOIC, SHMP)
JANE	74	PL 48B 260	M.R. Jane <i>et al.</i>	(RHEL, LOWC, SUSS)
JANE	74B	PL 48B 265	M.R. Jane <i>et al.</i>	(RHEL, LOWC, SUSS)
KENDALL	74	NC 21A 387	B.N. Kendall <i>et al.</i>	(BROW, BARI, MIT)
LAYER	73	PR D7 2565	J.G. Layter <i>et al.</i>	(COLU)
THALER	73	PR D7 2569	J.J. Thaler <i>et al.</i>	(COLU)
AGUILAR-...	72B	PR D6 29	M. Aguilar-Benitez <i>et al.</i>	(BNL)
BLOODWO...	72B	NP B39 525	I.J. Bloodworth <i>et al.</i>	(TNTO)
LAYER	72	PRL 29 316	J.G. Layter <i>et al.</i>	(COLU)
THALER	72	PRL 29 313	J.J. Thaler <i>et al.</i>	(COLU)
BASILE	71D	NC 3A 796	M. Basile <i>et al.</i>	(CERN, BGNA, STRB)
STRUGALSKI	71	NP B27 429	Z.S. Strugalski <i>et al.</i>	(JINR)
BAGLIN	70	NP B22 66	C. Baglin <i>et al.</i>	(EPOL, MADR, STRB)
BUTTRAM	70	PRL 25 1358	M.T. Butram, M.N. Kreisler, R.E. Mischke	(PRIN)
CARPENTER	70	PR D1 1303	D.W. Carpenter <i>et al.</i>	(DUKE)
COX	70B	PRL 24 534	B. Cox, L. Fortney, J.P. Golson	(DUKE)
DANBURG	70	PR D2 2564	J.S. Danburg <i>et al.</i>	(LRL)

DEVONS	70	PR D1 1936	S. Devons <i>et al.</i>	(COLU, SYRA)
GORMLEY	70	PR D2 501	M. Gormley <i>et al.</i>	(COLU, BNL)
Also	70B	Thesis Nevis 181	M. Gormley	(COLU)
BAGLIN	69	PL 29B 445	C. Baglin <i>et al.</i>	(EPOL, UCB, MADR, STRB)
Also	70	NP B22 66	C. Baglin <i>et al.</i>	(EPOL, MADR, STRB)
HYAMS	69	PL 29B 128	B.D. Hyams <i>et al.</i>	(CERN, MPIM)
ARNOLD	68	PL 27B 466	R.G. Arnold <i>et al.</i>	(STRB, MADR, EPOL+)
BAZIN	68	PRL 20 895	M.J. Bazin <i>et al.</i>	(PRIN, QUKI)
BULLOCK	68	PL 27B 402	F.W. Bullock <i>et al.</i>	(LOUC)
CNOPS	68	PRL 21 1609	A.M. Cnops <i>et al.</i>	(BNL, ORNL, UCND+)
GORMLEY	68C	PRL 21 402	M. Gormley <i>et al.</i>	(COLU, BNL)
WEHMANN	68	PRL 20 748	A.W. Wehmann <i>et al.</i>	(HARV, CASE, SLAC+)
BAGLIN	67	PL 24B 637	C. Baglin <i>et al.</i>	(EPOL, UCB)
BAGLIN	67B	BAPS 12 567	C. Baglin <i>et al.</i>	(EPOL, UCB)
BALTAY	67B	PRL 19 1498	C. Baltay <i>et al.</i>	(COLU, STON)
BALTAY	67D	PRL 19 1495	C. Baltay <i>et al.</i>	(COLU, BRAN)
BEMPORAD	67	PL 25B 380	C. Bemporad <i>et al.</i>	(PISA, BONN)
Also	67	Private Comm.	I. Ion	
BILLING	67	PL 25B 435	K.D. Billing <i>et al.</i>	(LOUC, OXF)
BUNIATOV	67	PL 25B 560	S.A. Bunyatov <i>et al.</i>	(CERN, KARL)
CENCE	67	PRL 19 1393	R.J. Cence <i>et al.</i>	(HAWA, LRL)
ESTEN	67	PL 24B 115	M.J. Esten <i>et al.</i>	(LOUC, OXF)
FELDMAN	67	PRL 18 868	M. Feldman <i>et al.</i>	(PENN)
FLATTE	67	PRL 18 976	S.M. Flatte	(LRL)
FLATTE	67B	PR 163 1441	S.M. Flatte, C.G. Wohl	(LRL)
LITCHFIELD	67	PL 24B 486	P.J. Litchfield <i>et al.</i>	(RHEL, SACL)
PRICE	67	PRL 18 1207	L.R. Price, F.S. Crawford	(LRL)
ALFF-...	66	PR 145 1072	C. Alff-Steinberger <i>et al.</i>	(COLU, RUTG)
CLPWY	66	PR 149 1044	C. Baltay	(SCUC, LRL, PURD, WISC, YALE)
CRAWFORD	66	PRL 16 333	F.S. Crawford, L.R. Price	(LRL)
DIGIUGNO	66	PRL 16 767	G. di Giugno <i>et al.</i>	(NAPL, TRST, FRAS)
GROSSMAN	66	PR 146 993	R.A. Grossman, L.R. Price, F.S. Crawford	(LRL)
GRUNHAUS	66	Thesis	J. Grunhaus	(COLU)
JAMES	66	PR 142 896	F.E. James, H.L. Kraybill	(YALE, BNL)
JONES	66	PL 23 597	W.G. Jones <i>et al.</i>	(LOIC, RHEL)
LARRIBE	66	PL 23 600	A. Larribe <i>et al.</i>	(SACL, RHEL)
FOSTER	65	PR 138B 652	M. Foster <i>et al.</i>	(WISC, PURD)
FOSTER	65B	Athens Conf.	M. Foster, M. Good, M. Meer	(WISC)
FOSTER	65C	Thesis	M. Foster	(WISC)
PRICE	65	PRL 15 123	L.R. Price, F.S. Crawford	(LRL)
RITTENBERG	65	PRL 15 556	A. Rittenberg, G.R. Kalbfleisch	(LRL, BNL)
FOELSCHE	64	PR 134B 1138	H.W.J. Foelsche, H.L. Kraybill	(YALE)
KRAEMER	64	PR 136B 496	R.W. Kraemer <i>et al.</i>	(JHU, NWES, WOOD)
PAULI	64	PL 13 351	E. Pauli, A. Muller	(SACL)
BACCI	63	PRL 11 37	C. Bacci <i>et al.</i>	(ROMA, FRAS)
CRAWFORD	63	PRL 10 546	F.S.Jr. Crawford, L.J. Lloyd, E.C. Fowler	(LRL+)
Also	66B	PRL 16 907	F.S. Crawford, L.J. Lloyd, E.C. Fowler	(LRL+)
ALFF-...	62	PRL 9 322	C. Alff-Steinberger <i>et al.</i>	(COLU, RUTG)
BASTIEN	62	PRL 8 114	P.L. Bastien <i>et al.</i>	(LRL)
PICKUP	62	PRL 8 329	E. Pickup, D.K. Robinson, E.O. Salant	(CNRC+)
