

$\eta'(958)$ 

$$I^G(J^{PC}) = 0^+(0^{-+})$$

### $\eta'(958)$ MASS

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>957.78±0.14 OUR AVERAGE</b>				
957.9 ±0.2 ±0.6	4800	WURZINGER 96	SPEC	1.68 $pd \rightarrow {}^3\text{He}\eta'$
959 ±1	630	BELADIDZE 92C	VES	36 $\pi^- \text{Be} \rightarrow \pi^- \eta' \eta \text{Be}$
958 ±1	340	ARMSTRONG 91B	OMEG	300 $pp \rightarrow pp\eta\pi^+\pi^-$
958.2 ±0.4	622	AUGUSTIN 90	DM2	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
957.8 ±0.2	2420	AUGUSTIN 90	DM2	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
956.3 ±1.0	143	GIDAL 87	MRK2	$e^+e^- \rightarrow e^+e^-\eta\pi^+\pi^-$
957.46±0.33		DUANE 74	MMS	$\pi^- p \rightarrow n\text{MM}$
958.2 ±0.5	1414	DANBURG 73	HBC	2.2 $K^- p \rightarrow \Lambda X^0$
958 ±1	400	JACOBS 73	HBC	2.9 $K^- p \rightarrow \Lambda X^0$
956.1 ±1.1	3415	BASILE 71	CNTR	1.6 $\pi^- p \rightarrow nX^0$
957.4 ±1.4	535	BASILE 71	CNTR	1.6 $\pi^- p \rightarrow nX^0$
957 ±1		RITTENBERG 69	HBC	1.7-2.7 $K^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
957.5 ±0.2		BAI 04J	BES2	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$

### $\eta'(958)$ WIDTH

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>0.203±0.016 OUR FIT</b> Error includes scale factor of 1.3.					
<b>0.30 ±0.09 OUR AVERAGE</b>					
0.40 ±0.22	4800	WURZINGER 96	SPEC		1.68 $pd \rightarrow {}^3\text{He}\eta'$
0.28 ±0.10	1000	BINNIE 79	MMS	0	$\pi^- p \rightarrow n\text{MM}$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.20 ±0.04		BAI 04J	BES2		$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$

### $\eta'(958)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level
$\Gamma_1$ $\pi^+\pi^-\eta$	(44.5 ±1.4) %	S=1.1
$\Gamma_2$ $\rho^0\gamma$ (including non-resonant $\pi^+\pi^-\gamma$ )	(29.4 ±0.9) %	S=1.1
$\Gamma_3$ $\pi^0\pi^0\eta$	(20.8 ±1.2) %	S=1.2
$\Gamma_4$ $\omega\gamma$	( 3.03±0.31) %	
$\Gamma_5$ $\gamma\gamma$	( 2.12±0.14) %	S=1.3
$\Gamma_6$ $3\pi^0$	( 1.55±0.26) × 10 <sup>-3</sup>	
$\Gamma_7$ $\mu^+\mu^-\gamma$	( 1.04±0.26) × 10 <sup>-4</sup>	
$\Gamma_8$ $\pi^+\pi^-\pi^0$	< 5 %	CL=90%

$\Gamma_9$	$\pi^0 \rho^0$		< 4	%	CL=90%
$\Gamma_{10}$	$\pi^+ \pi^+ \pi^- \pi^-$		< 1	%	CL=90%
$\Gamma_{11}$	$\pi^+ \pi^+ \pi^- \pi^-$ neutrals		< 1	%	CL=95%
$\Gamma_{12}$	$\pi^+ \pi^+ \pi^- \pi^- \pi^0$		< 1	%	CL=90%
$\Gamma_{13}$	$6\pi$		< 1	%	CL=90%
$\Gamma_{14}$	$\pi^+ \pi^- e^+ e^-$		< 6	$\times 10^{-3}$	CL=90%
$\Gamma_{15}$	$\gamma e^+ e^-$		< 9	$\times 10^{-4}$	CL=90%
$\Gamma_{16}$	$\pi^0 \gamma \gamma$		< 8	$\times 10^{-4}$	CL=90%
$\Gamma_{17}$	$4\pi^0$		< 5	$\times 10^{-4}$	CL=90%
$\Gamma_{18}$	$e^+ e^-$		< 2.1	$\times 10^{-7}$	CL=90%

**Charge conjugation (C), Parity (P),  
Lepton family number (LF) violating modes**

$\Gamma_{19}$	$\pi^+ \pi^-$	<i>P, CP</i>	< 2	%	CL=90%
$\Gamma_{20}$	$\pi^0 \pi^0$	<i>P, CP</i>	< 9	$\times 10^{-4}$	CL=90%
$\Gamma_{21}$	$\pi^0 e^+ e^-$	<i>C</i> [a]	< 1.4	$\times 10^{-3}$	CL=90%
$\Gamma_{22}$	$\eta e^+ e^-$	<i>C</i> [a]	< 2.4	$\times 10^{-3}$	CL=90%
$\Gamma_{23}$	$3\gamma$	<i>C</i>	< 1.0	$\times 10^{-4}$	CL=90%
$\Gamma_{24}$	$\mu^+ \mu^- \pi^0$	<i>C</i> [a]	< 6.0	$\times 10^{-5}$	CL=90%
$\Gamma_{25}$	$\mu^+ \mu^- \eta$	<i>C</i> [a]	< 1.5	$\times 10^{-5}$	CL=90%
$\Gamma_{26}$	$e \mu$	<i>LF</i>	< 4.7	$\times 10^{-4}$	CL=90%

[a] C parity forbids this to occur as a single-photon process.

---

**CONSTRAINED FIT INFORMATION**

An overall fit to the total width, a partial width, 2 combinations of partial widths obtained from integrated cross section, and 16 branching ratios uses 49 measurements and one constraint to determine 7 parameters. The overall fit has a  $\chi^2 = 36.7$  for 43 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$ , in percent, from the fit to parameters  $p_i$ , including the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_2$	-34					
$x_3$	-78	-29				
$x_4$	-35	-24	32			
$x_5$	-26	-12	26	8		
$x_6$	-28	-11	35	11	9	
$\Gamma$	32	-2	-24	-5	-88	-8
	$x_1$	$x_2$	$x_3$	$x_4$	$x_5$	$x_6$

Mode	Rate (MeV)	Scale factor
$\Gamma_1$ $\pi^+ \pi^- \eta$	0.090 $\pm$ 0.008	1.2
$\Gamma_2$ $\rho^0 \gamma$ (including non-resonant $\pi^+ \pi^- \gamma$ )	0.060 $\pm$ 0.005	1.2
$\Gamma_3$ $\pi^0 \pi^0 \eta$	0.042 $\pm$ 0.004	1.6
$\Gamma_4$ $\omega \gamma$	0.0062 $\pm$ 0.0008	1.2
$\Gamma_5$ $\gamma \gamma$	0.00430 $\pm$ 0.00015	1.1
$\Gamma_6$ $3\pi^0$	(3.2 $\pm$ 0.6) $\times 10^{-4}$	1.1

### $\eta'(958)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$					$\Gamma_5$
VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT	
<b>4.30 <math>\pm</math> 0.15 OUR FIT</b>	Error includes scale factor of 1.1.				
<b>4.28 <math>\pm</math> 0.19 OUR AVERAGE</b>					
4.17 $\pm$ 0.10 $\pm$ 0.27	2000	<sup>1</sup> ACCIARRI	98B L3	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \gamma$	
4.53 $\pm$ 0.29 $\pm$ 0.51	266	KARCH	92 CBAL	$e^+ e^- \rightarrow e^+ e^- \eta \pi^0 \pi^0$	
3.61 $\pm$ 0.13 $\pm$ 0.48		<sup>2</sup> BEHREND	91 CELL	$e^+ e^- \rightarrow e^+ e^- \eta'(958)$	
4.6 $\pm$ 1.1 $\pm$ 0.6	23	BARU	90 MD1	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \gamma$	
4.57 $\pm$ 0.25 $\pm$ 0.44		BUTLER	90 MRK2	$e^+ e^- \rightarrow e^+ e^- \eta'(958)$	
5.08 $\pm$ 0.24 $\pm$ 0.71	547	<sup>3</sup> ROE	90 ASP	$e^+ e^- \rightarrow e^+ e^- 2\gamma$	
3.8 $\pm$ 0.7 $\pm$ 0.6	34	AIHARA	88C TPC	$e^+ e^- \rightarrow e^+ e^- \eta \pi^+ \pi^-$	
4.9 $\pm$ 0.5 $\pm$ 0.5	136	<sup>4</sup> WILLIAMS	88 CBAL	$e^+ e^- \rightarrow e^+ e^- 2\gamma$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

4.7 ± 0.6 ± 0.9	143	<sup>5</sup> GIDAL	87 MRK2	$e^+ e^- \rightarrow e^+ e^- \eta \pi^+ \pi^-$
4.0 ± 0.9		<sup>6</sup> BARTEL	85E JADE	$e^+ e^- \rightarrow e^+ e^- 2\gamma$

- <sup>1</sup> No non-resonant  $\pi^+ \pi^-$  contribution found.  
<sup>2</sup> Reevaluated by us using  $B(\eta' \rightarrow \rho(770)\gamma) = (30.2 \pm 1.3)\%$ .  
<sup>3</sup> Reevaluated by us using  $B(\eta' \rightarrow \gamma\gamma) = (2.11 \pm 0.13)\%$ .  
<sup>4</sup> Reevaluated by us using  $B(\eta' \rightarrow \gamma\gamma) = (2.11 \pm 0.13)\%$ .  
<sup>5</sup> Superseded by BUTLER 90.  
<sup>6</sup> Systematic error not evaluated.

### $\eta'(958) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

This combination of a partial width with the partial width into  $\gamma\gamma$  and with the total width is obtained from the integrated cross section into channel(i) in the  $\gamma\gamma$  annihilation.

### $\Gamma(\gamma\gamma) \times \Gamma(\rho^0\gamma(\text{including non-resonant } \pi^+ \pi^- \gamma))/\Gamma_{\text{total}} \quad \Gamma_5\Gamma_2/\Gamma$

VALUE (keV)	EVTs	DOCUMENT ID	TECN	COMMENT
<b>1.26 ± 0.05 OUR FIT</b>				Error includes scale factor of 1.1.
<b>1.26 ± 0.07 OUR AVERAGE</b>				Error includes scale factor of 1.2.
1.09 ± 0.04 ± 0.13		BEHREND	91 CELL	$e^+ e^- \rightarrow e^+ e^- \rho(770)^0 \gamma$
1.35 ± 0.09 ± 0.21		AIHARA	87 TPC	$e^+ e^- \rightarrow e^+ e^- \rho\gamma$
1.13 ± 0.04 ± 0.13	867	ALBRECHT	87B ARG	$e^+ e^- \rightarrow e^+ e^- \rho\gamma$
1.53 ± 0.09 ± 0.21		ALTHOFF	84E TASS	$e^+ e^- \rightarrow e^+ e^- \rho\gamma$
1.14 ± 0.08 ± 0.11	243	BERGER	84B PLUT	$e^+ e^- \rightarrow e^+ e^- \rho\gamma$
1.73 ± 0.34 ± 0.35	95	JENNI	83 MRK2	$e^+ e^- \rightarrow e^+ e^- \rho\gamma$
1.49 ± 0.13 ± 0.027	213	BARTEL	82B JADE	$e^+ e^- \rightarrow e^+ e^- \rho\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.85 ± 0.31 ± 0.24	43	BEHREND	83B CELL	$e^+ e^- \rightarrow e^+ e^- \rho\gamma$

### $\Gamma(\gamma\gamma) \times \Gamma(\pi^0 \pi^0 \eta)/\Gamma_{\text{total}} \quad \Gamma_5\Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
<b>0.89 ± 0.06 OUR FIT</b>			Error includes scale factor of 1.1.
<b>0.92 ± 0.06 ± 0.11</b>	<sup>7</sup> KARCH	92 CBAL	$e^+ e^- \rightarrow e^+ e^- \eta \pi^0 \pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.95 ± 0.05 ± 0.08	<sup>8</sup> KARCH	90 CBAL	$e^+ e^- \rightarrow e^+ e^- \eta \pi^0 \pi^0$
1.00 ± 0.08 ± 0.10	<sup>8,9</sup> ANTREASYAN	87 CBAL	$e^+ e^- \rightarrow e^+ e^- \eta \pi^0 \pi^0$
<sup>7</sup> Reevaluated by us using $B(\eta \rightarrow \gamma\gamma) = (39.21 \pm 0.34)\%$ . Supersedes ANTREASYAN 87 and KARCH 90.			
<sup>8</sup> Superseded by KARCH 92.			
<sup>9</sup> Using $BR(\eta \rightarrow 2\gamma) = (38.9 \pm 0.5)\%$ .			

## $\eta'(958)$ DECAY PARAMETERS

### $|\text{MATRIX ELEMENT}|^2 = |1 + \alpha y|^2 + cx + dx^2$

#### $\alpha$ decay parameter

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>-0.065 ± 0.009 OUR AVERAGE</b>				
-0.072 ± 0.012 ± 0.006	7k	<sup>10</sup> AMELIN	05A VES	28 $\pi^- A \rightarrow \eta' \pi^- A^*$
-0.058 ± 0.013		<sup>11,12</sup> ALDE	86 GAM2	38 $\pi^- p \rightarrow n \eta 2\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
-0.08 ± 0.03		<sup>11,12</sup> KALBFLEISCH	74 RVUE	$\eta' \rightarrow \eta \pi^+ \pi^-$
<sup>10</sup> This is a real part of $\alpha$ while $\text{Im}(\alpha) = 0.0 \pm 0.1 \pm 0.0$ .				
<sup>11</sup> May not necessarily be the same for $\eta' \rightarrow \eta \pi^+ \pi^-$ and $\eta' \rightarrow \eta \pi^0 \pi^0$ .				
<sup>12</sup> Assuming $\text{Im}(\alpha) = 0$ , $c = 0$ .				

#### $c$ C-violating decay parameter

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.020 ± 0.018 ± 0.004</b>	7k	AMELIN	05A VES	28 $\pi^- A \rightarrow \eta' \pi^- A^*$

## $\eta'(958)$ $\beta$ PARAMETER

### $|\text{MATRIX ELEMENT}|^2 = (1 + 2\beta Z)$

See the "Note on  $\eta$  Decay Parameters" in our 1994 edition Physical Review **D50** 1173 (1994), p. 1454.

#### $\beta$ decay parameter

VALUE	DOCUMENT ID	TECN	COMMENT
<b>-0.1 ± 0.3</b>	ALDE	87B GAM2	38 $\pi^- p \rightarrow n 3\pi^0$

## $\eta'(958)$ BRANCHING RATIOS

$\Gamma(\pi^+ \pi^- \eta(\text{neutral decay}))/\Gamma_{\text{total}} \quad \mathbf{0.714\Gamma_1/\Gamma}$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.318 ± 0.010 OUR FIT</b>	Error includes scale factor of 1.1.			
<b>0.314 ± 0.026</b>	281	RITTENBERG	69 HBC	1.7-2.7 $K^- p$

$\Gamma(\pi^+ \pi^- \text{ neutrals})/\Gamma_{\text{total}} \quad \mathbf{(0.714\Gamma_1 + 0.286\Gamma_3 + 0.89\Gamma_4)/\Gamma}$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.404 ± 0.007 OUR FIT</b>	Error includes scale factor of 1.1.			
<b>0.36 ± 0.05 OUR AVERAGE</b>				
0.4 ± 0.1	39	LONDON	66 HBC	2.24 $K^- p \rightarrow \Lambda \pi^+ \pi^- \text{ neutrals}$
0.35 ± 0.06	33	BADIER	65B HBC	3 $K^- p$

$\Gamma(\pi^+ \pi^- \eta(\text{charged decay}))/\Gamma_{\text{total}} \quad \mathbf{0.286\Gamma_1/\Gamma}$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.127 ± 0.004 OUR FIT</b>	Error includes scale factor of 1.1.			
<b>0.116 ± 0.013 OUR AVERAGE</b>				
0.123 ± 0.014	107	RITTENBERG	69 HBC	1.7-2.7 $K^- p$
0.10 ± 0.04	10	LONDON	66 HBC	2.24 $K^- p \rightarrow \Lambda \pi^+ \pi^- \pi^+ \pi^- \pi^0$
0.07 ± 0.04	7	BADIER	65B HBC	3 $K^- p$

$$\frac{[\Gamma(\pi^0 \pi^0 \eta(\text{charged decay})) + \Gamma(\omega(\text{charged decay})\gamma)]}{\Gamma_{\text{total}}} \quad (0.286\Gamma_3 + 0.89\Gamma_4)/\Gamma$$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.087±0.005 OUR FIT</b>				Error includes scale factor of 1.2.
<b>0.045±0.029</b>	42	RITTENBERG 69	HBC	1.7-2.7 $K^- p$

$$\frac{\Gamma(\text{neutrals})}{\Gamma_{\text{total}}} \quad (0.714\Gamma_3 + 0.09\Gamma_4 + \Gamma_5)/\Gamma$$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.173±0.009 OUR FIT</b>				Error includes scale factor of 1.2.
<b>0.187±0.017 OUR AVERAGE</b>				
0.185±0.022	535	BASILE 71	CNTR	1.6 $\pi^- p \rightarrow n X^0$
0.189±0.026	123	RITTENBERG 69	HBC	1.7-2.7 $K^- p$

$$\frac{\Gamma(\rho^0 \gamma(\text{including non-resonant } \pi^+ \pi^- \gamma))}{\Gamma_{\text{total}}} \quad \Gamma_2/\Gamma$$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.294±0.009 OUR FIT</b>				Error includes scale factor of 1.1.
<b>0.319±0.030 OUR AVERAGE</b>				
0.329±0.033	298	RITTENBERG 69	HBC	1.7-2.7 $K^- p$
0.2 ±0.1	20	LONDON 66	HBC	2.24 $K^- p \rightarrow \Lambda \pi^+ \pi^- \gamma$
0.34 ±0.09	35	BADIER 65B	HBC	3 $K^- p$

$$\frac{\Gamma(\rho^0 \gamma(\text{including non-resonant } \pi^+ \pi^- \gamma))}{\Gamma(\pi \pi \eta)} \quad \Gamma_2/(\Gamma_1 + \Gamma_3)$$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.450±0.020 OUR FIT</b>			Error includes scale factor of 1.1.
<b>0.426±0.028 OUR AVERAGE</b>			
0.43 ±0.02 ±0.02	BARBERIS 98C	OMEG	450 $pp \rightarrow p_f \eta' p_s$
0.31 ±0.15	DAVIS 68	HBC	5.5 $K^- p$

$$\frac{\Gamma(\pi^+ \pi^- \eta)}{\Gamma(\rho^0 \gamma(\text{including non-resonant } \pi^+ \pi^- \gamma))} \quad \Gamma_1/\Gamma_2$$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>1.45±0.07</b>	ABLIKIM 06E	BES2	$J/\psi \rightarrow \eta' \gamma$

$$\frac{\Gamma(\gamma e^+ e^-)}{\Gamma_{\text{total}}} \quad \Gamma_{15}/\Gamma$$

VALUE (units $10^{-3}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.9</b>	90	BRIERE 00	CLEO	10.6 $e^+ e^-$

$$\frac{\Gamma(\pi^0 e^+ e^-)}{\Gamma_{\text{total}}} \quad \Gamma_{21}/\Gamma$$

VALUE (units $10^{-3}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt; 1.4</b>	90	BRIERE 00	CLEO	10.6 $e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<13	90	RITTENBERG 65	HBC	2.7 $K^- p$
-----	----	---------------	-----	-------------

$$\frac{\Gamma(\eta e^+ e^-)}{\Gamma_{\text{total}}} \quad \Gamma_{22}/\Gamma$$

VALUE (units $10^{-3}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt; 2.4</b>	90	BRIERE 00	CLEO	10.6 $e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<11	90	RITTENBERG 65	HBC	2.7 $K^- p$
-----	----	---------------	-----	-------------

$\Gamma(\pi^0 \rho^0)/\Gamma_{\text{total}}$					$\Gamma_9/\Gamma$
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.04	90	RITTENBERG 65	HBC	2.7 $K^- p$	

$\Gamma(\pi^+ \pi^- e^+ e^-)/\Gamma_{\text{total}}$					$\Gamma_{14}/\Gamma$
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.006	90	RITTENBERG 65	HBC	2.7 $K^- p$	

$\Gamma(6\pi)/\Gamma_{\text{total}}$					$\Gamma_{13}/\Gamma$
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.01	90	LONDON 66	HBC	Compilation	

$\Gamma(\omega\gamma)/\Gamma(\pi^+ \pi^- \eta)$					$\Gamma_4/\Gamma_1$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.068 ± 0.008 OUR FIT</b>	Error includes scale factor of 1.1.				
<b>0.068 ± 0.013</b>	68	ZANFINO 77	ASPK	8.4 $\pi^- p$	

$\Gamma(\rho^0 \gamma (\text{including non-resonant } \pi^+ \pi^- \gamma))/[\Gamma(\pi^+ \pi^- \eta) + \Gamma(\pi^0 \pi^0 \eta) + \Gamma(\omega\gamma)]$					$\Gamma_2/(\Gamma_1 + \Gamma_3 + \Gamma_4)$
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.430 ± 0.019 OUR FIT</b>	Error includes scale factor of 1.1.				
<b>0.25 ± 0.14</b>		DAUBER 64	HBC	1.95 $K^- p$	

$\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$					$\Gamma_5/\Gamma$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.0212 ± 0.0014 OUR FIT</b>	Error includes scale factor of 1.3.				
<b>0.0196 ± 0.0015 OUR AVERAGE</b>					
0.0200 ± 0.0018		<sup>13</sup> STANTON 80	SPEC	8.45 $\pi^- p \rightarrow n\pi^+ \pi^- 2\gamma$	
0.025 ± 0.007		DUANE 74	MMS	$\pi^- p \rightarrow nMM$	
0.0171 ± 0.0033	68	DALPIAZ 72	CNTR	1.6 $\pi^- p \rightarrow nX^0$	
0.020 <sup>+0.008</sup> / <sub>-0.006</sub>	31	HARVEY 71	OSPK	3.65 $\pi^- p \rightarrow nX^0$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.018 ± 0.002	6000	<sup>14</sup> APEL 79	NICE	15–40 $\pi^- p \rightarrow n2\gamma$
---------------	------	-----------------------	------	--------------------------------------

<sup>13</sup> Includes APEL 79 result.

<sup>14</sup> Data is included in STANTON 80 evaluation.

$\Gamma(\gamma\gamma)/\Gamma(\rho^0 \gamma (\text{including non-resonant } \pi^+ \pi^- \gamma))$					$\Gamma_5/\Gamma_2$
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.080 ± 0.008</b>		ABLIKIM 06E	BES2	$J/\psi \rightarrow \eta' \gamma$	

$\Gamma(e^+ e^-)/\Gamma_{\text{total}}$					$\Gamma_{18}/\Gamma$
<u>VALUE (units 10<sup>-7</sup>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<2.1	90	VOROBYEV 88	ND	$e^+ e^- \rightarrow \pi^+ \pi^- \eta$	

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$   $\Gamma_{19}/\Gamma$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;0.02</b>	90	RITTENBERG 69	HBC	1.7-2.7 $K^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.08	95	DANBURG 73	HBC	2.2 $K^- p \rightarrow \Lambda X^0$

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$   $\Gamma_8/\Gamma$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;0.05</b>	90	RITTENBERG 69	HBC	1.7-2.7 $K^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.09	95	DANBURG 73	HBC	2.2 $K^- p \rightarrow \Lambda X^0$

$\Gamma(\pi^+\pi^+\pi^-\pi^-\text{ neutrals})/\Gamma_{\text{total}}$   $\Gamma_{11}/\Gamma$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;0.01</b>	95	DANBURG 73	HBC	2.2 $K^- p \rightarrow \Lambda X^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.01	90	RITTENBERG 69	HBC	1.7-2.7 $K^- p$

$\Gamma(\pi^+\pi^+\pi^-\pi^-\pi^0)/\Gamma_{\text{total}}$   $\Gamma_{12}/\Gamma$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;0.01</b>	90	RITTENBERG 69	HBC	1.7-2.7 $K^- p$

$\Gamma(\pi^+\pi^+\pi^-\pi^-)/\Gamma_{\text{total}}$   $\Gamma_{10}/\Gamma$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;0.01</b>	90	RITTENBERG 69	HBC	1.7-2.7 $K^- p$

$\Gamma(\pi^0\pi^0\eta(3\pi^0\text{ decay}))/\Gamma_{\text{total}}$  **0.321 $\Gamma_3/\Gamma$**

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.067±0.004 OUR FIT</b>				Error includes scale factor of 1.2.
<b>0.11 ±0.06</b>	4	BENSINGER 70	DBC	2.2 $\pi^+ d$

$\Gamma(\rho^0\gamma(\text{including non-resonant } \pi^+\pi^-\gamma))/\Gamma(\pi^+\pi^-\eta(\text{neutral decay}))$   $\Gamma_2/0.714\Gamma_1$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.92±0.05 OUR FIT</b>				Error includes scale factor of 1.1.
<b>0.97±0.09 OUR AVERAGE</b>				
0.70±0.22		AMSLER 04B	CBAR	0 $\bar{p} p \rightarrow \pi^+\pi^-\eta$
1.07±0.17		BELADIDZE 92C	VES	36 $\pi^- \text{Be} \rightarrow \pi^-\eta' \eta \text{Be}$
0.92±0.14	473	DANBURG 73	HBC	2.2 $K^- p \rightarrow \Lambda X^0$
1.11±0.18	192	JACOBS 73	HBC	2.9 $K^- p \rightarrow \Lambda X^0$

$\Gamma(\gamma\gamma)/\Gamma(\pi^0\pi^0\eta(\text{neutral decay}))$   $\Gamma_5/0.714\Gamma_3$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.142±0.010 OUR FIT</b>				Error includes scale factor of 1.6.
<b>0.188±0.058</b>	16	APEL 72	OSPK	3.8 $\pi^- p \rightarrow n X^0$

$\Gamma(\mu^+\mu^-\gamma)/\Gamma(\gamma\gamma)$   $\Gamma_7/\Gamma_5$

<u>VALUE (units 10<sup>-3</sup>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>4.9±1.2</b>	33	VIKTOROV 80	CNTR	25,33 $\pi^- p \rightarrow 2\mu\gamma$

$\Gamma(\mu^+ \mu^- \eta)/\Gamma_{\text{total}}$			$\Gamma_{25}/\Gamma$		
<u>VALUE (units <math>10^{-5}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>&lt;1.5</b>	90	DZHELYADIN 81	CNTR	30 $\pi^- p \rightarrow \eta' n$	
$\Gamma(\mu^+ \mu^- \pi^0)/\Gamma_{\text{total}}$			$\Gamma_{24}/\Gamma$		
<u>VALUE (units <math>10^{-5}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>&lt;6.0</b>	90	DZHELYADIN 81	CNTR	30 $\pi^- p \rightarrow \eta' n$	
$\Gamma(3\pi^0)/\Gamma(\pi^0 \pi^0 \eta)$			$\Gamma_6/\Gamma_3$		
<u>VALUE (units <math>10^{-4}</math>)</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>74 ± 12 OUR FIT</b>					
<b>74 ± 12 OUR AVERAGE</b>					
74 ± 15		ALDE	87B	GAM2	38 $\pi^- p \rightarrow n 6\gamma$
75 ± 18		BINON	84	GAM2	30-40 $\pi^- p \rightarrow n 6\gamma$
$\Gamma(\gamma\gamma)/\Gamma(\pi^0 \pi^0 \eta)$			$\Gamma_5/\Gamma_3$		
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.102 ± 0.007 OUR FIT</b>	Error includes scale factor of 1.6.				
<b>0.105 ± 0.010 OUR AVERAGE</b>	Error includes scale factor of 1.9.				
0.091 ± 0.009		AMSLER	93	CBAR	0.0 $\bar{p} p$
0.112 ± 0.002 ± 0.006		ALDE	87B	GAM2	38 $\pi^- p \rightarrow n 2\gamma$
$\Gamma(\omega\gamma)/\Gamma(\pi^0 \pi^0 \eta)$			$\Gamma_4/\Gamma_3$		
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.146 ± 0.014 OUR FIT</b>					
<b>0.147 ± 0.016</b>		ALDE	87B	GAM2	38 $\pi^- p \rightarrow n 4\gamma$
$\Gamma(3\gamma)/\Gamma(\pi^0 \pi^0 \eta)$			$\Gamma_{23}/\Gamma_3$		
<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>&lt;4.6</b>	90	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n 3\gamma$
$\Gamma(\pi^0 \gamma\gamma)/\Gamma(\pi^0 \pi^0 \eta)$			$\Gamma_{16}/\Gamma_3$		
<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>&lt;37</b>	90	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n 4\gamma$
$\Gamma(\pi^0 \pi^0)/\Gamma(\pi^0 \pi^0 \eta)$			$\Gamma_{20}/\Gamma_3$		
<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>&lt;45</b>	90	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n 4\gamma$
$\Gamma(4\pi^0)/\Gamma(\pi^0 \pi^0 \eta)$			$\Gamma_{17}/\Gamma_3$		
<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>&lt;23</b>	90	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n 8\gamma$
$\Gamma(e\mu)/\Gamma_{\text{total}}$			$\Gamma_{26}/\Gamma$		
<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>&lt;4.7</b>	90	BRIERE	00	CLEO	10.6 $e^+ e^-$

**$\eta'(958)$  C-NONCONSERVING DECAY PARAMETER**

See the note on  $\eta$  decay parameters in the Stable Particle Particle Listings for definition of this parameter.

**DECAY ASYMMETRY PARAMETER FOR  $\pi^+\pi^-\gamma$** 

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>-0.01 ± 0.04 OUR AVERAGE</b>				
-0.019 ± 0.056		AIHARA 87	TPC	$2\gamma \rightarrow \pi^+\pi^-\gamma$
-0.069 ± 0.078	295	GRIGORIAN 75	STRC	$2.1 \pi^- p$
0.00 ± 0.10	103	KALBFLEISCH 75	HBC	$2.18 K^- p \rightarrow \Lambda \pi^+\pi^-\gamma$
0.07 ± 0.08	152	RITTENBERG 65	HBC	$2.1-2.7 K^- p$

 **$\eta'(958)$  REFERENCES**

ABLIKIM	06E	PR D73 052008	M. Ablikim <i>et al.</i>	(BES Collab.)
AMELIN	05A	PAN 68 372	D.V. Amelin <i>et al.</i>	(VES Collab.)
		Translated from YAF 68 401.		
AMSLER	04B	EPJ C33 23	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BAI	04J	PL B594 47	J.Z. Bai <i>et al.</i>	(BES Collab.)
BRIERE	00	PRL 84 26	R. Briere <i>et al.</i>	(CLEO Collab.)
ACCIARRI	98B	PL B418 389	M. Acciari <i>et al.</i>	(L3 Collab.)
BARBERIS	98C	PL B440 225	D. Barberis <i>et al.</i>	(WA 102 Collab.)
WURZINGER	96	PL B374 283	R. Wurzinger <i>et al.</i>	(BONN, ORSAY, SACL+)
PDG	94	PR D50 1173	L. Montanet <i>et al.</i>	(CERN, LBL, BOST+)
AMSLER	93	ZPHY C58 175	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BELADIDZE	92C	SJNP 55 1535	G.M. Beladidze, S.I. Bityukov, G.V. Borisov	(SERP+)
		Translated from YAF 55 2748.		
KARCH	92	ZPHY C54 33	K. Karch <i>et al.</i>	(Crystal Ball Collab.)
ARMSTRONG	91B	ZPHY C52 389	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
BEHREND	91	ZPHY C49 401	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
AUGUSTIN	90	PR D42 10	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
BARU	90	ZPHY C48 581	S.E. Baru <i>et al.</i>	(MD-1 Collab.)
BUTLER	90	PR D42 1368	F. Butler <i>et al.</i>	(Mark II Collab.)
KARCH	90	PL B249 353	K. Karch <i>et al.</i>	(Crystal Ball Collab.)
ROE	90	PR D41 17	N.A. Roe <i>et al.</i>	(ASP Collab.)
AIHARA	88C	PR D38 1	H. Aihara <i>et al.</i>	(TPC-2 $\gamma$ Collab.)
VOROBYEV	88	SJNP 48 273	P.V. Vorobiev <i>et al.</i>	(NOVO)
		Translated from YAF 48 436.		
WILLIAMS	88	PR D38 1365	D.A. Williams <i>et al.</i>	(Crystal Ball Collab.)
AIHARA	87	PR D35 2650	H. Aihara <i>et al.</i>	(TPC-2 $\gamma$ Collab.) JP
ALBRECHT	87B	PL B199 457	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ALDE	87B	ZPHY C36 603	D.M. Alde <i>et al.</i>	(LANL, BELG, SERP, LAPP)
ANTREASYAN	87	PR D36 2633	D. Antreasyan <i>et al.</i>	(Crystal Ball Collab.)
GIDAL	87	PRL 59 2012	G. Gidal <i>et al.</i>	(LBL, SLAC, HARV)
ALDE	86	PL B177 115	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP)
BARTEL	85E	PL 160B 421	W. Bartel <i>et al.</i>	(JADE Collab.)
ALTHOFF	84E	PL 147B 487	M. Althoff <i>et al.</i>	(TASSO Collab.)
BERGER	84B	PL 142B 125	C. Berger	(PLUTO Collab.)
BINON	84	PL 140B 264	F.G. Binon <i>et al.</i>	(SERP, BELG, LAPP+)
BEHREND	83B	PL 125B 518	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
	Also	PL 114B 378	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
JENNI	83	PR D27 1031	P. Jenni <i>et al.</i>	(SLAC, LBL)
BARTEL	82B	PL 113B 190	W. Bartel <i>et al.</i>	(JADE Collab.)
DZHELADIN	81	PL 105B 239	R.I. Dzhelezhadina <i>et al.</i>	(SERP)
STANTON	80	PL 92 B 353	N.R. Stanton <i>et al.</i>	(OSU, CARL, MCGI+)
VIKTOROV	80	SJNP 32 520	V.A. Viktorov <i>et al.</i>	(SERP)
		Translated from YAF 32 1005.		
APEL	79	PL 83B 131	W.D. Apel, K.H. Augenstein, E. Bertolucci	(KARLK+)
BINNIE	79	PL 83B 141	D.M. Binnie <i>et al.</i>	(LOIC)
ZANFINO	77	PRL 38 930	C. Z Anfino <i>et al.</i>	(CARL, MCGI, OHIO+)
GRIGORIAN	75	NP B91 232	A. Grigorian <i>et al.</i>	(+)
KALBFLEISCH	75	PR D11 987	G.R. Kalbfleisch, R.C. Strand, J.W. Chapman	(BNL+)

DUANE	74	PRL 32 425	A. Duane <i>et al.</i>	(LOIC, SHMP)
KALBFLEISCH	74	PR D10 916	G.R. Kalbfleisch	(BNL)
DANBURG	73	PR D8 3744	J.S. Danburg <i>et al.</i>	(BNL, MICH) JP
JACOBS	73	PR D8 18	S.M. Jacobs <i>et al.</i>	(BRAN, UMD, SYRA+) JP
APEL	72	PL 40B 680	W.D. Apel <i>et al.</i>	(KARLK, KARLE, PISA)
DALPIAZ	72	PL 42B 377	P.F. Dalpiaz <i>et al.</i>	(CERN)
BASILE	71	NC 3A 371	M. Basile <i>et al.</i>	(CERN, BGNA, STRB)
HARVEY	71	PRL 27 885	E.H. Harvey <i>et al.</i>	(MINN, MICH)
BENSINGER	70	PL 33B 505	J.R. Bensinger <i>et al.</i>	(WISC)
RITTENBERG	69	Thesis UCRL 18863	A. Rittenberg	(LRL) I
DAVIS	68	PL 27B 532	R. Davis <i>et al.</i>	(NWES, ANL)
LONDON	66	PR 143 1034	G.W. London <i>et al.</i>	(BNL, SYRA) IJP
BADIER	65B	PL 17 337	J. Badier <i>et al.</i>	(EPOL, SACL, AMST)
RITTENBERG	65	PRL 15 556	A. Rittenberg, G.R. Kalbfleisch	(LRL, BNL)
DAUBER	64	PRL 13 449	P.M. Dauber <i>et al.</i>	(UCLA) JP

### OTHER RELATED PAPERS

BENAYOUN	03B	EPJ C31 525	M. Benayoun <i>et al.</i>	
BENAYOUN	99B	PR D59 114027	M. Benayoun <i>et al.</i>	
PROKOSHKIN	99	PAN 62 356	Yu.D. Prokoshkin	
		Translated from YAF 62 396.		
GRONBERG	98	PR D57 33	J. Gronberg <i>et al.</i>	(CLEO Collab.)
ABELE	97B	PL B402 195	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
GENOVESE	94	ZPHY C61 425	M. Genovese, D.B. Lichtenberg, E. Predazzi	(TORI+)
BENAYOUN	93	ZPHY C58 31	M. Benayoun <i>et al.</i>	(CDEF, CERN, BARI)
KAMAL	92	PL B284 421	A.N. Kamal, Q.P. Xu	(ALBE)
BICKERSTAFF	82	ZPHY C16 171	R.P. Bickerstaff, B.H.J. McKellar	(MELB)
KIENZLE	65	PL 19 438	W. Kienzle <i>et al.</i>	(CERN)
TRILLING	65	PL 19 427	G.H. Trilling <i>et al.</i>	(LRL)
GOLDBERG	64	PRL 12 546	M. Goldberg <i>et al.</i>	(SYRA, BNL)
GOLDBERG	64B	PRL 13 249	M. Goldberg <i>et al.</i>	(SYRA, BNL)
KALBFLEISCH	64	PRL 12 527	G.R. Kalbfleisch <i>et al.</i>	(LRL) JP
KALBFLEISCH	64B	PRL 13 349	G.R. Kalbfleisch, O.I. Dahl, A. Rittenberg	(LRL) JP