

**$f_1(1285)$**  $I^G(J^{PC}) = 0^+(1^{++})$  **$f_1(1285)$  MASS**

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1281.8 ± 0.6 OUR AVERAGE</b>			Error includes scale factor of 1.6. See the ideogram below.		
1276.1 ± 8.1 ± 8.0		203	BAI	04J BES2	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
1274 ± 6		237	ABDALLAH	03H DLPH	$e^+e^- \rightarrow K_S^0 K^\pm \pi^\mp + X$
1280 ± 4	95		ACCIARRI	01G L3	
1288 ± 4 ± 5		20k	ADAMS	01B E852	$\pi^- p \rightarrow K^+ K^- \pi^0 n$
1284 ± 6		1400	ALDE	97B GAM4	$100 \pi^- p \rightarrow \eta\pi^0 \pi^0 n$
1281 ± 1			BARBERIS	97B OMEG	$450 pp \rightarrow pp2(\pi^+\pi^-)$
1281 ± 1			BARBERIS	97C OMEG	$450 pp \rightarrow ppK_S^0 K^\pm \pi^\mp$
1280 ± 2			<sup>1</sup> ANTINORI	95 OMEG	$300,450 pp \rightarrow pp2(\pi^+\pi^-)$
1282.2 ± 1.5			LEE	94 MPS2	$18 \pi^- p \rightarrow K^+\bar{K}^0 2\pi^- p$
1279 ± 5			FUKUI	91C SPEC	$8.95 \pi^- p \rightarrow \eta\pi^+\pi^- n$
1278 ± 2		140	ARMSTRONG	89 OMEG	$300 pp \rightarrow K\bar{K}\pi pp$
1278 ± 2			ARMSTRONG	89G OMEG	$85 \pi^+ p \rightarrow 4\pi\pi p, pp \rightarrow 4\pi pp$
1280.1 ± 2.1		60	RATH	89 MPS	$21.4 \pi^- p \rightarrow K_S^0 K_S^0 \pi^0 n$
1285 ± 1		4750	<sup>2</sup> BIRMAN	88 MPS	$8 \pi^- p \rightarrow K^+\bar{K}^0 \pi^- n$
1280 ± 1		504	BITYUKOV	88 SPEC	$32.5 \pi^- p \rightarrow K^+ K^- \pi^0 n$
1280 ± 4			ANDO	86 SPEC	$8 \pi^- p \rightarrow \eta\pi^+\pi^- n$
1277 ± 2		420	REEVES	86 SPEC	$6.6 p\bar{p} \rightarrow K\bar{K}\pi X$
1285 ± 2			CHUNG	85 SPEC	$8 \pi^- p \rightarrow N\bar{K}\bar{K}\pi$
1279 ± 2		604	ARMSTRONG	84 OMEG	$85 \pi^+ p \rightarrow K\bar{K}\pi\pi p, pp \rightarrow K\bar{K}\pi pp$
1286 ± 1			CHAUVAT	84 SPEC	$ISR 31.5 pp$
1278 ± 4			EVANGELISTA	81 OMEG	$12 \pi^- p \rightarrow \eta\pi^+\pi^-\pi^- p$
1283 ± 3		103	DIONISI	80 HBC	$4 \pi^- p \rightarrow K\bar{K}\pi n$
1282 ± 2		320	NACASCH	78 HBC	$0.7, 0.76 \bar{p}p \rightarrow K\bar{K}3\pi$
1279 ± 5		210	GRASSLER	77 HBC	$16 \pi^\mp p$

1286 $\pm$ 3	180	DUBOC	72	HBC	$1.2 \bar{p}p \rightarrow 2K4\pi$
1283 $\pm$ 5		DAHL	67	HBC	$1.6\text{--}4.2 \pi^- p$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>					
1281.9 $\pm$ 0.5		<sup>3</sup> SOSA	99	SPEC	$p\bar{p} \rightarrow p_{\text{slow}} (K_S^0 K^+ \pi^-)$ $p_{\text{fast}}$
1282.8 $\pm$ 0.6		<sup>3</sup> SOSA	99	SPEC	$p\bar{p} \rightarrow p_{\text{slow}} (K_S^0 K^- \pi^+)$ $p_{\text{fast}}$
1270 $\pm$ 10		AMELIN	95	VES	$37 \pi^- N \rightarrow \pi^- \pi^+ \pi^- \gamma N$
1280 $\pm$ 2		ABATZIS	94	OMEG	$450 p\bar{p} \rightarrow p\bar{p} 2(\pi^+ \pi^-)$
1282 $\pm$ 4		ARMSTRONG 93C E760			$\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
1270 $\pm$ 6 $\pm$ 10		ARMSTRONG 92C OMEG	300	$p\bar{p} \rightarrow p\bar{p} \pi^+ \pi^- \gamma$	
1264 $\pm$ 8		AUGUSTIN	90	DM2	$J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$
1281 $\pm$ 1		ARMSTRONG 89E OMEG	300	$p\bar{p} \rightarrow p\bar{p} 2(\pi^+ \pi^-)$	
1279 $\pm$ 6 $\pm$ 10	16	BECKER	87	MRK3	$e^+ e^- \rightarrow \phi K\bar{K}\pi$
1286 $\pm$ 9		GIDAL	87	MRK2	$e^+ e^- \rightarrow e^+ e^- \eta \pi^+ \pi^-$
1287 $\pm$ 5	353	BITYUKOV	84B	SPEC	$32 \pi^- p \rightarrow K^+ K^- \pi^0 n$
$\sim 1279$		<sup>4</sup> TORNQVIST	82B	RVUE	
1275 $\pm$ 6	31	BROMBERG	80	SPEC	$100 \pi^- p \rightarrow K\bar{K}\pi X$
1288 $\pm$ 9	200	GURTU	79	HBC	$4.2 K^- p \rightarrow n\eta 2\pi$
$\sim 1275.0$	46	<sup>5</sup> STANTON	79	CNTR	$8.5 \pi^- p \rightarrow n2\gamma 2\pi$
1271 $\pm$ 10	34	CORDEN	78	OMEG	$12\text{--}15 \pi^- p \rightarrow K^+ K^- \pi n$
1295 $\pm$ 12	85	CORDEN	78	OMEG	$12\text{--}15 \pi^- p \rightarrow n5\pi$
1292 $\pm$ 10	150	DEFOIX	72	HBC	$0.7 \bar{p}p \rightarrow 7\pi$
1280 $\pm$ 3	500	<sup>6</sup> THUN	72	MMS	$13.4 \pi^- p$
1303 $\pm$ 8		BARDADIN-...	71	HBC	$8 \pi^+ p \rightarrow p6\pi$
1283 $\pm$ 6		BOESEBECK	71	HBC	$16.0 \pi p \rightarrow p5\pi$
1270 $\pm$ 10		CAMPBELL	69	DBC	$2.7 \pi^+ d$
1285 $\pm$ 7		LORSTAD	69	HBC	$0.7 \bar{p}p, 4\text{-}5\text{-body}$
1290 $\pm$ 7		D'ANDLAU	68	HBC	$1.2 \bar{p}p, 5\text{-}6 \text{ body}$

<sup>1</sup> Supersedes ABATZIS 94, ARMSTRONG 89E.


<sup>2</sup> From partial wave analysis of  $K^+ \bar{K}^0 \pi^-$  system.

<sup>3</sup> No systematic error given.

<sup>4</sup> From a unitarized quark-model calculation.

<sup>5</sup> From phase shift analysis of  $\eta \pi^+ \pi^-$  system.

<sup>6</sup> Seen in the missing mass spectrum.




### $f_1(1285)$ WIDTH

Only experiments giving width error less than 20 MeV are kept for averaging.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>24.2<math>\pm</math> 1.1 OUR AVERAGE</b>				Error includes scale factor of 1.3. See the ideogram below.
40.0 $\pm$ 8.6 $\pm$ 9.3	203	BAI	04J BES2	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
29 $\pm$ 12	237	ABDALLAH	03H DLPH	$91.2 e^+e^- \rightarrow K_S^0 K^\pm \pi^\mp + X$
45 $\pm$ 9 $\pm$ 7	20k	ADAMS	01B E852	$18 \text{ GeV } \pi^- p \rightarrow K^+ K^- \pi^0 n$
55 $\pm$ 18	1400	ALDE	97B GAM4	$100 \pi^- p \rightarrow \eta \pi^0 \pi^0 n$
24 $\pm$ 3		BARBERIS	97B OMEG	$450 pp \rightarrow pp 2(\pi^+\pi^-)$
20 $\pm$ 2		BARBERIS	97C OMEG	$450 pp \rightarrow pp K_S^0 K^\pm \pi^\mp$

36 $\pm$ 5		<sup>7</sup> ANTINORI	95	OMEG	300,450 $pp \rightarrow pp 2(\pi^+ \pi^-)$
29.0 $\pm$ 4.1		LEE	94	MPS2	18 $\pi^- p \rightarrow K^+ \bar{K}^0 2\pi^- p$
25 $\pm$ 4	140	ARMSTRONG	89	OMEG	300 $pp \rightarrow K\bar{K}\pi pp$
22 $\pm$ 2	4750	<sup>8</sup> BIRMAN	88	MPS	8 $\pi^- p \rightarrow K^+ \bar{K}^0 \pi^- n$
25 $\pm$ 4	504	BITYUKOV	88	SPEC	32.5 $\pi^- p \rightarrow K^+ K^- \pi^0 n$
19 $\pm$ 5		ANDO	86	SPEC	8 $\pi^- p \rightarrow \eta \pi^+ \pi^- n$
32 $\pm$ 8	420	REEVES	86	SPEC	6.6 $p\bar{p} \rightarrow KK\pi X$
22 $\pm$ 2		CHUNG	85	SPEC	8 $\pi^- p \rightarrow NK\bar{K}\pi$
32 $\pm$ 3	604	ARMSTRONG	84	OMEG	85 $\pi^+ p \rightarrow K\bar{K}\pi\pi p, pp \rightarrow K\bar{K}\pi pp$
24 $\pm$ 3		CHAUVAT	84	SPEC	ISR 31.5 $pp$
29 $\pm$ 10	103	DIONISI	80	HBC	4 $\pi^- p \rightarrow K\bar{K}\pi n$
28.3 $\pm$ 6.7	320	NACASCH	78	HBC	0.7, 0.76 $\bar{p}p \rightarrow K\bar{K}3\pi$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>					
18.2 $\pm$ 1.2		<sup>9</sup> SOSA	99	SPEC	$pp \rightarrow p_{slow}$ $(K_S^0 K^+ \pi^-) p_{fast}$
19.4 $\pm$ 1.5		<sup>9</sup> SOSA	99	SPEC	$pp \rightarrow p_{slow}$ $(K_S^0 K^- \pi^+) p_{fast}$
40 $\pm$ 5		ABATZIS	94	OMEG	450 $pp \rightarrow pp 2(\pi^+ \pi^-)$
44 $\pm$ 20		AUGUSTIN	90	DM2	$J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$
31 $\pm$ 5		ARMSTRONG	89E	OMEG	300 $pp \rightarrow pp 2(\pi^+ \pi^-)$
41 $\pm$ 12		ARMSTRONG	89G	OMEG	85 $\pi^+ p \rightarrow 4\pi\pi p, pp \rightarrow 4\pi pp$
17.9 $\pm$ 10.9	60	RATH	89	MPS	21.4 $\pi^- p \rightarrow K_S^0 K_S^0 \pi^0 n$
14 $\pm$ 20 -14	$\pm$ 10	BECKER	87	MRK3	$e^+ e^- \rightarrow \phi K\bar{K}\pi$
26 $\pm$ 12		EVANGELISTA	81	OMEG	12 $\pi^- p \rightarrow \eta \pi^+ \pi^- \pi^- p$
25 $\pm$ 15	200	GURTU	79	HBC	4.2 $K^- p \rightarrow n\eta 2\pi$
$\sim$ 10		<sup>10</sup> STANTON	79	CNTR	8.5 $\pi^- p \rightarrow n 2\gamma 2\pi$
24 $\pm$ 18	210	GRASSLER	77	HBC	16 $\pi^\mp p$
28 $\pm$ 5	150	<sup>11</sup> DEFOIX	72	HBC	0.7 $\bar{p}p \rightarrow 7\pi$
46 $\pm$ 9	180	<sup>11</sup> DUBOC	72	HBC	1.2 $\bar{p}p \rightarrow 2K4\pi$
37 $\pm$ 5	500	<sup>12</sup> THUN	72	MMS	13.4 $\pi^- p$
10 $\pm$ 10		BOESEBECK	71	HBC	16.0 $\pi p \rightarrow p 5\pi$
30 $\pm$ 15		CAMPBELL	69	DBC	2.7 $\pi^+ d$
60 $\pm$ 15		<sup>11</sup> LORSTAD	69	HBC	0.7 $\bar{p}p$ , 4,5-body
35 $\pm$ 10		<sup>11</sup> DAHL	67	HBC	1.6–4.2 $\pi^- p$

<sup>7</sup> Supersedes ABATZIS 94, ARMSTRONG 89E.<sup>8</sup> From partial wave analysis of  $K^+ \bar{K}^0 \pi^-$  system.<sup>9</sup> No systematic error given.<sup>10</sup> From phase shift analysis of  $\eta \pi^+ \pi^-$  system.<sup>11</sup> Resolution is not unfolded.<sup>12</sup> Seen in the missing mass spectrum.



### $f_1(1285)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level
$\Gamma_1$ $4\pi$	$(33.1 \pm 2.1) \%$	S=1.3
$\Gamma_2$ $\pi^0 \pi^0 \pi^+ \pi^-$	$(22.0 \pm 1.4) \%$	S=1.3
$\Gamma_3$ $2\pi^+ 2\pi^-$	$(11.0 \pm 0.7) \%$	S=1.3
$\Gamma_4$ $\rho^0 \pi^+ \pi^-$	$(11.0 \pm 0.7) \%$	S=1.3
$\Gamma_5$ $\rho^0 \rho^0$	seen	
$\Gamma_6$ $4\pi^0$	$< 7 \times 10^{-4}$	CL=90%
$\Gamma_7$ $\eta \pi \pi$	$(52 \pm 16) \%$	
$\Gamma_8$ $a_0(980)\pi$ [ignoring $a_0(980) \rightarrow K\bar{K}$ ]	$(36 \pm 7) \%$	
$\Gamma_9$ $\eta \pi \pi$ [excluding $a_0(980)\pi$ ]	$(16 \pm 7) \%$	
$\Gamma_{10}$ $K\bar{K}\pi$	$(9.0 \pm 0.4) \%$	S=1.1
$\Gamma_{11}$ $K\bar{K}^*(892)$	not seen	
$\Gamma_{12}$ $\gamma \rho^0$	$(5.5 \pm 1.3) \%$	S=2.8

$\Gamma_{13}$	$\phi\gamma$	$(7.4 \pm 2.6) \times 10^{-4}$
$\Gamma_{14}$	$\gamma\gamma^*$	
$\Gamma_{15}$	$\gamma\gamma$	

---

## CONSTRAINED FIT INFORMATION

An overall fit to 7 branching ratios uses 16 measurements and one constraint to determine 5 parameters. The overall fit has a  $\chi^2 = 24.7$  for 12 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_8$	-17			
$x_9$	-8	-95		
$x_{10}$	46	-9	-4	
$x_{12}$	-36	-4	-2	-34
	$x_1$	$x_8$	$x_9$	$x_{10}$

---

### $f_1(1285) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\eta\pi\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$		$\Gamma_7\Gamma_{15}/\Gamma = (\Gamma_8 + \Gamma_9)\Gamma_{15}/\Gamma$		
VALUE (keV)	CL %	DOCUMENT ID	TECN	COMMENT
<0.62	95	GIDAL	87	$e^+ e^- \rightarrow e^+ e^- \eta\pi^+\pi^-$

$\Gamma(\eta\pi\pi) \times \Gamma(\gamma\gamma^*)/\Gamma_{\text{total}}$		$\Gamma_7\Gamma_{14}/\Gamma = (\Gamma_8 + \Gamma_9)\Gamma_{14}/\Gamma$		
VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1.4 ± 0.4 OUR AVERAGE</b>		Error includes scale factor of 1.4.		
1.18 ± 0.25 ± 0.20	26	13,14 AIHARA	88B TPC	$e^+ e^- \rightarrow e^+ e^- \eta\pi^+\pi^-$
2.30 ± 0.61 ± 0.42	13,15	GIDAL	87 MRK2	$e^+ e^- \rightarrow e^+ e^- \eta\pi^+\pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.8 ± 0.3 ± 0.3	420	16 ACHARD	02B L3	$183-209 e^+ e^- \rightarrow e^+ e^- \eta\pi^+\pi^-$

<sup>13</sup> Assuming a  $\rho$ -pole form factor.

<sup>14</sup> Published value multiplied by  $\eta\pi\pi$  branching ratio 0.49.

<sup>15</sup> Published value divided by 2 and multiplied by the  $\eta\pi\pi$  branching ratio 0.49.

<sup>16</sup> Published value multiplied by the  $\eta\pi\pi$  branching ratio 0.52.

**$f_1(1285)$  BRANCHING RATIOS** **$\Gamma(K\bar{K}\pi)/\Gamma(4\pi)$** 

$$\Gamma_{10}/\Gamma_1$$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.271±0.016 OUR FIT</b>	Error includes scale factor of 1.3.		
<b>0.271±0.016 OUR AVERAGE</b>	Error includes scale factor of 1.2.		
0.265±0.014	17 BARBERIS	97C OMEG 450 $p p \rightarrow p p K_S^0 K^\pm \pi^\mp$	
0.28 ± 0.05	18 ARMSTRONG	89E OMEG 300 $p p \rightarrow p p f_1(1285)$	
0.37 ± 0.03 ± 0.05	19 ARMSTRONG	89G OMEG 85 $\pi p \rightarrow 4\pi X$	
17	Using $2(\pi^+ \pi^-)$ data from BARBERIS 97B.		
18	Assuming $\rho\pi\pi$ and $a_0(980)\pi$ intermediate states.		
19	$4\pi$ consistent with being entirely $\rho\pi\pi$ .		

 **$\Gamma(\pi^0\pi^0\pi^+\pi^-)/\Gamma_{\text{total}}$** 

$$\Gamma_2/\Gamma = \frac{2}{3}\Gamma_1/\Gamma$$

VALUE	DOCUMENT ID
<b>0.220<sup>+0.014</sup><sub>-0.012</sub> OUR FIT</b>	Error includes scale factor of 1.3.

 **$\Gamma(2\pi^+ 2\pi^-)/\Gamma_{\text{total}}$** 

$$\Gamma_3/\Gamma = \frac{1}{3}\Gamma_1/\Gamma$$

VALUE	DOCUMENT ID
<b>0.110<sup>+0.007</sup><sub>-0.006</sub> OUR FIT</b>	Error includes scale factor of 1.3.

 **$\Gamma(\rho^0\pi^+\pi^-)/\Gamma_{\text{total}}$** 

$$\Gamma_4/\Gamma = \frac{1}{3}\Gamma_1/\Gamma$$

VALUE	DOCUMENT ID
<b>0.110<sup>+0.007</sup><sub>-0.006</sub> OUR FIT</b>	Error includes scale factor of 1.3.

 **$\Gamma(\rho^0\rho^0)/\Gamma_{\text{total}}$** 

$$\Gamma_5/\Gamma$$

VALUE	DOCUMENT ID	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •		
seen	BARBERIS	00C 450 $p p \rightarrow p_f 4\pi p_s$

 **$\Gamma(K\bar{K}\pi)/\Gamma(\eta\pi\pi)$** 

$$\Gamma_{10}/\Gamma_7 = \Gamma_{10}/(\Gamma_8 + \Gamma_9)$$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.171±0.013 OUR FIT</b>	Error includes scale factor of 1.1.		
<b>0.170±0.012 OUR AVERAGE</b>			
0.166±0.01 ± 0.008	BARBERIS	98C OMEG 450 $p p \rightarrow p_f f_1(1285) p_s$	
0.42 ± 0.15	GURTU	79 HBC 4.2 $K^- p$	
0.5 ± 0.2	20 CORDEN	78 OMEG 12–15 $\pi^- p$	
0.20 ± 0.08	21 DEFOIX	72 HBC 0.7 $\bar{p} p \rightarrow 7\pi$	
0.16 ± 0.08	CAMPBELL	69 DBC 2.7 $\pi^+ d$	

20 CORDEN 78 assumes low-mass  $\eta\pi\pi$  region is dominantly  $1^{++}$ . See BARBERIS 98C and MANAK 00A for discussion.

21  $K\bar{K}$  system characterized by the  $I = 1$  threshold enhancement. (See under  $a_0(980)$ ).

$\Gamma(a_0(980)\pi \text{ [ignoring } a_0(980) \rightarrow K\bar{K}])/\Gamma(\eta\pi\pi)$ 

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
-------	-----	------	-------------	------	---------

**0.69±0.13 OUR FIT****0.69<sup>+0.13</sup><sub>-0.12</sub> OUR AVERAGE**

0.72±0.15	GURTU	79	HBC	4.2 $K^- p$
0.6 <sup>+0.3</sup> <sub>-0.2</sub>	CORDEN	78	OMEG	12–15 $\pi^- p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

>0.69	95	318	ACHARD	02B L3	$183\text{--}209 e^+ e^- \rightarrow e^+ e^- \eta\pi^+\pi^-$
0.28±0.07		1400	ALDE	97B GAM4	$100 \pi^- p \rightarrow \eta\pi^0\pi^0 n$
1.0 ± 0.3			GRASSLER	77 HBC	16 $\pi^\mp p$

 $\Gamma(4\pi)/\Gamma(\eta\pi\pi)$ 

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

**0.63±0.06 OUR FIT** Error includes scale factor of 1.2.**0.41±0.14 OUR AVERAGE**

0.37±0.11±0.11	BOLTON	92	MRK3	$J/\psi \rightarrow \gamma f_1(1285)$
0.64±0.40	GURTU	79	HBC	4.2 $K^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.93±0.30	22 GRASSLER	77	HBC	16 $\pi^\mp p$

22 Assuming  $\rho\pi\pi$  and  $a_0(980)\pi$  intermediate states.

 $\Gamma(K\bar{K}^*(892))/\Gamma_{\text{total}}$ 

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

**not seen**

NACASCH	78	HBC	0.7,0.76 $\bar{p}p \rightarrow K\bar{K}3\pi$
---------	----	-----	--

 $\Gamma_{11}/\Gamma$  $\Gamma(\rho^0\pi^+\pi^-)/\Gamma(2\pi^+2\pi^-)$ 

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.0±0.4	GRASSLER	77	HBC	16 GeV $\pi^\pm p$
---------	----------	----	-----	--------------------

 $\Gamma_4/\Gamma_3$  $\Gamma(4\pi^0)/\Gamma_{\text{total}}$ 

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

**<7** 90 ALDE 87 GAM4  $100 \pi^- p \rightarrow 4\pi^0 n$  $\Gamma_6/\Gamma$  $\Gamma(\phi\gamma)/\Gamma(K\bar{K}\pi)$ 

VALUE (units $10^{-2}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

<b>0.82±0.21±0.20</b>	19	BITYUKOV	88 SPEC	$32.5 \pi^- p \rightarrow K^+ K^- \pi^0 n$
-----------------------	----	----------	---------	--

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.50	BARBERIS	98C OMEG	450 $p p \rightarrow p_f f_1(1285) p_s$
<0.93	AMELIN	95 VES	37 $\pi^- N \rightarrow \pi^- \pi^+ \pi^- \gamma N$

$\Gamma(\gamma\rho^0)/\Gamma(K\bar{K}\pi)$  $\Gamma_{12}/\Gamma_{10}$ 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>				
>0.035	90	<sup>23</sup> COFFMAN	90	MRK3 $J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
23 Using $B(J/\psi \rightarrow \gamma f_1(1285) \rightarrow \gamma\gamma\rho^0) = 0.25 \times 10^{-4}$ and $B(J/\psi \rightarrow \gamma f_1(1285) \rightarrow \gamma K\bar{K}\pi) < 0.72 \times 10^{-3}$ .				

 $\Gamma(\gamma\rho^0)/\Gamma(2\pi^+2\pi^-)$  $\Gamma_{12}/\Gamma_3 = \Gamma_{12}/\frac{1}{3}\Gamma_1$ 

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.50±0.13 OUR FIT</b> Error includes scale factor of 2.5.			
<b>0.45±0.18</b>	<sup>24</sup> COFFMAN	90	MRK3 $J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
24 Using $B(J/\psi \rightarrow \gamma f_1(1285) \rightarrow \gamma\gamma\rho^0) = 0.25 \times 10^{-4}$ and $B(J/\psi \rightarrow \gamma f_1(1285) \rightarrow \gamma 2\pi^+ 2\pi^-) = 0.55 \times 10^{-4}$ given by MIR 88.			

 $\Gamma(\gamma\rho^0)/\Gamma_{\text{total}}$  $\Gamma_{12}/\Gamma$ 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.055±0.013 OUR FIT</b> Error includes scale factor of 2.8.				
<b>0.028±0.007±0.006</b>		AMELIN	95	VES $37 \pi^- N \rightarrow \pi^-\pi^+\pi^-\gamma N$
<b>• • •</b> We do not use the following data for averages, fits, limits, etc. <b>• • •</b>				
<0.05	95	BITYUKOV	91B	SPEC $32 \pi^- p \rightarrow \pi^+\pi^-\gamma n$

 $\Gamma(\eta\pi\pi)/\Gamma(\gamma\rho^0)$  $\Gamma_7/\Gamma_{12} = (\Gamma_8 + \Gamma_9)/\Gamma_{12}$ 

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>9.5±2.0 OUR FIT</b> Error includes scale factor of 2.5.			
<b>7.9±0.9 OUR AVERAGE</b>			
10.0±1.0±2.0		BARBERIS	98C OMEG $450 pp \rightarrow p_f f_1(1285) p_s$
7.5±1.0		<sup>25</sup> ARMSTRONG	92C OMEG $300 pp \rightarrow pp\pi^+\pi^-\gamma, pp\eta\pi^+\pi^-$

25 Published value multiplied by 1.5.

**f<sub>1</sub>(1285) REFERENCES**

BAI	04J	PL B594 47	J.Z. Bai <i>et al.</i>	(BES Collab.)
ABDALLAH	03H	PL B569 129	J. Abdallah <i>et al.</i>	(DELPHI Collab.)
ACHARD	02B	PL B526 269	P. Achard <i>et al.</i>	(L3 Collab.)
ACCIARRI	01G	PL B501 1	M. Acciari <i>et al.</i>	(L3 Collab.)
ADAMS	01B	PL B516 264	G.S. Adams <i>et al.</i>	(BNL E852 Collab.)
BARBERIS	00C	PL B471 440	D. Barberis <i>et al.</i>	(WA 102 Collab.)
MANAK	00A	PR D62 012003	J.J. Manak <i>et al.</i>	(BNL E852 Collab.)
SOSA	99	PRL 83 913	M. Sosa <i>et al.</i>	
BARBERIS	98C	PL B440 225	D. Barberis <i>et al.</i>	(WA 102 Collab.)
ALDE	97B	PAN 60 386	D. Alde <i>et al.</i>	(GAMS Collab.)
		Translated from YAF 60 458.		
BARBERIS	97B	PL B413 217	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	97C	PL B413 225	D. Barberis <i>et al.</i>	(WA 102 Collab.)
AMELIN	95	ZPHY C66 71	D.V. Amelin <i>et al.</i>	(VES Collab.)
ANTINORI	95	PL B353 589	F. Antinori <i>et al.</i>	(ATHU, BARI, BIRM+)
ABATZIS	94	PL B324 509	S. Abatzis <i>et al.</i>	(ATHU, BARI, BIRM+)
LEE	94	PL B323 227	J.H. Lee <i>et al.</i>	(BNL, IND, KYUN, MASD+)
ARMSTRONG	93C	PL B307 394	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
ARMSTRONG	92C	ZPHY C54 371	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
BOLTON	92	PL B278 495	T. Bolton <i>et al.</i>	(Mark III Collab.)
BITYUKOV	91B	SJNP 54 318	S.I. Bityukov <i>et al.</i>	(SERP)
		Translated from YAF 54 529.		

FUKUI	91C	PL B267 293	S. Fukui <i>et al.</i>	(SUGI, NAGO, KEK, KYOT+)
AUGUSTIN	90	PR D42 10	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
COFFMAN	90	PR D41 1410	D.M. Coffman <i>et al.</i>	(Mark III Collab.)
ARMSTRONG	89	PL B221 216	T.A. Armstrong <i>et al.</i>	(CERN, CDEF, BIRM+) JPC
ARMSTRONG	89E	PL B228 536	T.A. Armstrong, M. Benayoun	(ATHU, BARI, BIRM+)
ARMSTRONG	89G	ZPHY C43 55	T.A. Armstrong <i>et al.</i>	(CERN, BIRM, BARI+)
RATH	89	PR D40 693	M.G. Rath <i>et al.</i>	(NDAM, BRAN, BNL, CUNY+)
AIHARA	88B	PL B209 107	H. Aihara <i>et al.</i>	(TPC-2 $\gamma$ Collab.)
BIRMAN	88	PRL 61 1557	A. Birman <i>et al.</i>	(BNL, FSU, IND, MASD) JP
BITYUKOV	88	PL B203 327	S.I. Bityukov <i>et al.</i>	(SERP)
MIR	88	Photon-Photon 88, 126	R. Mir	(Mark III Collab.)
Conference				
ALDE	87	PL B198 286	D.M. Alde <i>et al.</i>	(LANL, BRUX, SERP, LAPP)
BECKER	87	PRL 59 186	J.J. Becker <i>et al.</i>	(Mark III Collab.)
GIDAL	87	PRL 59 2012	G. Gidal <i>et al.</i>	(LBL, SLAC, HARV)
ANDO	86	PRL 57 1296	A. Ando <i>et al.</i>	(KEK, KYOT, NIR, SAGA+) IJP
REEVES	86	PR D34 1960	D.F. Reeves <i>et al.</i>	(FLOR, BNL, IND+) JP
CHUNG	85	PRL 55 779	S.U. Chung <i>et al.</i>	(BNL, FLOR, IND+) JP
ARMSTRONG	84	PL 146B 273	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+) JP
BITYUKOV	84B	PL 144B 133	S.I. Bityukov <i>et al.</i>	(SERP)
CHAUVAT	84	PL 148B 382	P. Chauvat <i>et al.</i>	(CERN, CLER, UCLA+)
TORNQVIST	82B	NP B203 268	N.A. Tornqvist	(HELS)
EVANGELISTA	81	NP B178 197	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)
BROMBERG	80	PR D22 1513	C.M. Bromberg <i>et al.</i>	(CIT, FNAL, ILLC+)
DIONISI	80	NP B169 1	C. Dionisi <i>et al.</i>	(CERN, MADR, CDEF+)
GURTU	79	NP B151 181	A. Gurtu <i>et al.</i>	(CERN, ZEEM, NIJM, OXF)
STANTON	79	PRL 42 346	N.R. Stanton <i>et al.</i>	(OSU, CARL, MCGI+) JP
CORDEN	78	NP B144 253	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+) JP
NACASCH	78	NP B135 203	R. Nacash <i>et al.</i>	(PARIS, MADR, CERN)
GRASSLER	77	NP B121 189	H. Grassler <i>et al.</i>	(AACH3, BERL, BONN+)
DEFOIX	72	NP B44 125	C. Defoix <i>et al.</i>	(CDEF, CERN)
DUBOC	72	NP B46 429	J. Duboc <i>et al.</i>	(PARIS, LIVP)
THUN	72	PRL 28 1733	R. Thun <i>et al.</i>	(STON, NEAS)
BARDADIN-...	71	PR D4 2711	M. Bardadin-Otwinowska <i>et al.</i>	(WARS)
BOESEBECK	71	PL 34B 659	K. Boesebeck	(AACH, BERL, BONN, CERN, CRAC+)
CAMPBELL	69	PRL 22 1204	J.H. Campbell <i>et al.</i>	(PURD)
LORSTAD	69	NP B14 63	B. Lorstad <i>et al.</i>	(CDEF, CERN) JP
D'ANDLAU	68	NP B5 693	C. d'Andlau <i>et al.</i>	(CDEF, CERN, IRAD+) IJP
DAHL	67	PR 163 1377	O.I. Dahl <i>et al.</i>	(LRL) IJP

## OTHER RELATED PAPERS

AHOHE	05	PR D71 072001	R. Ahohe <i>et al.</i>	(CLEO Collab.)
AIHARA	88C	PR D38 1	H. Aihara <i>et al.</i>	(TPC-2 $\gamma$ Collab.) JPC
ASTON	85	PR D32 2255	D. Aston <i>et al.</i>	(SLAC, CARL, CNRC)
ATKINSON	84E	PL 138B 459	M. Atkinson <i>et al.</i>	(BONN, CERN, GLAS+)
GAVILLET	82	ZPHY C16 119	P. Gavillet <i>et al.</i>	(CERN, CDEF, PADO+)
D'ANDLAU	65	PL 17 347	C. d'Andlau <i>et al.</i>	(CDEF, CERN, IRAD+)
MILLER	65	PRL 14 1074	D.H. Miller <i>et al.</i>	(LRL, UCB)