


$f_4(2050)$ $I^G(J^{PC}) = 0^+(4^{++})$ **$f_4(2050)$ MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
2025±10 OUR AVERAGE		Error includes scale factor of 1.8. See the ideogram below.		
2005±10		¹ BINON	05 GAMS	$33 \pi^- p \rightarrow \eta\eta n$
1998±15		ALDE	98 GAM4	$100 \pi^- p \rightarrow \pi^0 \pi^0 n$
1970±30		BELADIDZE	92B VES	$36 \pi^- p \rightarrow \omega\omega n$
2060±20		ALDE	90 GAM2	$38 \pi^- p \rightarrow \omega\omega n$
2038±30		AUGUSTIN	87 DM2	$J/\psi \rightarrow \gamma\pi^+\pi^-$
2086±15		BALTRUSAIT..	87 MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-$
2000±60		ALDE	86D GAM4	$100 \pi^- p \rightarrow n2\eta$
2020±20	40k	² BINON	84B GAM2	$38 \pi^- p \rightarrow n2\pi^0$
2015±28		³ CASON	82 STRC	$8 \pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$
2031^{+25}_{-36}		ETKIN	82B MPS	$23 \pi^- p \rightarrow n2K_S^0$
2020±30	700	APEL	75 NICE	$40 \pi^- p \rightarrow n2\pi^0$
2050±25		BLUM	75 ASPK	$18.4 \pi^- p \rightarrow nK^+ K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2018± 6		ANISOVICH	00J SPEC	$2.0 \bar{p}p \rightarrow \eta\pi^0\pi^0,$ $\pi^0\pi^0, \eta\eta, \eta\eta', \pi\pi$
~ 2000		⁴ MARTIN	98 RVUE	$N\bar{N} \rightarrow \pi\pi$
~ 2010		⁵ MARTIN	97 RVUE	$\bar{N}N \rightarrow \pi\pi$
~ 2040		⁶ OAKDEN	94 RVUE	$0.36\text{--}1.55 \bar{p}p \rightarrow \pi\pi$
~ 1990		⁷ OAKDEN	94 RVUE	$0.36\text{--}1.55 \bar{p}p \rightarrow \pi\pi$
1978± 5		⁸ ALPER	80 CNTR	$62 \pi^- p \rightarrow K^+ K^- n$
2040±10		⁸ ROZANSKA	80 SPRK	$18 \pi^- p \rightarrow p\bar{p}n$
1935±13		⁸ CORDEN	79 OMEG	$12\text{--}15 \pi^- p \rightarrow n2\pi$
1988± 7		EVANGELISTA	79B OMEG	$10 \pi^- p \rightarrow K^+ K^- n$
1922±14		⁹ ANTIPOV	77 CIBS	$25 \pi^- p \rightarrow p3\pi$

¹ From the first PWA solution.² From a partial-wave analysis of the data.³ From an amplitude analysis of the reaction $\pi^+\pi^- \rightarrow 2\pi^0$.⁴ Energy-dependent analysis.⁵ Single energy analysis.⁶ From solution A of amplitude analysis of data on $\bar{p}p \rightarrow \pi\pi$. See however KLOET 96 who fit $\pi^+\pi^-$ only and find waves only up to $J=3$ to be important but not significantly resonant.⁷ From solution B of amplitude analysis of data on $\bar{p}p \rightarrow \pi\pi$. See however KLOET 96 who fit $\pi^+\pi^-$ only and find waves only up to $J=3$ to be important but not significantly resonant.⁸ $I(J^P) = 0(4^+)$ from amplitude analysis assuming one-pion exchange.⁹ Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.



f₄(2050) WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
225\pm 18 OUR AVERAGE		Error includes scale factor of 1.7. See the ideogram below.		
340 \pm 80	10	BINON	05	GAMS 33 $\pi^- p \rightarrow \eta\eta n$
395 \pm 40		ALDE	98	GAM4 100 $\pi^- p \rightarrow \pi^0\pi^0 n$
300 \pm 50		BELADIDZE	92B	VES 36 $\pi^- p \rightarrow \omega\omega n$
170 \pm 60		ALDE	90	GAM2 38 $\pi^- p \rightarrow \omega\omega n$
304 \pm 60		AUGUSTIN	87	DM2 $J/\psi \rightarrow \gamma\pi^+\pi^-$
210 \pm 63		BALTRUSAIT... 87	MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-$
400 \pm 100		ALDE	86D	GAM4 100 $\pi^- p \rightarrow n2\eta$
240 \pm 40	40k	11 BINON	84B	GAM2 38 $\pi^- p \rightarrow n2\pi^0$
190 \pm 14		DENNEY	83	LASS 10 $\pi^+ n/\pi^+ p$
186 $^{+103}_{-58}$		12 CASON	82	STRC 8 $\pi^+ p \rightarrow \Delta^{++}\pi^0\pi^0$
305 $^{+36}_{-119}$		ETKIN	82B	MPS 23 $\pi^- p \rightarrow n2K_S^0$
180 \pm 60	700	APEL	75	NICE 40 $\pi^- p \rightarrow n2\pi^0$
225 $^{+120}_{-70}$		BLUM	75	ASPK 18.4 $\pi^- p \rightarrow nK^+K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
182 \pm 7		ANISOVICH 00J	SPEC	$2.0 \bar{p}p \rightarrow \eta\pi^0\pi^0, \pi^0\pi^0, \eta\eta, \eta\eta', \pi\pi$
\sim 170		13 MARTIN	98	RVUE $N\bar{N} \rightarrow \pi\pi$
\sim 200		14 MARTIN	97	RVUE $\bar{N}N \rightarrow \pi\pi$
\sim 60		15 OAKDEN	94	RVUE 0.36–1.55 $\bar{p}p \rightarrow \pi\pi$
\sim 80		16 OAKDEN	94	RVUE 0.36–1.55 $\bar{p}p \rightarrow \pi\pi$

243 ± 16	¹⁷ ALPER	80	CNTR	$62 \pi^- p \rightarrow K^+ K^- n$
140 ± 15	¹⁷ ROZANSKA	80	SPRK	$18 \pi^- p \rightarrow p\bar{p}n$
263 ± 57	¹⁷ CORDEN	79	OMEG	$12-15 \pi^- p \rightarrow n2\pi$
100 ± 28		79B	OMEG	$10 \pi^- p \rightarrow K^+ K^- n$
107 ± 56	¹⁸ ANTIPOV	77	CIBS	$25 \pi^- p \rightarrow p3\pi$

10 From the first PWA solution.

11 From a partial-wave analysis of the data.

12 From an amplitude analysis of the reaction $\pi^+ \pi^- \rightarrow 2\pi^0$.

13 Energy-dependent analysis.


14 Single energy analysis.

15 From solution A of amplitude analysis of data on $\bar{p}p \rightarrow \pi\pi$. See however KLOET 96 who fit $\pi^+ \pi^-$ only and find waves only up to $J = 3$ to be important but not significantly resonant.

16 From solution B of amplitude analysis of data on $\bar{p}p \rightarrow \pi\pi$. See however KLOET 96 who fit $\pi^+ \pi^-$ only and find waves only up to $J = 3$ to be important but not significantly resonant.

17 $I(J^P) = 0(4^+)$ from amplitude analysis assuming one-pion exchange.

18 Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.



$f_4(2050)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $\omega\omega$	not seen
Γ_2 $\pi\pi$	$(17.0 \pm 1.5) \%$
Γ_3 $K\bar{K}$	$(6.8^{+3.4}_{-1.8}) \times 10^{-3}$

Γ_4	$\eta\eta$	$(2.1 \pm 0.8) \times 10^{-3}$
Γ_5	$4\pi^0$	$< 1.2 \%$
Γ_6	$\gamma\gamma$	
Γ_7	$a_2(1320)\pi$	seen

$f_4(2050) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ $\Gamma_3\Gamma_6/\Gamma$

VALUE (keV)	CL%	DOCUMENT ID	TECN	COMMENT
-------------	-----	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.29 95 ALTHOFF 85B TASS $\gamma\gamma \rightarrow K\bar{K}\pi$

$\Gamma(\pi\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ $\Gamma_2\Gamma_6/\Gamma$

VALUE (keV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	-----	------	-------------	------	---------

<1.1 95 13 ± 4 OEST 90 JADE $e^+e^- \rightarrow e^+e^-\pi^0\pi^0$

$f_4(2050)$ BRANCHING RATIOS

$\Gamma(\omega\omega)/\Gamma_{\text{total}}$ Γ_1/Γ

VALUE	DOCUMENT ID	COMMENT
-------	-------------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

not seen BARBERIS 00F 450 $pp \rightarrow p_f\omega\omega p_s$

$\Gamma(\omega\omega)/\Gamma(\pi\pi)$ Γ_1/Γ_2

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

1.5 ± 0.3 ALDE 90 GAM2 38 $\pi^- p \rightarrow \omega\omega n$

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

0.170 ± 0.015 OUR AVERAGE

0.18 ± 0.03	19 BINON	83C GAM2	38 $\pi^- p \rightarrow n4\gamma$
0.16 ± 0.03	19 CASON	82 STRC	8 $\pi^+ p \rightarrow \Delta^{++}\pi^0\pi^0$
0.17 ± 0.02	19 CORDEN	79 OMEG	12–15 $\pi^- p \rightarrow n2\pi$

19 Assuming one pion exchange.

$\Gamma(K\bar{K})/\Gamma(\pi\pi)$ Γ_3/Γ_2

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

0.04 +0.02 -0.01 ETKIN 82B MPS 23 $\pi^- p \rightarrow n2K_S^0$

$\Gamma(\eta\eta)/\Gamma_{\text{total}}$ Γ_4/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

2.1 ± 0.8 ALDE 86D GAM4 100 $\pi^- p \rightarrow n4\gamma$

$\Gamma(4\pi^0)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

<0.012 ALDE 87 GAM4 100 $\pi^- p \rightarrow 4\pi^0 n$

$\Gamma(a_2(1320)\pi)/\Gamma_{\text{total}}$	Γ_7/Γ		
VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
seen	AMELIN	00 VES	$37 \pi^- p \rightarrow \eta\pi^+\pi^- n$

f₄(2050) REFERENCES

BINON	05	PAN 68 960 Translated from YAF 68	F. Binon <i>et al.</i> 998.
AMELIN	00	NP A668 83	D. Amelin <i>et al.</i>
ANISOVICH	00J	PL B491 47	A.V. Anisovich <i>et al.</i>
BARBERIS	00F	PL B484 198	D. Barberis <i>et al.</i>
ALDE	98	EPJ A3 361	D. Alde <i>et al.</i>
Also		PAN 62 405 Translated from YAF 62	D. Alde <i>et al.</i>
MARTIN	98	PR C57 3492	B.R. Martin <i>et al.</i>
MARTIN	97	PR C56 1114	B.R. Martin, G.C. Oades
KLOET	96	PR D53 6120	W.M. Kloet, F. Myhrer
OAKDEN	94	NP A574 731	M.N. Oakden, M.R. Pennington
BELADIDZE	92B	ZPHY C54 367	G.M. Beladidze <i>et al.</i>
ALDE	90	PL B241 600	D.M. Alde <i>et al.</i>
OEST	90	ZPHY C47 343	T. Oest <i>et al.</i>
ALDE	87	PL B198 286	D.M. Alde <i>et al.</i>
AUGUSTIN	87	ZPHY C36 369	J.E. Augustin <i>et al.</i>
BALTRUSAIT...	87	PR D35 2077	R.M. Baltrusaitis <i>et al.</i>
ALDE	86D	NP B269 485	D.M. Alde <i>et al.</i>
ALTHOFF	85B	ZPHY C29 189	M. Althoff <i>et al.</i>
BINON	84B	LNC 39 41	F.G. Binon <i>et al.</i>
BINON	83C	SJNP 38 723 Translated from YAF 38	F.G. Binon <i>et al.</i>
DENNEY	83	PR D28 2726	D.L. Denney <i>et al.</i>
CASON	82	PRL 48 1316	N.M. Cason <i>et al.</i>
ETKIN	82B	PR D25 1786	A. Etkin <i>et al.</i>
ALPER	80	PL 94B 422	B. Alper <i>et al.</i>
ROZANSKA	80	NP B162 505	M. Rozanska <i>et al.</i>
CORDEN	79	NP B157 250	M.J. Corden <i>et al.</i>
EVANGELISTA	79B	NP B154 381	C. Evangelista <i>et al.</i>
ANTIPOV	77	NP B119 45	Y.M. Antipov <i>et al.</i>
APEL	75	PL 57B 398	W.D. Apel <i>et al.</i>
BLUM	75	PL 57B 403	W. Blum <i>et al.</i>

OTHER RELATED PAPERS

ANISOVICH	99D	PL B452 180	A.V. Anisovich <i>et al.</i>
Also		NP A651 253	A.V. Anisovich <i>et al.</i>
ANISOVICH	99F	NP A651 253	A.V. Anisovich <i>et al.</i>
PROKOSHKIN	97	SPD 42 117 Translated from DANS 353 323.	Y.D. Prokoshkin <i>et al.</i>
			(SERP)
CASON	83	PR D28 1586	N.M. Cason <i>et al.</i>
GOTTESMAN	80	PR D22 1503	S.R. Gottesman <i>et al.</i>
EISENHAND...	75	NP B96 109	E. Eisenhandler <i>et al.</i>
WAGNER	74	London Conf. 2 27	F. Wagner