

$\pi(1300)$ $I^G(J^{PC}) = 1^-(0^{-+})$ **$\pi(1300)$ MASS**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1300±100 OUR ESTIMATE			
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1343± 15±24	CHUNG 02	E852 18.3	$\pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
1375± 40	ABELE 01	CBAR 0.0	$\bar{p}d \rightarrow \pi^- 4\pi^0 p$
1275± 15	BERTIN 97D	OBLX 0.05	$\bar{p}p \rightarrow 2\pi^+ 2\pi^-$
~1114	ABELE 96	CBAR 0.0	$\bar{p}p \rightarrow 5\pi^0$
1190± 30	ZIELINSKI 84	SPEC 200	$\pi^+ Z \rightarrow Z3\pi$
1240± 30	BELLINI 82	SPEC 40	$\pi^- A \rightarrow A3\pi$
1273± 50	¹ AARON 81	RVUE	
1342± 20	BONESINI 81	OMEG 12	$\pi^- p \rightarrow p3\pi$
~1400	DAUM 81B	SPEC 63,94	$\pi^- p$

¹ Uses multichannel Aitchison-Bowler model (BOWLER 75). Uses data from DAUM 80 and DANKOWYCH 81.

 $\pi(1300)$ WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
200 to 600 OUR ESTIMATE			
• • • We do not use the following data for averages, fits, limits, etc. • • •			
449± 39±47	CHUNG 02	E852 18.3	$\pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
268± 50	ABELE 01	CBAR 0.0	$\bar{p}d \rightarrow \pi^- 4\pi^0 p$
218±100	BERTIN 97D	OBLX 0.05	$\bar{p}p \rightarrow 2\pi^+ 2\pi^-$
~340	ABELE 96	CBAR 0.0	$\bar{p}p \rightarrow 5\pi^0$
440± 80	ZIELINSKI 84	SPEC 200	$\pi^+ Z \rightarrow Z3\pi$
360±120	BELLINI 82	SPEC 40	$\pi^- A \rightarrow A3\pi$
580±100	² AARON 81	RVUE	
220± 70	BONESINI 81	OMEG 12	$\pi^- p \rightarrow p3\pi$
~600	DAUM 81B	SPEC 63,94	$\pi^- p$

² Uses multichannel Aitchison-Bowler model (BOWLER 75). Uses data from DAUM 80 and DANKOWYCH 81.

 $\pi(1300)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \rho\pi$	seen
$\Gamma_2 \pi(\pi\pi)_{S\text{-wave}}$	seen
$\Gamma_3 \gamma\gamma$	

$\pi(1300) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\rho\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$	$\Gamma_1\Gamma_3/\Gamma$			
<u>VALUE (keV)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.085	90	ACCIARRI	97T L3	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
<0.54	90	ALBRECHT	97B ARG	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$

 $\pi(1300) \text{ BRANCHING RATIOS}$

$\Gamma(\pi(\pi\pi)_S\text{-wave})/\Gamma(\rho\pi)$	Γ_2/Γ_1			
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
seen		CHUNG	02	E852 $18.3 \pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
<0.15	90	ABELE	01	CBAR $0.0 \bar{p}d \rightarrow \pi^- 4\pi^0 p$
2.12		³ AARON	81	RVUE

³ Uses multichannel Aitchison-Bowler model (BOWLER 75). Uses data from DAUM 80 and DANKOWYCH 81.

 $\pi(1300) \text{ REFERENCES}$

CHUNG	02	PR D65 072001	S.U. Chung <i>et al.</i>	(BNL E852 Collab.)
ABELE	01	EPJ C19 667	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACCIARRI	97T	PL B413 147	M. Acciarri <i>et al.</i>	(L3 Collab.)
ALBRECHT	97B	ZPHY C74 469	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
BERTIN	97D	PL B414 220	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	96	PL B380 453	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ZIELINSKI	84	PR D30 1855	M. Zielinski <i>et al.</i>	(ROCH, MINN, FNAL)
BELLINI	82	PRL 48 1697	G. Bellini <i>et al.</i>	(MILA, BGNA, JINR)
AARON	81	PR D24 1207	R.A. Aaron, R.S. Longacre	(NEAS, BNL)
BONESINI	81	PL 103B 75	M. Bonesini <i>et al.</i>	(MILA, LIVP, DARE+)
DANKOWY...	81	PRL 46 580	J.A. Dankowych <i>et al.</i>	(TNTO, BNL, CARL+)
DAUM	81B	NP B182 269	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)
DAUM	80	PL 89B 281	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)
BOWLER	75	NP B97 227	M.G. Bowler <i>et al.</i>	(OXFTP, DARE)

OTHER RELATED PAPERS

EBERT	05	MPL A20 1887	D. Ebert, R.N. Faustov, V.O. Galkin	
KATAEV	05	PAN 68 567	A.L. Kataev	
		Translated from YAF 68 597.		
ASNER	00	PR D61 012002	D.M. Asner <i>et al.</i>	(CLEO Collab.)
ZAIMIDOROGA	99	PAN 30 1	O.A. Zaimidoroga	
		Translated from SJPN 30 5.		
ACKERSTAFF	97R	ZPHY C75 593	K. Ackerstaff <i>et al.</i>	(OPAL Collab.)
ALBRECHT	95C	PL B349 576	H. Albrecht <i>et al.</i>	(ARGUS Collab.)