

$\psi(2S)$

$I^G(J^{PC}) = 0^-(1^{--})$

See the Review on “ $\psi(2S)$ and χ_c branching ratios” before the $\chi_{c0}(1P)$ Listings.


$\psi(2S)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
3686.093±0.034 OUR AVERAGE				Error includes scale factor of 1.4. See the ideogram below.
3686.111±0.025±0.009		AULCHENKO 03	KEDR	$e^+ e^- \rightarrow$ hadrons
3685.95 ±0.10	413	1 ARTAMONOV 00	OLYA	$e^+ e^- \rightarrow$ hadrons
3685.98 ±0.09 ±0.04		2 ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3684 ±2		GRIBUSHIN 96	FMPS	$515 \pi^- Be \rightarrow 2\mu X$
3683 ±5	77	ANTONIAZZI 94	E705	$300 \pi^\pm, p Li \rightarrow J/\psi \pi^\pm \pi^- X$
3686.00 ±0.10	413	3 ZHOLENTZ 80	OLYA	$e^+ e^-$

¹ Reanalysis of ZHOLENTZ 80 using new electron mass (COHEN 87) and radiative corrections (KURAEV 85).

² Mass central value and systematic error recalculated by us according to Eq.(16) in ARMSTRONG 93B, using the value for the $J/\psi(1S)$ mass from AULCHENKO 03.

³ Superseded by ARTAMONOV 00.



$m_{\psi(2S)} - m_{J/\psi(1S)}$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
589.188±0.028 OUR AVERAGE			
589.194±0.027±0.011	⁴ AULCHENKO 03	KEDR	$e^+ e^- \rightarrow$ hadrons
589.7 ± 1.2	LEMOIGNE 82	GOLI	$185 \pi^- Be \rightarrow \gamma \mu^+ \mu^- A$
589.07 ± 0.13	⁴ ZHOLENTZ 80	OLYA	$e^+ e^-$
588.7 ± 0.8	LUTH 75	MRK1	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
588 ± 1	⁵ BAI	98E BES	$e^+ e^-$
⁴ Redundant with data in mass above. ⁵ Systematic errors not evaluated.			

$\psi(2S)$ WIDTH

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
337±13 OUR FIT			
277±22 OUR AVERAGE			
264±27	⁶ BAI 02B	BES	$e^+ e^-$
306±36±16	ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+ e^-$
⁶ From a simultaneous fit to the hadronic and $\mu^+ \mu^-$ cross section, assuming $\Gamma = \Gamma_h + \Gamma_e + \Gamma_\mu + \Gamma_\tau$ and lepton universality.			

$\psi(2S)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 hadrons	(97.85±0.13) %	
Γ_2 virtual $\gamma \rightarrow$ hadrons	(1.73±0.14) %	S=1.5
Γ_3 light hadrons		
Γ_4 $e^+ e^-$	(7.35±0.18) $\times 10^{-3}$	
Γ_5 $\mu^+ \mu^-$	(7.3 ± 0.8) $\times 10^{-3}$	
Γ_6 $\tau^+ \tau^-$	(2.8 ± 0.7) $\times 10^{-3}$	

Decays into $J/\psi(1S)$ and anything

Γ_7 $J/\psi(1S)$ anything	(56.1 ± 0.9) %	
Γ_8 $J/\psi(1S)$ neutrals	(23.0 ± 0.4) %	
Γ_9 $J/\psi(1S)$ $\pi^+ \pi^-$	(31.8 ± 0.6) %	
Γ_{10} $J/\psi(1S)$ $\pi^0 \pi^0$	(16.46±0.35) %	
Γ_{11} $J/\psi(1S)$ η	(3.09±0.08) %	
Γ_{12} $J/\psi(1S)$ π^0	(1.26±0.13) $\times 10^{-3}$	S=1.3

Hadronic decays

Γ_{13}	$3(\pi^+\pi^-)\pi^0$	$(3.5 \pm 1.6) \times 10^{-3}$	
Γ_{14}	$2(\pi^+\pi^-)\pi^0$	$(2.66 \pm 0.29) \times 10^{-3}$	
Γ_{15}	$\rho a_2(1320)$	$(2.6 \pm 0.9) \times 10^{-4}$	
Γ_{16}	$p\bar{p}$	$(2.65 \pm 0.22) \times 10^{-4}$	S=1.4
Γ_{17}	$\Delta^{++}\bar{\Delta}^{--}$	$(1.28 \pm 0.35) \times 10^{-4}$	
Γ_{18}	$\Lambda\bar{\Lambda}$	$(2.5 \pm 0.7) \times 10^{-4}$	S=3.1
Γ_{19}	$\Sigma^+\bar{\Sigma}^-$	$(2.6 \pm 0.8) \times 10^{-4}$	
Γ_{20}	$\Sigma^0\bar{\Sigma}^0$	$(2.1 \pm 0.7) \times 10^{-4}$	S=2.0
Γ_{21}	$\Sigma(1385)^+\bar{\Sigma}(1385)^-$	$(1.1 \pm 0.4) \times 10^{-4}$	
Γ_{22}	$\Xi^-\bar{\Xi}^+$	$(1.5 \pm 0.7) \times 10^{-4}$	S=3.0
Γ_{23}	$\Xi^0\bar{\Xi}^0$	$(2.8 \pm 0.9) \times 10^{-4}$	
Γ_{24}	$\Xi(1530)^0\bar{\Xi}(1530)^0$	$< 8.1 \times 10^{-5}$	CL=90%
Γ_{25}	$\Omega^-\bar{\Omega}^+$	$< 7.3 \times 10^{-5}$	CL=90%
Γ_{26}	$\pi^0 p\bar{p}$	$(1.33 \pm 0.17) \times 10^{-4}$	
Γ_{27}	$\eta p\bar{p}$	$(6.0 \pm 1.2) \times 10^{-5}$	
Γ_{28}	$\omega p\bar{p}$	$(6.9 \pm 2.1) \times 10^{-5}$	
Γ_{29}	$\phi p\bar{p}$	$< 2.4 \times 10^{-5}$	CL=90%
Γ_{30}	$\pi^+\pi^- p\bar{p}$	$(6.0 \pm 0.4) \times 10^{-4}$	
Γ_{31}	$2(\pi^+\pi^-\pi^0)$	$(4.5 \pm 1.4) \times 10^{-3}$	
Γ_{32}	$\eta\pi^+\pi^-$	$< 1.6 \times 10^{-4}$	CL=90%
Γ_{33}	$\eta\pi^+\pi^-\pi^0$	$(9.5 \pm 1.7) \times 10^{-4}$	
Γ_{34}	$\eta'\pi^+\pi^-\pi^0$	$(4.5 \pm 2.1) \times 10^{-4}$	
Γ_{35}	$\omega\pi^+\pi^-$	$(6.6 \pm 1.7) \times 10^{-4}$	S=2.7
Γ_{36}	$b_1^\pm\pi^\mp$	$(3.6 \pm 0.6) \times 10^{-4}$	
Γ_{37}	$b_1^0\pi^0$	$(2.4 \pm 0.6) \times 10^{-4}$	
Γ_{38}	$\omega f_2(1270)$	$(2.0 \pm 0.6) \times 10^{-4}$	
Γ_{39}	$\pi^+\pi^-K^+K^-$	$(7.2 \pm 0.5) \times 10^{-4}$	
Γ_{40}	$\rho^0 K^+K^-$	$(2.2 \pm 0.4) \times 10^{-4}$	
Γ_{41}	$K^*(892)^0\bar{K}_2^*(1430)^0$	$(1.9 \pm 0.5) \times 10^{-4}$	
Γ_{42}	$K^+K^-2(\pi^+\pi^-)$	$(1.8 \pm 0.9) \times 10^{-3}$	
Γ_{43}	$K_1(1270)^\pm K^\mp$	$(1.00 \pm 0.28) \times 10^{-3}$	
Γ_{44}	$K_S^0 K_S^0 \pi^+\pi^-$	$(2.2 \pm 0.4) \times 10^{-4}$	
Γ_{45}	$\rho^0 p\bar{p}$	$(5.0 \pm 2.2) \times 10^{-5}$	
Γ_{46}	$K^+\bar{K}^*(892)^0\pi^- + \text{c.c.}$	$(6.7 \pm 2.5) \times 10^{-4}$	
Γ_{47}	$2(\pi^+\pi^-)$	$(2.4 \pm 0.6) \times 10^{-4}$	S=2.2
Γ_{48}	$\rho^0\pi^+\pi^-$	$(2.2 \pm 0.6) \times 10^{-4}$	S=1.4
Γ_{49}	$K^+K^-\pi^+\pi^-\pi^0$	$(1.24 \pm 0.10) \times 10^{-3}$	
Γ_{50}	$\omega f_0(1710) \rightarrow \omega K^+K^-$	$(5.9 \pm 2.2) \times 10^{-5}$	
Γ_{51}	$K^*(892)^0 K^- \pi^+\pi^0 + \text{c.c.}$	$(8.6 \pm 2.2) \times 10^{-4}$	
Γ_{52}	$K^*(892)^+ K^- \pi^+\pi^- + \text{c.c.}$	$(9.6 \pm 2.8) \times 10^{-4}$	
Γ_{53}	$K^*(892)^+ K^- \rho^0 + \text{c.c.}$	$(7.3 \pm 2.6) \times 10^{-4}$	
Γ_{54}	$K^*(892)^0 K^- \rho^+ + \text{c.c.}$	$(6.1 \pm 1.8) \times 10^{-4}$	
Γ_{55}	ηK^+K^-	$< 1.3 \times 10^{-4}$	CL=90%

Γ_{56}	$\omega K^+ K^-$	$(1.85 \pm 0.25) \times 10^{-4}$	S=1.1
Γ_{57}	$3(\pi^+ \pi^-)$	$(3.5 \pm 2.0) \times 10^{-4}$	S=2.8
Γ_{58}	$p\bar{p} \pi^+ \pi^- \pi^0$	$(7.3 \pm 0.7) \times 10^{-4}$	
Γ_{59}	$K^+ K^-$	$(1.0 \pm 0.7) \times 10^{-4}$	
Γ_{60}	$K_S^0 K_L^0$	$(5.2 \pm 0.7) \times 10^{-5}$	
Γ_{61}	$\pi^+ \pi^- \pi^0$	$(1.68 \pm 0.26) \times 10^{-4}$	S=1.4
Γ_{62}	$\rho(2150)\pi \rightarrow \pi^+ \pi^- \pi^0$	$(1.9^{+1.2}_{-0.4}) \times 10^{-4}$	
Γ_{63}	$\rho(770)\pi \rightarrow \pi^+ \pi^- \pi^0$	$(3.2 \pm 1.2) \times 10^{-5}$	S=1.8
Γ_{64}	$\pi^+ \pi^-$	$(8 \pm 5) \times 10^{-5}$	
Γ_{65}	$K_1(1400)^{\pm} K^{\mp}$	$< 3.1 \times 10^{-4}$	CL=90%
Γ_{66}	$K^+ K^- \pi^0$	$< 2.96 \times 10^{-5}$	CL=90%
Γ_{67}	$K^+ \bar{K}^*(892)^- + \text{c.c.}$	$(1.7^{+0.8}_{-0.7}) \times 10^{-5}$	
Γ_{68}	$K^*(892)^0 \bar{K}^0 + \text{c.c.}$	$(1.09 \pm 0.20) \times 10^{-4}$	
Γ_{69}	$\phi \pi^+ \pi^-$	$(1.13 \pm 0.29) \times 10^{-4}$	S=1.7
Γ_{70}	$\phi f_0(980) \rightarrow \pi^+ \pi^-$	$(6.0 \pm 2.2) \times 10^{-5}$	
Γ_{71}	$2(K^+ K^-)$	$(6.0 \pm 1.4) \times 10^{-5}$	
Γ_{72}	$\phi K^+ K^-$	$(7.0 \pm 1.6) \times 10^{-5}$	
Γ_{73}	$2(K^+ K^-) \pi^0$	$(1.10 \pm 0.28) \times 10^{-4}$	
Γ_{74}	$\phi \eta$	$(2.8^{+1.0}_{-0.8}) \times 10^{-5}$	
Γ_{75}	$\phi \eta'$	$(3.1 \pm 1.6) \times 10^{-5}$	
Γ_{76}	$\omega \eta'$	$(3.2^{+2.5}_{-2.1}) \times 10^{-5}$	
Γ_{77}	$\omega \pi^0$	$(2.1 \pm 0.6) \times 10^{-5}$	
Γ_{78}	$\rho \eta'$	$(1.9^{+1.7}_{-1.2}) \times 10^{-5}$	
Γ_{79}	$\rho \eta$	$(2.2 \pm 0.6) \times 10^{-5}$	S=1.1
Γ_{80}	$\omega \eta$	$< 1.1 \times 10^{-5}$	CL=90%
Γ_{81}	$\phi \pi^0$	$< 4 \times 10^{-6}$	CL=90%
Γ_{82}	$p\bar{p} K^+ K^-$	$(2.7 \pm 0.7) \times 10^{-5}$	
Γ_{83}	$\Lambda \bar{\Lambda} \pi^+ \pi^-$	$(2.8 \pm 0.6) \times 10^{-4}$	
Γ_{84}	$\Lambda \bar{p} K^+$	$(1.00 \pm 0.14) \times 10^{-4}$	
Γ_{85}	$\Lambda \bar{p} K^+ \pi^+ \pi^-$	$(1.8 \pm 0.4) \times 10^{-4}$	
Γ_{86}	$\phi f'_2(1525)$	$(4.4 \pm 1.6) \times 10^{-5}$	
Γ_{87}	$\Theta(1540) \bar{\Theta}(1540) \rightarrow K_S^0 p K^- \bar{n} + \text{c.c.}$	$< 8.8 \times 10^{-6}$	CL=90%
Γ_{88}	$\Theta(1540) K^- \bar{n} \rightarrow K_S^0 p K^- \bar{n}$	$< 1.0 \times 10^{-5}$	CL=90%
Γ_{89}	$\Theta(1540) K_S^0 \bar{p} \rightarrow K_S^0 \bar{p} K^+ n$	$< 7.0 \times 10^{-6}$	CL=90%
Γ_{90}	$\bar{\Theta}(1540) K^+ n \rightarrow K_S^0 \bar{p} K^+ n$	$< 2.6 \times 10^{-5}$	CL=90%
Γ_{91}	$\bar{\Theta}(1540) K_S^0 p \rightarrow K_S^0 p K^- \bar{n}$	$< 6.0 \times 10^{-6}$	CL=90%
Γ_{92}	$K_S^0 K_S^0$	$< 4.6 \times 10^{-6}$	

Radiative decays

Γ_{93}	$\gamma\chi_{c0}(1P)$	(9.2 \pm 0.4) %	
Γ_{94}	$\gamma\chi_{c1}(1P)$	(8.7 \pm 0.4) %	
Γ_{95}	$\gamma\chi_{c2}(1P)$	(8.1 \pm 0.4) %	
Γ_{96}	$\gamma\eta_c(1S)$	(2.6 \pm 0.4) \times 10 ⁻³	
Γ_{97}	$\gamma\eta_c(2S)$	< 2.0 \times 10 ⁻³	CL=90%
Γ_{98}	$\gamma\pi^0$		
Γ_{99}	$\gamma\eta'(958)$	(1.5 \pm 0.4) \times 10 ⁻⁴	
Γ_{100}	$\gamma f_2(1270)$	(2.1 \pm 0.4) \times 10 ⁻⁴	
Γ_{101}	$\gamma f_0(1710) \rightarrow \gamma\pi\pi$	(3.0 \pm 1.3) \times 10 ⁻⁵	
Γ_{102}	$\gamma f_0(1710) \rightarrow \gamma K\bar{K}$	(6.0 \pm 1.6) \times 10 ⁻⁵	
Γ_{103}	$\gamma\gamma$	< 1.3 \times 10 ⁻⁴	CL=90%
Γ_{104}	$\gamma\eta$	< 9 \times 10 ⁻⁵	CL=90%
Γ_{105}	$\gamma\eta(1405) \rightarrow \gamma K\bar{K}\pi$	< 1.2 \times 10 ⁻⁴	CL=90%

$\psi(2S)$ PARTIAL WIDTHS

$\Gamma(\text{hadrons})$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT	Γ_1
• • • We do not use the following data for averages, fits, limits, etc. • • •				
258 \pm 26	BAI	02B BES	e^+e^-	
224 \pm 56	LUTH	75 MRK1	e^+e^-	

$\Gamma(e^+e^-)$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT	Γ_4
2.48 \pm 0.06 OUR FIT				
2.14 \pm 0.21	ALEXANDER 89 RVUE	See γ mini-review		
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2.44 \pm 0.21	⁸ BAI	02B BES	e^+e^-	
2.0 \pm 0.3	BRANDELIK	79C DASP	e^+e^-	
2.1 \pm 0.3	⁷ LUTH	75 MRK1	e^+e^-	

⁷ From a simultaneous fit to e^+e^- , $\mu^+\mu^-$, and hadronic channels assuming $\Gamma(e^+e^-) = \Gamma(\mu^+\mu^-)$.

$\Gamma(\gamma\gamma)$

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT	Γ_{103}
<43	90	BRANDELIK	79C DASP	e^+e^-	

⁸ From a simultaneous fit to e^+e^- , $\mu^+\mu^-$, and hadronic channel, assuming $\Gamma_e = \Gamma_\mu = \Gamma_\tau / 0.38847$.

$\psi(2S) \Gamma(i) \Gamma(e^+ e^-)/\Gamma(\text{total})$

This combination of a partial width with the partial width into $e^+ e^-$ and with the total width is obtained from the integrated cross section into channel i in the $e^+ e^-$ annihilation. We list only data that have not been used to determine the partial width $\Gamma(i)$ or the branching ratio $\Gamma(i)/\text{total}$.

$\Gamma(\text{hadrons}) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$

$\Gamma_1 \Gamma_4/\Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2.2 ± 0.4	ABRAMS	75	MRK1 $e^+ e^-$


$\Gamma(J/\psi(1S)\pi^+\pi^-) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$

$\Gamma_9 \Gamma_4/\Gamma$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
0.788 ± 0.019 OUR FIT				
0.82 ± 0.04 OUR AVERAGE				Error includes scale factor of 1.6. See the ideogram below.
0.852 ± 0.010 ± 0.026	19.5k ± 243	ADAM	06	CLEO $3.773 e^+ e^- \rightarrow \gamma \psi(2S)$
0.76 ± 0.05 ± 0.01	544	⁹ AUBERT	05D	BABR $10.6 e^+ e^- \rightarrow \pi^+ \pi^- \mu^+ \mu^- \gamma$
0.68 ± 0.09		BAI	98E	BES $e^+ e^-$

⁹AUBERT 05D reports $[\Gamma(\psi(2S) \rightarrow e^+ e^-) B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-)] \times B(J/\psi \rightarrow \mu^+ \mu^-) = (0.0450 \pm 0.0018 \pm 0.0022)$ keV. We divide by our best value $B(J/\psi \rightarrow \mu^+ \mu^-) = (5.93 \pm 0.06) \times 10^{-2}$. Our first error is the total experiment's error and our second error is the systematic error from using our best value.

WEIGHTED AVERAGE
0.82 ± 0.04 (Error scaled by 1.6)



$\Gamma(J/\psi(1S)\pi^+\pi^-) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$

$\Gamma_9 \Gamma_4/\Gamma$

$\Gamma(J/\psi(1S)\pi^0\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$					$\Gamma_{10}\Gamma_4/\Gamma$
<u>VALUE (keV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.408 ± 0.011 OUR FIT					
$0.411 \pm 0.008 \pm 0.018$	$3.6k \pm 96$	ADAM	06	CLEO	$3.773 e^+e^- \rightarrow \gamma\psi(2S)$
$\Gamma(J/\psi(1S)\eta) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$					$\Gamma_{11}\Gamma_4/\Gamma$
<u>VALUE (eV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
76.6 ± 2.3 OUR FIT					
88 ± 6 ± 7	291 ± 24	ADAM	06	CLEO	$3.773 e^+e^- \rightarrow \gamma\psi(2S)$
$\Gamma(J/\psi(1S)\pi^0) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$					$\Gamma_{12}\Gamma_4/\Gamma$
<u>VALUE (eV)</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<8	90	<37	ADAM	06	CLEO
					$3.773 e^+e^- \rightarrow \gamma\psi(2S)$
$\Gamma(2(\pi^+\pi^-\pi^0)) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$					$\Gamma_{31}\Gamma_4/\Gamma$
<u>VALUE (eV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$11.2 \pm 3.3 \pm 1.3$	43	AUBERT	06D BABR	$10.6 e^+e^- \rightarrow 2(\pi^+\pi^-\pi^0)\gamma$	
$\Gamma(K^+K^-2(\pi^+\pi^-)) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$					$\Gamma_{42}\Gamma_4/\Gamma$
<u>VALUE (eV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$4.4 \pm 2.1 \pm 0.3$	26	AUBERT	06D BABR	$10.6 e^+e^- \rightarrow K^+K^-2(\pi^+\pi^-)\gamma$	
$\Gamma(p\bar{p}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$					$\Gamma_{16}\Gamma_4/\Gamma$
<u>VALUE (eV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$0.70 \pm 0.17 \pm 0.03$	22	AUBERT	06B	$e^+e^- \rightarrow p\bar{p}\gamma$	
The value of $\Gamma(e^+e^-)$ quoted in BAI 98E is derived using $B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) = (32.4 \pm 2.6) \times 10^{-2}$ and $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.1203 \pm 0.0038$. Recalculated by us using $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.1181 \pm 0.0020$.					

$\psi(2S)$ BRANCHING RATIOS

$\Gamma(\text{hadrons})/\Gamma_{\text{total}}$					Γ_1/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>			<u>TECN</u>	<u>COMMENT</u>
0.9785 ± 0.0013 OUR AVERAGE					
0.9779 ± 0.0015	12 BAI		02B BES	e^+e^-	
0.981 ± 0.003	12 LUTH		75 MRK1	e^+e^-	
$\Gamma(\text{virtual } \gamma \rightarrow \text{hadrons})/\Gamma_{\text{total}}$					Γ_2/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>			<u>TECN</u>	<u>COMMENT</u>
0.0173 ± 0.0014 OUR AVERAGE	Error includes scale factor of 1.5.				
0.0166 ± 0.0010	13,14 SETH		04 RVUE	e^+e^-	
0.0199 ± 0.0019	13 BAI		02B BES	e^+e^-	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.029 ± 0.004	13 LUTH		75 MRK1	e^+e^-	

$\Gamma(\text{light hadrons})/\Gamma_{\text{total}}$ Γ_3/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.169 \pm 0.026	11 ADAM	05A CLEO	$e^+ e^- \rightarrow \psi(2S)$
11 Uses $B(J/\psi X)$ from ADAM 05A, $B(\chi_{cJ}\gamma)$, $B(\eta_c\gamma)$ from ATHAR 04 and $B(\ell^+\ell^-)$ from PDG 04.			

 $\Gamma(e^+e^-)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
73.5 \pm 1.8 OUR FIT			
88 \pm 13	15 FELDMAN	77 RVUE	$e^+ e^-$

 $\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$ Γ_5/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>
73 \pm 8 OUR FIT	

 $\Gamma(\tau^+\tau^-)/\Gamma_{\text{total}}$ Γ_6/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>
28 \pm 7 OUR FIT	

 $\Gamma(\mu^+\mu^-)/\Gamma(e^+e^-)$ Γ_5/Γ_4

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.99 \pm 0.11 OUR FIT			
0.89 \pm 0.16	BOYARSKI	75C MRK1	$e^+ e^-$

12 Includes cascade decay into $J/\psi(1S)$.13 Included in $\Gamma(\text{hadrons})/\Gamma_{\text{total}}$.14 Using $B(\psi(2S) \rightarrow \ell^+\ell^-) = (0.73 \pm 0.04)\%$ from RPP-2002 and $R = 2.28 \pm 0.04$ determined by a fit to data from BAI 00 and BAI 02C.15 From an overall fit assuming equal partial widths for e^+e^- and $\mu^+\mu^-$. For a measurement of the ratio see the entry $\Gamma(\mu^+\mu^-)/\Gamma(e^+e^-)$ below. Includes LUTH 75, HILGER 75, BURMEISTER 77.**— DECAYS INTO $J/\psi(1S)$ AND ANYTHING —** $\Gamma(J/\psi(1S)\text{anything})/\Gamma_{\text{total}}$ Γ_7/Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.561 \pm 0.009 OUR FIT				
0.592 \pm 0.018 OUR AVERAGE				
0.5950 \pm 0.0015 \pm 0.0190	151k	ADAM	05A CLEO	$e^+ e^- \rightarrow \psi(2S)$
0.51 \pm 0.12		BRANDELIK	79C DASP	$e^+ e^- \rightarrow \mu^+\mu^- X$
0.57 \pm 0.08		ABRAMS	75B MRK1	$e^+ e^- \rightarrow \mu^+\mu^- X$

 $\Gamma(J/\psi(1S)\text{ neutrals})/\Gamma_{\text{total}}$ Γ_8/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>
0.230 \pm 0.004 OUR FIT	

$\Gamma(J/\psi(1S)\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_9/Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.318 ± 0.006 OUR FIT				
0.323 ± 0.013 OUR AVERAGE				
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.323 ± 0.014	BAI	02B BES	e^+e^-	
0.32 ± 0.04	ABRAMS	75B MRK1	$e^+e^- \rightarrow J/\psi\pi^+\pi^-$	
0.3354 ± 0.0014 ± 0.0110	60k	¹⁶ ADAM	05A CLEO	$e^+e^- \rightarrow \psi(2S)$


¹⁶ Not independent from other values reported by ADAM 05A.

$\Gamma(J/\psi(1S)\pi^0\pi^0)/\Gamma_{\text{total}}$ Γ_{10}/Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.1646 ± 0.0035 OUR FIT				
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.1652 ± 0.0014 ± 0.0058	13.4k	¹⁶ ADAM	05A CLEO	$e^+e^- \rightarrow \psi(2S)$

$\Gamma(J/\psi(1S)\eta)/\Gamma_{\text{total}}$ Γ_{11}/Γ


VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.0309 ± 0.0008 OUR FIT				
0.0296 ± 0.0031 OUR AVERAGE	Error includes scale factor of 1.8. See the ideogram below.			
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.0298 ± 0.0009 ± 0.0023	5.7k	BAI	04I BES2	$\psi(2S) \rightarrow J/\psi\gamma\gamma$
0.0255 ± 0.0029	386	²¹ OREGLIA	80 CBAL	$e^+e^- \rightarrow J/\psi 2\gamma$
0.045 ± 0.012	17	²² BRANDELIK	79B DASP	$e^+e^- \rightarrow J/\psi 2\gamma$
0.042 ± 0.006	164	²² BARTEL	78B CNTR	e^+e^-
0.0325 ± 0.0006 ± 0.0011	2.8k	¹⁶ ADAM	05A CLEO	$e^+e^- \rightarrow \psi(2S)$
0.043 ± 0.008	44	TANENBAUM	76 MRK1	e^+e^-



$\Gamma(J/\psi(1S)\pi^0)/\Gamma_{\text{total}}$

Γ_{12}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
12.6±1.3 OUR AVERAGE	Error includes scale factor of 1.3. See the ideogram below.			
13 ± 1 ± 1	88	ADAM	05A	CLEO $e^+ e^- \rightarrow \psi(2S)$
14.3±1.4±1.2	280	BAI	04I	BES2 $\psi(2S) \rightarrow J/\psi \gamma \gamma$
14 ± 6	7	HIMEL	80	MRK2 $e^+ e^-$
9 ± 2 ± 1	23	²¹ OREGLIA	80	CBAL $\psi(2S) \rightarrow J/\psi 2\gamma$



$\Gamma(J/\psi(1S)\text{ neutrals})/\Gamma(J/\psi(1S)\pi^+\pi^-)$

VALUE	DOCUMENT ID	TECN	COMMENT
0.723±0.008 OUR FIT			
0.73 ±0.09	TANENBAUM 76	MRK1	e^+e^-


Γ_8/Γ_9

$\Gamma(J/\psi(1S)\pi^+\pi^-)/\Gamma(J/\psi(1S)\text{ anything})$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.5671±0.0032 OUR FIT				
0.559 ±0.007 OUR AVERAGE	Error includes scale factor of 1.5. See the ideogram below.			
0.5637±0.0027±0.0046	60k	ADAM	05A CLEO	$e^+e^- \rightarrow \psi(2S)$
0.525 ±0.009 ±0.022	4090 ± 67	ANDREOTTI	05 E835	$\psi(2S) \rightarrow J/\psi X$
0.536 ±0.007 ±0.016	20k	17,23 ABLIKIM	04B BES	$\psi(2S) \rightarrow J/\psi X$
0.496 ±0.037		ARMSTRONG	97 E760	$\bar{p}p \rightarrow \psi(2S)$

Γ_9/Γ_7

17 ABLIKIM 04B quotes $B(\psi(2S) \rightarrow J/\psi X) / B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-)$.



$$\Gamma(J/\psi(1S)\pi^+\pi^-)/\Gamma(J/\psi(1S)\text{anything})$$

$$\Gamma_9/\Gamma_7$$


$$\Gamma(J/\psi(1S)\pi^0\pi^0)/\Gamma(J/\psi(1S)\text{anything})$$

$$\Gamma_{10}/\Gamma_7$$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.2933±0.0032 OUR FIT				
0.284 ±0.010 OUR AVERAGE	Error includes scale factor of 2.3. See the ideogram below.			
0.2776±0.0025±0.0043	13.4k	ADAM	05A CLEO	$e^+e^- \rightarrow \psi(2S)$
0.300 ± 0.008 ± 0.022	1655 ± 44	ANDREOTTI	05 E835	$\psi(2S) \rightarrow J/\psi X$
0.328 ± 0.013 ± 0.008		AMBROGIANI	00A E835	$p\bar{p} \rightarrow \psi(2S)$
0.323 ± 0.033		ARMSTRONG	97 E760	$\bar{p}p \rightarrow \psi(2S)$

WEIGHTED AVERAGE

0.284 ± 0.010 (Error scaled by 2.3)



$$\Gamma(J/\psi(1S)\pi^0\pi^0)/\Gamma(J/\psi(1S)\text{anything})$$

$$\Gamma_{10}/\Gamma_7$$

$$\Gamma(J/\psi(1S)\pi^0\pi^0)/\Gamma(J/\psi(1S)\pi^+\pi^-)$$

$$\Gamma_{10}/\Gamma_9$$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.517 ± 0.018 OUR FIT				
0.570 ± 0.009 ± 0.026	14k	23 ABLIKIM	04B BES	$\psi(2S) \rightarrow J/\psi X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.4924 ± 0.0047 ± 0.0086	73k	16,18 ADAM	05A CLEO	$e^+ e^- \rightarrow \psi(2S)$
0.571 ± 0.018 ± 0.044		24 ANDREOTTI	05 E835	$\psi(2S) \rightarrow J/\psi X$
0.53 ± 0.06		TANENBAUM	76 MRK1	$e^+ e^-$
0.64 ± 0.15		25 HILGER	75 SPEC	$e^+ e^-$

¹⁸ Using 13,217 $J/\psi\pi^0\pi^0$ and 60,010 $J/\psi\pi^+\pi^-$ events.

$$\Gamma(J/\psi(1S)\eta)/\Gamma(J/\psi(1S)\text{anything})$$

$$\Gamma_{11}/\Gamma_7$$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.0551 ± 0.0011 OUR FIT				
0.0548 ± 0.0012 OUR AVERAGE				
0.0546 ± 0.0010 ± 0.0007	2.8k	ADAM	05A CLEO	$e^+ e^- \rightarrow \psi(2S)$
0.050 ± 0.006 ± 0.003	298 \pm 20	ANDREOTTI	05 E835	$\psi(2S) \rightarrow J/\psi X$
0.072 ± 0.009		AMBROGIANI	00A E835	$p\bar{p} \rightarrow \psi(2S)$
0.061 ± 0.015		ARMSTRONG	97 E760	$\bar{p}p \rightarrow \psi(2S)$

$\Gamma(J/\psi(1S)\eta)/\Gamma(J/\psi(1S)\pi^+\pi^-)$ Γ_{11}/Γ_9

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.097 ±0.004 OUR FIT				
0.096 ±0.010 OUR AVERAGE				
0.098 ± 0.005 ± 0.010	2k	23 ABLIKIM	04B BES	$\psi(2S) \rightarrow J/\psi X$
0.091 ± 0.021		26 HIMEL	80 MRK2	$e^+ e^- \rightarrow \psi(2S) X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.0968 ± 0.0019 ± 0.0013	2.8k	16 ADAM	05A CLEO	$e^+ e^- \rightarrow \psi(2S)$
0.095 ± 0.007 ± 0.007		24 ANDREOTTI	05 E835	$\psi(2S) \rightarrow J/\psi X$

 $\Gamma(J/\psi(1S)\pi^0)/\Gamma(J/\psi(1S)\text{anything})$ Γ_{12}/Γ_7

<u>VALUE (units 10^{-2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.22 ± 0.02 ± 0.01	19 ADAM	05A CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow J/\psi \gamma\gamma$


19 Not independent from other values reported by ADAM 05A.

 $\Gamma(J/\psi(1S)\pi^0)/\Gamma(J/\psi(1S)\pi^+\pi^-)$ Γ_{12}/Γ_9

<u>VALUE (units 10^{-2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.39 ± 0.04 ± 0.01	20 ADAM	05A CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow J/\psi \gamma\gamma$
20 Not independent from other values reported by ADAM 05A.			

 $\Gamma(e^+ e^-)/\Gamma(J/\psi(1S)\text{anything})$ Γ_4/Γ_7

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.310 ±0.027 OUR FIT				
1.28 ±0.04 OUR AVERAGE				Error includes scale factor of 1.6. See the ideogram below.
1.22 ± 0.02 ± 0.05	5097 ± 73	27 ANDREOTTI	05 E835	$p\bar{p} \rightarrow \psi(2S) \rightarrow e^+ e^-$
1.28 ± 0.03 ± 0.02		27 AMBROGIANI	00A E835	$p\bar{p} \rightarrow \psi(2S)$
1.44 ± 0.08 ± 0.02		27 ARMSTRONG	97 E760	$\bar{p}p \rightarrow \psi(2S)$



$$\Gamma_4/\Gamma_7$$

$\Gamma(e^+ e^-)/\Gamma(J/\psi(1S)\pi^+\pi^-)$

VALUE	DOCUMENT ID	TECN	COMMENT
0.0231±0.0008 OUR FIT			
0.0252±0.0028±0.0011	27 AUBERT	02B BABR	$e^+ e^-$

$$\Gamma_4/\Gamma_9$$

$\Gamma(\mu^+ \mu^-)/\Gamma(J/\psi(1S)\text{anything})$

VALUE	DOCUMENT ID	TECN	COMMENT
0.0130±0.0014 OUR FIT			
0.014 ±0.003	HILGER	75 SPEC	$e^+ e^-$

$$\Gamma_5/\Gamma_7$$

$\Gamma(\mu^+ \mu^-)/\Gamma(J/\psi(1S)\pi^+\pi^-)$

VALUE	DOCUMENT ID	TECN	COMMENT
0.0229±0.0026 OUR FIT			
0.0224±0.0029 OUR AVERAGE			

0.0216±0.0026±0.0014 28 AUBERT 02B BABR $e^+ e^-$
 0.0327±0.0077±0.0072 28 GRIBUSHIN 96 FMPS 515 π^- Be → 2 μX

$$\Gamma_5/\Gamma_9$$

$\Gamma(\tau^+ \tau^-)/\Gamma(J/\psi(1S)\pi^+\pi^-)$

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
8.7 ±2.1 OUR FIT			
8.73±1.39±1.57	BAI	02 BES	$e^+ e^-$

- 21 Recalculated by us using $B(J/\psi(1S) \rightarrow \ell^+ \ell^-) = 0.1181 \pm 0.0020$.
 22 Recalculated by us using $B(J/\psi(1S) \rightarrow \mu^+ \mu^-) = 0.0588 \pm 0.0010$.
 23 From a fit to the J/ψ recoil mass spectra.
 24 Not independent from other values reported by ANDREOTTI 05.
 25 Ignoring the $J/\psi(1S)\eta$ and $J/\psi(1S)\gamma\gamma$ decays.
 26 The value for $B(\psi(2S) \rightarrow J/\psi(1s)\eta)$ reported in HIMEL 80 is derived using $B(\psi(2S)) \rightarrow J/\psi(1S)\pi^+\pi^-) = (33 \pm 3)\%$ and $B(J/\psi(1S) \rightarrow \ell^+ \ell^-) = 0.138 \pm 0.018$. Calculated by us using $B(J/\psi(1S) \rightarrow \ell^+ \ell^-) = (0.1181 \pm 0.0020)$.
 27 Using $B(J/\psi(1S) \rightarrow e^+ e^-) = 0.0593 \pm 0.0010$.
 28 Using $B(J/\psi(1S) \rightarrow \mu^+ \mu^-) = 0.0588 \pm 0.0010$.

HADRONIC DECAYS

 $\Gamma(3(\pi^+\pi^-)\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{13}/Γ
35 ± 16	6	FRANKLIN	83	MRK2 $e^+ e^- \rightarrow$ hadrons	

 $\Gamma(2(\pi^+\pi^-)\pi^0)/\Gamma_{\text{total}}$


<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{14}/Γ
26.6 ± 2.9 OUR AVERAGE					
26.1 $\pm 0.7 \pm 3.0$	1702.6	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$	
30 ± 8	42	FRANKLIN	83	MRK2 $e^+ e^-$	

 $\Gamma(\rho a_2(1320))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{15}/Γ
$2.55 \pm 0.73 \pm 0.47$		112 ± 31	BAI	04C BES2	$\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$	
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<2.3		90	BAI	98J BES	$e^+ e^-$	

 $\Gamma(p\bar{p})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{16}/Γ
2.65 ± 0.22 OUR AVERAGE		Error includes scale factor of 1.4. See the ideogram below.			
2.87 $\pm 0.12 \pm 0.15$	557	PEDLAR	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}$	
2.16 $\pm 0.15 \pm 0.36$	201	BAI	01	BES $e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}$	
1.4 ± 0.8	4	BRANDELIK	79C DASP	$e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}$	
2.3 ± 0.7		FELDMAN	77 MRK1	$e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}$	



$\Gamma(\Delta^{++}\bar{\Delta}^{--})/\Gamma_{\text{total}}$

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
12.8±1.0±3.4	157	30 BAI	01 BES	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

Γ_{16}/Γ

$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
2.5 ± 0.7 OUR AVERAGE			Error includes scale factor of 3.1.		
3.28±0.23±0.25		208	PEDLAR	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
1.81±0.20±0.27		80	30 BAI	01 BES	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 4		90	FELDMAN	77 MRK1	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

Γ_{17}/Γ

$\Gamma(\Sigma^+\bar{\Sigma}^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
25.7±4.4±6.8	35	PEDLAR	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

Γ_{19}/Γ

$\Gamma(\Sigma^0\bar{\Sigma}^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
21 ± 7 OUR AVERAGE		Error includes scale factor of 2.0.		
26.3±3.5±2.1	58	PEDLAR	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
12 ± 4 ± 4	8	30 BAI	01 BES	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

Γ_{20}/Γ

$\Gamma(\Sigma(1385)^+ \bar{\Sigma}(1385)^-)/\Gamma_{\text{total}}$ Γ_{21}/Γ

<u>VALUE (units 10^{-5})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
11±3±3	14	30 BAI	01 BES	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

 $\Gamma(\Xi^- \bar{\Xi}^+)/\Gamma_{\text{total}}$ Γ_{22}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
15 ± 7 OUR AVERAGE					Error includes scale factor of 3.0.
23.8±3.0±2.1	63	PEDLAR	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$	
9.4±2.7±1.5	12	30 BAI	01 BES	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<20	90	FELDMAN	77 MRK1	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$	

 $\Gamma(\Xi^0 \bar{\Xi}^0)/\Gamma_{\text{total}}$ Γ_{23}/Γ

<u>VALUE (units 10^{-5})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
27.5±6.4±6.1	19	PEDLAR	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$

 $\Gamma(\Xi(1530)^0 \bar{\Xi}(1530)^0)/\Gamma_{\text{total}}$ Γ_{24}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 8.1	90	30 BAI	01 BES	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
• • • We do not use the following data for averages, fits, limits, etc. • • •				

 $\Gamma(\Omega^- \bar{\Omega}^+)/\Gamma_{\text{total}}$ Γ_{25}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 7.3	90	30 BAI	01 BES	$e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$
• • • We do not use the following data for averages, fits, limits, etc. • • •				

<16 90 PEDLAR 05 CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow \text{hadrons}$ | $\Gamma(\pi^0 p\bar{p})/\Gamma_{\text{total}}$ Γ_{26}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.33±0.17 OUR AVERAGE				
1.32±0.10±0.15	256 ± 18	29 ABLIKIM	05E BES2	$e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\gamma\gamma$
1.4 ± 0.5	9	FRANKLIN	83 MRK2	$e^+ e^- \rightarrow$

29 Computed using $B(\pi^0 \rightarrow \gamma\gamma) = (98.80 \pm 0.03)\%$. | $\Gamma(\eta p\bar{p})/\Gamma_{\text{total}}$ Γ_{27}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.60±0.12 OUR AVERAGE				
0.58±0.11±0.07	44.8 ± 8.5	31 ABLIKIM	05E BES2	$e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\gamma\gamma$
0.8 ± 0.3 ± 0.3	9.8	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\pi^+\pi^-\pi^0$

$\Gamma(\omega p\bar{p})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
0.69 ± 0.21 OUR AVERAGE	

0.6 ± 0.2 ± 0.2 21.20.8 ± 0.3 ± 0.1 14.9 ± 0.1

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

BRIERE	05	CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\pi^+\pi^-\pi^0$
32 BAI	03B	BES	$\psi(2S) \rightarrow p\bar{p}\pi^+\pi^-\pi^0$

 Γ_{28}/Γ $\Gamma(\phi p\bar{p})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>
<0.24	90

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BRIERE	05	CLEO
32 BAI	03B	BES

$e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}K^+ K^-$

$\psi(2S) \rightarrow K^+ K^- p\bar{p}$

 Γ_{29}/Γ $\Gamma(\pi^+ \pi^- p\bar{p})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
6.0 ± 0.4 OUR AVERAGE	

5.9 $\pm 0.2 \pm 0.4$ 904.58 ± 2

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

BRIERE	05	CLEO
33 TANENBAUM	78	MRK1

 Γ_{30}/Γ $\Gamma(\eta\pi^+\pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>
<1.6	90

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BRIERE	05	CLEO

 Γ_{32}/Γ $\Gamma(\eta\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
$9.5 \pm 0.7 \pm 1.5$	

34 BRIERE	05	CLEO
-----------	----	------

 $\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$

10.3 $\pm 0.8 \pm 1.4$	201.7	35 BRIERE	05	CLEO
------------------------	-------	-----------	----	------

8.1 $\pm 1.4 \pm 1.6$	50.0	35 BRIERE	05	CLEO
-----------------------	------	-----------	----	------

 Γ_{33}/Γ $\Gamma(\eta'\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
$4.5 \pm 1.6 \pm 1.3$	12.8

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BRIERE	05	CLEO

 Γ_{34}/Γ $\Gamma(\omega\pi^+\pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
6.6 ± 1.7 OUR AVERAGE	Error includes scale factor of 2.7.

8.2 $\pm 0.5 \pm 0.7$	391	BRIERE	05	CLEO
-----------------------	-----	--------	----	------

4.8 $\pm 0.6 \pm 0.7$	100 \pm 22	32 BAI	03B	BES
-----------------------	--------------	--------	-----	-----

 Γ_{35}/Γ

$\Gamma(b_1^\pm \pi^\mp)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
3.6 ± 0.6 OUR AVERAGE	

<u>4.18$^{+0.43}_{-0.42}$</u>	<u>± 0.92</u>	<u>170</u>	<u>ADAM</u>	<u>05</u>	<u>CLEO</u>	<u>$e^+ e^- \rightarrow \psi(2S)$</u>
<u>3.2 ± 0.6</u>	<u>± 0.5</u>	<u>61 ± 11</u>	<u>32,36</u>	<u>BAI</u>	<u>03B</u>	<u>BES</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<u>5.2 ± 0.8</u>	<u>± 1.0</u>		<u>36</u>	<u>BAI</u>	<u>99C</u>	<u>BES</u>
						<u>Repl. by BAI 03B</u>

 Γ_{36}/Γ $\Gamma(b_1^0 \pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
$2.35^{+0.47}_{-0.42} \pm 0.40$	45

 Γ_{37}/Γ $\Gamma(\omega f_2(1270))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>EVTS</u>
$2.05 \pm 0.41 \pm 0.38$		62 ± 12

• • • We do not use the following data for averages, fits, limits, etc. • • •

<u><1.5</u>	<u>90</u>	<u>32</u>	<u>BAI</u>	<u>03B</u>	<u>BES</u>	<u>$\psi(2S) \rightarrow 2(\pi^+ \pi^-)\pi^0$</u>
<u><1.7</u>	<u>90</u>		<u>BAI</u>		<u>98J</u>	<u>BES</u>

 Γ_{38}/Γ $\Gamma(\pi^+ \pi^- K^+ K^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
7.2 ± 0.5 OUR AVERAGE	

<u>$7.1 \pm 0.3 \pm 0.4$</u>	<u>817.2</u>	<u>BRIERE</u>	<u>05</u>	<u>CLEO</u>	<u>$e^+ e^- \rightarrow \psi(2S) \rightarrow$</u>
<u>16</u>	<u>± 4</u>				<u>$K^+ K^- \pi^+ \pi^-$</u>

 Γ_{39}/Γ $\Gamma(\rho^0 K^+ K^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
$2.2 \pm 0.2 \pm 0.4$	223.8

 Γ_{40}/Γ $\Gamma(K^*(892)^0 \bar{K}_2^*(1430)^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>EVTS</u>
$1.86 \pm 0.32 \pm 0.43$		93 ± 16

• • • We do not use the following data for averages, fits, limits, etc. • • •

<u><1.2</u>	<u>90</u>	<u>BAI</u>	<u>98J</u>	<u>BES</u>	<u>$e^+ e^-$</u>

 Γ_{41}/Γ $\Gamma(K_1(1270)^\pm K^\mp)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
$10.0 \pm 1.8 \pm 2.1$	

 Γ_{43}/Γ $\Gamma(\rho^0 p \bar{p})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
$0.5 \pm 0.1 \pm 0.2$	61.1

 Γ_{45}/Γ

$\Gamma(K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{46}/Γ

<u>VALUE</u> (units 10^{-4})	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
6.7±2.5	TANENBAUM 78	MRK1	$e^+ e^-$

 $\Gamma(2(\pi^+ \pi^-))/\Gamma_{\text{total}}$ Γ_{47}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.4±0.6 OUR AVERAGE				Error includes scale factor of 2.2.
2.2±0.2±0.2	308	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow 2(\pi^+ \pi^-)$

|

4.5±1.0		TANENBAUM 78	MRK1	$e^+ e^-$
---------	--	--------------	------	-----------

 $\Gamma(\rho^0 \pi^+ \pi^-)/\Gamma_{\text{total}}$ Γ_{48}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.2±0.6 OUR AVERAGE				Error includes scale factor of 1.4.
2.0±0.2±0.4	285.5	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow 2(\pi^+ \pi^-)$
4.2±1.5		TANENBAUM 78	MRK1	$e^+ e^-$

 $\Gamma(K^+ K^- \pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$ Γ_{49}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
12.4^{+1.0}_{-0.9} OUR AVERAGE				
11.7±1.0±1.5	597	ABLIKIM	06G	BES2 $\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$
12.7±0.5±1.0	711.6	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

|

 $\Gamma(\omega f_0(1710) \rightarrow \omega K^+ K^-)/\Gamma_{\text{total}}$ Γ_{50}/Γ

<u>VALUE</u> (units 10^{-5})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5.9±2.0±0.9	19	ABLIKIM	06G	BES2 $\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

|

 $\Gamma(K^*(892)^0 K^- \pi^+ \pi^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{51}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8.6±1.3±1.8	238	ABLIKIM	06G	BES2 $\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

 $\Gamma(K^*(892)^+ K^- \pi^+ \pi^- + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{52}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
9.6±2.2±1.7	133	ABLIKIM	06G	BES2 $\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

|

 $\Gamma(K^*(892)^+ K^- \rho^0 + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{53}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7.3±2.2±1.4	78	ABLIKIM	06G	BES2 $\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

|

 $\Gamma(K^*(892)^0 K^- \rho^+ + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{54}/Γ

<u>VALUE</u> (units 10^{-4})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
6.1±1.3±1.2	125	ABLIKIM	06G	BES2 $\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

|

$\Gamma(\eta K^+ K^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>
<1.3	90

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

 Γ_{55}/Γ

|

 $\Gamma(\omega K^+ K^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
1.85 ± 0.25 OUR AVERAGE	Error includes scale factor of 1.1.

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2.38 \pm 0.37 \pm 0.29$	78	ABLIKIM	06G BES2	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$
$1.9 \pm 0.3 \pm 0.3$	76.8	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$
$1.5 \pm 0.3 \pm 0.2$	23.0 ± 5.2	32 BAI	03B BES	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

 Γ_{56}/Γ

|

 $\Gamma(3(\pi^+ \pi^-))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
3.5 ± 2.0 OUR AVERAGE	Error includes scale factor of 2.8.

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$5.45 \pm 0.42 \pm 0.87$	671	ABLIKIM	05H BES2	$e^+ e^- \rightarrow \psi(2S) \rightarrow 3(\pi^+ \pi^-)$
1.5 ± 1.0		33 TANENBAUM	78 MRK1	$e^+ e^-$

 Γ_{57}/Γ

|

 $\Gamma(p\bar{p}\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
$7.3 \pm 0.4 \pm 0.6$	434.9

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\pi^+\pi^-\pi^0$

 Γ_{58}/Γ

|

 $\Gamma(K^+ K^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>
1.0 ± 0.7	

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BRANDELIK	79C DASP	$e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.5	90	FELDMAN	77 MRK1	$e^+ e^-$

 Γ_{59}/Γ

|

 $\Gamma(K_S^0 K_L^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>EVTS</u>
$5.24 \pm 0.47 \pm 0.48$	156 ± 14

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
38 BAI	04B BES2	$\psi(2S) \rightarrow K_S^0 K_L^0 \rightarrow \pi^+ \pi^- X$

 Γ_{60}/Γ

|


 $\Gamma(\pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
1.68 ± 0.26 OUR AVERAGE	Error includes scale factor of 1.4. See the ideogram below.

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$1.81 \pm 0.18 \pm 0.19$	260 ± 19	39 ABLIKIM	05J BES2	$e^+ e^- \rightarrow \psi(2S)$
$1.88^{+0.16}_{-0.15} \pm 0.28$	194	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$
0.85 ± 0.46	4	FRANKLIN	83 MRK2	$e^+ e^- \rightarrow \text{hadrons}$

 Γ_{61}/Γ

|



$\Gamma(\rho(2150)\pi \rightarrow \pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
$1.94 \pm 0.25^{+1.15}_{-0.34}$	39 ABLIKIM	05J BES2	$\psi(2S) \rightarrow \rho(2150)\pi \rightarrow \pi^+ \pi^- \pi^0$

Γ_{62}/Γ

$\Gamma(\rho(770)\pi \rightarrow \pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.32 ± 0.12 OUR AVERAGE					Error includes scale factor of 1.8.
$0.51 \pm 0.07 \pm 0.11$			39 ABLIKIM	05J BES2	$\psi(2S) \rightarrow \rho(770)\pi \rightarrow \pi^+ \pi^- \pi^0$
$0.24^{+0.08}_{-0.07} \pm 0.02$		22	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$

Γ_{63}/Γ

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.83	90	1	FRANKLIN	83 MRK2	$e^+ e^-$
<10	90		BARTEL	76 CNTR	$e^+ e^-$
<10	90		40 ABRAMS	75 MRK1	$e^+ e^-$

$\Gamma(\pi^+ \pi^-)/\Gamma_{\text{total}}$

Γ_{64}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
0.8 ± 0.5		BRANDELIK	79C DASP	$e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.5	90	FELDMAN	77 MRK1	$e^+ e^-$
------	----	---------	---------	-----------

$\Gamma(K_S^0 K_S^0 \pi^+ \pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{44}/Γ
$2.20 \pm 0.25 \pm 0.37$	83 ± 9	ABLIKIM	050 BES2	$e^+ e^- \rightarrow \psi(2S)$	■

 $\Gamma(K_1(1400)^{\pm} K^{\mp})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{65}/Γ
<3.1	90	41 BAI	99C BES	$e^+ e^-$	■

 $\Gamma(K^+ K^- \pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{66}/Γ
<2.96	90	1	FRANKLIN	83 MRK2	$e^+ e^- \rightarrow \text{hadrons}$	■

 $\Gamma(K^+ \bar{K}^*(892)^- + \text{c.c.})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{67}/Γ
$1.7^{+0.8}_{-0.7}$ OUR AVERAGE						■
$2.9^{+1.3}_{-1.7} \pm 0.4$		9.6 ± 4.2	ABLIKIM	05I BES2	$e^+ e^- \rightarrow \psi(2S)$	■
$1.3^{+1.0}_{-0.7} \pm 0.3$		7	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$	■
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$						
<5.4	90		FRANKLIN	83 MRK2	$e^+ e^- \rightarrow \text{hadrons}$	

 $\Gamma(K^*(892)^0 \bar{K}^0 + \text{c.c.})/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{68}/Γ
10.9 ± 2.0 OUR AVERAGE					■
$13.3^{+2.4}_{-2.8} \pm 1.7$	65.6 ± 9.0	ABLIKIM	05I BES2	$e^+ e^- \rightarrow \psi(2S)$	■
$9.2^{+2.7}_{-2.2} \pm 0.9$	25	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$	■

 $\Gamma(K^+ \bar{K}^*(892)^- + \text{c.c.})/\Gamma(K^*(892)^0 \bar{K}^0 + \text{c.c.})$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{67}/Γ_{68}
0.16 ± 0.06 OUR AVERAGE				■
$0.22^{+0.10}_{-0.14}$	ABLIKIM	05I BES2	$e^+ e^- \rightarrow \psi(2S)$	■
$0.14^{+0.08}_{-0.06}$	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$	■

 $\Gamma(\phi \pi^+ \pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{69}/Γ
1.13 ± 0.29 OUR AVERAGE				Error includes scale factor of 1.7.	■
$0.9 \pm 0.2 \pm 0.1$	47.6	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^+ K^- \pi^+ \pi^-$	■
$1.5 \pm 0.2 \pm 0.2$	51.5 ± 8.3	32 BAI	03B BES	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^-$	■

 $\Gamma(\phi f_0(980) \rightarrow \pi^+ \pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{70}/Γ
$0.6 \pm 0.2 \pm 0.1$	18.4 ± 6.4	32 BAI	03B BES	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^-$	■

$\Gamma(2(K^+ K^-))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
$0.6 \pm 0.1 \pm 0.1$	59.2

 Γ_{71}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow 2(K^+ K^-)$

 $\Gamma(\phi K^+ K^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
0.70 ± 0.16 OUR AVERAGE	
$0.8 \pm 0.2 \pm 0.1$	36.8
$0.6 \pm 0.2 \pm 0.1$	16.1 ± 5.0

 Γ_{72}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow 2(K^+ K^-)$
32 BAI	03B BES	$\psi(2S) \rightarrow 2(K^+ K^-)$

 $\Gamma(2(K^+ K^-)\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>
$1.1 \pm 0.2 \pm 0.2$	44.7

 Γ_{73}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow 2(K^+ K^-)\pi^0$

 $\Gamma(\phi\eta)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>EVTS</u>
$2.8^{+1.0}_{-0.8}$ OUR AVERAGE	
$2.0^{+1.5}_{-1.1} \pm 0.4$	6
$3.3 \pm 1.1 \pm 0.5$	17

 Γ_{74}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$
ABLIKIM	04K BES	$e^+ e^- \rightarrow \psi(2S)$

 $\Gamma(\phi\eta')/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>EVTS</u>
$3.1 \pm 1.4 \pm 0.7$	8

 Γ_{75}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
42 ABLIKIM	04K BES	$e^+ e^- \rightarrow \psi(2S)$

 $\Gamma(\omega\eta')/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>EVTS</u>
$3.2^{+2.4}_{-2.0} \pm 0.7$	4

 Γ_{76}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
42 ABLIKIM	04K BES	$e^+ e^- \rightarrow \psi(2S)$

 $\Gamma(\omega\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>EVTS</u>
2.1 ± 0.6 OUR AVERAGE	
$2.5^{+1.2}_{-1.0} \pm 0.2$	14
$1.87^{+0.68}_{-0.62} \pm 0.28$	14

 Γ_{77}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$
ABLIKIM	04L BES	$e^+ e^- \rightarrow \psi(2S)$

 $\Gamma(\rho\eta')/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>EVTS</u>
$1.87^{+1.64}_{-1.11} \pm 0.33$	2

 Γ_{78}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
ABLIKIM	04L BES	$e^+ e^- \rightarrow \psi(2S)$

$\Gamma(\rho\eta)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{79}/Γ
2.2 ± 0.6 OUR AVERAGE	Error includes scale factor of 1.1.				
3.0 $^{+1.1}_{-0.9}$ ± 0.2	18	ADAM	05	CLEO $e^+ e^- \rightarrow \psi(2S)$	
1.78 $^{+0.67}_{-0.62}$ ± 0.17	13	ABLIKIM	04L	BES $e^+ e^- \rightarrow \psi(2S)$	

 $\Gamma(\omega\eta)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{80}/Γ
<1.1	90	ADAM	05	CLEO $e^+ e^- \rightarrow \psi(2S)$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<3.1	90	ABLIKIM	04K	BES $e^+ e^- \rightarrow \psi(2S)$	

 $\Gamma(\phi\pi^0)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{81}/Γ
<0.4	90	ABLIKIM	04K	BES $e^+ e^- \rightarrow \psi(2S)$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.7	90	ADAM	05	CLEO $e^+ e^- \rightarrow \psi(2S)$	

 $\Gamma(p\bar{p}K^+K^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-5})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{82}/Γ
2.7±0.6±0.4	30.1	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}K^+K^-$	

 $\Gamma(\Lambda\bar{\Lambda}\pi^+\pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{83}/Γ
2.8±0.4±0.5	73.4	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}2(\pi^+\pi^-)$	

 $\Gamma(\Lambda\bar{p}K^+)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{84}/Γ
1.0±0.1 ±0.1	74.0	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}K^+\pi^-$	

 $\Gamma(\Lambda\bar{p}K^+\pi^+\pi^-)/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{85}/Γ
1.8±0.3±0.3	45.8	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}K^+\pi^+\pi^-\pi^-$	

 $\Gamma(\phi f'_2(1525))/\Gamma_{\text{total}}$

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{86}/Γ
0.44±0.12±0.11		20 ± 6	BAI	04C	$\psi(2S) \rightarrow 2(K^+K^-)$	
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<0.45	90	BAI	98J	BES	$e^+ e^- \rightarrow 2(K^+K^-)$	

$\Gamma(\Theta(1540)\bar{\Theta}(1540) \rightarrow K_S^0 p K^- \bar{n} + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{87}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.88	90	BAI	04G BES2	$e^+ e^-$

 $\Gamma(\Theta(1540)K^- \bar{n} \rightarrow K_S^0 p K^- \bar{n})/\Gamma_{\text{total}}$ Γ_{88}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<1.0	90	BAI	04G BES2	$e^+ e^-$

 $\Gamma(\Theta(1540)K_S^0 \bar{p} \rightarrow K_S^0 \bar{p} K^+ n)/\Gamma_{\text{total}}$ Γ_{89}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.70	90	BAI	04G BES2	$e^+ e^-$

 $\Gamma(\bar{\Theta}(1540)K^+ n \rightarrow K_S^0 \bar{p} K^+ n)/\Gamma_{\text{total}}$ Γ_{90}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<2.6	90	BAI	04G BES2	$e^+ e^-$

 $\Gamma(\bar{\Theta}(1540)K_S^0 p \rightarrow K_S^0 p K^- \bar{n})/\Gamma_{\text{total}}$ Γ_{91}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.60	90	BAI	04G BES2	$e^+ e^-$

 $\Gamma(K_S^0 K_S^0)/\Gamma_{\text{total}}$ Γ_{92}/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.046	43 BAI	04D BES	$e^+ e^-$

30 Estimated using $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$.31 Computed using $B(\eta \rightarrow \gamma\gamma) = (39.43 \pm 0.26)\%$.32 Normalized to $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$.

33 Assuming entirely strong decay.

34 Average of $\eta \rightarrow \gamma\gamma$ and $\eta \rightarrow 3\pi$.

35 Not independent from other values reported by BRIERE 05.

36 Assuming $B(b_1 \rightarrow \omega\pi) = 1$.37 Assuming $B(K_1(1270) \rightarrow K\rho) = 0.42 \pm 0.06$ 38 Using $B(K_S^0 \rightarrow \pi^+ \pi^-) = 0.6860 \pm 0.0027$.39 From a PW analysis of $\psi(2S) \rightarrow \pi^+ \pi^- \pi^0$.40 Final state $\rho^0 \pi^0$.41 Assuming $B(K_1(1400) \rightarrow K^* \pi) = 0.94 \pm 0.06$ 42 Calculated combining $\eta' \rightarrow \gamma\rho$ and $\eta\pi^+\pi^-$ channels.

43 Forbidden by CP.

 RADIATIVE DECAYS

 $\Gamma(\gamma\chi_{c0}(1P))/\Gamma_{\text{total}}$ Γ_{93}/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
---	-------------	--------------------	-------------	----------------

9.2 ± 0.4 OUR FIT**9.2 ± 0.4 OUR AVERAGE**

9.22 ± 0.11 ± 0.46	72600	ATHAR	04	CLEO $e^+ e^- \rightarrow \gamma X$
9.9 ± 0.5 ± 0.8		44 GAISER	86	CBAL $e^+ e^- \rightarrow \gamma X$
7.2 ± 2.3		44 BIDDICK	77	CNTR $e^+ e^- \rightarrow \gamma X$
7.5 ± 2.6		44 WHITAKER	76	MRK1 $e^+ e^-$

$\Gamma(\gamma\chi_{c1}(1P))/\Gamma_{\text{total}}$ Γ_{94}/Γ

<u>VALUE</u> (units 10^{-2})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8.7 ± 0.4 OUR FIT				
8.9 ± 0.5 OUR AVERAGE				
9.07 ± 0.11 ± 0.54	76700	ATHAR	04	CLEO $e^+ e^- \rightarrow \gamma X$
9.0 ± 0.5 ± 0.7		45 GAISER	86	CBAL $e^+ e^- \rightarrow \gamma X$
7.1 ± 1.9		46 BIDDICK	77	CNTR $e^+ e^- \rightarrow \gamma X$

 $\Gamma(\gamma\chi_{c2}(1P))/\Gamma_{\text{total}}$ Γ_{95}/Γ

<u>VALUE</u> (units 10^{-2})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8.1 ± 0.4 OUR FIT				
8.8 ± 0.5 OUR AVERAGE				Error includes scale factor of 1.1.
9.33 ± 0.14 ± 0.61	79300	ATHAR	04	CLEO $e^+ e^- \rightarrow \gamma X$
8.0 ± 0.5 ± 0.7		47 GAISER	86	CBAL $e^+ e^- \rightarrow \gamma X$
7.0 ± 2.0		46 BIDDICK	77	CNTR $e^+ e^- \rightarrow \gamma X$

 $[\Gamma(\gamma\chi_{c0}(1P)) + \Gamma(\gamma\chi_{c1}(1P)) + \Gamma(\gamma\chi_{c2}(1P))] / \Gamma_{\text{total}}$ $(\Gamma_{93} + \Gamma_{94} + \Gamma_{95}) / \Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
27.6 ± 0.3 ± 2.0	48 ATHAR	04	CLEO $e^+ e^- \rightarrow \gamma X$

 $\Gamma(\gamma\chi_{c0}(1P)) / \Gamma(\gamma\chi_{c1}(1P))$ Γ_{93}/Γ_{94}

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1.02 ± 0.01 ± 0.07	48 ATHAR	04	CLEO $e^+ e^- \rightarrow \gamma X$

 $\Gamma(\gamma\chi_{c2}(1P)) / \Gamma(\gamma\chi_{c1}(1P))$ Γ_{95}/Γ_{94}

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1.03 ± 0.02 ± 0.03	48 ATHAR	04	CLEO $e^+ e^- \rightarrow \gamma X$

 $\Gamma(\gamma\chi_{c0}(1P)) / \Gamma(\gamma\chi_{c2}(1P))$ Γ_{93}/Γ_{95}

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.99 ± 0.02 ± 0.08	48 ATHAR	04	CLEO $e^+ e^- \rightarrow \gamma X$

 $\Gamma(\gamma\eta_c(1S))/\Gamma_{\text{total}}$ Γ_{96}/Γ

<u>VALUE</u> (units 10^{-2})	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.27 ± 0.04 OUR AVERAGE				
0.25 ± 0.06	2560	49 ATHAR	04	CLEO $e^+ e^- \rightarrow \gamma X$
0.28 ± 0.06		GAISER	86	CBAL $e^+ e^- \rightarrow \gamma X$

 $\Gamma(\gamma\eta_c(2S))/\Gamma_{\text{total}}$ Γ_{97}/Γ

<u>VALUE</u> (units 10^{-2})	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.20	90	ATHAR	04	CLEO $e^+ e^- \rightarrow \gamma X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.2 to 1.3	95	EDWARDS	82C CBAL	$e^+ e^- \rightarrow \gamma X$

$\Gamma(\gamma\pi^0)/\Gamma_{\text{total}}$ Γ_{98}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 54	95	50 LIBERMAN	75 SPEC	$e^+ e^-$
<100	90	WIIK	75 DASP	$e^+ e^-$

 $\Gamma(\gamma\eta'(958))/\Gamma_{\text{total}}$ Γ_{99}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$1.54 \pm 0.31 \pm 0.20$	~ 43	BAI	98F BES	$\psi(2S) \rightarrow$ $\pi^+ \pi^- 2\gamma,$ $\pi^+ \pi^- 3\gamma$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

<60	90	51 BRAUNSCH...	77 DASP	$e^+ e^-$
<11	90	52 BARTEL	76 CNTR	$e^+ e^-$

 $\Gamma(\gamma f_2(1270))/\Gamma_{\text{total}}$ Γ_{100}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$2.12 \pm 0.19 \pm 0.32$	53,54 BAI	03C BES	$\psi(2S) \rightarrow \gamma \pi \pi$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.08 $\pm 0.19 \pm 0.33$	200.6 ± 18.8	53 BAI	03C BES	$\psi(2S) \rightarrow \gamma \pi^+ \pi^-$
2.90 $\pm 1.08 \pm 1.07$	29.9 ± 11.1	53 BAI	03C BES	$\psi(2S) \rightarrow \gamma \pi^0 \pi^0$

 $\Gamma(\gamma f_0(1710) \rightarrow \gamma \pi \pi)/\Gamma_{\text{total}}$ Γ_{101}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.301 \pm 0.041 \pm 0.124$	35.6 ± 4.8	53 BAI	03C BES	$\psi(2S) \rightarrow \gamma \pi^+ \pi^-$

 $\Gamma(\gamma f_0(1710) \rightarrow \gamma K \bar{K})/\Gamma_{\text{total}}$ Γ_{102}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.604 \pm 0.090 \pm 0.132$		39.6 ± 5.9	53,55 BAI	03C BES	$\psi(2S) \rightarrow \gamma K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 1.56	90	6.8 ± 3.1	53,55 BAI	03C BES	$\psi(2S) \rightarrow \gamma K_S^0 K_S^0$
--------	----	---------------	-----------	---------	---

 $\Gamma(\gamma\eta)/\Gamma_{\text{total}}$ Γ_{104}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.9	90	BAI	98F BES	$\psi(2S) \rightarrow \pi^+ \pi^- 3\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<2	90	YAMADA	77 DASP	$e^+ e^- \rightarrow 3\gamma$
----	----	--------	---------	-------------------------------

 $\Gamma(\gamma\eta(1405) \rightarrow \gamma K \bar{K} \pi)/\Gamma_{\text{total}}$ Γ_{105}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.12	90	56 SCHARRE	80 MRK1	$e^+ e^-$

- 44 Angular distribution ($1+\cos^2\theta$) assumed.
 45 Angular distribution ($1-0.189 \cos^2\theta$) assumed.
 46 Valid for isotropic distribution of the photon.
 47 Angular distribution ($1-0.052 \cos^2\theta$) assumed.
 48 Not independent from ATHAR 04 measurements of $B(\gamma \chi_{cJ})$.
 49 Using $\Gamma_{\eta_c}(1S) = (11.5 \pm 4.5)$ MeV.
 50 Restated by us using $B(\psi(2S) \rightarrow \mu^+ \mu^-) = 0.0077$.
 51 Restated by us using total decay width 228 keV.
 52 The value is normalized to the branching ratio for $\Gamma(J/\psi(1S)\eta)/\Gamma_{\text{total}}$.
 53 Normalized to $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$.
 54 Combining the results from $\pi^+ \pi^-$ and $\pi^0 \pi^0$ decay modes.
 55 Includes unknown branching fractions to $K^+ K^-$ or $K_S^0 K_S^0$. We have multiplied the $K^+ K^-$ result by a factor of 2 and the $K_S^0 K_S^0$ result by a factor of 4 to obtain the $K \bar{K}$ result.
 56 Includes unknown branching fraction $\eta(1405) \rightarrow K \bar{K} \pi$.

$\psi(2S)$ CROSS-PARTICLE BRANCHING RATIOS

For measurements involving $B(\psi(2S) \rightarrow \gamma \chi_{cJ}(1P)) \times B(\chi_{cJ}(1P) \rightarrow X)$
 see the corresponding entries in the $\chi_{cJ}(1P)$ sections.

$\psi(2S)$ REFERENCES

ABLIKIM	06G	PR D73 052004	M. Ablikim <i>et al.</i>	(BES Collab.)
ADAM	06	PRL 96 082004	N.E. Adam <i>et al.</i>	(CLEO Collab.)
AUBERT	06B	PR D73 012005	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	06D	PR D73 052003	B. Aubert <i>et al.</i>	(BABAR Collab.)
ABLIKIM	05E	PR D71 072006	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05H	PR D72 012002	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05I	PL B614 37	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05J	PL B619 247	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05O	PL B630 21	M. Ablikim <i>et al.</i>	(BES Collab.)
ADAM	05	PRL 94 012005	N.E. Adam <i>et al.</i>	(CLEO Collab.)
ADAM	05A	PRL 94 232002	N.E. Adam <i>et al.</i>	(CLEO Collab.)
ANDREOTTI	05	PR D71 032006	M. Andreotti <i>et al.</i>	(FNAL E835 Collab.)
AUBERT	05D	PR D71 052001	B. Aubert <i>et al.</i>	(BABAR Collab.)
BRIERE	05	PRL 95 062001	R.A. Briere <i>et al.</i>	(CLEO Collab.)
PEDLAR	05	PR D72 051108R	T.K. Pedlar <i>et al.</i>	(CLEO Collab.)
ABLIKIM	04B	PR D70 012003	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	04K	PR D70 112003	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	04L	PR D70 112007	M. Ablikim <i>et al.</i>	(BES Collab.)
ATHAR	04	PR D70 112002	S.B. Athar <i>et al.</i>	(CLEO Collab.)
BAI	04B	PRL 92 052001	J.Z. Bai <i>et al.</i>	(BES2 Collab.)
BAI	04C	PR D69 072001	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04D	PL B589 7	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04G	PR D70 012004	J.Z. Bai <i>et al.</i>	(BEPC BES Collab.)
BAI	04I	PR D70 012006	J.Z. Bai <i>et al.</i>	(BES Collab.)
PDG	04	PL B592 1	S. Eidelman <i>et al.</i>	(BES Collab.)
SETH	04	PR D69 097503	K.K. Seth	
AULCHENKO	03	PL B573 63	V.M. Aulchenko <i>et al.</i>	(KEDR Collab.)
BAI	03B	PR D67 052002	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	03C	PR D67 032004	J.Z. Bai <i>et al.</i>	(BES Collab.)
AUBERT	02B	PR D65 031101R	B. Aubert <i>et al.</i>	(BaBar Collab.)
BAI	02	PR D65 052004	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	02B	PL B550 24	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	02C	PRL 88 101802	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	01	PR D63 032002	J.Z. Bai <i>et al.</i>	(BES Collab.)
AMBROGIANI	00A	PR D62 032004	M. Ambrogiani <i>et al.</i>	(FNAL E835 Collab.)
ARTAMONOV	00	PL B474 427	A.S. Artamonov <i>et al.</i>	
BAI	00	PRL 84 594	J.Z. Bai <i>et al.</i>	(BES Collab.)

BAI	99C	PRL 83 1918	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98E	PR D57 3854	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98F	PR D58 097101	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98J	PRL 81 5080	J.Z. Bai <i>et al.</i>	(BES Collab.)
ARMSTRONG	97	PR D55 1153	T.A. Armstrong <i>et al.</i>	(E760 Collab.)
GRIBUZHIN	96	PR D53 4723	A. Gribushin <i>et al.</i>	(E672 Collab., E706 Collab.)
ANTONIAZZI	94	PR D50 4258	L. Antoniazzi <i>et al.</i>	(E705 Collab.)
ARMSTRONG	93B	PR D47 772	T.A. Armstrong <i>et al.</i>	(FNAL E760 Collab.)
ALEXANDER	89	NP B320 45	J.P. Alexander <i>et al.</i>	(LBL, MICH, SLAC)
COHEN	87	RMP 59 1121	E.R. Cohen, B.N. Taylor	(RISC, NBS)
GAISER	86	PR D34 711	J. Gaiser <i>et al.</i>	(Crystal Ball Collab.)
KURAEV	85	SJNP 41 466	E.A. Kuraev, V.S. Fadin	(NOVO)
		Translated from YAF 41 733.		
FRANKLIN	83	PRL 51 963	M.E.B. Franklin <i>et al.</i>	(LBL, SLAC)
EDWARDS	82C	PRL 48 70	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
LEMOIGNE	82	PL 113B 509	Y. Lemoigne <i>et al.</i>	(SACL, LOIC, SHMP+)
HIMEL	80	PRL 44 920	T. Himel <i>et al.</i>	(LBL, SLAC)
OREGLIA	80	PRL 45 959	M.J. Oreglia <i>et al.</i>	(SLAC, CIT, HARV+)
SCHARRE	80	PL 97B 329	D.L. Scharre <i>et al.</i>	(SLAC, LBL)
ZHOLENTZ	80	PL 96B 214	A.A. Zholents <i>et al.</i>	(NOVO)
Also		SJNP 34 814	A.A. Zholents <i>et al.</i>	(NOVO)
		Translated from YAF 34 1471.		
BRANDELIK	79B	NP B160 426	R. Brandelik <i>et al.</i>	(DASP Collab.)
BRANDELIK	79C	ZPHY C1 233	R. Brandelik <i>et al.</i>	(DASP Collab.)
BARTEL	78B	PL 79B 492	W. Bartel <i>et al.</i>	(DESY, HEIDP)
TANENBAUM	78	PR D17 1731	W.M. Tanenbaum <i>et al.</i>	(SLAC, LBL)
BIDDICK	77	PRL 38 1324	C.J. Biddick <i>et al.</i>	(UCSD, UMD, PAVI+)
BRAUNSCH...	77	PL 67B 249	W. Braunschweig <i>et al.</i>	(DASP Collab.)
BURMESTER	77	PL 66B 395	J. Burmester <i>et al.</i>	(DESY, HAMB, SIEG+)
FELDMAN	77	PRPL 33C 285	G.J. Feldman, M.L. Perl	(LBL, SLAC)
YAMADA	77	Hamburg Conf. 69	S. Yamada	(DASP Collab.)
BARTEL	76	PL 64B 483	W. Bartel <i>et al.</i>	(DESY, HEIDP)
TANENBAUM	76	PRL 36 402	W.M. Tanenbaum <i>et al.</i>	(SLAC, LBL) IG
WHITAKER	76	PRL 37 1596	J.S. Whitaker <i>et al.</i>	(SLAC, LBL)
ABRAMS	75	Stanford Symp. 25	G.S. Abrams	(LBL)
ABRAMS	75B	PRL 34 1181	G.S. Abrams <i>et al.</i>	(LBL, SLAC)
BOYARSKI	75C	Palermo Conf. 54	A.M. Boyarski <i>et al.</i>	(SLAC, LBL)
HILGER	75	PRL 35 625	E. Hilger <i>et al.</i>	(STAN, PENN)
LIBERMAN	75	Stanford Symp. 55	A.D. Liberman	(STAN)
LUTH	75	PRL 35 1124	V. Luth <i>et al.</i>	(SLAC, LBL) JPC
WIJK	75	Stanford Symp. 69	B.H. Wiik	(DESY)

OTHER RELATED PAPERS

AMBROGIANI	05	PL B610 177	M. Ambrogiani <i>et al.</i>	(FNAL E853 Collab.)
GUO	05	NP A761 269	F.-K. Guo <i>et al.</i>	
VOLOSHIN	05	PR D71 114003	M.B. Voloshin	
ABLIKIM	04I	PR D70 092004	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	04J	PRL 93 112002	M. Ablikim <i>et al.</i>	(BES Collab.)
LIU	04B	PR D70 094001	K.-Y. Liu, K.-T. Chao	
WANG	04C	PR D70 077505	P. Wang, X.H. Mo, C.Z. Yuan	
BAI	00E	PR D62 032002	J. Bai <i>et al.</i>	(BES Collab.)
CHEN	98	PRL 80 5060	Y.Q. Chen, E. Braaten	
SUZUKI	98	PR D57 5717	M. Suzuki	
BARATE	83	PL 121B 449	R. Barate <i>et al.</i>	(SACL, LOIC, SHMP, IND)
AUBERT	75B	PRL 33 1624	J.J. Aubert <i>et al.</i>	(MIT, BNL)
BRAUNSCH...	75B	PL 57B 407	W. Braunschweig <i>et al.</i>	(DASP Collab.)
CAMERINI	75	PRL 35 483	U. Camerini <i>et al.</i>	(WISC, SLAC)
FELDMAN	75B	PRL 35 821	G.J. Feldman <i>et al.</i>	(LBL, SLAC)
GRECO	75	PL 56B 367	M. Greco, G. Panchari-Srivastava, Y. Srivastava	
JACKSON	75	NIM 128 13	J.D. Jackson, D.L. Scharre	(LBL)
SIMPSON	75	PRL 35 699	J.W. Simpson <i>et al.</i>	(STAN, PENN)
ABRAMS	74	PRL 33 1453	G.S. Abrams <i>et al.</i>	(LBL, SLAC)
