

$\pi_1(1600)$


$I^G(J^{PC}) = 1^-(1^-+)$

$\pi_1(1600)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
1653⁺¹⁸₋₁₅ OUR AVERAGE	Error includes scale factor of 1.6. See the ideogram below.			
1664 \pm 8 \pm 10	145k	1 LU	05 E852	$18 \pi^- p \rightarrow \omega \pi^- \pi^0 p$
1709 \pm 24 \pm 41	69k	2 KUHN	04 E852	$18 \pi^- p \rightarrow \eta \pi^+ \pi^- \pi^- p$
1597 \pm 10 ⁺⁴⁵ ₋₁₀		2 IVANOV	01 E852	$18 \pi^- p \rightarrow \eta' \pi^- p$
1593 \pm 8 ⁺²⁹ ₋₄₇		2 ADAMS	98B E852	$18.3 \pi^- p \rightarrow \pi^+ \pi^- \pi^- p$

¹ May be a different state: natural and unnatural parity exchanges.

² Natural parity exchange.




$\pi_1(1600)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
225⁺⁴⁵₋₂₈ OUR AVERAGE	Error includes scale factor of 1.5. See the ideogram below.			
185 \pm 25 \pm 28	145k	3 LU	05 E852	$18 \pi^- p \rightarrow \omega \pi^- \pi^0 p$
403 \pm 80 \pm 115	69k	4 KUHN	04 E852	$18 \pi^- p \rightarrow \eta \pi^+ \pi^- \pi^- p$
340 \pm 40 \pm 50		4 IVANOV	01 E852	$18 \pi^- p \rightarrow \eta' \pi^- p$
168 \pm 20 ⁺¹⁵⁰ ₋₁₂		4 ADAMS	98B E852	$18.3 \pi^- p \rightarrow \pi^+ \pi^- \pi^- p$

³ May be a different state: natural and unnatural parity exchanges.

⁴ Natural parity exchange.



$\pi_1(1600)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \pi\pi\pi$	seen
$\Gamma_2 \rho^0\pi^-$	seen
$\Gamma_3 f_2(1270)\pi^-$	not seen
$\Gamma_4 b_1(1235)\pi$	seen
$\Gamma_5 \eta'(958)\pi^-$	seen
$\Gamma_6 f_1(1285)\pi$	seen

$\pi_1(1600)$ BRANCHING RATIOS

$$\Gamma(\rho^0\pi^-)/\Gamma_{\text{total}} \qquad \qquad \qquad \Gamma_2/\Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
seen	5 ADAMS	98B E852	$18.3 \pi^- p \rightarrow \pi^+ \pi^- \pi^- p$

$$\Gamma(\eta'(958)\pi^-)/\Gamma_{\text{total}} \qquad \qquad \qquad \Gamma_5/\Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
seen	IVANOV	01 E852	$18 \pi^- p \rightarrow \eta' \pi^- p$

$\Gamma(f_2(1270)\pi^-)/\Gamma_{\text{total}}$					Γ_3/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>		<u>TECN</u>	<u>COMMENT</u>	
not seen	CHUNG	02	E852	$18.3 \pi^- p \rightarrow \pi^+ \pi^- \pi^- p$	
$\Gamma(b_1(1235)\pi)/\Gamma_{\text{total}}$					Γ_4/Γ
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
seen	35280	⁶ BAKER	03	SPEC	$\bar{p}p \rightarrow \omega \pi^+ \pi^- \pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
seen	145k	LU	05	E852	$18 \pi^- p \rightarrow \omega \pi^- \pi^0 p$
$\Gamma(f_1(1285)\pi)/\Gamma(\eta'(958)\pi^-)$					Γ_6/Γ_5
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
3.80 ± 0.78	69k	⁷ KUHN	04	E852	$18 \pi^- p \rightarrow \eta \pi^+ \pi^- \pi^- p$
⁵ Natural parity exchange. ⁶ $B((b_1\pi)_{D-\text{wave}})/B((b_1\pi)_{S-\text{wave}})=0.3 \pm 0.1$. ⁷ Using $\eta'(958)\pi$ data from IVANOV 01.					

$\pi_1(1600)$ REFERENCES

LU	05	PRL 94 032002	M. Lu <i>et al.</i>	(BNL E852 Collab.)
KUHN	04	PL B595 109	J. Kuhn <i>et al.</i>	(BNL E852 Collab.)
BAKER	03	PL B563 140	C.A. Baker <i>et al.</i>	
CHUNG	02	PR D65 072001	S.U. Chung <i>et al.</i>	(BNL E852 Collab.)
IVANOV	01	PRL 86 3977	E.I. Ivanov <i>et al.</i>	(BNL E852 Collab.)
ADAMS	98B	PRL 81 5760	G.S. Adams <i>et al.</i>	(BNL E852 Collab.)

OTHER RELATED PAPERS

CUI	06	PR D73 014018	Y. Cui <i>et al.</i>	
HEDDITCH	05	PR D72 114507	J.N. Hedditch <i>et al.</i>	
POPLAWSKI	05	PR D71 056003	N.J. Poplawski, A.P. Szczepaniak, J.T. Londregan	
CLOSE	04A	PR D70 094015	F.E. Close, J.J. Dudek	
BERNARD	03	PR D68 074505	C. Bernard <i>et al.</i>	
JIN	03	PR D67 014025	H.Y. Jin, J.G. Korener, T.G. Steele	
SZCZEPANIAK	03B	PRL 91 092002	A.P. Szczepaniak <i>et al.</i>	
ZHANG	03	PR D67 074020	A. Zhang, T.G. Steele	
ACHASOV	02J	PAN 65 552	N.N. Achasov, G.N. Shestakov	
		Translated from YAF 65 579.		
CHUNG	02C	EPL A15 539	S.U. Chung, E. Klempert, J.G. Korener	
ZHANG	02	PR D65 096005	R. Zhang <i>et al.</i>	
IDDIR	01	PL B507 183	F. Iddir, A.S. Safir	