

$\eta'(958)$ $I^G(J^{PC}) = 0^+(0^-+)$ **$\eta'(958)$ MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
957.78 ± 0.14 OUR AVERAGE				
957.9 ± 0.2	± 0.6	4800	WURZINGER 96	SPEC $1.68 \text{ } pd \rightarrow {}^3\text{He} \eta'$
959	± 1	630	BELADIDZE 92C	VES $36 \pi^- \text{Be} \rightarrow \pi^- \eta' \eta \text{Be}$
958	± 1	340	ARMSTRONG 91B	OMEG $300 \text{ } pp \rightarrow pp \eta \pi^+ \pi^-$
958.2 ± 0.4	622	AUGUSTIN 90	DM2 $J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$	
957.8 ± 0.2	2420	AUGUSTIN 90	DM2 $J/\psi \rightarrow \gamma \gamma \pi^+ \pi^-$	
956.3 ± 1.0	143	GIDAL 87	MRK2 $e^+ e^- \rightarrow e^+ e^- \eta \pi^+ \pi^-$	
957.46 ± 0.33		DUANE 74	MMS $\pi^- p \rightarrow n \text{MM}$	
958.2 ± 0.5	1414	DANBURG 73	HBC $2.2 \text{ } K^- p \rightarrow \Lambda X^0$	
958	± 1	400	JACOBS 73	HBC $2.9 \text{ } K^- p \rightarrow \Lambda X^0$
956.1 ± 1.1	3415	BASILE 71	CNTR $1.6 \pi^- p \rightarrow n X^0$	
957.4 ± 1.4	535	BASILE 71	CNTR $1.6 \pi^- p \rightarrow n X^0$	
957	± 1	RITTENBERG 69	HBC $1.7\text{--}2.7 \text{ } K^- p$	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
957.5 ± 0.2		BAI 04J	BES2 $J/\psi \rightarrow \gamma \gamma \pi^+ \pi^-$	

 $\eta'(958)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.203 ± 0.016 OUR FIT Error includes scale factor of 1.3.					
0.30 ± 0.09 OUR AVERAGE					
0.40 ± 0.22	4800	WURZINGER 96	SPEC		$1.68 \text{ } pd \rightarrow {}^3\text{He} \eta'$
0.28 ± 0.10	1000	BINNIE 79	MMS 0		$\pi^- p \rightarrow n \text{MM}$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
0.20 ± 0.04		BAI 04J	BES2		$J/\psi \rightarrow \gamma \gamma \pi^+ \pi^-$

 $\eta'(958)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
$\Gamma_1 \pi^+ \pi^- \eta$	(44.5 ± 1.4) %	S=1.1
$\Gamma_2 \rho^0 \gamma$ (including non-resonant $\pi^+ \pi^- \gamma$)	(29.4 ± 0.9) %	S=1.1
$\Gamma_3 \pi^0 \pi^0 \eta$	(20.8 ± 1.2) %	S=1.2
$\Gamma_4 \omega \gamma$	(3.03 ± 0.31) %	
$\Gamma_5 \gamma \gamma$	(2.12 ± 0.14) %	S=1.3
$\Gamma_6 3\pi^0$	(1.55 ± 0.26) $\times 10^{-3}$	

Γ_7	$\mu^+ \mu^- \gamma$	$(1.04 \pm 0.26) \times 10^{-4}$	
Γ_8	$\pi^+ \pi^- \pi^0$	< 5	% CL=90%
Γ_9	$\pi^0 \rho^0$	< 4	% CL=90%
Γ_{10}	$\pi^+ \pi^+ \pi^- \pi^-$	< 1	% CL=90%
Γ_{11}	$\pi^+ \pi^+ \pi^- \pi^-$ neutrals	< 1	% CL=95%
Γ_{12}	$\pi^+ \pi^+ \pi^- \pi^- \pi^0$	< 1	% CL=90%
Γ_{13}	6π	< 1	% CL=90%
Γ_{14}	$\pi^+ \pi^- e^+ e^-$	< 6	$\times 10^{-3}$ CL=90%
Γ_{15}	$\gamma e^+ e^-$	< 9	$\times 10^{-4}$ CL=90%
Γ_{16}	$\pi^0 \gamma \gamma$	< 8	$\times 10^{-4}$ CL=90%
Γ_{17}	$4\pi^0$	< 5	$\times 10^{-4}$ CL=90%
Γ_{18}	$e^+ e^-$	< 2.1	$\times 10^{-7}$ CL=90%
Γ_{19}	invisible	< 1.4	$\times 10^{-3}$ CL=90%

**Charge conjugation (C), Parity (P),
Lepton family number (LF) violating modes**

Γ_{20}	$\pi^+ \pi^-$	P, CP	< 2	%	CL=90%
Γ_{21}	$\pi^0 \pi^0$	P, CP	< 9	$\times 10^{-4}$	CL=90%
Γ_{22}	$\pi^0 e^+ e^-$	C	[a] < 1.4	$\times 10^{-3}$	CL=90%
Γ_{23}	$\eta e^+ e^-$	C	[a] < 2.4	$\times 10^{-3}$	CL=90%
Γ_{24}	3γ	C	< 1.0	$\times 10^{-4}$	CL=90%
Γ_{25}	$\mu^+ \mu^- \pi^0$	C	[a] < 6.0	$\times 10^{-5}$	CL=90%
Γ_{26}	$\mu^+ \mu^- \eta$	C	[a] < 1.5	$\times 10^{-5}$	CL=90%
Γ_{27}	$e \mu$	LF	< 4.7	$\times 10^{-4}$	CL=90%

[a] C parity forbids this to occur as a single-photon process.

CONSTRAINED FIT INFORMATION

An overall fit to the total width, a partial width, 2 combinations of partial widths obtained from integrated cross section, and 16 branching ratios uses 49 measurements and one constraint to determine 7 parameters. The overall fit has a $\chi^2 = 36.7$ for 43 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$, in percent, from the fit to parameters p_i , including the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	-34					
x_3	-78 -29					
x_4	-35	-24	32			
x_5	-26	-12	26	8		
x_6	-28	-11	35	11	9	
Γ	32	-2	-24	-5	-88	-8
	x_1	x_2	x_3	x_4	x_5	x_6

Mode	Rate (MeV)	Scale factor
$\Gamma_1 \pi^+ \pi^- \eta$	0.090 ± 0.008	1.2
$\Gamma_2 \rho^0 \gamma$ (including non-resonant $\pi^+ \pi^- \gamma$)	0.060 ± 0.005	1.2
$\Gamma_3 \pi^0 \pi^0 \eta$	0.042 ± 0.004	1.6
$\Gamma_4 \omega \gamma$	0.0062 ± 0.0008	1.2
$\Gamma_5 \gamma \gamma$	0.00430 ± 0.00015	1.1
$\Gamma_6 3\pi^0$	(3.2 ± 0.6) $\times 10^{-4}$	1.1

$\eta'(958)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$	Γ_5
VALUE (keV)	
4.30 ± 0.15 OUR FIT	Error includes scale factor of 1.1.
4.28 ± 0.19 OUR AVERAGE	
4.17 $\pm 0.10 \pm 0.27$	2000 ¹ ACCIARRI 98B L3 $e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \gamma$
4.53 $\pm 0.29 \pm 0.51$	266 KARCH 92 CBAL $e^+ e^- \rightarrow e^+ e^- \eta \pi^0 \pi^0$
3.61 $\pm 0.13 \pm 0.48$	2 BEHREND 91 CELL $e^+ e^- \rightarrow e^+ e^- \eta'(958)$
4.6 $\pm 1.1 \pm 0.6$	23 BARU 90 MD1 $e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \gamma$
4.57 $\pm 0.25 \pm 0.44$	BUTLER 90 MRK2 $e^+ e^- \rightarrow e^+ e^- \eta'(958)$
5.08 $\pm 0.24 \pm 0.71$	547 ³ ROE 90 ASP $e^+ e^- \rightarrow e^+ e^- 2\gamma$
3.8 $\pm 0.7 \pm 0.6$	34 AIHARA 88C TPC $e^+ e^- \rightarrow e^+ e^- \eta \pi^+ \pi^-$
4.9 $\pm 0.5 \pm 0.5$	136 ⁴ WILLIAMS 88 CBAL $e^+ e^- \rightarrow e^+ e^- 2\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •	

4.7 $\pm 0.6 \pm 0.9$	143	⁵ GIDAL	87	MRK2	$e^+ e^- \rightarrow e^+ e^- \eta \pi^+ \pi^-$
4.0 ± 0.9		⁶ BARTEL	85E	JADE	$e^+ e^- \rightarrow e^+ e^- 2\gamma$

¹ No non-resonant $\pi^+ \pi^-$ contribution found.

² Reevaluated by us using $B(\eta' \rightarrow \rho(770)\gamma) = (30.2 \pm 1.3)\%$.

³ Reevaluated by us using $B(\eta' \rightarrow \gamma\gamma) = (2.11 \pm 0.13)\%$.

⁴ Reevaluated by us using $B(\eta' \rightarrow \gamma\gamma) = (2.11 \pm 0.13)\%$.

⁵ Superseded by BUTLER 90.

⁶ Systematic error not evaluated.

$\eta'(958) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

This combination of a partial width with the partial width into $\gamma\gamma$ and with the total width is obtained from the integrated cross section into channel(i) in the $\gamma\gamma$ annihilation.

$$\Gamma(\gamma\gamma) \times \Gamma(\rho^0 \gamma (\text{including non-resonant } \pi^+ \pi^- \gamma)) / \Gamma_{\text{total}} \quad \Gamma_5 \Gamma_2 / \Gamma$$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
1.26 ± 0.05 OUR FIT		Error includes scale factor of 1.1.		
1.26 ± 0.07 OUR AVERAGE		Error includes scale factor of 1.2.		
1.09 $\pm 0.04 \pm 0.13$		BEHREND	91	CELL $e^+ e^- \rightarrow e^+ e^- \rho(770)^0 \gamma$
1.35 $\pm 0.09 \pm 0.21$		AIHARA	87	TPC $e^+ e^- \rightarrow e^+ e^- \rho \gamma$
1.13 $\pm 0.04 \pm 0.13$	867	ALBRECHT	87B	ARG $e^+ e^- \rightarrow e^+ e^- \rho \gamma$
1.53 $\pm 0.09 \pm 0.21$		ALTHOFF	84E	TASS $e^+ e^- \rightarrow e^+ e^- \rho \gamma$
1.14 $\pm 0.08 \pm 0.11$	243	BERGER	84B	PLUT $e^+ e^- \rightarrow e^+ e^- \rho \gamma$
1.73 $\pm 0.34 \pm 0.35$	95	JENNI	83	MRK2 $e^+ e^- \rightarrow e^+ e^- \rho \gamma$
1.49 $\pm 0.13 \pm 0.027$	213	BARTEL	82B	JADE $e^+ e^- \rightarrow e^+ e^- \rho \gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.85 $\pm 0.31 \pm 0.24$	43	BEHREND	83B	CELL $e^+ e^- \rightarrow e^+ e^- \rho \gamma$

$$\Gamma(\gamma\gamma) \times \Gamma(\pi^0 \pi^0 \eta) / \Gamma_{\text{total}} \quad \Gamma_5 \Gamma_3 / \Gamma$$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
0.89 ± 0.06 OUR FIT	Error includes scale factor of 1.1.		
0.92 $\pm 0.06 \pm 0.11$	7 KARCH	92	CBAL $e^+ e^- \rightarrow e^+ e^- \eta \pi^0 \pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.95 $\pm 0.05 \pm 0.08$	8 KARCH	90	CBAL $e^+ e^- \rightarrow e^+ e^- \eta \pi^0 \pi^0$
1.00 $\pm 0.08 \pm 0.10$	8,9 ANTREASYAN	87	CBAL $e^+ e^- \rightarrow e^+ e^- \eta \pi^0 \pi^0$

⁷ Reevaluated by us using $B(\eta \rightarrow \gamma\gamma) = (39.21 \pm 0.34)\%$. Supersedes ANTREASYAN 87 and KARCH 90.

⁸ Superseded by KARCH 92.

⁹ Using $BR(\eta \rightarrow 2\gamma) = (38.9 \pm 0.5)\%$.

$\eta'(958)$ DECAY PARAMETERS
 $|\text{MATRIX ELEMENT}|^2 = |1 + \alpha y|^2 + cx + dx^2$

 α decay parameter

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-0.065 ± 0.009 OUR AVERAGE				
$-0.072 \pm 0.012 \pm 0.006$	7k	¹⁰ AMELIN	05A VES	$28 \pi^- A \rightarrow \eta' \pi^- A^*$
-0.058 ± 0.013	11,12 ALDE	86 GAM2	38 $\pi^- p \rightarrow n\eta 2\pi^0$	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
-0.08 ± 0.03	11,12 KALBFLEISCH	74 RVUE	$\eta' \rightarrow \eta\pi^+\pi^-$	

¹⁰ This is a real part of α while $\text{Im}(\alpha) = 0.0 \pm 0.1 \pm 0.0$.¹¹ May not necessarily be the same for $\eta' \rightarrow \eta\pi^+\pi^-$ and $\eta' \rightarrow \eta\pi^0\pi^0$.¹² Assuming $\text{Im}(\alpha) = 0$, $c = 0$. **c C-violating decay parameter**

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
$0.020 \pm 0.018 \pm 0.004$	7k	AMELIN	05A VES	$28 \pi^- A \rightarrow \eta' \pi^- A^*$

$\eta'(958)$ β PARAMETER
 $|\text{MATRIX ELEMENT}|^2 = (1 + 2\beta Z)$

See the "Note on η Decay Parameters" in our 1994 edition Physical Review
D50 1173 (1994), p. 1454.

 β decay parameter

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-0.1 ± 0.3		ALDE	87B GAM2	$38 \pi^- p \rightarrow n3\pi^0$

 $\eta'(958)$ BRANCHING RATIOS **$\Gamma(\pi^+ \pi^- \eta(\text{charged decay})) / \Gamma_{\text{total}}$** **$0.286 \Gamma_1 / \Gamma$**

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.127 ± 0.004 OUR FIT Error includes scale factor of 1.1.				
0.116 ± 0.013 OUR AVERAGE				
0.123 ± 0.014	107	RITTENBERG 69	HBC	$1.7-2.7 K^- p$
0.10 ± 0.04	10	LONDON	66 HBC	$2.24 K^- p \rightarrow \Lambda\pi^+\pi^-\pi^+\pi^-\pi^0$
0.07 ± 0.04	7	BADIER	65B HBC	$3 K^- p$

 $\Gamma(\pi^+ \pi^- \eta(\text{neutral decay})) / \Gamma_{\text{total}}$ **$0.714 \Gamma_1 / \Gamma$**

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.318 ± 0.010 OUR FIT Error includes scale factor of 1.1.				
0.314 ± 0.026	281	RITTENBERG 69	HBC	$1.7-2.7 K^- p$

$\Gamma(\rho^0\gamma(\text{including non-resonant } \pi^+\pi^-\gamma))/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.294±0.009 OUR FIT	Error includes scale factor of 1.1.			
0.319±0.030 OUR AVERAGE				
0.329±0.033	298	RITTENBERG	69	HBC 1.7–2.7 $K^- p$
0.2 ± 0.1	20	LONDON	66	HBC $2.24 K^- p \rightarrow \Lambda\pi^+\pi^-\gamma$
0.34 ± 0.09	35	BADIER	65B	HBC 3 $K^- p$

$\Gamma(\pi^+\pi^-\eta)/\Gamma(\rho^0\gamma(\text{including non-resonant } \pi^+\pi^-\gamma))$ Γ_1/Γ_2

VALUE	DOCUMENT ID	TECN	COMMENT
1.45±0.07	ABLIKIM	06E	$J/\psi \rightarrow \eta'\gamma$

$\Gamma(\rho^0\gamma(\text{including non-resonant } \pi^+\pi^-\gamma))/\Gamma(\pi^+\pi^-\eta(\text{neutral decay}))$ $\Gamma_2/0.714\Gamma_1$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.92±0.05 OUR FIT	Error includes scale factor of 1.1.			
0.97±0.09 OUR AVERAGE				
0.70±0.22		AMSLER	04B	CBAR 0 $\bar{p}p \rightarrow \pi^+\pi^-\eta$
1.07±0.17		BELADIDZE	92C	VES 36 $\pi^- \text{Be} \rightarrow \pi^-\eta' \eta \text{Be}$
0.92±0.14	473	DANBURG	73	HBC 2.2 $K^- p \rightarrow \Lambda X^0$
1.11±0.18	192	JACOBS	73	HBC 2.9 $K^- p \rightarrow \Lambda X^0$

$\Gamma(\pi^0\pi^0\eta(3\pi^0\text{decay}))/\Gamma_{\text{total}}$ $0.321\Gamma_3/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.067±0.004 OUR FIT	Error includes scale factor of 1.2.			
0.11 ± 0.06	4	BENSINGER	70	DBC 2.2 $\pi^+ d$

$\Gamma(\rho^0\gamma(\text{including non-resonant } \pi^+\pi^-\gamma))/\Gamma(\pi\pi\eta)$ $\Gamma_2/(\Gamma_1+\Gamma_3)$

VALUE	DOCUMENT ID	TECN	COMMENT
0.450±0.020 OUR FIT	Error includes scale factor of 1.1.		
0.426±0.028 OUR AVERAGE			
0.43 ± 0.02 ± 0.02		BARBERIS	98C OMEG 450 $p p \rightarrow p_f \eta' p_s$
0.31 ± 0.15		DAVIS	68 HBC 5.5 $K^- p$

$\Gamma(\omega\gamma)/\Gamma(\pi^+\pi^-\eta)$ Γ_4/Γ_1

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.068±0.008 OUR FIT	Error includes scale factor of 1.1.			
0.068±0.013	68	ZANFINO	77 ASPK	8.4 $\pi^- p$

$\Gamma(\omega\gamma)/\Gamma(\pi^0\pi^0\eta)$ Γ_4/Γ_3

VALUE	DOCUMENT ID	TECN	COMMENT
0.146±0.014 OUR FIT			
0.147±0.016			
	ALDE	87B GAM2	38 $\pi^- p \rightarrow n 4\gamma$

$\Gamma(\rho^0\gamma(\text{including non-resonant } \pi^+\pi^-\gamma))/[\Gamma(\pi^+\pi^-\eta)+\Gamma(\pi^0\pi^0\eta)+\Gamma(\omega\gamma)]$ $\Gamma_2/(\Gamma_1+\Gamma_3+\Gamma_4)$

VALUE	DOCUMENT ID	TECN	COMMENT
0.430±0.019 OUR FIT	Error includes scale factor of 1.1.		
0.25 ± 0.14			
	DAUBER	64 HBC	1.95 $K^- p$

$$\left[\Gamma(\pi^0 \pi^0 \eta \text{(charged decay)}) + \Gamma(\omega \text{(charged decay)} \gamma) \right] / \Gamma_{\text{total}} = (0.286 \Gamma_3 + 0.89 \Gamma_4) / \Gamma$$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.087 ± 0.005 OUR FIT		Error includes scale factor of 1.2.		
0.045 ± 0.029	42	RITTENBERG 69	HBC	1.7–2.7 $K^- p$

$$\Gamma(\pi^+ \pi^- \text{ neutrals}) / \Gamma_{\text{total}} = (0.714 \Gamma_1 + 0.286 \Gamma_3 + 0.89 \Gamma_4) / \Gamma$$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.404 ± 0.007 OUR FIT		Error includes scale factor of 1.1.		
0.36 ± 0.05 OUR AVERAGE				
0.4 ± 0.1	39	LONDON	66	HBC $2.24 K^- p \rightarrow \Lambda \pi^+ \pi^- \text{ neutrals}$
0.35 ± 0.06	33	BADIER	65B	HBC $3 K^- p$

$$\Gamma(\gamma\gamma) / \Gamma_{\text{total}} = \Gamma_5 / \Gamma$$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0212 ± 0.0014 OUR FIT		Error includes scale factor of 1.3.		
0.0196 ± 0.0015 OUR AVERAGE				
0.0200 ± 0.0018	13	STANTON	80	$SPEC$ $8.45 \pi^- p \rightarrow n \pi^+ \pi^- 2\gamma$
0.025 ± 0.007		DUANE	74	MMS $\pi^- p \rightarrow n MM$
0.0171 ± 0.0033	68	DALPIAZ	72	$CNTR$ $1.6 \pi^- p \rightarrow n X^0$
0.020 ± 0.008	31	HARVEY	71	$OSPK$ $3.65 \pi^- p \rightarrow n X^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.018 ± 0.002	6000	APEL	79	NICE $15\text{--}40 \pi^- p \rightarrow n 2\gamma$

¹³ Includes APEL 79 result.¹⁴ Data is included in STANTON 80 evaluation.

$$\Gamma(\gamma\gamma) / \Gamma(\rho^0 \gamma \text{(including non-resonant } \pi^+ \pi^- \gamma)) = \Gamma_5 / \Gamma_2$$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.080 ± 0.008	ABLIKIM	06E	$BES2$ $J/\psi \rightarrow \eta' \gamma$

$$\Gamma(\gamma\gamma) / \Gamma(\pi^0 \pi^0 \eta) = \Gamma_5 / \Gamma_3$$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.102 ± 0.007 OUR FIT		Error includes scale factor of 1.6.	
0.105 ± 0.010 OUR AVERAGE		Error includes scale factor of 1.9.	
0.091 ± 0.009	AMSLER	93	$CBAR$ $0.0 \bar{p} p$
0.112 ± 0.002 ± 0.006	ALDE	87B	$GAM2$ $38 \pi^- p \rightarrow n 2\gamma$

$$\Gamma(\gamma\gamma) / \Gamma(\pi^0 \pi^0 \eta \text{(neutral decay)}) = \Gamma_5 / 0.714 \Gamma_3$$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.142 ± 0.010 OUR FIT		Error includes scale factor of 1.6.		
0.188 ± 0.058	16	APEL	72	$OSPK$ $3.8 \pi^- p \rightarrow n X^0$

$$\Gamma(\text{ neutrals}) / \Gamma_{\text{total}} = (0.714 \Gamma_3 + 0.09 \Gamma_4 + \Gamma_5) / \Gamma$$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.173 ± 0.009 OUR FIT		Error includes scale factor of 1.2.		
0.187 ± 0.017 OUR AVERAGE				
0.185 ± 0.022	535	BASILE	71	$CNTR$ $1.6 \pi^- p \rightarrow n X^0$
0.189 ± 0.026	123	RITTENBERG 69	HBC	1.7–2.7 $K^- p$

$\Gamma(3\pi^0)/\Gamma(\pi^0\pi^0\eta)$

VALUE (units 10^{-4})

74±12 OUR FIT

74±12 OUR AVERAGE

74 ± 15

75 ± 18

$\Gamma(\mu^+\mu^-\gamma)/\Gamma(\gamma\gamma)$

VALUE (units 10^{-3})

4.9±1.2

33

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$

VALUE

CL%

<0.05

90

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.09

95

$\Gamma(\pi^0\rho^0)/\Gamma_{\text{total}}$

VALUE

CL%

<0.04

90

$\Gamma(\pi^+\pi^+\pi^-\pi^-)/\Gamma_{\text{total}}$

VALUE

CL%

<0.01

90

$\Gamma(\pi^+\pi^+\pi^-\pi^-\text{ neutrals})/\Gamma_{\text{total}}$

VALUE

CL%

<0.01

95

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.01

90

$\Gamma(\pi^+\pi^+\pi^-\pi^-\pi^0)/\Gamma_{\text{total}}$

VALUE

CL%

<0.01

90

$\Gamma(6\pi)/\Gamma_{\text{total}}$

VALUE

CL%

<0.01

90

$\Gamma(\pi^+\pi^-e^+e^-)/\Gamma_{\text{total}}$

VALUE

CL%

<0.006

90

$\Gamma(\gamma e^+e^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})

CL%

<0.9

90

Γ_6/Γ_3

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

ALDE 87B	GAM2	$38\pi^- p \rightarrow n6\gamma$
BINON 84	GAM2	$30\text{--}40\pi^- p \rightarrow n6\gamma$

Γ_7/Γ_5

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

VIKTOROV 80	CNTR	$25,33\pi^- p \rightarrow 2\mu\gamma$
-------------	------	---------------------------------------

Γ_8/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

RITTENBERG 69	HBC	$1.7\text{--}2.7K^- p$
---------------	-----	------------------------

$\Gamma(\pi^0\rho^0)/\Gamma_{\text{total}}$

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

RITTENBERG 65	HBC	$2.7K^- p$
---------------	-----	------------

Γ_9/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

RITTENBERG 69	HBC	$1.7\text{--}2.7K^- p$
---------------	-----	------------------------

Γ_{10}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

RITTENBERG 69	HBC	$1.7\text{--}2.7K^- p$
---------------	-----	------------------------

Γ_{11}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

DANBURG 73	HBC	$2.2K^- p \rightarrow \Lambda X^0$
------------	-----	------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

RITTENBERG 69	HBC	$1.7\text{--}2.7K^- p$
---------------	-----	------------------------

Γ_{12}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

RITTENBERG 69	HBC	$1.7\text{--}2.7K^- p$
---------------	-----	------------------------

Γ_{13}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

LONDON 66	HBC	Compilation
-----------	-----	-------------

Γ_{14}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

RITTENBERG 65	HBC	$2.7K^- p$
---------------	-----	------------

Γ_{15}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	-------------	----------------

BRIERE 00	CLEO	$10.6e^+e^-$
-----------	------	--------------

$\Gamma(\pi^0\gamma\gamma)/\Gamma(\pi^0\pi^0\eta)$

VALUE (units 10^{-4})	CL%
<37	90

Γ_{16}/Γ_3

DOCUMENT ID	TECN	COMMENT
ALDE	87B GAM2	$38 \pi^- p \rightarrow n4\gamma$

$\Gamma(4\pi^0)/\Gamma(\pi^0\pi^0\eta)$

VALUE (units 10^{-4})	CL%
<23	90

Γ_{17}/Γ_3

DOCUMENT ID	TECN	COMMENT
ALDE	87B GAM2	$38 \pi^- p \rightarrow n8\gamma$

$\Gamma(e^+e^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-7})	CL%
<2.1	90

Γ_{18}/Γ

DOCUMENT ID	TECN	COMMENT
VOROBIEV	88	ND $e^+ e^- \rightarrow \pi^+ \pi^- \eta$

$\Gamma(\text{invisible})/\Gamma(\gamma\gamma)$

VALUE (units 10^{-2})	CL%
<6.69	90

Γ_{19}/Γ_5

DOCUMENT ID	TECN	COMMENT
ABLIKIM	06Q BES	$J/\psi \rightarrow \phi\eta'$

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$

VALUE	CL%
<0.02	90

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.08	95
-------	----

Γ_{20}/Γ

DOCUMENT ID	TECN	COMMENT
RITTENBERG	69	HBC $1.7\text{--}2.7 K^- p$

$\Gamma(\pi^0\pi^0)/\Gamma(\pi^0\pi^0\eta)$

VALUE (units 10^{-4})	CL%
<45	90

Γ_{21}/Γ_3

DOCUMENT ID	TECN	COMMENT
ALDE	87B GAM2	$38 \pi^- p \rightarrow n4\gamma$

$\Gamma(\pi^0e^+e^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	CL%
< 1.4	90

• • • We do not use the following data for averages, fits, limits, etc. • • •

<13	90
-----	----

Γ_{22}/Γ

DOCUMENT ID	TECN	COMMENT
BRIERE	00 CLEO	$10.6 e^+ e^-$

$\Gamma(\eta e^+e^-)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	CL%
< 2.4	90

• • • We do not use the following data for averages, fits, limits, etc. • • •

<11	90
-----	----

Γ_{23}/Γ

DOCUMENT ID	TECN	COMMENT
BRIERE	00 CLEO	$10.6 e^+ e^-$

$\Gamma(3\gamma)/\Gamma(\pi^0\pi^0\eta)$

VALUE (units 10^{-4})	CL%
<4.6	90

Γ_{24}/Γ_3

DOCUMENT ID	TECN	COMMENT
ALDE	87B GAM2	$38 \pi^- p \rightarrow n3\gamma$

$\Gamma(\mu^+\mu^-\pi^0)/\Gamma_{\text{total}}$

VALUE (units 10^{-5})	CL%
<6.0	90

Γ_{25}/Γ

DOCUMENT ID	TECN	COMMENT
DZHELYADIN	81 CNTR	$30 \pi^- p \rightarrow \eta' n$

$\Gamma(\mu^+ \mu^- \eta)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-5})	<u>CL%</u>
<1.5	90

 Γ_{26}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
DZHELYADIN 81	CNTR	$30 \pi^- p \rightarrow \eta' n$

 $\Gamma(e\mu)/\Gamma_{\text{total}}$

<u>VALUE</u> (units 10^{-4})	<u>CL%</u>
<4.7	90

 Γ_{27}/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BRIERE 00	CLEO	$10.6 e^+ e^-$

 $\eta'(958)$ C-NONCONSERVING DECAY PARAMETER

See the note on η decay parameters in the Stable Particle Particle Listings for definition of this parameter.

DECAY ASYMMETRY PARAMETER FOR $\pi^+ \pi^- \gamma$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.01 ± 0.04 OUR AVERAGE				
-0.019 ± 0.056		AIHARA 87	TPC	$2\gamma \rightarrow \pi^+ \pi^- \gamma$
-0.069 ± 0.078	295	GRIGORIAN 75	STRC	$2.1 \pi^- p$
0.00 ± 0.10	103	KALBFLEISCH 75	HBC	$2.18 K^- p \rightarrow \Lambda \pi^+ \pi^- \gamma$
0.07 ± 0.08	152	RITTENBERG 65	HBC	$2.1-2.7 K^- p$

 $\eta'(958)$ REFERENCES

ABLIKIM 06E	PR D73 052008	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 06Q	PRL 97 202002	M. Ablikim <i>et al.</i>	(BES Collab.)
AMELIN 05A	PAN 68 372	D.V. Amelin <i>et al.</i>	(VES Collab.)
	Translated from YAF 68 401.		
AMSLER 04B	EPJ C33 23	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BAI 04J	PL B594 47	J.Z. Bai <i>et al.</i>	(BES Collab.)
BRIERE 00	PRL 84 26	R. Briere <i>et al.</i>	(CLEO Collab.)
ACCIARRI 98B	PL B418 389	M. Acciari <i>et al.</i>	(L3 Collab.)
BARBERIS 98C	PL B440 225	D. Barberis <i>et al.</i>	(WA 102 Collab.)
WURZINGER 96	PL B374 283	R. Wurzinger <i>et al.</i>	(BONN, ORSAY, SACL+)
PDG 94	PR D50 1173	L. Montanet <i>et al.</i>	(CERN, LBL, BOST+)
AMSLER 93	ZPHY C58 175	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BELADIDZE 92C	SJNP 55 1535	G.M. Beladidze, S.I. Bityukov, G.V. Borisov	(SERP+)
	Translated from YAF 55 2748.		
KARCH 92	ZPHY C54 33	K. Karch <i>et al.</i>	(Crystal Ball Collab.)
ARMSTRONG 91B	ZPHY C52 389	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
BEHREND 91	ZPHY C49 401	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
AUGUSTIN 90	PR D42 10	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
BARU 90	ZPHY C48 581	S.E. Baru <i>et al.</i>	(MD-1 Collab.)
BUTLER 90	PR D42 1368	F. Butler <i>et al.</i>	(Mark II Collab.)
KARCH 90	PL B249 353	K. Karch <i>et al.</i>	(Crystal Ball Collab.)
ROE 90	PR D41 17	N.A. Roe <i>et al.</i>	(ASP Collab.)
AIHARA 88C	PR D38 1	H. Aihara <i>et al.</i>	(TPC-2 γ Collab.)
VOROBIEV 88	SJNP 48 273	P.V. Vorobiev <i>et al.</i>	(NOVO)
	Translated from YAF 48 436.		
WILLIAMS 88	PR D38 1365	D.A. Williams <i>et al.</i>	(Crystal Ball Collab.)
AIHARA 87	PR D35 2650	H. Aihara <i>et al.</i>	(TPC-2 γ Collab.) JP
ALBRECHT 87B	PL B199 457	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ALDE 87B	ZPHY C36 603	D.M. Alde <i>et al.</i>	(LANL, BELG, SERP, LAPP)
ANTREASYAN 87	PR D36 2633	D. Antreasyan <i>et al.</i>	(Crystal Ball Collab.)
GIDAL 87	PRL 59 2012	G. Gidal <i>et al.</i>	(LBL, SLAC, HARV)
ALDE 86	PL B177 115	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP)
BARTEL 85E	PL 160B 421	W. Bartel <i>et al.</i>	(JADE Collab.)
ALTHOFF 84E	PL 147B 487	M. Althoff <i>et al.</i>	(TASSO Collab.)
BERGER 84B	PL 142B 125	C. Berger	(PLUTO Collab.)

BINON	84	PL 140B 264	F.G. Binon <i>et al.</i>	(SERP, BELG, LAPP+)
BEHREND	83B	PL 125B 518	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
Also		PL 114B 378	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
JENNI	83	PR D27 1031	P. Jenni <i>et al.</i>	(SLAC, LBL)
BARTEL	82B	PL 113B 190	W. Bartel <i>et al.</i>	(JADE Collab.)
DZHELYADIN	81	PL 105B 239	R.I. Dzhelyadin <i>et al.</i>	(SERP)
STANTON	80	PL B92 353	N.R. Stanton <i>et al.</i>	(OSU, CARL, MCGI+)
VIKTOROV	80	SJNP 32 520	V.A. Viktorov <i>et al.</i>	(SERP)
		Translated from YAF 32 1005.		
APEL	79	PL 83B 131	W.D. Apel, K.H. Augenstein, E. Bertolucci	(KARLK+)
BINNIE	79	PL 83B 141	D.M. Binnie <i>et al.</i>	(LOIC)
ZANFINO	77	PRL 38 930	C. Zanfino <i>et al.</i>	(CARL, MCGI, OHIO+)
GRIGORIAN	75	NP B91 232	A. Grigorian <i>et al.</i>	(+)
KALBFLEISCH	75	PR D11 987	G.R. Kalbfleisch, R.C. Strand, J.W. Chapman	(BNL+)
DUANE	74	PRL 32 425	A. Duane <i>et al.</i>	(LOIC, SHMP)
KALBFLEISCH	74	PR D10 916	G.R. Kalbfleisch	(BNL)
DANBURG	73	PR D8 3744	J.S. Danburg <i>et al.</i>	(BNL, MICH) JP
JACOBS	73	PR D8 18	S.M. Jacobs <i>et al.</i>	(BRAN, UMD, SYRA+) JP
APEL	72	PL 40B 680	W.D. Apel <i>et al.</i>	(KARLK, KARLE, PISA)
DALPIAZ	72	PL 42B 377	P.F. Dalpiaz <i>et al.</i>	(CERN)
BASILE	71	NC 3A 371	M. Basile <i>et al.</i>	(CERN, BGNA, STRB)
HARVEY	71	PRL 27 885	E.H. Harvey <i>et al.</i>	(MINN, MICH)
BENSINGER	70	PL 33B 505	J.R. Bensinger <i>et al.</i>	(WISC)
RITTENBERG	69	Thesis UCRL 18863	A. Rittenberg	(LRL) I
DAVIS	68	PL 27B 532	R. Davis <i>et al.</i>	(NWES, ANL)
LONDON	66	PR 143 1034	G.W. London <i>et al.</i>	(BNL, SYRA) IJP
BADIER	65B	PL 17 337	J. Badier <i>et al.</i>	(EPOL, SACL, AMST)
RITTENBERG	65	PRL 15 556	A. Rittenberg, G.R. Kalbfleisch	(LRL, BNL)
DAUBER	64	PRL 13 449	P.M. Dauber <i>et al.</i>	(UCLA) JP

OTHER RELATED PAPERS

AMBROSINO	07A	PL B648 267	F. Ambrosino <i>et al.</i>	(KLOE Collab.)
AUBERT	06M	PR D74 012002	B. Aubert <i>et al.</i>	(BABAR Collab.)
BORASOY	06	PL B643 41	B. Borasoy, U.-G. Meissner, R. Nissler	
BENAYOUN	03B	EPJ C31 525	M. Benayoun <i>et al.</i>	
BENAYOUN	99B	PR D59 114027	M. Benayoun <i>et al.</i>	
PROKOSHKIN	99	PAN 62 356	Yu.D. Prokoshkin	
		Translated from YAF 62 396.		
GRONBERG	98	PR D57 33	J. Gronberg <i>et al.</i>	(CLEO Collab.)
ABELE	97B	PL B402 195	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
GENOVESE	94	ZPHY C61 425	M. Genovese, D.B. Lichtenberg, E. Predazzi	(TORI+)
BENAYOUN	93	ZPHY C58 31	M. Benayoun <i>et al.</i>	(CDEF, CERN, BARI)
KAMAL	92	PL B284 421	A.N. Kamal, Q.P. Xu	(ALBE)
BICKERSTAFF	82	ZPHY C16 171	R.P. Bickerstaff, B.H.J. McKellar	(MELB)
KIENZLE	65	PL 19 438	W. Kienzle <i>et al.</i>	(CERN)
TRILLING	65	PL 19 427	G.H. Trilling <i>et al.</i>	(LRL)
GOLDBERG	64	PRL 12 546	M. Goldberg <i>et al.</i>	(SYRA, BNL)
GOLDBERG	64B	PRL 13 249	M. Goldberg <i>et al.</i>	(SYRA, BNL)
KALBFLEISCH	64	PRL 12 527	G.R. Kalbfleisch <i>et al.</i>	(LRL) JP
KALBFLEISCH	64B	PRL 13 349	G.R. Kalbfleisch, O.I. Dahl, A. Rittenberg	(LRL) JP