

$f_2(1565)$

$I^G(J^{PC}) = 0^+(2^{++})$

OMITTED FROM SUMMARY TABLE

Seen in antinucleon-nucleon annihilation at rest. Needs confirmation.

$f_2(1565)$ MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1562 ± 13 OUR AVERAGE	Error includes scale factor of 2.1. See the ideogram below.		

1590 ± 10	¹ AMELIN	06 VES	$36 \pi^- p \rightarrow \omega\omega n$
1552 ± 13	² AMSLER	02 CBAR	$0.9 \bar{p}p \rightarrow \pi^0 \eta\eta, \pi^0 \pi^0 \pi^0$
1550 ± 10 ± 20	AMELIN	00 VES	$37 \pi^- p \rightarrow \eta\pi^+ \pi^- n$
1575 ± 18	BERTIN	98 OBLX	$0.05-0.405 \bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1507 ± 15	² BERTIN	97C OBLX	$0.0 \bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
1565 ± 20	MAY	90 ASTE	$0.0 \bar{p}p \rightarrow \pi^+ \pi^- \pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1544.7 ± 3.0	VLADIMIRSKII	00 SPEC	$40 \pi^- p \rightarrow K_S^0 K_S^0 X$
1598 ± 11 ± 9	BAKER	99B SPEC	$0 \bar{p}p \rightarrow \omega\omega \pi^0$
1534 ± 20	³ ABELE	96C RVUE	Compilation
~ 1552	⁴ AMSLER	95D CBAR	$0.0 \bar{p}p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta\eta, \pi^0 \pi^0 \eta$
1598 ± 72	BALOSHIN	95 SPEC	$40 \pi^- C \rightarrow K_S^0 K_S^0 X$
1566 ± 80 - 50	⁵ ANISOVICH	94 CBAR	$0.0 \bar{p}p \rightarrow 3\pi^0, \eta\eta\pi^0$
1502 ± 9	ADAMO	93 OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1488 ± 10	⁶ ARMSTRONG	93C E760	$\bar{p}p \rightarrow \pi^0 \eta\eta \rightarrow 6\gamma$
1508 ± 10	⁶ ARMSTRONG	93D E760	$\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$
1525 ± 10	⁶ ARMSTRONG	93D E760	$\bar{p}p \rightarrow \eta\pi^0 \pi^0 \rightarrow 6\gamma$
~ 1504	⁷ WEIDENAUER	93 ASTE	$0.0 \bar{p}N \rightarrow 3\pi^- 2\pi^+$
1540 ± 15	⁶ ADAMO	92 OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1515 ± 10	⁸ AKER	91 CBAR	$0.0 \bar{p}p \rightarrow 3\pi^0$
1477 ± 5	BRIDGES	86C DBC	$0.0 \bar{p}N \rightarrow 3\pi^- 2\pi^+$

¹ Supersedes the $\omega\omega$ state of BELADIDZE 92B earlier assigned to the $f_2(1640)$.

² T-matrix pole.

³ T-matrix pole, large coupling to $\rho\rho$ and $\omega\omega$, could be $f_2(1640)$.


⁴ Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.

⁵ From a simultaneous analysis of the annihilations $\bar{p}p \rightarrow 3\pi^0, \pi^0 \eta\eta$ including AKER 91 data.

⁶ J^P not determined, could be partly $f_0(1500)$.

⁷ J^P not determined.

⁸ Superseded by AMSLER 95B.



f₂(1565) WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
134 ± 8 OUR AVERAGE			
140 ± 11	⁹ AMELIN 06 VES	$36 \pi^- p \rightarrow \omega\omega n$	
113 ± 23	¹⁰ AMSLER 02 CBAR	$0.9 \bar{p}p \rightarrow \pi^0\eta\eta, \pi^0\pi^0\pi^0$	
130 ± 20 ± 40	AMELIN 00 VES	$37 \pi^- p \rightarrow \eta\pi^+\pi^-n$	
119 ± 24	BERTIN 98 OBLX	$0.05-0.405 \bar{n}p \rightarrow \pi^+\pi^+\pi^-$	
130 ± 20	¹⁰ BERTIN 97C OBLX	$0.0 \bar{p}p \rightarrow \pi^+\pi^-\pi^0$	
170 ± 40	MAY 90 ASTE	$0.0 \bar{p}p \rightarrow \pi^+\pi^-\pi^0$	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
10.3 ± 3.0	VLADIMIRSKII 00 SPEC	$40 \pi^- p \rightarrow K_S^0 K_S^0 X$	
180 ± 60	¹¹ ABELE 96C RVUE	Compilation	
~142	¹² AMSLER 95D CBAR	$0.0 \bar{p}p \rightarrow \pi^0\pi^0\pi^0, \pi^0\eta\eta, \pi^0\pi^0\eta$	
263 ± 101	BALOSHIN 95 SPEC	$40 \pi^- C \rightarrow K_S^0 K_S^0 X$	
166 + 80 - 20	¹³ ANISOVICH 94 CBAR	$0.0 \bar{p}p \rightarrow 3\pi^0, \eta\eta\pi^0$	
130 ± 10	¹⁴ ADAMO 93 OBLX	$\bar{n}p \rightarrow \pi^+\pi^+\pi^-$	
148 ± 27	¹⁵ ARMSTRONG 93C E760	$\bar{p}p \rightarrow \pi^0\eta\eta \rightarrow 6\gamma$	
103 ± 15	¹⁵ ARMSTRONG 93D E760	$\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$	
111 ± 10	¹⁵ ARMSTRONG 93D E760	$\bar{p}p \rightarrow \eta\pi^0\pi^0 \rightarrow 6\gamma$	
~206	¹⁶ WEIDENAUER 93 ASTE	$0.0 \bar{p}N \rightarrow 3\pi^- 2\pi^+$	
132 ± 37	¹⁵ ADAMO 92 OBLX	$\bar{n}p \rightarrow \pi^+\pi^+\pi^-$	
120 ± 10	¹⁷ AKER 91 CBAR	$0.0 \bar{p}p \rightarrow 3\pi^0$	
116 ± 9	BRIDGES 86C DBC	$0.0 \bar{p}N \rightarrow 3\pi^- 2\pi^+$	

- ⁹ Supersedes the $\omega\omega$ state of BELADIDZE 92B earlier assigned to the $f_2(1640)$.
- ¹⁰ T-matrix pole.
- ¹¹ T-matrix pole, large coupling to $\rho\rho$ and $\omega\omega$, could be $f_2(1640)$.
- ¹² Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.
- ¹³ From a simultaneous analysis of the annihilations $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$ including AKER 91 data.
- ¹⁴ Supersedes ADAMO 92.
- ¹⁵ J^P not determined, could be partly $f_0(1500)$.
- ¹⁶ J^P not determined.
- ¹⁷ Superseded by AMSLER 95B.

$f_2(1565)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \pi\pi$	seen
$\Gamma_2 \pi^+\pi^-$	seen
$\Gamma_3 \pi^0\pi^0$	seen
$\Gamma_4 \rho^0\rho^0$	seen
$\Gamma_5 2\pi^+ 2\pi^-$	seen
$\Gamma_6 \eta\eta$	seen
$\Gamma_7 a_2(1320)\pi$	
$\Gamma_8 \omega\omega$	seen
$\Gamma_9 K\bar{K}$	
$\Gamma_{10} \gamma\gamma$	

$f_2(1565)$ PARTIAL WIDTHS

$\Gamma(\eta\eta)$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.2 ± 0.3 870 ¹⁸ SCHEGELSKY 06A RVUE $\gamma\gamma \rightarrow K_S^0 K_S^0$

Γ_6

$\Gamma(K\bar{K})$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.0 ± 1.0 870 ¹⁸ SCHEGELSKY 06A RVUE $\gamma\gamma \rightarrow K_S^0 K_S^0$

Γ_9

$\Gamma(\gamma\gamma)$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.70 ± 0.14 870 ¹⁸ SCHEGELSKY 06A RVUE $\gamma\gamma \rightarrow K_S^0 K_S^0$

Γ_{10}

¹⁸ From analysis of L3 data at 91 and 183–209 GeV, using $f_2(1565)$ mass of 1570 MeV, width of 160 MeV, $\Gamma(\pi\pi) = 25$ MeV, and SU(3) relations.

$f_2(1565)$ BRANCHING RATIOS

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_1/Γ
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
seen	BAKER	99B	SPEC	$0 \bar{p}p \rightarrow \omega\omega\pi^0$

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_2/Γ
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
seen	BERTIN	98	OBLX	$0.05\text{--}0.405 \bar{p}p \rightarrow \pi^+\pi^+\pi^-$
not seen	19 ANISOVICH	94B	RVUE	$\bar{p}p \rightarrow \pi^+\pi^-\pi^0$
seen	MAY	89	ASTE	$\bar{p}p \rightarrow \pi^+\pi^-\pi^0$

19 ANISOVICH 94B is from a reanalysis of MAY 90.

$\Gamma(\pi^0\pi^0)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_3/Γ
seen	AMSLER	95B	CBAR	$0.0 \bar{p}p \rightarrow 3\pi^0$

$\Gamma(\pi^+\pi^-)/\Gamma(\rho^0\rho^0)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_2/Γ_4
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.042 ± 0.013	BRIDGES	86B	DBC	$\bar{p}N \rightarrow 3\pi^- 2\pi^+$

$\Gamma(\eta\eta)/\Gamma(\pi^0\pi^0)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_6/Γ_3
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$0.024 \pm 0.005 \pm 0.012$	20 ARMSTRONG	93C E760	$\bar{p}p \rightarrow \pi^0\eta\eta \rightarrow 6\gamma$	
20 J^P not determined, could be partly $f_0(1500)$.				

$\Gamma(\omega\omega)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_8/Γ
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
seen	BAKER	99B	SPEC	$0 \bar{p}p \rightarrow \omega\omega\pi^0$

$f_2(1565)$ REFERENCES

AMELIN	06	PAN 69 690	D.V. Amelin <i>et al.</i>	(VES Collab.)
		Translated from YAF 69 715.		
SCHEGELSKY	06A	EPJ A27 207	V.A. Schegelsky <i>et al.</i>	
AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	
AMELIN	00	NP A668 83	D. Amelin <i>et al.</i>	(VES Collab.)
VLADIMIRSKII	00	JETPL 26 486	V.V. Vladimirkii <i>et al.</i>	
		Translated from ZETFP 72 698.		
BAKER	99B	PL B467 147	C.A. Baker <i>et al.</i>	
BERTIN	98	PR D57 55	A. Bertin <i>et al.</i>	(OBELIX Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	96C	NP A609 562	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95C	PL B353 571	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BALOSHIN	95	PAN 58 46	O.N. Baloshin <i>et al.</i>	(ITEP)
		Translated from YAF 58 50.		

AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94	PL B323 233	V.V. Anisovich <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94B	PR D50 1972	V.V. Anisovich <i>et al.</i>	(LOQM)
ADAMO	93	NP A558 13C	A. Adamo <i>et al.</i>	(OBELIX Collab.)
ARMSTRONG	93C	PL B307 394	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
ARMSTRONG	93D	PL B307 399	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
WEIDENAUER	93	ZPHY C59 387	P. Weidenauer <i>et al.</i>	(ASTERIX Collab.)
ADAMO	92	PL B287 368	A. Adamo <i>et al.</i>	(OBELIX Collab.)
BELADIDZE	92B	ZPHY C54 367	G.M. Beladidze <i>et al.</i>	(VES Collab.)
AKER	91	PL B260 249	E. Aker <i>et al.</i>	(Crystal Barrel Collab.)
MAY	90	ZPHY C46 203	B. May <i>et al.</i>	(ASTERIX Collab.)
MAY	89	PL B225 450	B. May <i>et al.</i>	(ASTERIX Collab.) IJP
BRIDGES	86B	PRL 56 215	D.L. Bridges <i>et al.</i>	(SYRA, CASE)
BRIDGES	86C	PRL 57 1534	D.L. Bridges <i>et al.</i>	(SYRA)

OTHER RELATED PAPERS

ANISOVICH 05 JETPL 80 715 V.V. Anisovich
Translated from ZETFP 80 845.