

**$f_0(1500)$**  $I^G(J^{PC}) = 0^+(0^{++})$ 


See also the mini-reviews on scalar mesons under  $f_0(600)$  and on non- $q\bar{q}$  candidates. (See the index for the page number.)

 **$f_0(1500)$  MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>1505 \pm 6</math> OUR AVERAGE</b>				
1466 $\pm$ 6 $\pm$ 20		ABLIKIM	06V	BES2 $e^+e^- \rightarrow J/\psi \rightarrow \gamma\pi^+\pi^-$
1515 $\pm$ 12	1	BARBERIS	00A	$450\ pp \rightarrow p_f\eta\eta p_s$
1511 $\pm$ 9	1,2	BARBERIS	00C	$450\ pp \rightarrow p_f4\pi p_s$
1510 $\pm$ 8	1	BARBERIS	00E	$450\ pp \rightarrow p_f\eta\eta p_s$
1522 $\pm$ 25		BERTIN	98	OBLX 0.05–0.405 $\bar{n}p \rightarrow \pi^+\pi^+\pi^-$
1449 $\pm$ 20	1	BERTIN	97C	OBLX 0.0 $\bar{p}p \rightarrow \pi^+\pi^-\pi^0$
1515 $\pm$ 20		ABELE	96B	CBAR 0.0 $\bar{p}p \rightarrow \pi^0 K_L^0 K_L^0$
1500 $\pm$ 15	3	AMSLER	95B	CBAR 0.0 $\bar{p}p \rightarrow 3\pi^0$
1505 $\pm$ 15	4	AMSLER	95C	CBAR 0.0 $\bar{p}p \rightarrow \eta\eta\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1495 $\pm$ 4		AMSLER	06	CBAR $0.9\ \bar{p}p \rightarrow K^+K^-\pi^0$
1539 $\pm$ 20	9.9k	AUBERT	060	BABR $B^\pm \rightarrow K^\pm\pi^\pm\pi^\mp$
1473 $\pm$ 5	80k	5,6 UMAN	06	E835 $5.2\ \bar{p}p \rightarrow \eta\eta\pi^0$
1478 $\pm$ 6		VLADIMIRSK...	06	SPEC $40\ \pi^-p \rightarrow K_S^0 K_S^0 n$
1493 $\pm$ 7		5 BINON	05	GAMS $33\ \pi^-p \rightarrow \eta\eta n$
1524 $\pm$ 14	1400	7 GARMASH	05	BELL $B^+ \rightarrow K^+K^+K^-$
1489 $^{+8}_{-4}$		15 ANISOVICH	03	RVUE
1490 $\pm$ 30		5 ABELE	01	CBAR $0.0\ \bar{p}d \rightarrow \pi^-4\pi^0 p$
1497 $\pm$ 10		5 BARBERIS	99	OMEG $450\ pp \rightarrow p_s p_f K^+ K^-$
1502 $\pm$ 10		5 BARBERIS	99B	OMEG $450\ pp \rightarrow p_s p_f \pi^+\pi^-$
1502 $\pm$ 12 $\pm$ 10		8 BARBERIS	99D	OMEG $450\ pp \rightarrow K^+K^-, \pi^+\pi^-$
1530 $\pm$ 45		5 BELLAZZINI	99	GAM4 $450\ pp \rightarrow p p \pi^0 \pi^0$
1505 $\pm$ 18		5 FRENCH	99	$300\ pp \rightarrow p_f(K^+K^-)p_s$
1447 $\pm$ 27		9 KAMINSKI	99	RVUE $\pi\pi \rightarrow \pi\pi, K\overline{K}, \sigma\sigma$
1580 $\pm$ 80		5 ALDE	98	GAM4 $100\ \pi^-p \rightarrow \pi^0\pi^0 n$
1499 $\pm$ 8		1 ANISOVICH	98B	RVUE Compilation
$\sim$ 1520		REYES	98	SPEC $800\ pp \rightarrow p_s p_f K_S^0 K_S^0$
1510 $\pm$ 20	1	BARBERIS	97B	OMEG $450\ pp \rightarrow p p 2(\pi^+\pi^-)$
$\sim$ 1475		FRABETTI	97D	E687 $D_s^\pm \rightarrow \pi^\mp\pi^\pm\pi^\pm$
$\sim$ 1505		ABELE	96	CBAR $0.0\ \bar{p}p \rightarrow 5\pi^0$
1500 $\pm$ 8	1	ABELE	96C	RVUE Compilation
1460 $\pm$ 20	120	5 AMELIN	96B	VES $37\ \pi^-A \rightarrow \eta\eta\pi^-A$
1500 $\pm$ 8		BUGG	96	RVUE
1500 $\pm$ 10		10 AMSLER	95D	CBAR $0.0\ \bar{p}p \rightarrow \pi^0\pi^0\pi^0, \pi^0\eta\eta, \pi^0\pi^0\eta$
1445 $\pm$ 5		11 ANTINORI	95	OMEG $300,450\ pp \rightarrow p p 2(\pi^+\pi^-)$
1497 $\pm$ 30		5 ANTINORI	95	OMEG $300,450\ pp \rightarrow p p \pi^+\pi^-$

$\sim 1505$		BUGG	95	MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-\pi^+\pi^-$
$1446 \pm 5$		<sup>5</sup> ABATZIS	94	OMEG	$450 pp \rightarrow pp2(\pi^+\pi^-)$
$1545 \pm 25$		<sup>5</sup> AMSLER	94E	CBAR	$0.0 \bar{p}p \rightarrow \pi^0\eta\eta'$
$1520 \pm 25$		<sup>1,12</sup> ANISOVICH	94	CBAR	$0.0 \bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$
$1505 \pm 20$		<sup>1,13</sup> BUGG	94	RVUE	$\bar{p}p \rightarrow 3\pi^0, \eta\eta\pi^0, \eta\pi^0\pi^0$
$1560 \pm 25$		<sup>5</sup> AMSLER	92	CBAR	$0.0 \bar{p}p \rightarrow \pi^0\eta\eta$
$1550 \pm 45 \pm 30$		<sup>5</sup> BELADIDZE	92C	VES	$36 \pi^- Be \rightarrow \pi^-\eta'\eta Be$
$1449 \pm 4$		<sup>5</sup> ARMSTRONG	89E	OMEG	$300 pp \rightarrow pp2(\pi^+\pi^-)$
$1610 \pm 20$		<sup>5</sup> ALDE	88	GAM4	$300 \pi^- N \rightarrow \pi^- N2\eta$
$\sim 1525$		ASTON	88D	LASS	$11 K^- p \rightarrow K_S^0 K_S^0 \Lambda$
$1570 \pm 20$	600	<sup>5</sup> ALDE	87	GAM4	$100 \pi^- p \rightarrow 4\pi^0 n$
$1575 \pm 45$		<sup>14</sup> ALDE	86D	GAM4	$100 \pi^- p \rightarrow 2\eta n$
$1568 \pm 33$		<sup>5</sup> BINON	84C	GAM2	$38 \pi^- p \rightarrow \eta\eta' n$
$1592 \pm 25$		<sup>5</sup> BINON	83	GAM2	$38 \pi^- p \rightarrow 2\eta n$
$1525 \pm 5$		<sup>5</sup> GRAY	83	DBC	$0.0 \bar{p}N \rightarrow 3\pi$

<sup>1</sup> T-matrix pole.<sup>2</sup> Average between  $\pi^+\pi^- 2\pi^0$  and  $2(\pi^+\pi^-)$ .<sup>3</sup> T-matrix pole, supersedes ANISOVICH 94.<sup>4</sup> T-matrix pole, supersedes ANISOVICH 94 and AMSLER 92.<sup>5</sup> Breit-Wigner mass.<sup>6</sup> Statistical error only.<sup>7</sup> Breit-Wigner, solution 1, PWA ambiguous.<sup>8</sup> Supersedes BARBERIS 99 and BARBERIS 99B.<sup>9</sup> T-matrix pole on sheet — +.<sup>10</sup> T-matrix pole. Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.<sup>11</sup> Supersedes ABATZIS 94, ARMSTRONG 89E. Breit-Wigner mass.<sup>12</sup> From a simultaneous analysis of the annihilations  $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$ .<sup>13</sup> Reanalysis of ANISOVICH 94 data.<sup>14</sup> From central value and spread of two solutions. Breit-Wigner mass.



<sup>15</sup>K-matrix pole from combined analysis of  $\pi^- p \rightarrow \pi^0 \pi^0 n$ ,  $\pi^- p \rightarrow K\bar{K}n$ ,  $\pi^+ \pi^- \rightarrow \pi^+ \pi^-$ ,  $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0$ ,  $\pi^0 \eta \eta$ ,  $\pi^0 \pi^0 \eta$ ,  $\pi^+ \pi^- \pi^0$ ,  $K^+ K^- \pi^0$ ,  $K_S^0 K_S^0 \pi^0$ ,  $K^+ K_S^0 \pi^-$  at rest,  $\bar{p}n \rightarrow \pi^- \pi^- \pi^+$ ,  $K_S^0 K^- \pi^0$ ,  $K_S^0 K_S^0 \pi^-$  at rest.

---

### $f_0(1500)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>109± 7 OUR AVERAGE</b>				
108 <sub>-11</sub> <sup>+14</sup>	11±25	ABLIKIM	06V BES2	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma \pi^+ \pi^-$
110± 24	16	BARBERIS	00A	$450 \bar{p}p \rightarrow p_f \eta \eta p_s$
102± 18	16, <sup>17</sup>	BARBERIS	00C	$450 \bar{p}p \rightarrow p_f 4\pi p_s$
110± 16	16	BARBERIS	00E	$450 \bar{p}p \rightarrow p_f \eta \eta p_s$
108± 33		BERTIN	98 OBLX	$0.05-0.405 \bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
114± 30	16	BERTIN	97C OBLX	$0.0 \bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
105± 15		ABELE	96B CBAR	$0.0 \bar{p}p \rightarrow \pi^0 K_L^0 K_L^0$
120± 25	18	AMSLER	95B CBAR	$0.0 \bar{p}p \rightarrow 3\pi^0$
120± 30	19	AMSLER	95C CBAR	$0.0 \bar{p}p \rightarrow \eta \eta \pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
121± 8		AMSLER	06 CBAR	$0.9 \bar{p}p \rightarrow K^+ K^- \pi^0$
257± 33	9.9k	AUBERT	060 BABR	$B^\pm \rightarrow K^\pm \pi^\pm \pi^\mp$
108± 9	80k	UMAN	06 E835	$5.2 \bar{p}p \rightarrow \eta \eta \pi^0$

119 $\pm$ 10		VLADIMIRSK..06	SPEC	40 $\pi^- p \rightarrow K_S^0 K_S^0 n$	
90 $\pm$ 15		20 BINON	GAMS	33 $\pi^- p \rightarrow \eta\eta n$	
136 $\pm$ 23	1400	22 GARMASH	BELL	$B^+ \rightarrow K^+ K^+ K^-$	
102 $\pm$ 10		30 ANISOVICH	RVUE		
140 $\pm$ 40		20 ABELE	CBAR	0.0 $\bar{p}d \rightarrow \pi^- 4\pi^0 p$	
104 $\pm$ 25		20 BARBERIS	OMEG	450 $pp \rightarrow p_s p_f K^+ K^-$	
131 $\pm$ 15		20 BARBERIS	OMEG	450 $pp \rightarrow p_s p_f \pi^+ \pi^-$	
98 $\pm$ 18 $\pm$ 16		23 BARBERIS	OMEG	450 $pp \rightarrow K^+ K^-, \pi^+ \pi^-$	
160 $\pm$ 50		20 BELLAZZINI	GAM4	450 $pp \rightarrow pp\pi^0\pi^0$	
100 $\pm$ 33		20 FRENCH		300 $pp \rightarrow p_f(K^+ K^-)p_s$	
108 $\pm$ 46		24 KAMINSKI	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, \sigma\sigma$	
280 $\pm$ 100		20 ALDE	GAM4	100 $\pi^- p \rightarrow \pi^0\pi^0 n$	
130 $\pm$ 20		16 ANISOVICH	RVUE	Compilation	
120 $\pm$ 35		16 BARBERIS	OMEG	450 $pp \rightarrow pp2(\pi^+ \pi^-)$	
$\sim$ 100		FRABETTI	E687	$D_s^\pm \rightarrow \pi^\mp \pi^\pm \pi^\pm$	
$\sim$ 169		ABELE	CBAR	0.0 $\bar{p}p \rightarrow 5\pi^0$	
100 $\pm$ 30	120	20 AMELIN	VES	37 $\pi^- A \rightarrow \eta\eta\pi^- A$	
132 $\pm$ 15		BUGG	RVUE		
154 $\pm$ 30		25 AMSLER	CBAR	0.0 $\bar{p}p \rightarrow \pi^0\pi^0\pi^0, \pi^0\eta\eta, \pi^0\pi^0\eta$	
65 $\pm$ 10		26 ANTINORI	OMEG	300,450 $pp \rightarrow pp2(\pi^+ \pi^-)$	
199 $\pm$ 30		20 ANTINORI	OMEG	300,450 $pp \rightarrow pp\pi^+\pi^-$	
56 $\pm$ 12		20 ABATZIS	OMEG	450 $pp \rightarrow pp2(\pi^+ \pi^-)$	
100 $\pm$ 40		20 AMSLER	CBAR	0.0 $\bar{p}p \rightarrow \pi^0\eta\eta'$	
148 $^{+}$ 20 $_{-}$ 25		16,27 ANISOVICH	CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$	
150 $\pm$ 20		16,28 BUGG	RVUE	$\bar{p}p \rightarrow 3\pi^0, \eta\eta\pi^0, \eta\pi^0\pi^0$	
245 $\pm$ 50		20 AMSLER	CBAR	0.0 $\bar{p}p \rightarrow \pi^0\eta\eta$	
153 $\pm$ 67 $\pm$ 50		20 BELADIDZE	VES	36 $\pi^- Be \rightarrow \pi^- \eta' \eta Be$	
78 $\pm$ 18		20 ARMSTRONG	OMEG	300 $pp \rightarrow pp2(\pi^+ \pi^-)$	
170 $\pm$ 40		20 ALDE	GAM4	300 $\pi^- N \rightarrow \pi^- N2\eta$	
150 $\pm$ 20	600	20 ALDE	GAM4	100 $\pi^- p \rightarrow 4\pi^0 n$	
265 $\pm$ 65		29 ALDE	GAM4	100 $\pi^- p \rightarrow 2\eta n$	
260 $\pm$ 60		20 BINON	GAM2	38 $\pi^- p \rightarrow \eta\eta' n$	
210 $\pm$ 40		20 BINON	GAM2	38 $\pi^- p \rightarrow 2\eta n$	
101 $\pm$ 13		20 GRAY	DBC	0.0 $\bar{p}N \rightarrow 3\pi$	

16 T-matrix pole.

17 Average between  $\pi^+ \pi^- 2\pi^0$  and  $2(\pi^+ \pi^-)$ .

18 T-matrix pole, supersedes ANISOVICH 94.

19 T-matrix pole, supersedes ANISOVICH 94 and AMSLER 92.

20 Breit-Wigner width.

21 Statistical error only.

22 Breit-Wigner, solution 1, PWA ambiguous.

23 Supersedes BARBERIS 99 and BARBERIS 99B.

24 T-matrix pole on sheet — — +.

25 T-matrix pole. Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.

26 Supersedes ABATZIS 94, ARMSTRONG 89E. Breit-Wigner mass.

27 From a simultaneous analysis of the annihilations  $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$ .

28 Reanalysis of ANISOVICH 94 data.

29 From central value and spread of two solutions. Breit-Wigner mass.

30 K-matrix pole from combined analysis of  $\pi^- p \rightarrow \pi^0 \pi^0 n$ ,  $\pi^- p \rightarrow K\bar{K}n$ ,  
 $\pi^+ \pi^- \rightarrow \pi^+ \pi^-$ ,  $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0$ ,  $\pi^0 \eta \eta$ ,  $\pi^0 \pi^0 \eta$ ,  $\pi^+ \pi^- \pi^0$ ,  $K^+ K^- \pi^0$ ,  $K_S^0 K_S^0 \pi^0$ ,  
 $K^+ K_S^0 \pi^-$  at rest,  $\bar{p}n \rightarrow \pi^- \pi^- \pi^+$ ,  $K_S^0 K^- \pi^0$ ,  $K_S^0 K_S^0 \pi^-$  at rest.

---

## $f_0(1500)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor
$\Gamma_1 \pi \pi$	(34.9 $\pm$ 2.3) %	1.2
$\Gamma_2 \pi^+ \pi^-$	seen	
$\Gamma_3 2\pi^0$	seen	
$\Gamma_4 4\pi$	(49.5 $\pm$ 3.3) %	1.2
$\Gamma_5 4\pi^0$	seen	
$\Gamma_6 2\pi^+ 2\pi^-$	seen	
$\Gamma_7 2(\pi\pi)_{S\text{-wave}}$		
$\Gamma_8 \rho\rho$		
$\Gamma_9 \pi(1300)\pi$		
$\Gamma_{10} a_1(1260)\pi$		
$\Gamma_{11} \eta\eta$	( 5.1 $\pm$ 0.9) %	1.4
$\Gamma_{12} \eta\eta'(958)$	( 1.9 $\pm$ 0.8) %	1.7
$\Gamma_{13} K\bar{K}$	( 8.6 $\pm$ 1.0) %	1.1
$\Gamma_{14} \gamma\gamma$	not seen	

---

## CONSTRAINED FIT INFORMATION

An overall fit to 6 branching ratios uses 10 measurements and one constraint to determine 5 parameters. The overall fit has a  $\chi^2 = 11.4$  for 6 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$$\begin{array}{c|cccc}
x_4 & -83 & & & \\
x_{11} & 11 & -52 & & \\
x_{12} & -5 & -31 & 29 & \\
x_{13} & 39 & -67 & 33 & 6 \\
\hline x_1 & x_4 & x_{11} & x_{12} &
\end{array}$$


---

### $f_0(1500) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$	$\Gamma_1\Gamma_{14}/\Gamma$			
<u>VALUE</u> (keV)	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
not seen		ACCIARRI	01H L3	$\gamma\gamma \rightarrow K_S^0 K_S^0, E_{\text{cm}} = 91, 183-209 \text{ GeV}$
<0.46	95	BARATE	00E ALEP	$\gamma\gamma \rightarrow \pi^+ \pi^-$

### $f_0(1500) \text{ BRANCHING RATIOS}$

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$	$\Gamma_1/\Gamma$	
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>		
$0.454 \pm 0.104$	BUGG	96 RVUE

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$	$\Gamma_2/\Gamma$		
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>seen</b>			
	BERTIN	98 OBLX	$0.05-0.405 \bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
possibly seen	FRABETTI	97D E687	$D_s^\pm \rightarrow \pi^\mp \pi^\pm \pi^\pm$

$\Gamma(4\pi)/\Gamma(\pi\pi)$	$\Gamma_4/\Gamma_1$		
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1.42 ± 0.18 OUR FIT</b> Error includes scale factor of 1.2.			
<b>1.42 ± 0.18 OUR AVERAGE</b> Error includes scale factor of 1.2.			
1.37 ± 0.16	BARBERIS	00D	$450 pp \rightarrow p_f 4\pi p_s$
2.1 ± 0.6	31 AMSLER	98	RVUE
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
2.1 ± 0.2	32 ANISOVICH	02D SPEC	Combined fit
3.4 ± 0.8	31 ABELE	96 CBAR	$0.0 \bar{p}p \rightarrow 5\pi^0$

$\Gamma(2(\pi\pi)_S\text{-wave})/\Gamma(\pi\pi)$	$\Gamma_7/\Gamma_1$		
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
0.42 ± 0.26	33 ABELE	01 CBAR	$0.0 \bar{p}d \rightarrow \pi^- 4\pi^0 p$

$\Gamma(2(\pi\pi)_S\text{-wave})/\Gamma(4\pi)$	$\Gamma_7/\Gamma_4$		
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
0.26 ± 0.07	ABELE	01B CBAR	$0.0 \bar{p}d \rightarrow 5\pi p$

$\Gamma(\rho\rho)/\Gamma(4\pi)$	$\Gamma_8/\Gamma_4$		
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
0.13 ± 0.08	ABELE	01B CBAR	$0.0 \bar{p}d \rightarrow 5\pi p$

### $\Gamma(\rho\rho)/\Gamma(2(\pi\pi)s\text{-wave})$

$\Gamma_8/\Gamma_7$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>		
3.3 $\pm$ 0.5	BARBERIS 00C	450 $p p \rightarrow p_f \pi^+ \pi^- 2\pi^0 p_s$
2.6 $\pm$ 0.4	BARBERIS 00C	450 $p p \rightarrow p_f 2(\pi^+ \pi^-) p_s$

### $\Gamma(\pi(1300)\pi)/\Gamma(4\pi)$

$\Gamma_9/\Gamma_4$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
0.50 $\pm$ 0.25	ABELE 01B	CBAR 0.0 $\bar{p}d \rightarrow 5\pi p$	

### $\Gamma(a_1(1260)\pi)/\Gamma(4\pi)$

$\Gamma_{10}/\Gamma_4$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
0.12 $\pm$ 0.05	ABELE 01B	CBAR 0.0 $\bar{p}d \rightarrow 5\pi p$	

### $\Gamma(\eta\eta)/\Gamma_{\text{total}}$


$\Gamma_{11}/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
large	ALDE 88	GAM4 300 $\pi^- N \rightarrow \eta\eta\pi^- N$	
large	BINON 83	GAM2 38 $\pi^- p \rightarrow 2\eta n$	

### $\Gamma(\eta\eta)/\Gamma(\pi\pi)$

$\Gamma_{11}/\Gamma_1$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.145 <math>\pm</math> 0.027 OUR FIT</b>	Error includes scale factor of 1.5.		
<b>0.14 <math>\pm</math> 0.04 OUR AVERAGE</b>	Error includes scale factor of 1.7. See the ideogram below.		
0.080 $\pm$ 0.033	AMSLER 02	CBAR 0.9 $\bar{p}p \rightarrow \pi^0 \eta\eta, \pi^0 \pi^0 \pi^0$	
0.18 $\pm$ 0.03	BARBERIS 00E	450 $p p \rightarrow p_f \eta\eta p_s$	
0.230 $\pm$ 0.097	34 AMSLER 95C	CBAR 0.0 $\bar{p}p \rightarrow \eta\eta\pi^0$	
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
0.11 $\pm$ 0.03	32 ANISOVICH 02D	SPEC Combined fit	
0.078 $\pm$ 0.013	35 ABELE 96C	RVUE Compilation	
0.157 $\pm$ 0.060	36 AMSLER 95D	CBAR 0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta\eta, \pi^0 \pi^0 \eta$	



### $\Gamma(4\pi^0)/\Gamma(\eta\eta)$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
0.8±0.3	ALDE	87 GAM4	100 $\pi^- p \rightarrow 4\pi^0 n$

### $\Gamma(\eta\eta'(958))/\Gamma(\pi\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.055±0.024 OUR FIT</b> Error includes scale factor of 1.8.			
<b>0.095±0.026</b>	BARBERIS 00A	450 $pp \rightarrow p_f \eta\eta p_s$	
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
0.005±0.003	32 ANISOVICH 02D	SPEC	Combined fit

### $\Gamma(\eta\eta'(958))/\Gamma(\eta\eta)$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.38±0.16 OUR FIT</b> Error includes scale factor of 1.9.			
<b>0.29±0.10</b>	37 AMSLER 95C	CBAR 0.0 $\bar{p}p \rightarrow \eta\eta\pi^0$	
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
0.05±0.03	32 ANISOVICH 02D	SPEC	Combined fit
0.84±0.23	ABELE 96C	RVUE	Compilation
2.7 ± 0.8	BINON 84C	GAM2	38 $\pi^- p \rightarrow \eta\eta' n$

### $\Gamma(K\bar{K})/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>		
0.044±0.021	BUGG 96	RVUE

$\Gamma(K\bar{K})/\Gamma(\pi\pi)$ 

<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	$\Gamma_{13}/\Gamma_1$
<b>0.246 ± 0.026 OUR FIT</b>					
<b>0.241 ± 0.028 OUR AVERAGE</b>					
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>					
0.25 ± 0.03	38	BARGIOTTI 03	OBLX	$\bar{p}p$	
0.19 ± 0.07	39	ABELE 98	CBAR	$0.0 \bar{p}p \rightarrow K_L^0 K^\pm \pi^\mp$	
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>					
0.16 ± 0.05	32	ANISOVICH 02D	SPEC	Combined fit	
0.33 ± 0.03 ± 0.07	BARBERIS 99D	OMEG 450	$p p \rightarrow K^+ K^-$ , $\pi^+ \pi^-$		
0.20 ± 0.08	40	ABELE 96B	CBAR	$0.0 \bar{p}p \rightarrow \pi^0 K_L^0 K_L^0$	

 $\Gamma(K\bar{K})/\Gamma(\eta\eta)$ 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	$\Gamma_{13}/\Gamma_{11}$
<b>1.69 ± 0.33 OUR FIT</b>		Error includes scale factor of 1.4.			
<b>1.85 ± 0.41</b>		BARBERIS 00E		$450 p p \rightarrow p_f \eta\eta p_s$	
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>					
1.5 ± 0.6	32	ANISOVICH 02D	SPEC	Combined fit	
<0.4	90	PROKOSHKIN 91	GAM4	$300 \pi^- p \rightarrow \pi^- p \eta\eta$	
<0.6		42 BINON 83	GAM2	$38 \pi^- p \rightarrow 2\eta n$	

31 Excluding  $\rho\rho$  contribution to  $4\pi$ .32 From a combined K-matrix analysis of Crystal Barrel (0.  $p\bar{p} \rightarrow \pi^0 \pi^0 \pi^0$ ,  $\pi^0 \eta\eta$ ,  $\pi^0 \pi^0 \eta$ ), GAMS ( $\pi p \rightarrow \pi^0 \pi^0 n$ ,  $\eta\eta n$ ,  $\eta\eta' n$ ), and BNL ( $\pi p \rightarrow K\bar{K} n$ ) data.

33 From the combined data of ABELE 96 and ABELE 96C.

34 Using AMSLER 95B ( $3\pi^0$ ).35  $2\pi$  width determined to be  $60 \pm 12$  MeV.

36 Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.

37 Using AMSLER 94E ( $\eta\eta' \pi^0$ ).38 Coupled channel analysis of  $\pi^+ \pi^- \pi^0$ ,  $K^+ K^- \pi^0$ , and  $K^\pm K_S^0 \pi^\mp$ .39 Using  $\pi^0 \pi^0$  from AMSLER 95B.40 Using AMSLER 95B ( $3\pi^0$ ), AMSLER 94C ( $2\pi^0 \eta$ ) and SU(3).41 Combining results of GAM4 with those of WA76 on  $K\bar{K}$  central production.

42 Using ETKIN 82B and COHEN 80.

**f<sub>0</sub>(1500) REFERENCES**

ABLIKIM	06V	PL B642 441	M. Ablikim <i>et al.</i>	(BES Collab.)
AMSLER	06	PL B639 165	C. Amsler <i>et al.</i>	(CBAR Collab.)
AUBERT	06O	PR D74 032003	B. Aubert <i>et al.</i>	(BABAR Collab.)
UMAN	06	PR D73 052009	I. Uman <i>et al.</i>	(FNAL E835)
VLADIMIRSK...	06	PAN 69 493	V.V. Vladimirska <i>et al.</i>	(ITEP, Moscow)
		Translated from YAF 69 515.		
BINON	05	PAN 68 960	F. Binon <i>et al.</i>	
		Translated from YAF 68 998.		
GARMASH	05	PR D71 092003	A. Garmash <i>et al.</i>	(BELLE Collab.)
ANISOVICH	03	EPJ A16 229	V.V. Anisovich <i>et al.</i>	
BARGIOTTI	03	EPJ C26 371	M. Bargiotti <i>et al.</i>	(OBELIX Collab.)
AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	
ANISOVICH	02D	PAN 65 1545	V.V. Anisovich <i>et al.</i>	
		Translated from YAF 65 1583.		

ABELE	01	EPJ C19 667	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	01B	EPJ C21 261	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACCIARRI	01H	PL B501 173	M. Acciarri <i>et al.</i>	(L3 Collab.)
BARATE	00E	PL B472 189	R. Barate <i>et al.</i>	(ALEPH Collab.)
BARBERIS	00A	PL B471 429	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	00C	PL B471 440	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	00D	PL B474 423	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	00E	PL B479 59	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	99	PL B453 305	D. Barberis <i>et al.</i>	(Omega Expt.)
BARBERIS	99B	PL B453 316	D. Barberis <i>et al.</i>	(Omega Expt.)
BARBERIS	99D	PL B462 462	D. Barberis <i>et al.</i>	(Omega Expt.)
BELLAZZINI	99	PL B467 296	R. Bellazzini <i>et al.</i>	
FRENCH	99	PL B460 213	B. French <i>et al.</i>	(WA76 Collab.)
KAMINSKI	99	EPJ C9 141	R. Kaminski, L. Lesniak, B. Loiseau	(CRAC, PARIN)
ABELE	98	PR D57 3860	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ALDE	98	EPJ A3 361	D. Alde <i>et al.</i>	(GAM4 Collab.)
Also		PAN 62 405	D. Alde <i>et al.</i>	(GAMS Collab.)
		Translated from YAF 62 446.		
AMSLER	98	RMP 70 1293	C. Amsler	
ANISOVICH	98B	SPU 41 419	V.V. Anisovich <i>et al.</i>	
		Translated from UFN 168 481.		
BERTIN	98	PR D57 55	A. Bertin <i>et al.</i>	(OBELIX Collab.)
REYES	98	PRL 81 4079	M.A. Reyes <i>et al.</i>	
BARBERIS	97B	PL B413 217	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
FRABETTI	97D	PL B407 79	P.L. Frabetti <i>et al.</i>	(FNAL E687 Collab.)
ABELE	96	PL B380 453	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	96B	PL B385 425	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	96C	NP A609 562	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AMELIN	96B	PAN 59 976	D.V. Amelin <i>et al.</i>	(SERP, TBIL)
		Translated from YAF 59 1021.		
BUGG	96	NP B471 59	D.V. Bugg, A.V. Sarantsev, B.S. Zou	(LOQM, PNPI)
AMSLER	95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95C	PL B353 571	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANTINORI	95	PL B353 589	F. Antinori <i>et al.</i>	(ATHU, BARI, BIRM+)
BUGG	95	PL B353 378	D.V. Bugg <i>et al.</i>	(LOQM, PNPI, WASH)
ABATZIS	94	PL B324 509	S. Abatzis <i>et al.</i>	(ATHU, BARI, BIRM+)
AMSLER	94C	PL B327 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	94E	PL B340 259	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94	PL B323 233	V.V. Anisovich <i>et al.</i>	(Crystal Barrel Collab.)
BUGG	94	PR D50 4412	D.V. Bugg <i>et al.</i>	(LOQM)
AMSLER	92	PL B291 347	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BELADIDZE	92C	SJNP 55 1535	G.M. Beladidze, S.I. Bityukov, G.V. Borisov	(SERP+)
		Translated from YAF 55 2748.		
PROKOSHKIN	91	SPD 36 155	Y.D. Prokoshkin	(GAM2, GAM4 Collab.)
		Translated from DANS 316 900.		
ARMSTRONG	89E	PL B228 536	T.A. Armstrong, M. Benayoun	(ATHU, BARI, BIRM+)
ALDE	88	PL B201 160	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
ASTON	88D	NP B301 525	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
ALDE	87	PL B198 286	D.M. Alde <i>et al.</i>	(LANL, BRUX, SERP, LAPP)
ALDE	86D	NP B269 485	D.M. Alde <i>et al.</i>	(BELG, LAPP, SERP, CERN+)
BINON	84C	NC 80A 363	F.G. Binon <i>et al.</i>	(BELG, LAPP, SERP+)
BINON	83	NC 78A 313	F.G. Binon <i>et al.</i>	(BELG, LAPP, SERP+)
Also		SJNP 38 561	F.G. Binon <i>et al.</i>	(BELG, LAPP, SERP+)
		Translated from YAF 38 934.		
GRAY	83	PR D27 307	L. Gray <i>et al.</i>	(SYRA)
ETKIN	82B	PR D25 1786	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
COHEN	80	PR D22 2595	D. Cohen <i>et al.</i>	(ANL)

---

**OTHER RELATED PAPERS**

---

FARIBORZ	06	PR D74 054030	A.H. Fariborz	
WANG	06B	PR D74 114010	W. Wang <i>et al.</i>	
ABLIKIM	05	PL B607 243	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05Q	PR D72 092002	M. Ablikim <i>et al.</i>	(BES Collab.)
CLOSE	05	PR D71 094022	F.E. Close, Q. Zhao	
GIACOSA	05	PR C71 025202	F. Giacosa <i>et al.</i>	
GIACOSA	05A	PL B622 277	F. Giacosa <i>et al.</i>	
GIACOSA	05B	PR D72 094006	F. Giacosa <i>et al.</i>	
IWASAKI	05A	PR D72 094016	M. Iwasaki, T. Fukutome	

RODRIGUEZ	05	PR D71 074008	S. Rodriguez, M. Napsuciale
VIJANDE	05	PR D72 034025	J. Vijande, A. Valarce, F. Fernandez
ZHAO	05	PR D72 074001	Q. Zhao
ZHAO	05A	PL B631 22	Q. Zhao, B.-S. Zou, Z.-B. Ma
LINK	04	PL B585 200	J.M. Link <i>et al.</i> (FNAL FOCUS Collab.)
ANISOVICH	03B	PAN 66 741	V.V. Anisovich, V.A. Nikonov, A.V. Sarantsev
		Translated from YAF 66 772.	
DEWITT	03	PR D68 054026	M.A. DeWitt, H.M. Choi, C.R. Ji
AMSLER	02B	PL B541 22	C. Amsler
GARMASH	02	PR D65 092005	A. Garmash <i>et al.</i> (BELLE Collab.)
JIN	02	PR D66 057505	H. Jin, X. Zhang
KLEEFEILD	02	PR D66 034007	F. Kleefeld <i>et al.</i>
RUPP	02	PR D65 078501	G. Rupp, E. vanBeveren, M.D. Scadron
SHAKIN	02	PR D65 078502	C.M. Shakin, H. Wang
TESHIMA	02	JPG 28 1391	T. Teshima, I. Kitamura, N. Morisita
VOLKOV	02	PAN 65 1657	M.K. Volkov, V.L. Yudichev
		Translated from YAF 65 1701.	
LI	01B	EPJ C19 529	D.-M. Li, H. Yu, Q.-X. Shen
SUROVTSEV	01	PR D63 054024	Y.S. Surovtsev, D. Krupa, M. Nagy
BAI	00A	PL B472 207	J.Z. Bai <i>et al.</i> (BES Collab.)
ANISOVICH	99H	PL B467 289	A.V. Anisovich, V.V. Anisovich
AMSLER	98	RMP 70 1293	C. Amsler
STROHMEIER	98	PL B438 21	M. Strohmeier <i>et al.</i>
ANISOVICH	97	PL B395 123	A.V. Anisovich, A.V. Sarantsev (PNPI)
KAMINSKI	97B	PL B413 130	R. Kaminski, L. Lesniak, B. Loiseau (CRAC, IPN)
PROKOSHKIN	97	SPD 42 117	Y.D. Prokoshkin <i>et al.</i> (SERP)
		Translated from DANS 353 323.	
AMSLER	96	PR D53 295	C. Amsler, F.E. Close (ZURI, RAL)
GASPERO	95	NP A588 861	M. Gaspero (ROMA)
SLAUGHTER	88	MPL A3 1361	M.D. Slaughter (LANL)
BRIDGES	86B	PRL 56 215	D.L. Bridges <i>et al.</i> (SYRA, CASE)

---