

$\eta'(958)$

$$J^{PC} = 0^+(0^-+)$$

$\eta'(958)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
957.66 ± 0.24 OUR AVERAGE				
957.9 ± 0.2 ± 0.6	4800	WURZINGER 96	SPEC	1.68 $pd \rightarrow {}^3\text{He}\eta'$
957.46 ± 0.33		DUANE 74	MMS	$\pi^- p \rightarrow n\text{MM}$
958.2 ± 0.5	1414	DANBURG 73	HBC	2.2 $K^- p \rightarrow \Lambda\eta'$
958 ± 1	400	JACOBS 73	HBC	2.9 $K^- p \rightarrow \Lambda\eta'$
956.1 ± 1.1	3415	¹ BASILE 71	CNTR	1.6 $\pi^- p \rightarrow n\eta'$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
957.5 ± 0.2		BAI 04J	BES2	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
959 ± 1	630	² BELADIDZE 92C	VES	36 $\pi^- \text{Be} \rightarrow \pi^- \eta' \eta \text{Be}$
958 ± 1	340	² ARMSTRONG 91B	OMEG	300 $pp \rightarrow pp\eta\pi^+\pi^-$
958.2 ± 0.4	622	² AUGUSTIN 90	DM2	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
957.8 ± 0.2	2420	² AUGUSTIN 90	DM2	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
956.3 ± 1.0	143	² GIDAL 87	MRK2	$e^+e^- \rightarrow e^+e^-\eta\pi^+\pi^-$
957.4 ± 1.4	535	³ BASILE 71	CNTR	1.6 $\pi^- p \rightarrow n\eta'$
957 ± 1		RITTENBERG 69	HBC	1.7-2.7 $K^- p$

¹ Using all η' decays.² Systematic uncertainty not estimated.³ Using η' decays into neutrals. Not independent of the other listed BASILE 71 η' mass measurement.

$\eta'(958)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.205 ± 0.015 OUR FIT Error includes scale factor of 1.2.					
0.30 ± 0.09 OUR AVERAGE					
0.40 ± 0.22	4800	WURZINGER 96	SPEC		1.68 $pd \rightarrow {}^3\text{He}\eta'$
0.28 ± 0.10	1000	BINNIE 79	MMS	0	$\pi^- p \rightarrow n\text{MM}$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
0.20 ± 0.04		BAI 04J	BES2		$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$

$\eta'(958)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 $\pi^+\pi^-\eta$	(44.6 ± 1.4) %	S=1.2
Γ_2 $\rho^0\gamma$ (including non-resonant $\pi^+\pi^-\gamma$)	(29.4 ± 0.9) %	S=1.1
Γ_3 $\pi^0\pi^0\eta$	(20.7 ± 1.2) %	S=1.2
Γ_4 $\omega\gamma$	(3.02 ± 0.31) %	
Γ_5 $\gamma\gamma$	(2.10 ± 0.12) %	S=1.2
Γ_6 $3\pi^0$	(1.54 ± 0.26) × 10 ⁻³	

Γ_7	$\mu^+ \mu^- \gamma$		$(1.03 \pm 0.26) \times 10^{-4}$		
Γ_8	$\pi^+ \pi^- \pi^0$		< 5	%	CL=90%
Γ_9	$\pi^0 \rho^0$		< 4	%	CL=90%
Γ_{10}	$\pi^+ \pi^+ \pi^- \pi^-$		< 1	%	CL=90%
Γ_{11}	$\pi^+ \pi^+ \pi^- \pi^-$ neutrals		< 1	%	CL=95%
Γ_{12}	$\pi^+ \pi^+ \pi^- \pi^- \pi^0$		< 1	%	CL=90%
Γ_{13}	6π		< 1	%	CL=90%
Γ_{14}	$\pi^+ \pi^- e^+ e^-$		< 6	$\times 10^{-3}$	CL=90%
Γ_{15}	$\gamma e^+ e^-$		< 9	$\times 10^{-4}$	CL=90%
Γ_{16}	$\pi^0 \gamma \gamma$		< 8	$\times 10^{-4}$	CL=90%
Γ_{17}	$4\pi^0$		< 5	$\times 10^{-4}$	CL=90%
Γ_{18}	$e^+ e^-$		< 2.1	$\times 10^{-7}$	CL=90%
Γ_{19}	invisible		< 1.4	$\times 10^{-3}$	CL=90%

**Charge conjugation (C), Parity (P),
Lepton family number (LF) violating modes**

Γ_{20}	$\pi^+ \pi^-$	P, CP	< 2.9	$\times 10^{-3}$	CL=90%
Γ_{21}	$\pi^0 \pi^0$	P, CP	< 9	$\times 10^{-4}$	CL=90%
Γ_{22}	$\pi^0 e^+ e^-$	C [a]	< 1.4	$\times 10^{-3}$	CL=90%
Γ_{23}	$\eta e^+ e^-$	C [a]	< 2.4	$\times 10^{-3}$	CL=90%
Γ_{24}	3γ	C	< 1.0	$\times 10^{-4}$	CL=90%
Γ_{25}	$\mu^+ \mu^- \pi^0$	C [a]	< 6.0	$\times 10^{-5}$	CL=90%
Γ_{26}	$\mu^+ \mu^- \eta$	C [a]	< 1.5	$\times 10^{-5}$	CL=90%
Γ_{27}	$e \mu$	LF	< 4.7	$\times 10^{-4}$	CL=90%

[a] C parity forbids this to occur as a single-photon process.

CONSTRAINED FIT INFORMATION

An overall fit to the total width, a partial width, 2 combinations of partial widths obtained from integrated cross section, and 16 branching ratios uses 50 measurements and one constraint to determine 7 parameters. The overall fit has a $\chi^2 = 36.9$ for 44 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$, in percent, from the fit to parameters p_i , including the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	-35					
x_3	-77	-28				
x_4	-35	-24	33			
x_5	-23	-10	23	7		
x_6	-28	-11	35	11	8	
Γ	29	-5	-21	-4	-85	-7
	x_1	x_2	x_3	x_4	x_5	x_6

	Mode	Rate (MeV)	Scale factor
Γ_1	$\pi^+ \pi^- \eta$	0.091 \pm 0.008	1.1
Γ_2	$\rho^0 \gamma$ (including non-resonant $\pi^+ \pi^- \gamma$)	0.060 \pm 0.005	1.2
Γ_3	$\pi^0 \pi^0 \eta$	0.042 \pm 0.004	1.5
Γ_4	$\omega \gamma$	0.0062 \pm 0.0008	1.2
Γ_5	$\gamma \gamma$	0.00430 \pm 0.00015	1.1
Γ_6	$3\pi^0$	(3.2 \pm 0.6) $\times 10^{-4}$	1.1

$\eta'(958)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$						Γ_5
VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT		
4.30 \pm 0.15 OUR FIT				Error includes scale factor of 1.1.		
4.28 \pm 0.19 OUR AVERAGE						
4.17 \pm 0.10 \pm 0.27	2000	⁴ ACCIARRI	98Q L3	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \gamma$		
4.53 \pm 0.29 \pm 0.51	266	KARCH	92 CBAL	$e^+ e^- \rightarrow e^+ e^- \eta \pi^0 \pi^0$		
3.61 \pm 0.13 \pm 0.48		⁵ BEHREND	91 CELL	$e^+ e^- \rightarrow e^+ e^- \eta'(958)$		
4.6 \pm 1.1 \pm 0.6	23	BARU	90 MD1	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \gamma$		
4.57 \pm 0.25 \pm 0.44		BUTLER	90 MRK2	$e^+ e^- \rightarrow e^+ e^- \eta'(958)$		
5.08 \pm 0.24 \pm 0.71	547	⁶ ROE	90 ASP	$e^+ e^- \rightarrow e^+ e^- 2\gamma$		
3.8 \pm 0.7 \pm 0.6	34	AIHARA	88C TPC	$e^+ e^- \rightarrow e^+ e^- \eta \pi^+ \pi^-$		
4.9 \pm 0.5 \pm 0.5	136	⁷ WILLIAMS	88 CBAL	$e^+ e^- \rightarrow e^+ e^- 2\gamma$		
• • • We do not use the following data for averages, fits, limits, etc. • • •						
4.7 \pm 0.6 \pm 0.9	143	⁸ GIDAL	87 MRK2	$e^+ e^- \rightarrow e^+ e^- \eta \pi^+ \pi^-$		
4.0 \pm 0.9		⁹ BARTEL	85E JADE	$e^+ e^- \rightarrow e^+ e^- 2\gamma$		

- ⁴ No non-resonant $\pi^+\pi^-$ contribution found.
- ⁵ Reevaluated by us using $B(\eta' \rightarrow \rho(770)\gamma) = (30.2 \pm 1.3)\%$.
- ⁶ Reevaluated by us using $B(\eta' \rightarrow \gamma\gamma) = (2.11 \pm 0.13)\%$.
- ⁷ Reevaluated by us using $B(\eta' \rightarrow \gamma\gamma) = (2.11 \pm 0.13)\%$.
- ⁸ Superseded by BUTLER 90.
- ⁹ Systematic error not evaluated.

$\eta'(958) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

This combination of a partial width with the partial width into $\gamma\gamma$ and with the total width is obtained from the integrated cross section into channel(i) in the $\gamma\gamma$ annihilation.

$\Gamma(\gamma\gamma) \times \Gamma(\rho^0\gamma(\text{including non-resonant } \pi^+\pi^-\gamma))/\Gamma_{\text{total}} \quad \Gamma_5\Gamma_2/\Gamma$

<u>VALUE (keV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.26±0.05 OUR FIT				Error includes scale factor of 1.1.
1.26±0.07 OUR AVERAGE				Error includes scale factor of 1.2.
1.09±0.04±0.13		BEHREND 91	CELL	$e^+e^- \rightarrow e^+e^-\rho(770)^0\gamma$
1.35±0.09±0.21		AIHARA 87	TPC	$e^+e^- \rightarrow e^+e^-\rho\gamma$
1.13±0.04±0.13	867	ALBRECHT 87B	ARG	$e^+e^- \rightarrow e^+e^-\rho\gamma$
1.53±0.09±0.21		ALTHOFF 84E	TASS	$e^+e^- \rightarrow e^+e^-\rho\gamma$
1.14±0.08±0.11	243	BERGER 84B	PLUT	$e^+e^- \rightarrow e^+e^-\rho\gamma$
1.73±0.34±0.35	95	JENNI 83	MRK2	$e^+e^- \rightarrow e^+e^-\rho\gamma$
1.49±0.13±0.027	213	BARTEL 82B	JADE	$e^+e^- \rightarrow e^+e^-\rho\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1.85±0.31±0.24	43	BEHREND 83B	CELL	$e^+e^- \rightarrow e^+e^-\rho\gamma$

$\Gamma(\gamma\gamma) \times \Gamma(\pi^0\pi^0\eta)/\Gamma_{\text{total}} \quad \Gamma_5\Gamma_3/\Gamma$

<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.89±0.06 OUR FIT			Error includes scale factor of 1.2.
0.92±0.06±0.11	¹⁰ KARCH 92	CBAL	$e^+e^- \rightarrow e^+e^-\eta\pi^0\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.95±0.05±0.08	¹¹ KARCH 90	CBAL	$e^+e^- \rightarrow e^+e^-\eta\pi^0\pi^0$
1.00±0.08±0.10	^{11,12} ANTREASYAN 87	CBAL	$e^+e^- \rightarrow e^+e^-\eta\pi^0\pi^0$
¹⁰ Reevaluated by us using $B(\eta \rightarrow \gamma\gamma) = (39.21 \pm 0.34)\%$. Supersedes ANTREASYAN 87 and KARCH 90.			
¹¹ Superseded by KARCH 92.			
¹² Using $BR(\eta \rightarrow 2\gamma) = (38.9 \pm 0.5)\%$.			


$\eta'(958)$ DECAY PARAMETERS

$|\text{MATRIX ELEMENT}|^2 = |1 + \alpha\gamma|^2 + c\gamma + d\gamma^2$

α decay parameter

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.059±0.011 OUR AVERAGE				Error includes scale factor of 1.3. See the ideogram below.
-0.072±0.012±0.006	7k	¹³ AMELIN 05A	VES	28 $\pi^-A \rightarrow \eta'\pi^-A^*$
-0.021±0.025	6.7k	¹⁴ BRIERE 00	CLEO	10.6 $e^+e^- \rightarrow \text{hadrons}$
-0.058±0.013		^{15,16} ALDE 86	GAM2	38 $\pi^-p \rightarrow n\eta 2\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
-0.08 ±0.03		^{15,16} KALBFLEISCH 74	RVUE	$\eta' \rightarrow \eta\pi^+\pi^-$

- 13 This is a real part of α while $\text{Im}(\alpha) = 0.0 \pm 0.1 \pm 0.0$.
 14 Assuming $\text{Im}(\alpha) = 0$, $c = 0$, and $d = 0$.
 15 May not necessarily be the same for $\eta' \rightarrow \eta\pi^+\pi^-$ and $\eta' \rightarrow \eta\pi^0\pi^0$.
 16 Assuming $\text{Im}(\alpha) = 0$, $c = 0$.



c C-violating decay parameter

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
$0.015 \pm 0.011 \pm 0.014$	20k	17 DOROFEEV 07	VES	27 $\pi^- p \rightarrow \eta' n$ and $\pi^- A \rightarrow \eta' \pi^- A^*$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.020 \pm 0.018 \pm 0.004$ 7k AMELIN 05A VES Sup. by DOROFEEV 07

¹⁷ Using the more general parameterization $|M|^2 = 1 + aY + bY^2 + cX + dX^2$.

$\eta'(958)$ β PARAMETER $|\text{MATRIX ELEMENT}|^2 = (1 + 2\beta Z)$

See the "Note on η Decay Parameters" in our 1994 edition Physical Review **D50** 1173 (1994), p. 1454.

β decay parameter

VALUE	DOCUMENT ID	TECN	COMMENT
-0.1 ± 0.3	ALDE 87B	GAM2	38 $\pi^- p \rightarrow n3\pi^0$

$\eta'(958)$ BRANCHING RATIOS

$\Gamma(\pi^+ \pi^- \eta(\text{charged decay}))/\Gamma_{\text{total}}$ **0.286 Γ_1/Γ**

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.127±0.004 OUR FIT				Error includes scale factor of 1.2.
0.116±0.013 OUR AVERAGE				
0.123±0.014	107	RITTENBERG 69	HBC	1.7–2.7 $K^- p$
0.10 ±0.04	10	LONDON 66	HBC	2.24 $K^- p \rightarrow \Lambda \pi^+ \pi^- \pi^+ \pi^- \pi^0$
0.07 ±0.04	7	BADIER 65B	HBC	3 $K^- p$

$\Gamma(\pi^+ \pi^- \eta(\text{neutral decay}))/\Gamma_{\text{total}}$ **0.714 Γ_1/Γ**

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.318±0.010 OUR FIT				Error includes scale factor of 1.2.
0.314±0.026	281	RITTENBERG 69	HBC	1.7–2.7 $K^- p$

$\Gamma(\rho^0 \gamma(\text{including non-resonant } \pi^+ \pi^- \gamma))/\Gamma_{\text{total}}$ **Γ_2/Γ**

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.294±0.009 OUR FIT				Error includes scale factor of 1.1.
0.319±0.030 OUR AVERAGE				
0.329±0.033	298	RITTENBERG 69	HBC	1.7–2.7 $K^- p$
0.2 ±0.1	20	LONDON 66	HBC	2.24 $K^- p \rightarrow \Lambda \pi^+ \pi^- \gamma$
0.34 ±0.09	35	BADIER 65B	HBC	3 $K^- p$

$\Gamma(\pi^+ \pi^- \eta)/\Gamma(\rho^0 \gamma(\text{including non-resonant } \pi^+ \pi^- \gamma))$ **Γ_1/Γ_2**

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.45±0.07	ABLIKIM 06E	BES2	$J/\psi \rightarrow \eta' \gamma$

$\Gamma(\rho^0 \gamma(\text{including non-resonant } \pi^+ \pi^- \gamma))/\Gamma(\pi^+ \pi^- \eta(\text{neutral decay}))$ **$\Gamma_2/0.714\Gamma_1$**

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.92±0.05 OUR FIT				Error includes scale factor of 1.1.
0.97±0.09 OUR AVERAGE				
0.70±0.22		AMSLER 04B	CBAR	0 $\bar{p} p \rightarrow \pi^+ \pi^- \eta$
1.07±0.17		BELADIDZE 92C	VES	36 $\pi^- \text{Be} \rightarrow \pi^- \eta' \eta \text{Be}$
0.92±0.14	473	DANBURG 73	HBC	2.2 $K^- p \rightarrow \Lambda X^0$
1.11±0.18	192	JACOBS 73	HBC	2.9 $K^- p \rightarrow \Lambda X^0$

$\Gamma(\pi^0 \pi^0 \eta(3\pi^0 \text{ decay}))/\Gamma_{\text{total}}$ **0.321 Γ_3/Γ**

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.067±0.004 OUR FIT				Error includes scale factor of 1.2.
0.11 ±0.06	4	BENSINGER 70	DBC	2.2 $\pi^+ d$

$\Gamma(\rho^0 \gamma(\text{including non-resonant } \pi^+ \pi^- \gamma))/\Gamma(\pi \pi \eta)$ **$\Gamma_2/(\Gamma_1+\Gamma_3)$**

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.450±0.020 OUR FIT			Error includes scale factor of 1.1.
0.426±0.028 OUR AVERAGE			
0.43 ±0.02 ±0.02	BARBERIS 98C	OMEG	450 $pp \rightarrow p_f \eta' p_s$
0.31 ±0.15	DAVIS 68	HBC	5.5 $K^- p$

$\Gamma(\omega\gamma)/\Gamma(\pi^+\pi^-\eta)$ Γ_4/Γ_1

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.068±0.008 OUR FIT				Error includes scale factor of 1.1.
0.068±0.013	68	ZANFINO	77 ASPK	8.4 $\pi^- p$

$\Gamma(\omega\gamma)/\Gamma(\pi^0\pi^0\eta)$ Γ_4/Γ_3

VALUE	DOCUMENT ID	TECN	COMMENT
0.146±0.014 OUR FIT			
0.147±0.016	ALDE	87B GAM2	38 $\pi^- p \rightarrow n4\gamma$

$\Gamma(\rho^0\gamma(\text{including non-resonant } \pi^+\pi^-\gamma))/[\Gamma(\pi^+\pi^-\eta) + \Gamma(\pi^0\pi^0\eta) + \Gamma(\omega\gamma)]$ $\Gamma_2/(\Gamma_1+\Gamma_3+\Gamma_4)$

VALUE	DOCUMENT ID	TECN	COMMENT
0.430±0.019 OUR FIT			Error includes scale factor of 1.1.
0.25 ±0.14	DAUBER	64 HBC	1.95 $K^- p$

$[\Gamma(\pi^0\pi^0\eta(\text{charged decay})) + \Gamma(\omega(\text{charged decay})\gamma)]/\Gamma_{\text{total}}$ $(0.286\Gamma_3+0.89\Gamma_4)/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.086±0.005 OUR FIT				Error includes scale factor of 1.2.
0.045±0.029	42	RITTENBERG	69 HBC	1.7-2.7 $K^- p$

$\Gamma(\pi^+\pi^-\text{ neutrals})/\Gamma_{\text{total}}$ $(0.714\Gamma_1+\Gamma_2+0.286\Gamma_3+0.89\Gamma_4)/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.404±0.007 OUR FIT				Error includes scale factor of 1.1.
0.36 ±0.05 OUR AVERAGE				
0.4 ±0.1	39	LONDON	66 HBC	2.24 $K^- p \rightarrow \Lambda\pi^+\pi^-\text{ neutrals}$
0.35 ±0.06	33	BADIER	65B HBC	3 $K^- p$

$\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
2.10±0.12 OUR FIT				Error includes scale factor of 1.2.
1.97±0.13 OUR AVERAGE				
1.99 ^{+0.31} _{-0.27} ±0.07	114	18 WICHT	08 BELL	$B^\pm \rightarrow K^\pm\gamma\gamma$
2.00±0.18		19 STANTON	80 SPEC	8.45 $\pi^- p \rightarrow n\pi^+\pi^-2\gamma$
2.5 ±0.7		DUANE	74 MMS	$\pi^- p \rightarrow nMM$
1.71±0.33	68	DALPIAZ	72 CNTR	1.6 $\pi^- p \rightarrow nX^0$
2.0 ^{+0.8} _{-0.6}	31	HARVEY	71 OSPK	3.65 $\pi^- p \rightarrow nX^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.8 ±0.2	6000	20 APEL	79 NICE	15-40 $\pi^- p \rightarrow n2\gamma$
----------	------	---------	---------	--------------------------------------

¹⁸ WICHT 08 reports $[B(\eta'(958) \rightarrow \gamma\gamma)] \times [B(B^+ \rightarrow \eta' K^+)] = (1.40^{+0.16+0.15}_{-0.15-0.12}) \times 10^{-6}$. We divide by our best value $B(B^+ \rightarrow \eta' K^+) = (7.02 \pm 0.25) \times 10^{-5}$. Our first error is their experiment's error and our second error is the systematic error from using our best value.

¹⁹ Includes APEL 79 result.

²⁰ Data is included in STANTON 80 evaluation.

$\Gamma(\gamma\gamma)/\Gamma(\rho^0\gamma(\text{including non-resonant } \pi^+\pi^-\gamma))$					Γ_5/Γ_2
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.080±0.008		ABLIKIM	06E	BES2	$J/\psi \rightarrow \eta'\gamma$
$\Gamma(\gamma\gamma)/\Gamma(\pi^0\pi^0\eta)$					Γ_5/Γ_3
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.101±0.007 OUR FIT	Error includes scale factor of 1.5.				
0.105±0.010 OUR AVERAGE	Error includes scale factor of 1.9.				
0.091±0.009		AMSLER	93	CBAR	0.0 $\bar{p}p$
0.112±0.002±0.006		ALDE	87B	GAM2	38 $\pi^-p \rightarrow n2\gamma$
$\Gamma(\gamma\gamma)/\Gamma(\pi^0\pi^0\eta(\text{neutral decay}))$					$\Gamma_5/0.714\Gamma_3$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.142±0.010 OUR FIT	Error includes scale factor of 1.5.				
0.188±0.058	16	APEL	72	OSPK	3.8 $\pi^-p \rightarrow nX^0$
$\Gamma(\text{neutrals})/\Gamma_{\text{total}}$					$(0.714\Gamma_3+0.09\Gamma_4+\Gamma_5)/\Gamma$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.172±0.009 OUR FIT	Error includes scale factor of 1.2.				
0.187±0.017 OUR AVERAGE					
0.185±0.022	535	BASILE	71	CNTR	1.6 $\pi^-p \rightarrow nX^0$
0.189±0.026	123	RITTENBERG	69	HBC	1.7-2.7 K^-p
$\Gamma(3\pi^0)/\Gamma(\pi^0\pi^0\eta)$					Γ_6/Γ_3
<u>VALUE (units 10⁻⁴)</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
74±12 OUR FIT					
74±12 OUR AVERAGE					
74±15		ALDE	87B	GAM2	38 $\pi^-p \rightarrow n6\gamma$
75±18		BINON	84	GAM2	30-40 $\pi^-p \rightarrow n6\gamma$
$\Gamma(\mu^+\mu^-\gamma)/\Gamma(\gamma\gamma)$					Γ_7/Γ_5
<u>VALUE (units 10⁻³)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
4.9±1.2	33	VIKTOROV	80	CNTR	25,33 $\pi^-p \rightarrow 2\mu\gamma$
$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$					Γ_8/Γ
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.05	90	RITTENBERG	69	HBC	1.7-2.7 K^-p
••• We do not use the following data for averages, fits, limits, etc. •••					
<0.09	95	DANBURG	73	HBC	2.2 $K^-p \rightarrow \Lambda X^0$
$\Gamma(\pi^0\rho^0)/\Gamma_{\text{total}}$					Γ_9/Γ
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.04	90	RITTENBERG	65	HBC	2.7 K^-p
$\Gamma(\pi^+\pi^+\pi^-\pi^-)/\Gamma_{\text{total}}$					Γ_{10}/Γ
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.01	90	RITTENBERG	69	HBC	1.7-2.7 K^-p

$\Gamma(\pi^+\pi^+\pi^-\pi^-\text{ neutrals})/\Gamma_{\text{total}}$					Γ_{11}/Γ
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.01	95	DANBURG 73	HBC	2.2 $K^- p \rightarrow \Lambda X^0$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<0.01	90	RITTENBERG 69	HBC	1.7-2.7 $K^- p$	
$\Gamma(\pi^+\pi^+\pi^-\pi^-\pi^0)/\Gamma_{\text{total}}$					Γ_{12}/Γ
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.01	90	RITTENBERG 69	HBC	1.7-2.7 $K^- p$	
$\Gamma(6\pi)/\Gamma_{\text{total}}$					Γ_{13}/Γ
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.01	90	LONDON 66	HBC	Compilation	
$\Gamma(\pi^+\pi^-e^+e^-)/\Gamma_{\text{total}}$					Γ_{14}/Γ
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.006	90	RITTENBERG 65	HBC	2.7 $K^- p$	
$\Gamma(\gamma e^+e^-)/\Gamma_{\text{total}}$					Γ_{15}/Γ
<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.9	90	BRIERE 00	CLEO	10.6 e^+e^-	
$\Gamma(\pi^0\gamma\gamma)/\Gamma(\pi^0\pi^0\eta)$					Γ_{16}/Γ_3
<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<37	90	ALDE 87B	GAM2	38 $\pi^- p \rightarrow n4\gamma$	
$\Gamma(4\pi^0)/\Gamma(\pi^0\pi^0\eta)$					Γ_{17}/Γ_3
<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<23	90	ALDE 87B	GAM2	38 $\pi^- p \rightarrow n8\gamma$	
$\Gamma(e^+e^-)/\Gamma_{\text{total}}$					Γ_{18}/Γ
<u>VALUE (units 10^{-7})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<2.1	90	VOROBYEV 88	ND	$e^+e^- \rightarrow \pi^+\pi^-\eta$	
$\Gamma(\text{invisible})/\Gamma(\gamma\gamma)$					Γ_{19}/Γ_5
<u>VALUE (units 10^{-2})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<6.69	90	ABLIKIM 06Q	BES	$J/\psi \rightarrow \phi\eta'$	
$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$					Γ_{20}/Γ
<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
< 29	90	²¹ MORI 07A	BELL	$\gamma\gamma \rightarrow \pi^+\pi^-$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
< 3.3	90	²² MORI 07A	BELL	$\gamma\gamma \rightarrow \pi^+\pi^-$	
<800	95	DANBURG 73	HBC	2.2 $K^- p \rightarrow \Lambda X^0$	
<200	90	RITTENBERG 69	HBC	1.7-2.7 $K^- p$	

²¹ Taking into account interference with the $\gamma\gamma \rightarrow \pi^+\pi^-$ continuum.

²² Without interference with the $\gamma\gamma \rightarrow \pi^+\pi^-$ continuum.

$\Gamma(\pi^0\pi^0)/\Gamma(\pi^0\pi^0\eta)$ Γ_{21}/Γ_3

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<45	90	ALDE	87B	GAM2 38 $\pi^- p \rightarrow n4\gamma$

$\Gamma(\pi^0 e^+ e^-)/\Gamma_{\text{total}}$ Γ_{22}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 1.4	90	BRIERE	00	CLEO 10.6 $e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<13	90	RITTENBERG	65	HBC 2.7 $K^- p$
-----	----	------------	----	-----------------

$\Gamma(\eta e^+ e^-)/\Gamma_{\text{total}}$ Γ_{23}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 2.4	90	BRIERE	00	CLEO 10.6 $e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<11	90	RITTENBERG	65	HBC 2.7 $K^- p$
-----	----	------------	----	-----------------

$\Gamma(3\gamma)/\Gamma(\pi^0\pi^0\eta)$ Γ_{24}/Γ_3

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<4.6	90	ALDE	87B	GAM2 38 $\pi^- p \rightarrow n3\gamma$

$\Gamma(\mu^+ \mu^- \pi^0)/\Gamma_{\text{total}}$ Γ_{25}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<6.0	90	DZHELYADIN	81	CNTR 30 $\pi^- p \rightarrow \eta' n$

$\Gamma(\mu^+ \mu^- \eta)/\Gamma_{\text{total}}$ Γ_{26}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<1.5	90	DZHELYADIN	81	CNTR 30 $\pi^- p \rightarrow \eta' n$

$\Gamma(e\mu)/\Gamma_{\text{total}}$ Γ_{27}/Γ

<u>VALUE (units 10^{-4})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<4.7	90	BRIERE	00	CLEO 10.6 $e^+ e^-$

$\eta'(958)$ C-NONCONSERVING DECAY PARAMETER

See the note on η decay parameters in the Stable Particle Particle Listings for definition of this parameter.

DECAY ASYMMETRY PARAMETER FOR $\pi^+ \pi^- \gamma$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.01 ± 0.04				OUR AVERAGE
-0.019 ± 0.056		AIHARA	87	TPC $2\gamma \rightarrow \pi^+ \pi^- \gamma$
-0.069 ± 0.078	295	GRIGORIAN	75	STRC $2.1 \pi^- p$
0.00 ± 0.10	103	KALBFLEISCH	75	HBC $2.18 K^- p \rightarrow \Lambda \pi^+ \pi^- \gamma$
0.07 ± 0.08	152	RITTENBERG	65	HBC $2.1-2.7 K^- p$

$\eta'(958)$ REFERENCES

WICHT	08	PL B662 323	J. Wicht <i>et al.</i>	(BELLE Collab.)
DOROFEEV	07	PL B651 22	V. Dorofeev <i>et al.</i>	(VES Collab.)
MORI	07A	JPSJ 76 074102	T. Mori <i>et al.</i>	(BELLE Collab.)
ABLIKIM	06E	PR D73 052008	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	06Q	PRL 97 202002	M. Ablikim <i>et al.</i>	(BES Collab.)
AMELIN	05A	PAN 68 372	D.V. Amelin <i>et al.</i>	(VES Collab.)
AMSLER	04B	EPJ C33 23	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BAI	04J	PL B594 47	J.Z. Bai <i>et al.</i>	(BES Collab.)
BRIERE	00	PRL 84 26	R. Briere <i>et al.</i>	(CLEO Collab.)
ACCIARRI	98Q	PL B418 399	M. Acciarri <i>et al.</i>	(L3 Collab.)
BARBERIS	98C	PL B440 225	D. Barberis <i>et al.</i>	(WA 102 Collab.)
WURZINGER	96	PL B374 283	R. Wurzinger <i>et al.</i>	(BONN, ORSAY, SACL+)
PDG	94	PR D50 1173	L. Montanet <i>et al.</i>	(CERN, LBL, BOST+)
AMSLER	93	ZPHY C58 175	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BELADIDZE	92C	SJNP 55 1535	G.M. Beladidze, S.I. Bitukov, G.V. Borisov	(SERP+)
		Translated from YAF 55	2748.	
KARCH	92	ZPHY C54 33	K. Karch <i>et al.</i>	(Crystal Ball Collab.)
ARMSTRONG	91B	ZPHY C52 389	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
BEHREND	91	ZPHY C49 401	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
AUGUSTIN	90	PR D42 10	J.E. Augustin <i>et al.</i>	(DM2 Collab.)
BARU	90	ZPHY C48 581	S.E. Baru <i>et al.</i>	(MD-1 Collab.)
BUTLER	90	PR D42 1368	F. Butler <i>et al.</i>	(Mark II Collab.)
KARCH	90	PL B249 353	K. Karch <i>et al.</i>	(Crystal Ball Collab.)
ROE	90	PR D41 17	N.A. Roe <i>et al.</i>	(ASP Collab.)
AIHARA	88C	PR D38 1	H. Aihara <i>et al.</i>	(TPC-2 γ Collab.)
VOROBYEV	88	SJNP 48 273	P.V. Vorobiev <i>et al.</i>	(NOVO)
		Translated from YAF 48	436.	
WILLIAMS	88	PR D38 1365	D.A. Williams <i>et al.</i>	(Crystal Ball Collab.)
AIHARA	87	PR D35 2650	H. Aihara <i>et al.</i>	(TPC-2 γ Collab.) JP
ALBRECHT	87B	PL B199 457	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ALDE	87B	ZPHY C36 603	D.M. Alde <i>et al.</i>	(LANL, BELG, SERP, LAPP)
ANTREASYAN	87	PR D36 2633	D. Antreasyan <i>et al.</i>	(Crystal Ball Collab.)
GIDAL	87	PRL 59 2012	G. Gidal <i>et al.</i>	(LBL, SLAC, HARV)
ALDE	86	PL B177 115	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP)
BARTEL	85E	PL 160B 421	W. Bartel <i>et al.</i>	(JADE Collab.)
ALTHOFF	84E	PL 147B 487	M. Althoff <i>et al.</i>	(TASSO Collab.)
BERGER	84B	PL 142B 125	C. Berger	(PLUTO Collab.)
BINON	84	PL 140B 264	F.G. Binon <i>et al.</i>	(SERP, BELG, LAPP+)
BEHREND	83B	PL 125B 518 (erratum)	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
Also		PL 114B 378	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
JENNI	83	PR D27 1031	P. Jenni <i>et al.</i>	(SLAC, LBL)
BARTEL	82B	PL 113B 190	W. Bartel <i>et al.</i>	(JADE Collab.)
DZHELADIN	81	PL 105B 239	R.I. Dzhelyadin <i>et al.</i>	(SERP)
STANTON	80	PL B92 353	N.R. Stanton <i>et al.</i>	(OSU, CARL, MCGI+)
VIKTOROV	80	SJNP 32 520	V.A. Viktorov <i>et al.</i>	(SERP)
		Translated from YAF 32	1005.	
APEL	79	PL 83B 131	W.D. Apel, K.H. Augenstein, E. Bertolucci	(KARLK+)
BINNIE	79	PL 83B 141	D.M. Binnie <i>et al.</i>	(LOIC)
ZANFINO	77	PRL 38 930	C. Zanfino <i>et al.</i>	(CARL, MCGI, OHIO+)
GRIGORIAN	75	NP B91 232	A. Grigorian <i>et al.</i>	(+)
KALBFLEISCH	75	PR D11 987	G.R. Kalbfleisch, R.C. Strand, J.W. Chapman	(BNL+)
DUANE	74	PRL 32 425	A. Duane <i>et al.</i>	(LOIC, SHMP)
KALBFLEISCH	74	PR D10 916	G.R. Kalbfleisch	(BNL)
DANBURG	73	PR D8 3744	J.S. Danburg <i>et al.</i>	(BNL, MICH) JP
JACOBS	73	PR D8 18	S.M. Jacobs <i>et al.</i>	(BRAN, UMD, SYRA+) JP
APEL	72	PL 40B 680	W.D. Apel <i>et al.</i>	(KARLK, KARLE, PISA)
DALPIAZ	72	PL 42B 377	P.F. Dalpiaz <i>et al.</i>	(CERN)
BASILE	71	NC 3A 371	M. Basile <i>et al.</i>	(CERN, BGNA, STRB)
HARVEY	71	PRL 27 885	E.H. Harvey <i>et al.</i>	(MINN, MICH)
BENSINGER	70	PL 33B 505	J.R. Bensinger <i>et al.</i>	(WISC)
RITTENBERG	69	Thesis UCRL 18863	A. Rittenberg	(LRL) I
DAVIS	68	PL 27B 532	R. Davis <i>et al.</i>	(NWES, ANL)
LONDON	66	PR 143 1034	G.W. London <i>et al.</i>	(BNL, SYRA) IJP
BADIER	65B	PL 17 337	J. Badier <i>et al.</i>	(EPOL, SACL, AMST)
RITTENBERG	65	PRL 15 556	A. Rittenberg, G.R. Kalbfleisch	(LRL, BNL)
DAUBER	64	PRL 13 449	P.M. Dauber <i>et al.</i>	(UCLA) JP

————— **OTHER RELATED PAPERS** —————

AMBROSINO	07A	PL B648 267	F. Ambrosino <i>et al.</i>	(KLOE Collab.)
ESCRIBANO	07	JHEP 0705 006	E. Escribano, J. Nadal	
HUANG	07A	EPJ C50 771	T. Huang, X. Wu	
AUBERT	06M	PR D74 012002	B. Aubert <i>et al.</i>	(BABAR Collab.)
BORASOY	06	PL B643 41	B. Borasoy, U.-G. Meissner, R. Nissler	
BENAYOUN	03B	EPJ C31 525	M. Benayoun <i>et al.</i>	
BENAYOUN	99B	PR D59 114027	M. Benayoun <i>et al.</i>	
PROKOSHKIN	99	PAN 62 356	Yu.D. Prokoshkin	
		Translated from YAF 62 396.		
GRONBERG	98	PR D57 33	J. Gronberg <i>et al.</i>	(CLEO Collab.)
ABELE	97B	PL B402 195	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
GENOVESE	94	ZPHY C61 425	M. Genovese, D.B. Lichtenberg, E. Predazzi	(TORI+)
BENAYOUN	93	ZPHY C58 31	M. Benayoun <i>et al.</i>	(CDEF, CERN, BARI)
KAMAL	92	PL B284 421	A.N. Kamal, Q.P. Xu	(ALBE)
BICKERSTAFF	82	ZPHY C16 171	R.P. Bickerstaff, B.H.J. McKellar	(MELB)
KIENZLE	65	PL 19 438	W. Kienzle <i>et al.</i>	(CERN)
TRILLING	65	PL 19 427	G.H. Trilling <i>et al.</i>	(LRL)
GOLDBERG	64	PRL 12 546	M. Goldberg <i>et al.</i>	(SYRA, BNL)
GOLDBERG	64B	PRL 13 249	M. Goldberg <i>et al.</i>	(SYRA, BNL)
KALBFLEISCH	64	PRL 12 527	G.R. Kalbfleisch <i>et al.</i>	(LRL) JP
KALBFLEISCH	64B	PRL 13 349	G.R. Kalbfleisch, O.I. Dahl, A. Rittenberg	(LRL) JP