

$\phi(1020)$

$$I^G(J^{PC}) = 0^-(1^{--})$$

$\phi(1020)$  MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1019.455 ± 0.020 OUR AVERAGE</b>		Error includes scale factor of 1.1.		
1019.30 ± 0.02 ± 0.10	105k	AKHMETSHIN 06	CMD2	0.98–1.06 $e^+e^- \rightarrow \pi^+\pi^-\pi^0$
1019.52 ± 0.05 ± 0.05	17.4k	AKHMETSHIN 05	CMD2	0.60–1.38 $e^+e^- \rightarrow \eta\gamma$
1019.483 ± 0.011 ± 0.025	272k	<sup>1</sup> AKHMETSHIN 04	CMD2	$e^+e^- \rightarrow K_L^0 K_S^0$
1019.42 ± 0.05	1900k	<sup>2</sup> ACHASOV 01E	SND	$e^+e^- \rightarrow K^+K^-, K_S^0 K_L^0, \pi^+\pi^-\pi^0$
1019.40 ± 0.04 ± 0.05	23k	AKHMETSHIN 01B	CMD2	$e^+e^- \rightarrow \eta\gamma$
1019.36 ± 0.12		<sup>3</sup> ACHASOV 00B	SND	$e^+e^- \rightarrow \eta\gamma$
1019.38 ± 0.07 ± 0.08	2200	<sup>4</sup> AKHMETSHIN 99F	CMD2	$e^+e^- \rightarrow \pi^+\pi^- \geq 2\gamma$
1019.51 ± 0.07 ± 0.10	11169	AKHMETSHIN 98	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
1019.5 ± 0.4		BARBERIS 98	OMEG	450 $pp \rightarrow pp2K^+2K^-$
1019.42 ± 0.06	55600	AKHMETSHIN 95	CMD2	$e^+e^- \rightarrow$ hadrons
1019.7 ± 0.3	2012	DAVENPORT 86	MPSF	400 $pA \rightarrow 4KX$
1019.7 ± 0.1 ± 0.1	5079	ALBRECHT 85D	ARG	10 $e^+e^- \rightarrow K^+K^-X$
1019.3 ± 0.1	1500	ARENTON 82	AEMS	11.8 polar. $pp \rightarrow KK$
1019.67 ± 0.17	25080	<sup>5</sup> PELLINEN 82	RVUE	
1019.52 ± 0.13	3681	BUKIN 78C	OLYA	$e^+e^- \rightarrow$ hadrons
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
1019.441 ± 0.008 ± 0.080	542k	<sup>6</sup> AKHMETSHIN 08	CMD2	1.02 $e^+e^- \rightarrow K^+K^-$
1019.63 ± 0.07	12540	<sup>7</sup> AUBERT,B 05J	BABR	$D^0 \rightarrow \bar{K}^0 K^+ K^-$
1019.8 ± 0.7		ARMSTRONG 86	OMEG	85 $\pi^+ / pp \rightarrow \pi^+ / p4Kp$
1020.1 ± 0.11	5526	<sup>7</sup> ATKINSON 86	OMEG	20–70 $\gamma p$
1019.7 ± 1.0		BEBEK 86	CLEO	$e^+e^- \rightarrow \Upsilon(4S)$
1019.411 ± 0.008	642k	<sup>8</sup> DIJKSTRA 86	SPEC	100–200 $\pi^\pm, \bar{p}, p, K^\pm$ , on Be
1020.9 ± 0.2		<sup>7</sup> FRAME 86	OMEG	13 $K^+ p \rightarrow \phi K^+ p$
1021.0 ± 0.2		<sup>7</sup> ARMSTRONG 83B	OMEG	18.5 $K^- p \rightarrow K^- K^+ \Lambda$
1020.0 ± 0.5		<sup>7</sup> ARMSTRONG 83B	OMEG	18.5 $K^- p \rightarrow K^- K^+ \Lambda$
1019.7 ± 0.3		<sup>7</sup> BARATE 83	GOLI	190 $\pi^- Be \rightarrow 2\mu X$
1019.8 ± 0.2 ± 0.5	766	IVANOV 81	OLYA	1–1.4 $e^+e^- \rightarrow K^+K^-$
1019.4 ± 0.5	337	COOPER 78B	HBC	0.7–0.8 $\bar{p}p \rightarrow K_S^0 K_L^0 \pi^+ \pi^-$
1020 ± 1	383	<sup>7</sup> BALDI 77	CNTR	10 $\pi^- p \rightarrow \pi^- \phi p$

1018.9 ±0.6	800	COHEN	77	ASPK	$6 \pi^\pm N \rightarrow K^+ K^- N$
1019.7 ±0.5	454	KALBFLEISCH	76	HBC	$2.18 K^- p \rightarrow \Lambda K \bar{K}$
1019.4 ±0.8	984	BESCH	74	CNTR	$2 \gamma p \rightarrow p K^+ K^-$
1020.3 ±0.4	100	BALLAM	73	HBC	$2.8-9.3 \gamma p$
1019.4 ±0.7		BINNIE	73B	CNTR	$\pi^- p \rightarrow \phi n$
1019.6 ±0.5	120	<sup>9</sup> AGUILAR-...	72B	HBC	$3.9, 4.6 K^- p \rightarrow \Lambda K^+ K^-$
1019.9 ±0.5	100	<sup>9</sup> AGUILAR-...	72B	HBC	$3.9, 4.6 K^- p \rightarrow K^- p K^+ K^-$
1020.4 ±0.5	131	COLLEY	72	HBC	$10 K^+ p \rightarrow K^+ p \phi$
1019.9 ±0.3	410	STOTTLE...	71	HBC	$2.9 K^- p \rightarrow \Sigma / \Lambda K \bar{K}$

<sup>1</sup> Update of AKHMETSHIN 99D

<sup>2</sup> From the combined fit assuming that the total  $\phi(1020)$  production cross section is saturated by those of  $K^+ K^-$ ,  $K_S K_L$ ,  $\pi^+ \pi^- \pi^0$ , and  $\eta \gamma$  decays modes and using ACHASOV 00B for the  $\eta \gamma$  decay mode.

<sup>3</sup> Using a total width of  $4.43 \pm 0.05$  MeV. Systematic uncertainty included.

<sup>4</sup> Using a total width of  $4.43 \pm 0.05$  MeV.

<sup>5</sup> PELLINEN 82 review includes AKERLOF 77, DAUM 81, BALDI 77, AYRES 74, DE-GROOT 74.

<sup>6</sup> Strongly correlated with AKHMETSHIN 04.

<sup>7</sup> Systematic errors not evaluated.

<sup>8</sup> Weighted and scaled average of 12 measurements of DIJKSTRA 86.

<sup>9</sup> Mass errors enlarged by us to  $\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.

### $\phi(1020)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>4.26 ±0.04 OUR AVERAGE</b>		Error includes scale factor of 1.4. See the ideogram below.		
4.30 ±0.06 ±0.17	105k	AKHMETSHIN 06	CMD2	$0.98-1.06 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
4.280 ±0.033 ±0.025	272k	<sup>10</sup> AKHMETSHIN 04	CMD2	$e^+ e^- \rightarrow K_L^0 K_S^0$
4.21 ±0.04	1900k	<sup>11</sup> ACHASOV 01E	SND	$e^+ e^- \rightarrow K^+ K^-, K_S K_L, \pi^+ \pi^- \pi^0$
4.44 ±0.09	55600	AKHMETSHIN 95	CMD2	$e^+ e^- \rightarrow$ hadrons
4.5 ±0.7	1500	ARENTON 82	AEMS	11.8 polar. $pp \rightarrow KK$
4.2 ±0.6	766	<sup>12</sup> IVANOV 81	OLYA	$1-1.4 e^+ e^- \rightarrow K^+ K^-$
4.3 ±0.6		<sup>12</sup> CORDIER 80	DM1	$e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
4.36 ±0.29	3681	<sup>12</sup> BUKIN 78C	OLYA	$e^+ e^- \rightarrow$ hadrons
4.4 ±0.6	984	<sup>12</sup> BESCH 74	CNTR	$2 \gamma p \rightarrow p K^+ K^-$
4.67 ±0.72	681	<sup>12</sup> BALAKIN 71	OSPK	$e^+ e^- \rightarrow$ hadrons
4.09 ±0.29		BIZOT 70	OSPK	$e^+ e^- \rightarrow$ hadrons
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
4.24 ±0.02 ±0.03	542k	<sup>13</sup> AKHMETSHIN 08	CMD2	$1.02 e^+ e^- \rightarrow K^+ K^-$
4.28 ±0.13	12540	<sup>14</sup> AUBERT,B 05J	BABR	$D^0 \rightarrow \bar{K}^0 K^+ K^-$
4.45 ±0.06	271k	DIJKSTRA 86	SPEC	100 $\pi^-$ Be
3.6 ±0.8	337	<sup>12</sup> COOPER 78B	HBC	$0.7-0.8 \bar{p} p \rightarrow K_S^0 K_L^0 \pi^+ \pi^-$

4.5 ±0.50	1300	<sup>12,14</sup> AKERLOF	77	SPEC	400 pA → K <sup>+</sup> K <sup>-</sup> X
4.5 ±0.8	500	<sup>12,14</sup> AYRES	74	ASPK	3-6 π <sup>-</sup> p → K <sup>+</sup> K <sup>-</sup> n, K <sup>-</sup> p → K <sup>+</sup> K <sup>-</sup> Λ/Σ <sup>0</sup>
3.81 ±0.37		COSME	74B	OSPK	e <sup>+</sup> e <sup>-</sup> → K <sub>L</sub> <sup>0</sup> K <sub>S</sub> <sup>0</sup>
3.8 ±0.7	454	<sup>12</sup> BORENSTEIN	72	HBC	2.18 K <sup>-</sup> p → K K̄ n


<sup>10</sup> Update of AKHMETSHIN 99D

<sup>11</sup> From the combined fit assuming that the total φ(1020) production cross section is saturated by those of K<sup>+</sup> K<sup>-</sup>, K<sub>S</sub> K<sub>L</sub>, π<sup>+</sup> π<sup>-</sup> π<sup>0</sup>, and ηγ decays modes and using ACHASOV 00B for the ηγ decay mode.

<sup>12</sup> Width errors enlarged by us to 4Γ/√N; see the note with the K\*(892) mass.

<sup>13</sup> Strongly correlated with AKHMETSHIN 04.

<sup>14</sup> Systematic errors not evaluated.



### φ(1020) DECAY MODES

Mode	Fraction (Γ <sub>i</sub> /Γ)	Scale factor/ Confidence level
Γ <sub>1</sub> K <sup>+</sup> K <sup>-</sup>	(48.9 ±0.5 ) %	S=1.1
Γ <sub>2</sub> K <sub>L</sub> <sup>0</sup> K <sub>S</sub> <sup>0</sup>	(34.2 ±0.4 ) %	S=1.1
Γ <sub>3</sub> ρπ + π <sup>+</sup> π <sup>-</sup> π <sup>0</sup>	(15.32 ±0.32 ) %	S=1.1
Γ <sub>4</sub> ρπ		
Γ <sub>5</sub> π <sup>+</sup> π <sup>-</sup> π <sup>0</sup>		
Γ <sub>6</sub> ηγ	( 1.309±0.024 ) %	S=1.2
Γ <sub>7</sub> π <sup>0</sup> γ	( 1.27 ±0.06 ) × 10 <sup>-3</sup>	

$\Gamma_8$	$\ell^+ \ell^-$	—	
$\Gamma_9$	$e^+ e^-$	$( 2.954 \pm 0.030 ) \times 10^{-4}$	S=1.1
$\Gamma_{10}$	$\mu^+ \mu^-$	$( 2.87 \pm 0.19 ) \times 10^{-4}$	
$\Gamma_{11}$	$\eta e^+ e^-$	$( 1.15 \pm 0.10 ) \times 10^{-4}$	
$\Gamma_{12}$	$\pi^+ \pi^-$	$( 7.4 \pm 1.3 ) \times 10^{-5}$	
$\Gamma_{13}$	$\omega \pi^0$	$( 4.7 \pm 0.5 ) \times 10^{-5}$	
$\Gamma_{14}$	$\omega \gamma$	$< 5$	% CL=84%
$\Gamma_{15}$	$\rho \gamma$	$< 1.2$	$\times 10^{-5}$ CL=90%
$\Gamma_{16}$	$\pi^+ \pi^- \gamma$	$( 4.1 \pm 1.3 ) \times 10^{-5}$	
$\Gamma_{17}$	$f_0(980) \gamma$	$( 3.22 \pm 0.19 ) \times 10^{-4}$	S=1.1
$\Gamma_{18}$	$\pi^0 \pi^0 \gamma$	$( 1.13 \pm 0.06 ) \times 10^{-4}$	
$\Gamma_{19}$	$\pi^+ \pi^- \pi^+ \pi^-$	$( 4.0 \begin{smallmatrix} +2.8 \\ -2.2 \end{smallmatrix} ) \times 10^{-6}$	
$\Gamma_{20}$	$\pi^+ \pi^+ \pi^- \pi^- \pi^0$	$< 4.6$	$\times 10^{-6}$ CL=90%
$\Gamma_{21}$	$\pi^0 e^+ e^-$	$( 1.12 \pm 0.28 ) \times 10^{-5}$	
$\Gamma_{22}$	$\pi^0 \eta \gamma$	$( 8.3 \pm 0.5 ) \times 10^{-5}$	
$\Gamma_{23}$	$a_0(980) \gamma$	$( 7.6 \pm 0.6 ) \times 10^{-5}$	
$\Gamma_{24}$	$\eta'(958) \gamma$	$( 6.25 \pm 0.21 ) \times 10^{-5}$	
$\Gamma_{25}$	$\eta \pi^0 \pi^0 \gamma$	$< 2$	$\times 10^{-5}$ CL=90%
$\Gamma_{26}$	$\mu^+ \mu^- \gamma$	$( 1.4 \pm 0.5 ) \times 10^{-5}$	
$\Gamma_{27}$	$\rho \gamma \gamma$	$< 1.2$	$\times 10^{-4}$ CL=90%
$\Gamma_{28}$	$\eta \pi^+ \pi^-$	$< 1.8$	$\times 10^{-5}$ CL=90%
$\Gamma_{29}$	$\eta \mu^+ \mu^-$	$< 9.4$	$\times 10^{-6}$ CL=90%

### CONSTRAINED FIT INFORMATION

An overall fit to 30 branching ratios uses 79 measurements and one constraint to determine 14 parameters. The overall fit has a  $\chi^2 = 57.4$  for 66 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_2$	-72										
$x_3$	-53	-21									
$x_6$	-13	7	2								
$x_7$	-5	3	1	5							
$x_9$	30	-25	-10	-32	-15						
$x_{10}$	-4	3	1	3	2	-11					
$x_{12}$	-2	1	0	2	1	-5	1				
$x_{13}$	-2	2	1	2	1	-7	1	0			
$x_{17}$	0	0	0	0	0	0	0	0	0		
$x_{18}$	-6	4	2	17	3	-17	2	1	1	0	
$x_{19}$	0	0	0	0	0	-1	0	0	0	0	0
$x_{23}$	0	0	0	0	0	0	0	0	0	0	0
$x_{24}$	-4	2	1	32	2	-10	1	1	1	1	0
	$x_1$	$x_2$	$x_3$	$x_6$	$x_7$	$x_9$	$x_{10}$	$x_{12}$	$x_{13}$	$x_{17}$	

$x_{19}$	0										
$x_{23}$	0	0									
$x_{24}$	5	0	0								
	$x_{18}$	$x_{19}$	$x_{23}$								

**$\phi(1020)$  PARTIAL WIDTHS**

**$\Gamma(\eta\gamma)$   $\Gamma_6$**

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • • 58.9 ± 0.5 ± 2.4	ACHASOV	00	SND $e^+ e^- \rightarrow \eta\gamma$

**$\Gamma(\pi^0\gamma)$   $\Gamma_7$**

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • • 5.40 ± 0.16 <sup>+0.43</sup> <sub>-0.40</sub>	ACHASOV	00	SND $e^+ e^- \rightarrow \pi^0\gamma$

$\Gamma(\ell^+ \ell^-)$   $\Gamma_8$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
$1.320 \pm 0.017 \pm 0.015$	<sup>15</sup> AMBROSINO 05	KLOE	$1.02 e^+ e^- \rightarrow \mu^+ \mu^-$

$\Gamma(e^+ e^-)$   $\Gamma_9$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>1.27 \pm 0.04</math> OUR EVALUATION</b>				
<b><math>1.32 \pm 0.05 \pm 0.03</math></b>		<sup>16</sup> AMBROSINO 05	KLOE	$1.02 e^+ e^- \rightarrow e^+ e^-$
$1.27 \pm 0.03$	272k	<sup>17</sup> AKHMETSHIN 04	CMD2	$e^+ e^- \rightarrow K_L^0 K_S^0$

$(\Gamma(e^+ e^-) \times \Gamma(\mu^+ \mu^-))^{1/2}$   $(\Gamma_9 \Gamma_{10})^{1/2}$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
<b><math>1.320 \pm 0.018 \pm 0.017</math></b>	AMBROSINO 05	KLOE	$1.02 e^+ e^- \rightarrow \mu^+ \mu^-$
<sup>15</sup> Weighted average of $\Gamma_{ee}$ and $\sqrt{\Gamma_{ee} \Gamma_{\mu\mu}}$ from AMBROSINO 05 assuming lepton universality.			
<sup>16</sup> From forward-backward asymmetry and using $\Gamma_{\text{total}} = 4.26 \pm 0.05$ MeV from the 2004 edition of this Review.			
<sup>17</sup> Using $B(\phi \rightarrow K_L^0 K_S^0) = 0.337 \pm 0.005$ and $\Gamma_{\text{total}} = 4.26 \pm 0.05$ MeV. Update of AKHMETSHIN 99D.			

$\phi(1020) \Gamma(i) \Gamma(e^+ e^-) / \Gamma^2(\text{total})$

$\Gamma(K^+ K^-) / \Gamma_{\text{total}} \times \Gamma(e^+ e^-) / \Gamma_{\text{total}}$   $\Gamma_1 / \Gamma \times \Gamma_9 / \Gamma$

VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>14.46 \pm 0.23</math> OUR FIT</b>	Error includes scale factor of 1.1.			
<b><math>14.24 \pm 0.30</math> OUR AVERAGE</b>				
$14.27 \pm 0.05 \pm 0.31$	542k	AKHMETSHIN 08	CMD2	$1.02 e^+ e^- \rightarrow K^+ K^-$
$13.93 \pm 0.14 \pm 0.99$	1000k	<sup>18</sup> ACHASOV 01E	SND	$e^+ e^- \rightarrow K^+ K^-, K_S^0 K_L^0, \pi^+ \pi^- \pi^0$

$\Gamma(K_L^0 K_S^0) / \Gamma_{\text{total}} \times \Gamma(e^+ e^-) / \Gamma_{\text{total}}$   $\Gamma_2 / \Gamma \times \Gamma_9 / \Gamma$

VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>10.10 \pm 0.13</math> OUR FIT</b>				
<b><math>10.06 \pm 0.16</math> OUR AVERAGE</b>				
$10.01 \pm 0.04 \pm 0.17$	272k	<sup>19</sup> AKHMETSHIN 04	CMD2	$e^+ e^- \rightarrow K_L^0 K_S^0$
$10.27 \pm 0.07 \pm 0.34$	500k	<sup>18</sup> ACHASOV 01E	SND	$e^+ e^- \rightarrow K^+ K^-, K_S^0 K_L^0, \pi^+ \pi^- \pi^0$


$[\Gamma(\rho\pi) + \Gamma(\pi^+ \pi^- \pi^0)] / \Gamma_{\text{total}} \times \Gamma(e^+ e^-) / \Gamma_{\text{total}}$   $\Gamma_3 / \Gamma \times \Gamma_9 / \Gamma$

VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>4.53 \pm 0.10</math> OUR FIT</b>	Error includes scale factor of 1.1.			
<b><math>4.46 \pm 0.12</math> OUR AVERAGE</b>				
$4.51 \pm 0.16 \pm 0.11$	105k	AKHMETSHIN 06	CMD2	$0.98-1.06 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
$4.30 \pm 0.08 \pm 0.21$		AUBERT,B 04N	BABR	$10.6 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 \gamma$
$4.665 \pm 0.042 \pm 0.261$	400k	<sup>18</sup> ACHASOV 01E	SND	$e^+ e^- \rightarrow K^+ K^-, K_S^0 K_L^0, \pi^+ \pi^- \pi^0$
$4.35 \pm 0.27 \pm 0.08$	11169	<sup>20</sup> AKHMETSHIN 98	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$

$\Gamma(\eta\gamma)/\Gamma_{\text{total}} \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$   $\Gamma_6/\Gamma \times \Gamma_9/\Gamma$

VALUE (units $10^{-6}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>3.87 ± 0.07</b>				<b>OUR FIT</b> Error includes scale factor of 1.2.
<b>3.93 ± 0.09</b>				<b>OUR AVERAGE</b> Error includes scale factor of 1.3. See the ideogram below.
4.050 ± 0.067 ± 0.118	33k	<sup>21</sup> ACHASOV	07B SND	0.6-1.38 $e^+e^- \rightarrow \eta\gamma$
4.093 <sup>+0.040</sup> <sub>-0.043</sub> ± 0.247	17.4k	<sup>22</sup> AKHMETSHIN	05 CMD2	0.60-1.38 $e^+e^- \rightarrow \eta\gamma$
3.850 ± 0.041 ± 0.159	23k	<sup>23,24</sup> AKHMETSHIN	01B CMD2	$e^+e^- \rightarrow \eta\gamma$
4.00 ± 0.04 ± 0.11		<sup>25</sup> ACHASOV	00 SND	$e^+e^- \rightarrow \eta\gamma$
3.53 ± 0.08 ± 0.17	2200	<sup>26,27</sup> AKHMETSHIN	99F CMD2	$e^+e^- \rightarrow \eta\gamma$

WEIGHTED AVERAGE  
3.93±0.09 (Error scaled by 1.3)



$\Gamma(\eta\gamma)/\Gamma_{\text{total}} \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$   $\Gamma_6/\Gamma \times \Gamma_9/\Gamma$

$\Gamma(\pi^0\gamma)/\Gamma_{\text{total}} \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma \times \Gamma_9/\Gamma$

VALUE (units $10^{-7}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>3.74 ± 0.18</b>				<b>OUR FIT</b>
<b>3.71 ± 0.21</b>				<b>OUR AVERAGE</b>
3.75 ± 0.11 ± 0.29	18680	AKHMETSHIN	05 CMD2	0.60-1.38 $e^+e^- \rightarrow \pi^0\gamma$
3.67 ± 0.10 <sup>+0.27</sup> <sub>-0.25</sub>		<sup>28</sup> ACHASOV	00 SND	$e^+e^- \rightarrow \pi^0\gamma$


$\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}} \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$   $\Gamma_{10}/\Gamma \times \Gamma_9/\Gamma$

VALUE (units $10^{-8}$ )	DOCUMENT ID	TECN	COMMENT
<b>8.5<sup>+0.5</sup><sub>-0.6</sub></b>			<b>OUR FIT</b>
<b>8.8 ± 0.9</b>			<b>OUR AVERAGE</b> Error includes scale factor of 1.5. See the ideogram below.
8.36 ± 0.59 ± 0.37	ACHASOV	01G SND	$e^+e^- \rightarrow \mu^+\mu^-$
9.9 ± 1.4 ± 0.9	<sup>26</sup> ACHASOV	99C SND	$e^+e^- \rightarrow \mu^+\mu^-$

14.4 ± 3.0  
8.6 ± 5.9

20 VASSERMAN 81 OLYA  $e^+e^- \rightarrow \mu^+\mu^-$   
20 AUGUSTIN 73 OSPK  $e^+e^- \rightarrow \mu^+\mu^-$

WEIGHTED AVERAGE  
8.8±0.9 (Error scaled by 1.5)



$$\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}} \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \qquad \Gamma_{10}/\Gamma \times \Gamma_9/\Gamma$$

$$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}} \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \qquad \Gamma_{12}/\Gamma \times \Gamma_9/\Gamma$$

VALUE (units $10^{-8}$ )	DOCUMENT ID	TECN	COMMENT
<b>2.2 ± 0.4 OUR FIT</b>			
<b>2.2 ± 0.4 OUR AVERAGE</b>			
2.1 ± 0.3 ± 0.3	26 ACHASOV	00C	SND $e^+e^- \rightarrow \pi^+\pi^-$
1.95 <sup>+1.15</sup> <sub>-0.87</sub>	20 GOLUBEV	86	ND $e^+e^- \rightarrow \pi^+\pi^-$
6.01 <sup>+3.19</sup> <sub>-2.51</sub>	20 VASSERMAN	81	OLYA $e^+e^- \rightarrow \pi^+\pi^-$

$$\Gamma(\omega\pi^0)/\Gamma_{\text{total}} \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \qquad \Gamma_{13}/\Gamma \times \Gamma_9/\Gamma$$

VALUE (units $10^{-8}$ )	DOCUMENT ID	TECN	COMMENT
<b>1.40 ± 0.15 OUR FIT</b>			
<b>1.37 ± 0.17 ± 0.01</b>	29,30 AMBROSINO	08G	KLOE $e^+e^- \rightarrow \pi^+\pi^-2\pi^0, 2\pi^0\gamma$

$$\Gamma(\pi^0\pi^0\gamma)/\Gamma_{\text{total}} \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \qquad \Gamma_{18}/\Gamma \times \Gamma_9/\Gamma$$

VALUE (units $10^{-8}$ )	DOCUMENT ID	TECN	COMMENT
<b>3.34 ± 0.17 OUR FIT</b>			
<b>3.33<sup>+0.04+0.19</sup><sub>-0.09-0.20</sub></b>	31 AMBROSINO	07	KLOE $e^+e^- \rightarrow \pi^0\pi^0\gamma$

$\Gamma(\pi^+\pi^-\pi^+\pi^-)/\Gamma_{\text{total}} \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \qquad \Gamma_{19}/\Gamma \times \Gamma_9/\Gamma$   
VALUE (units 10<sup>-9</sup>)    EVTS    DOCUMENT ID    TECN    COMMENT

**1.2 <sup>+0.8</sup><sub>-0.7</sub> OUR FIT**

**1.17±0.52±0.64**    3285    <sup>26</sup> AKHMETSHIN 00E    CMD2     $e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$

<sup>18</sup> From the combined fit assuming that the total  $\phi(1020)$  production cross section is saturated by those of  $K^+K^-$ ,  $K_S K_L$ ,  $\pi^+\pi^-\pi^0$ , and  $\eta\gamma$  decays modes and using ACHASOV 00B for the  $\eta\gamma$  decay mode.

<sup>19</sup> Update of AKHMETSHIN 99D

<sup>20</sup> Recalculated by us from the cross section in the peak.

<sup>21</sup> From a combined fit of  $\sigma(e^+e^- \rightarrow \eta\gamma)$  with  $\eta \rightarrow 3\pi^0$  and  $\eta \rightarrow \pi^+\pi^-\pi^0$ , and fixing  $B(\eta \rightarrow 3\pi^0) / B(\eta \rightarrow \pi^+\pi^-\pi^0) = 1.44 \pm 0.04$ . Recalculated by us from the cross section at the peak. Supersedes ACHASOV 00D and ACHASOV 06A.

<sup>22</sup> From the  $\eta \rightarrow 2\gamma$  decay and using  $B(\eta \rightarrow \gamma\gamma) = 39.43 \pm 0.26\%$ .

<sup>23</sup> From the  $\eta \rightarrow 3\pi^0$  decay and using  $B(\eta \rightarrow 3\pi^0) = (32.24 \pm 0.29) \times 10^{-2}$ .

<sup>24</sup> The combined fit from 600 to 1380 MeV taking into account  $\rho(770)$ ,  $\omega(782)$ ,  $\phi(1020)$ , and  $\rho(1450)$  (mass and width fixed at 1450 MeV and 310 MeV respectively).

<sup>25</sup> From the  $\eta \rightarrow 2\gamma$  decay and using  $B(\eta \rightarrow 2\gamma) = (39.21 \pm 0.34) \times 10^{-2}$ .

<sup>26</sup> Recalculated by the authors from the cross section in the peak.

<sup>27</sup> From the  $\eta \rightarrow \pi^+\pi^-\pi^0$  decay and using  $B(\eta \rightarrow \pi^+\pi^-\pi^0) = (23.1 \pm 0.5) \times 10^{-2}$ .

<sup>28</sup> From the  $\pi^0 \rightarrow 2\gamma$  decay and using  $B(\pi^0 \rightarrow 2\gamma) = (98.798 \pm 0.032) \times 10^{-2}$ .

<sup>29</sup> Recalculated by the authors from the cross section at the peak.

<sup>30</sup> AMBROSINO 08G reports  $[\Gamma(\phi(1020) \rightarrow \omega\pi^0)/\Gamma_{\text{total}} \times \Gamma(\phi(1020) \rightarrow e^+e^-)/\Gamma_{\text{total}}] \times [B(\omega(782) \rightarrow \pi^+\pi^-\pi^0)] = (1.22 \pm 0.13 \pm 0.08) \times 10^{-8}$ . We divide by our best value  $B(\omega(782) \rightarrow \pi^+\pi^-\pi^0) = (89.2 \pm 0.7) \times 10^{-2}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value.

<sup>31</sup> Calculated by the authors from the cross section at the peak.

**$\phi(1020)$  BRANCHING RATIOS**

$\Gamma(K^+K^-)/\Gamma_{\text{total}} \qquad \Gamma_1/\Gamma$   
VALUE    EVTS    DOCUMENT ID    TECN    COMMENT

**0.489±0.005 OUR FIT**    Error includes scale factor of 1.1.

**0.493±0.010 OUR AVERAGE**

0.492±0.012	2913	AKHMETSHIN 95	CMD2	$e^+e^- \rightarrow K^+K^-$
0.44 ±0.05	321	KALBFLEISCH 76	HBC	$2.18 K^-p \rightarrow \Lambda K^+K^-$
0.49 ±0.06	270	DEGROOT 74	HBC	$4.2 K^-p \rightarrow \Lambda\phi$
0.540±0.034	565	BALAKIN 71	OSPK	$e^+e^- \rightarrow K^+K^-$
0.48 ±0.04	252	LINDSEY 66	HBC	$2.1-2.7 K^-p \rightarrow \Lambda K^+K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.476±0.017	1000k	<sup>32</sup> ACHASOV 01E	SND	$e^+e^- \rightarrow K^+K^-, K_S K_L, \pi^+\pi^-\pi^0$
-------------	-------	---------------------------	-----	---

$\Gamma(K_L^0 K_S^0)/\Gamma_{\text{total}} \qquad \Gamma_2/\Gamma$   
VALUE    EVTS    DOCUMENT ID    TECN    COMMENT

**0.342±0.004 OUR FIT**    Error includes scale factor of 1.1.

**0.331±0.009 OUR AVERAGE**

0.335±0.010	40644	AKHMETSHIN 95	CMD2	$e^+e^- \rightarrow K_L^0 K_S^0$
0.326±0.035		DOLINSKY 91	ND	$e^+e^- \rightarrow K_L^0 K_S^0$
0.310±0.024		DRUZHININ 84	ND	$e^+e^- \rightarrow K_L^0 K_S^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.351 \pm 0.013$	500k	<sup>32</sup> ACHASOV	01E	SND	$e^+e^- \rightarrow K^+K^-, K_S K_L,$ $\pi^+\pi^-\pi^0$
$0.27 \pm 0.03$	133	KALBFLEISCH	76	HBC	$2.18 K^-p \rightarrow \Lambda K_L^0 K_S^0$
$0.257 \pm 0.030$	95	BALAKIN	71	OSPK	$e^+e^- \rightarrow K_L^0 K_S^0$
$0.40 \pm 0.04$	167	LINDSEY	66	HBC	$2.1-2.7 K^-p \rightarrow \Lambda K_L^0 K_S^0$

$\Gamma(K_L^0 K_S^0)/\Gamma(K^+ K^-)$   $\Gamma_2/\Gamma_1$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

**0.698 ± 0.014 OUR FIT** Error includes scale factor of 1.1.

**0.740 ± 0.031 OUR AVERAGE**

$0.70 \pm 0.06$	2732	BUKIN	78c	OLYA	$e^+e^- \rightarrow K_L^0 K_S^0$
$0.82 \pm 0.08$		LOSTY	78	HBC	$4.2 K^-p \rightarrow \phi$ hyperon
$0.71 \pm 0.05$		LAVEN	77	HBC	$10 K^-p \rightarrow K^+ K^- \Lambda$
$0.71 \pm 0.08$		LYONS	77	HBC	$3-4 K^-p \rightarrow \Lambda \phi$
$0.89 \pm 0.10$	144	AGUILAR-...	72B	HBC	$3.9, 4.6 K^-p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.68 \pm 0.03$		<sup>33</sup> AKHMETSHIN	95	CMD2	$e^+e^- \rightarrow K_L^0 K_S^0, K^+ K^-$
-----------------	--	--------------------------	----	------	---

$\Gamma(K_L^0 K_S^0)/\Gamma(K\bar{K})$   $\Gamma_2/(\Gamma_1+\Gamma_2)$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

**0.411 ± 0.005 OUR FIT** Error includes scale factor of 1.1.

**0.45 ± 0.04 OUR AVERAGE**

$0.44 \pm 0.07$		LONDON	66	HBC	$2.24 K^-p \rightarrow \Lambda K\bar{K}$
$0.48 \pm 0.07$	52	BADIER	65B	HBC	$3 K^-p$
$0.40 \pm 0.10$	34	SCHLEIN	63	HBC	$1.95 K^-p \rightarrow \Lambda K\bar{K}$

$[\Gamma(\rho\pi) + \Gamma(\pi^+\pi^-\pi^0)]/\Gamma_{total}$   $\Gamma_3/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

**0.1532 ± 0.0032 OUR FIT** Error includes scale factor of 1.1.

**0.151 ± 0.009 OUR AVERAGE** Error includes scale factor of 1.7.

$0.161 \pm 0.008$	11761	AKHMETSHIN	95	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
$0.143 \pm 0.007$		DOLINSKY	91	ND	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.159 \pm 0.008$	400k	<sup>32</sup> ACHASOV	01E	SND	$e^+e^- \rightarrow K^+K^-,$ $K_S K_L, \pi^+\pi^-\pi^0$
$0.145 \pm 0.009 \pm 0.003$	11169	<sup>34</sup> AKHMETSHIN	98	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
$0.139 \pm 0.007$		<sup>35</sup> PARROUR	76B	OSPK	$e^+e^-$

$[\Gamma(\rho\pi) + \Gamma(\pi^+\pi^-\pi^0)]/\Gamma(K^+ K^-)$   $\Gamma_3/\Gamma_1$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

**0.313 ± 0.009 OUR FIT** Error includes scale factor of 1.1.

**0.28 ± 0.09** 34 AGUILAR-... 72B HBC 3.9,4.6  $K^-p$

$[\Gamma(\rho\pi) + \Gamma(\pi^+\pi^-\pi^0)]/\Gamma(K\bar{K})$   $\Gamma_3/(\Gamma_1+\Gamma_2)$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

**0.184 ± 0.005 OUR FIT** Error includes scale factor of 1.1.

**0.24 ± 0.04 OUR AVERAGE**

$0.237 \pm 0.039$	CERRADA	77B	HBC	$4.2 K^-p \rightarrow \Lambda 3\pi$
$0.30 \pm 0.15$	LONDON	66	HBC	$2.24 K^-p \rightarrow \Lambda \pi^+\pi^-\pi^0$

$[\Gamma(\rho\pi) + \Gamma(\pi^+\pi^-\pi^0)]/\Gamma(K_L^0 K_S^0)$   $\Gamma_3/\Gamma_2$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.448±0.012 OUR FIT</b>				Error includes scale factor of 1.1.
<b>0.51 ±0.05 OUR AVERAGE</b>				
0.56 ±0.07	3681	BUKIN	78C OLYA	$e^+e^- \rightarrow K_L^0 K_S^0, \pi^+\pi^-\pi^0$
0.47 ±0.06	516	COSME	74 OSPK	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{total}$   $\Gamma_5/\Gamma$

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
≈ 0.0087		1.98M <sup>36,37</sup>	ALOISIO	03 KLOE	1.02 $e^+e^- \rightarrow \pi^+\pi^-\pi^0$
<0.0006	90		<sup>38</sup> ACHASOV	02 SND	1.02 $e^+e^- \rightarrow \pi^+\pi^-\pi^0$
<0.23	90		<sup>38</sup> CORDIER	80 DM1	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
<0.20	90		<sup>38</sup> PARROUR	76B OSPK	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$

$\Gamma(\eta\gamma)/\Gamma_{total}$   $\Gamma_6/\Gamma$

VALUE (units 10 <sup>-2</sup> )	EVTS	DOCUMENT ID	TECN	COMMENT	
<b>1.309±0.024 OUR FIT</b>				Error includes scale factor of 1.2.	
<b>1.26 ±0.04 OUR AVERAGE</b>					
1.246±0.025±0.057	10k	<sup>39</sup> ACHASOV	98F SND	$e^+e^- \rightarrow 7\gamma$	
1.18 ±0.11	279	<sup>40</sup> AKHMETSHIN	95 CMD2	$e^+e^- \rightarrow \pi^+\pi^-3\gamma$	
1.30 ±0.06		<sup>41</sup> DRUZHININ	84 ND	$e^+e^- \rightarrow 3\gamma$	
1.4 ±0.2		<sup>42</sup> DRUZHININ	84 ND	$e^+e^- \rightarrow 6\gamma$	
0.88 ±0.20	290	KURDADZE	83C OLYA	$e^+e^- \rightarrow 3\gamma$	
1.35 ±0.29		ANDREWS	77 CNTR	6.7-10 $\gamma$ Cu	
1.5 ±0.4	54	<sup>41</sup> COSME	76 OSPK	$e^+e^-$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
1.37 ±0.05 ±0.01	33k	<sup>43</sup> ACHASOV	07B SND	0.6-1.38 $e^+e^- \rightarrow \eta\gamma$	
1.373±0.014±0.085	17.4k	<sup>44,45</sup> AKHMETSHIN	05 CMD2	0.60-1.38 $e^+e^- \rightarrow \eta\gamma$	
1.287±0.013±0.063		<sup>46,47</sup> AKHMETSHIN	01B CMD2	$e^+e^- \rightarrow \eta\gamma$	
1.338±0.012±0.052		<sup>48</sup> ACHASOV	00 SND	$e^+e^- \rightarrow \eta\gamma$	
1.18 ±0.03 ±0.06	2200	<sup>49</sup> AKHMETSHIN	99F CMD2	$e^+e^- \rightarrow \eta\gamma$	
1.21 ±0.07		<sup>50</sup> BENAYOUN	96 RVUE	0.54-1.04 $e^+e^- \rightarrow \eta\gamma$	

$\Gamma(\pi^0\gamma)/\Gamma_{total}$   $\Gamma_7/\Gamma$

VALUE (units 10 <sup>-3</sup> )	EVTS	DOCUMENT ID	TECN	COMMENT	
<b>1.27 ±0.06 OUR FIT</b>					
<b>1.31 ±0.13 OUR AVERAGE</b>					
1.30 ±0.13		DRUZHININ	84 ND	$e^+e^- \rightarrow 3\gamma$	
1.4 ±0.5	32	COSME	76 OSPK	$e^+e^-$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
1.258±0.037±0.077	18680	<sup>51,52</sup> AKHMETSHIN	05 CMD2	0.60-1.38 $e^+e^- \rightarrow \pi^0\gamma$	
1.226±0.036 <sup>+0.096</sup> <sub>-0.089</sub>		<sup>53</sup> ACHASOV	00 SND	$e^+e^- \rightarrow \pi^0\gamma$	
1.26 ±0.17		<sup>50</sup> BENAYOUN	96 RVUE	0.54-1.04 $e^+e^- \rightarrow \pi^0\gamma$	

$\Gamma(\eta\gamma)/\Gamma(\pi^0\gamma)$

$\Gamma_6/\Gamma_7$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$10.9 \pm 0.3^{+0.7}_{-0.8}$	ACHASOV	00	SND $e^+e^- \rightarrow \eta\gamma, \pi^0\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$\Gamma(e^+e^-)/\Gamma_{total}$

$\Gamma_9/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>2.954 \pm 0.030</math> OUR FIT</b>	Error includes scale factor of 1.1.			
<b><math>2.98 \pm 0.07</math> OUR AVERAGE</b>	Error includes scale factor of 1.1.			
$2.93 \pm 0.14$	1900k	<sup>54</sup> ACHASOV	01E	SND $e^+e^- \rightarrow K^+K^-, K_S^0K_L^0, \pi^+\pi^-\pi^0$
$2.88 \pm 0.09$	55600	AKHMETSHIN	95	CMD2 $e^+e^- \rightarrow$ hadrons
$3.00 \pm 0.21$	3681	BUKIN	78C	OLYA $e^+e^- \rightarrow$ hadrons
$3.10 \pm 0.14$		<sup>55</sup> PARROUR	76	OSPK $e^+e^-$
$3.3 \pm 0.3$		COSME	74	OSPK $e^+e^- \rightarrow$ hadrons
$2.81 \pm 0.25$	681	BALAKIN	71	OSPK $e^+e^- \rightarrow$ hadrons
$3.50 \pm 0.27$		CHATELUS	71	OSPK $e^+e^-$

$\Gamma(\mu^+\mu^-)/\Gamma_{total}$

$\Gamma_{10}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>2.87 \pm 0.19</math> OUR FIT</b>			
<b><math>2.5 \pm 0.4</math> OUR AVERAGE</b>			
$2.69 \pm 0.46$	<sup>56</sup> HAYES	71	CNTR $8.3, 9.8 \gamma C \rightarrow \mu^+\mu^- X$
$2.17 \pm 0.60$	<sup>56</sup> EARLES	70	CNTR $6.0 \gamma C \rightarrow \mu^+\mu^- X$
$2.87 \pm 0.20 \pm 0.14$	<sup>57</sup> ACHASOV	01G	SND $e^+e^- \rightarrow \mu^+\mu^-$
$3.30 \pm 0.45 \pm 0.32$	<sup>34</sup> ACHASOV	99C	SND $e^+e^- \rightarrow \mu^+\mu^-$
$4.83 \pm 1.02$	<sup>58</sup> VASSERMAN	81	OLYA $e^+e^- \rightarrow \mu^+\mu^-$
$2.87 \pm 1.98$	<sup>58</sup> AUGUSTIN	73	OSPK $e^+e^- \rightarrow \mu^+\mu^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$\Gamma(\eta e^+e^-)/\Gamma_{total}$

$\Gamma_{11}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>1.15 \pm 0.10</math> OUR AVERAGE</b>				
$1.19 \pm 0.19 \pm 0.12$	213	<sup>59</sup> ACHASOV	01B	SND $e^+e^- \rightarrow \gamma\gamma e^+e^-$
$1.14 \pm 0.10 \pm 0.06$	355	<sup>60</sup> AKHMETSHIN	01	CMD2 $e^+e^- \rightarrow \eta e^+e^-$
$1.3^{+0.8}_{-0.6}$	7	GOLUBEV	85	ND $e^+e^- \rightarrow \gamma\gamma e^+e^-$
$1.13 \pm 0.14 \pm 0.07$	183	<sup>61</sup> AKHMETSHIN	01	CMD2 $e^+e^- \rightarrow \eta e^+e^-$
$1.21 \pm 0.14 \pm 0.09$	130	<sup>62</sup> AKHMETSHIN	01	CMD2 $e^+e^- \rightarrow \eta e^+e^-$
$1.04 \pm 0.20 \pm 0.08$	42	<sup>63</sup> AKHMETSHIN	01	CMD2 $e^+e^- \rightarrow \eta e^+e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

**$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$**   **$\Gamma_{12}/\Gamma$**

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$0.71 \pm 0.11 \pm 0.09$		34 ACHASOV	00C SND	$e^+e^- \rightarrow \pi^+\pi^-$
$0.65^{+0.38}_{-0.29}$		34 GOLUBEV	86 ND	$e^+e^- \rightarrow \pi^+\pi^-$
$2.01^{+1.07}_{-0.84}$		34 VASSERMAN	81 OLYA	$e^+e^- \rightarrow \pi^+\pi^-$
<6.6	95	BUKIN	78B OLYA	$e^+e^- \rightarrow \pi^+\pi^-$
<2.7	95	ALVENSLEB...	72 CNTR	$6.7 \gamma C \rightarrow C\pi^+\pi^-$

**$\Gamma(\omega\pi^0)/\Gamma_{\text{total}}$**   **$\Gamma_{13}/\Gamma$**

VALUE (units $10^{-5}$ )	DOCUMENT ID	TECN	COMMENT
<b>4.7 ± 0.5 OUR FIT</b>			
<b><math>5.2^{+1.3}_{-1.1}</math></b>	64,65 AULCHENKO	00A SND	$e^+e^- \rightarrow \pi^+\pi^-\pi^0\pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$4.4 \pm 0.6$	66 AMBROSINO	08G KLOE	$e^+e^- \rightarrow \pi^+\pi^-2\pi^0, 2\pi^0\gamma$
$\sim 5.4$	67 ACHASOV	00E SND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
$5.5^{+1.6}_{-1.4} \pm 0.3$	65,68 AULCHENKO	00A SND	$e^+e^- \rightarrow \pi^+\pi^-\pi^0\pi^0$
$4.8^{+1.9}_{-1.7} \pm 0.8$	67 ACHASOV	99 SND	$e^+e^- \rightarrow \pi^+\pi^-\pi^0\pi^0$

**$\Gamma(\omega\gamma)/\Gamma_{\text{total}}$**   **$\Gamma_{14}/\Gamma$**

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.05</b>	84	LINDSEY	66 HBC	2.1–2.7 $K^-p \rightarrow \Lambda\pi^+\pi^-$ neutrals

**$\Gamma(\rho\gamma)/\Gamma_{\text{total}}$**   **$\Gamma_{15}/\Gamma$**

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt; 0.12</b>	90	69 AKHMETSHIN	99B CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
< 7	90	AKHMETSHIN	97C CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
<200	84	LINDSEY	66 HBC	2.1–2.7 $K^-p \rightarrow \Lambda\pi^+\pi^-$ neutrals

**$\Gamma(\pi^+\pi^-\gamma)/\Gamma_{\text{total}}$**   **$\Gamma_{16}/\Gamma$**

VALUE (units $10^{-4}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>0.41 \pm 0.12 \pm 0.04</math></b>		30175	70 AKHMETSHIN	99B CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
< 0.3	90		71 AKHMETSHIN	97C CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
<600	90		KALBFLEISCH	75 HBC	$2.18 K^-p \rightarrow \Lambda\pi^+\pi^-\gamma$
< 70	90		COSME	74 OSPK	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
<400	90		LINDSEY	65 HBC	2.1–2.7 $K^-p \rightarrow \Lambda\pi^+\pi^-$ neutrals

**$\Gamma(f_0(980)\gamma)/\Gamma_{\text{total}}$   $\Gamma_{17}/\Gamma$**

VALUE (units  $10^{-4}$ )    CL%    EVTS    DOCUMENT ID    TECN    COMMENT

**3.22±0.19 OUR FIT**    Error includes scale factor of 1.1.

**3.21±0.19 OUR AVERAGE**

3.21 <sup>+0.03</sup> <sub>-0.09</sub> ±0.18		72	AMBROSINO 07	KLOE	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
2.90±0.21±1.54		73	AKHMETSHIN 99C	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma,$ $\pi^0\pi^0\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

4.47±0.21	2438	74	ALOISIO 02D	KLOE	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
3.5 ±0.3 <sup>+1.3</sup> <sub>-0.5</sub>	419	75,76	ACHASOV 00H	SND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
1.93±0.46±0.50	27188	77	AKHMETSHIN 99B	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
3.05±0.25±0.72	268	78	AKHMETSHIN 99C	CMD2	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
1.5 ±0.5	268	79	AKHMETSHIN 99C	CMD2	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
3.42±0.30±0.36	164	75	ACHASOV 98I	SND	$e^+e^- \rightarrow 5\gamma$
< 1	90	80	AKHMETSHIN 97C	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
< 7	90	81	AKHMETSHIN 97C	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
< 20	90		DRUZHININ 87	ND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$

**$\Gamma(f_0(980)\gamma)/\Gamma(\eta\gamma)$   $\Gamma_{17}/\Gamma_6$**

VALUE (units  $10^{-2}$ )    EVTS    DOCUMENT ID    TECN    COMMENT

**2.46±0.15 OUR FIT**    Error includes scale factor of 1.1.

2.6 ±0.2 <sup>+0.8</sup> <sub>-0.3</sub>	419	75	ACHASOV 00H	SND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
--	-----	----	-------------	-----	---------------------------------------

**$\Gamma(\pi^0\pi^0\gamma)/\Gamma_{\text{total}}$   $\Gamma_{18}/\Gamma$**

VALUE (units  $10^{-4}$ )    CL%    EVTS    DOCUMENT ID    TECN    COMMENT

**1.07 ±0.06 OUR AVERAGE**

1.07 <sup>+0.01</sup> <sub>-0.03</sub> <sup>+0.06</sup> <sub>-0.06</sub>		82	AMBROSINO 07	KLOE	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
1.08 ±0.17 ±0.09	268		AKHMETSHIN 99C	CMD2	$e^+e^- \rightarrow \pi^0\pi^0\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.09 ±0.03 ±0.05	2438		ALOISIO 02D	KLOE	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
1.158±0.093±0.052	419	76,83	ACHASOV 00H	SND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
<10	90		DRUZHININ 87	ND	$e^+e^- \rightarrow 5\gamma$

**$\Gamma(\pi^0\pi^0\gamma)/\Gamma(\eta\gamma)$   $\Gamma_{18}/\Gamma_6$**

VALUE (units  $10^{-2}$ )    EVTS    DOCUMENT ID    TECN    COMMENT

**0.86 ±0.04 OUR FIT**

0.865±0.070±0.017	419	83	ACHASOV 00H	SND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
-------------------	-----	----	-------------	-----	---------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.90 ±0.08 ±0.07	164		ACHASOV 98I	SND	$e^+e^- \rightarrow 5\gamma$
------------------	-----	--	-------------	-----	------------------------------

**$\Gamma(\pi^+\pi^-\pi^+\pi^-)/\Gamma_{\text{total}}$   $\Gamma_{19}/\Gamma$**

VALUE (units  $10^{-6}$ )    CL%    EVTS    DOCUMENT ID    TECN    COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

3.93±1.74±2.14	3285		AKHMETSHIN 00E	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$
< 870	90		CORDIER 79	WIRE	$e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$

$\Gamma(\pi^+\pi^+\pi^-\pi^-\pi^0)/\Gamma_{\text{total}}$   $\Gamma_{20}/\Gamma$

VALUE (units $10^{-6}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt; 4.6</b>	90	AKHMETSHIN 00E	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<150	95	BARKOV	88 CMD	$e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-\pi^0$

$\Gamma(\pi^0 e^+ e^-)/\Gamma_{\text{total}}$   $\Gamma_{21}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1.12±0.28 OUR AVERAGE</b>					
1.01±0.28±0.29		52	<sup>84</sup> ACHASOV	02D SND	$e^+e^- \rightarrow \pi^0 e^+ e^-$
1.22±0.34±0.21		46	<sup>85</sup> AKHMETSHIN 01C	CMD2	$e^+e^- \rightarrow \pi^0 e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<12	90		DOLINSKY	88 ND	$e^+e^- \rightarrow \pi^0 e^+ e^-$

$\Gamma(\pi^0 \eta \gamma)/\Gamma_{\text{total}}$   $\Gamma_{22}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>8.3 ±0.5 OUR AVERAGE</b>					
8.51±0.51±0.57		607	<sup>86</sup> ALOISIO	02C KLOE	$e^+e^- \rightarrow \eta \pi^0 \gamma$
7.96±0.60±0.40		197	<sup>87</sup> ALOISIO	02C KLOE	$e^+e^- \rightarrow \eta \pi^0 \gamma$
8.8 ±1.4 ±0.9		36	<sup>88</sup> ACHASOV	00F SND	$e^+e^- \rightarrow \eta \pi^0 \gamma$
9.0 ±2.4 ±1.0		80	AKHMETSHIN 99C	CMD2	$e^+e^- \rightarrow \eta \pi^0 \gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
8.3 ±2.3 ±1.2		20	ACHASOV	98B SND	$e^+e^- \rightarrow 5\gamma$
<250	90		DOLINSKY	91 ND	$e^+e^- \rightarrow \pi^0 \eta \gamma$

$\Gamma(a_0(980)\gamma)/\Gamma_{\text{total}}$   $\Gamma_{23}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>7.6±0.6 OUR FIT</b>					
<b>7.6±0.6 OUR AVERAGE</b>					
7.4±0.7			<sup>89</sup> ALOISIO	02C KLOE	$e^+e^- \rightarrow \eta \pi^0 \gamma$
8.8±1.7		36	<sup>90</sup> ACHASOV	00F SND	$e^+e^- \rightarrow \eta \pi^0 \gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
11 ±2			<sup>91</sup> GOKALP	02 RVUE	$e^+e^- \rightarrow \eta \pi^0 \gamma$
<500	90		DOLINSKY	91 ND	$e^+e^- \rightarrow \pi^0 \eta \gamma$

$\Gamma(f_0(980)\gamma)/\Gamma(a_0(980)\gamma)$   $\Gamma_{17}/\Gamma_{23}$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>6.1±0.6</b>	<sup>92</sup> ALOISIO	02C KLOE	$e^+e^- \rightarrow \eta \pi^0 \gamma$

$\Gamma(\eta'(958)\gamma)/\Gamma_{\text{total}}$   $\Gamma_{24}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>6.25±0.21 OUR FIT</b>					
<b>6.25±0.30 OUR AVERAGE</b>					
6.25±0.28±0.11		3407	<sup>93</sup> AMBROSINO	07A KLOE	$1.02 e^+e^- \rightarrow \pi^+\pi^- 7\gamma$
6.7 <sup>+2.8</sup> <sub>-2.4</sub> ±0.8		12	<sup>94</sup> AULCHENKO	03B SND	$e^+e^- \rightarrow \eta' \gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

6.7 $\begin{smallmatrix} +5.0 \\ -4.2 \end{smallmatrix} \pm 1.5$	7	AULCHENKO 03B	SND	$e^+e^- \rightarrow 7\gamma$
6.10 $\pm 0.61 \pm 0.43$	120	<sup>95</sup> ALOISIO	02E	KLOE $1.02 e^+e^- \rightarrow \pi^+\pi^-3\gamma$
8.2 $\begin{smallmatrix} +2.1 \\ -1.9 \end{smallmatrix} \pm 1.1$	21	<sup>96</sup> AKHMETSHIN	00B	CMD2 $e^+e^- \rightarrow \pi^+\pi^-3\gamma$
4.9 $\begin{smallmatrix} +2.2 \\ -1.8 \end{smallmatrix} \pm 0.6$	9	<sup>97</sup> AKHMETSHIN	00F	CMD2 $e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^- \geq 2\gamma$
6.4 $\pm 1.6$	30	<sup>98</sup> AKHMETSHIN	00F	CMD2 $e^+e^- \rightarrow \eta'(958)\gamma$
6.7 $\begin{smallmatrix} +3.4 \\ -2.9 \end{smallmatrix} \pm 1.0$	5	<sup>99</sup> AULCHENKO	99	SND $e^+e^- \rightarrow \pi^+\pi^-3\gamma$
<11	90	AULCHENKO	98	SND $e^+e^- \rightarrow 7\gamma$
12 $\begin{smallmatrix} +7 \\ -5 \end{smallmatrix} \pm 2$	6	<sup>96</sup> AKHMETSHIN	97B	CMD2 $e^+e^- \rightarrow \pi^+\pi^-3\gamma$
<41	90	DRUZHININ	87	ND $e^+e^- \rightarrow \gamma\eta\pi^+\pi^-$

### $\Gamma(\eta'(958)\gamma)/\Gamma(K_L^0 K_S^0)$

$\Gamma_{24}/\Gamma_2$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1.83 <math>\pm 0.06</math> OUR FIT</b>				
1.46 $\begin{smallmatrix} +0.64 \\ -0.54 \end{smallmatrix} \pm 0.18$	9	<sup>100</sup> AKHMETSHIN	00F	CMD2 $e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^- \geq 2\gamma$

### $\Gamma(\eta'(958)\gamma)/\Gamma(\eta\gamma)$

$\Gamma_{24}/\Gamma_6$

<u>VALUE (units <math>10^{-3}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>4.77 <math>\pm 0.15</math> OUR FIT</b>				
<b>4.78 <math>\pm 0.20</math> OUR AVERAGE</b>				
4.77 $\pm 0.09 \pm 0.19$	3407	AMBROSINO	07A	KLOE $1.02 e^+e^- \rightarrow \pi^+\pi^-7\gamma$
4.70 $\pm 0.47 \pm 0.31$	120	<sup>101</sup> ALOISIO	02E	KLOE $1.02 e^+e^- \rightarrow \pi^+\pi^-3\gamma$
6.5 $\begin{smallmatrix} +1.7 \\ -1.5 \end{smallmatrix} \pm 0.8$	21	AKHMETSHIN	00B	CMD2 $e^+e^- \rightarrow \pi^+\pi^-3\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

9.5 $\begin{smallmatrix} +5.2 \\ -4.0 \end{smallmatrix} \pm 1.4$	6	<sup>102</sup> AKHMETSHIN	97B	CMD2 $e^+e^- \rightarrow \pi^+\pi^-3\gamma$
--	---	---------------------------	-----	---

### $\Gamma(\eta\pi^0\pi^0\gamma)/\Gamma_{\text{total}}$

$\Gamma_{25}/\Gamma$

<u>VALUE (units <math>10^{-5}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<2	90	AULCHENKO	98	SND $e^+e^- \rightarrow 7\gamma$

### $\Gamma(\mu^+\mu^-\gamma)/\Gamma_{\text{total}}$

$\Gamma_{26}/\Gamma$

<u>VALUE (units <math>10^{-5}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1.43 <math>\pm 0.45 \pm 0.14</math></b>	27188	<sup>77</sup> AKHMETSHIN	99B	CMD2 $e^+e^- \rightarrow \mu^+\mu^-\gamma$
2.3 $\pm 1.0$	824 $\pm 33$	<sup>103</sup> AKHMETSHIN	97C	CMD2 $e^+e^- \rightarrow \mu^+\mu^-\gamma$

### $\Gamma(\rho\gamma\gamma)/\Gamma_{\text{total}}$

$\Gamma_{27}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<1.2	90	AULCHENKO	08	CMD2 $\phi \rightarrow \pi^+\pi^-\gamma\gamma$
<5	90	AKHMETSHIN	98	CMD2 $e^+e^- \rightarrow \pi^+\pi^-\gamma\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$\Gamma(\eta\pi^+\pi^-)/\Gamma_{\text{total}}$   $\Gamma_{28}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt; 1.8</b>	90	AKHMETSHIN 00E	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-\pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
< 6.1	90	AULCHENKO 08	CMD2	$\phi \rightarrow \eta\pi^+\pi^-$
< 30	90	AKHMETSHIN 98	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma\gamma$

$\Gamma(\eta\mu^+\mu^-)/\Gamma_{\text{total}}$   $\Gamma_{29}/\Gamma$

VALUE (units $10^{-6}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt; 9.4</b>	90	AKHMETSHIN 01	CMD2	$e^+e^- \rightarrow \eta e^+e^-$

- <sup>32</sup> Using  $B(\phi \rightarrow e^+e^-) = (2.93 \pm 0.14) \times 10^{-4}$ .
- <sup>33</sup> Theoretical analysis of BRAMON 00 taking into account phase-space difference, electromagnetic radiative corrections, as well as isospin breaking, predicts 0.62. FLOREZ-BAEZ 08 predicts 0.63 considering also structure-dependent radiative corrections. FIS-CHBACH 02 calculates additional corrections caused by the close threshold and predicts 0.68. See also BENAYOUN 01 and DUBYNSKIY 07.
- <sup>34</sup> Using  $B(\phi \rightarrow e^+e^-) = (2.99 \pm 0.08) \times 10^{-4}$ .
- <sup>35</sup> Using  $\Gamma(\phi) = 4.1$  MeV. If interference between the  $\rho\pi$  and  $3\pi$  modes is neglected, the fraction of the  $\rho\pi$  is more than 80% at the 90% confidence level.
- <sup>36</sup> From a fit without limitations on charged and neutral  $\rho$  masses and widths.
- <sup>37</sup> Adding the direct and  $\omega\pi$  contributions and considering the interference between the  $\rho\pi$  and  $\pi^+\pi^-\pi^0$ .
- <sup>38</sup> Neglecting the interference between the  $\rho\pi$  and  $\pi^+\pi^-\pi^0$ .
- <sup>39</sup> Using  $B(\phi \rightarrow e^+e^-) = (2.99 \pm 0.08) \times 10^{-4}$  and  $B(\eta \rightarrow 3\pi^0) = (32.2 \pm 0.4) \times 10^{-2}$ .
- <sup>40</sup> From  $\pi^+\pi^-\pi^0$  decay mode of  $\eta$ .
- <sup>41</sup> From  $2\gamma$  decay mode of  $\eta$ .
- <sup>42</sup> From  $3\pi^0$  decay mode of  $\eta$ .
- <sup>43</sup> ACHASOV 07B reports  $[\Gamma(\phi(1020) \rightarrow \eta\gamma)/\Gamma_{\text{total}}] \times [B(\phi(1020) \rightarrow e^+e^-)] = (4.050 \pm 0.067 \pm 0.118) \times 10^{-6}$ . We divide by our best value  $B(\phi(1020) \rightarrow e^+e^-) = (2.954 \pm 0.030) \times 10^{-4}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value. Supersedes ACHASOV 00D and ACHASOV 06A.
- <sup>44</sup> Using  $B(\phi \rightarrow e^+e^-) = (2.98 \pm 0.04) \times 10^{-4}$  and  $B(\eta \rightarrow \gamma\gamma) = 39.43 \pm 0.26\%$ .
- <sup>45</sup> Not independent of the corresponding  $\Gamma(e^+e^-) \times \Gamma(\eta\gamma)/\Gamma_{\text{total}}^2$ .
- <sup>46</sup> Using  $B(\phi \rightarrow e^+e^-) = (2.99 \pm 0.08) \times 10^{-4}$  and  $B(\eta \rightarrow 3\pi^0) = (32.24 \pm 0.29) \times 10^{-2}$ .
- <sup>47</sup> The combined fit from 600 to 1380 MeV taking into account  $\rho(770)$ ,  $\omega(782)$ ,  $\phi(1020)$ , and  $\rho(1450)$  (mass and width fixed at 1450 MeV and 310 MeV respectively).
- <sup>48</sup> From the  $\eta \rightarrow 2\gamma$  decay and using  $B(\phi \rightarrow e^+e^-) = (2.99 \pm 0.08) \times 10^{-4}$ .
- <sup>49</sup> From  $\pi^+\pi^-\pi^0$  decay mode of  $\eta$  and using  $B(\phi \rightarrow e^+e^-) = (2.99 \pm 0.08) \times 10^{-4}$ .
- <sup>50</sup> Reanalysis of DRUZHININ 84, DOLINSKY 89, and DOLINSKY 91 taking into account a triangle anomaly contribution.
- <sup>51</sup> Using  $B(\phi \rightarrow e^+e^-) = (2.98 \pm 0.04) \times 10^{-4}$ .
- <sup>52</sup> Not independent of the corresponding  $\Gamma(e^+e^-) \times \Gamma(\pi^0\gamma)/\Gamma_{\text{total}}^2$ .
- <sup>53</sup> From the  $\pi^0 \rightarrow 2\gamma$  decay and using  $B(\phi \rightarrow e^+e^-) = (2.99 \pm 0.08) \times 10^{-4}$ .
- <sup>54</sup> From the combined fit assuming that the total  $\phi(1020)$  production cross section is saturated by those of  $K^+K^-$ ,  $K_S K_L$ ,  $\pi^+\pi^-\pi^0$ , and  $\eta\gamma$  decays modes and using ACHASOV 00B for the  $\eta\gamma$  decay mode.
- <sup>55</sup> Using total width 4.2 MeV. They detect  $3\pi$  mode and observe significant interference with  $\omega$  tail. This is accounted for in the result quoted above.
- <sup>56</sup> Neglecting interference between resonance and continuum.

- 57 Using  $B(\phi \rightarrow e^+e^-) = (2.91 \pm 0.07) \times 10^{-4}$ .
- 58 Recalculated by us using  $B(\phi \rightarrow e^+e^-) = (2.99 \pm 0.08) \times 10^{-4}$ .
- 59 Using  $B(\eta \rightarrow \gamma\gamma) = (39.25 \pm 0.32)\%$ ,  $B(\phi \rightarrow \eta\gamma) = (1.26 \pm 0.06)\%$ , and  $B(\phi \rightarrow e^+e^-) = (3.00 \pm 0.06) \times 10^{-4}$ .
- 60 The average of the branching ratios separately obtained from the  $\eta \rightarrow \gamma\gamma$ ,  $3\pi^0$ ,  $\pi^+\pi^-\pi^0$  decays.
- 61 From  $\eta \rightarrow \gamma\gamma$  decays and using  $B(\eta \rightarrow \gamma\gamma) = (39.33 \pm 0.25) \times 10^{-2}$ ,  $B(\eta \rightarrow \pi^+\pi^-\gamma) = (4.75 \pm 11) \times 10^{-2}$ , and  $B(\phi \rightarrow \eta\gamma) = (1.297 \pm 0.033) \times 10^{-2}$ .
- 62 From  $\eta \rightarrow 3\pi^0$  decays and using  $B(\pi^0 \rightarrow \gamma\gamma) = (98.798 \pm 0.033) \times 10^{-2}$ ,  $B(\eta \rightarrow 3\pi^0) = (32.24 \pm 0.29) \times 10^{-2}$ ,  $B(\eta \rightarrow \pi^+\pi^-\gamma) = (4.75 \pm 0.11) \times 10^{-2}$ , and  $B(\phi \rightarrow \eta\gamma) = (1.297 \pm 0.033) \times 10^{-2}$ .
- 63 From  $\eta \rightarrow \pi^+\pi^-\pi^0$  decays and using  $B(\pi^0 \rightarrow \gamma\gamma) = (98.798 \pm 0.033) \times 10^{-2}$ ,  $B(\pi^0 \rightarrow e^+e^-\gamma) = (1.198 \pm 0.032) \times 10^{-2}$ ,  $B(\eta \rightarrow \pi^+\pi^-\pi^0) = (23.0 \pm 0.4) \times 10^{-2}$ ,  $B(\phi \rightarrow \pi^+\pi^-\pi^0) = (15.5 \pm 0.6) \times 10^{-2}$ , and  $B(\phi \rightarrow \eta\gamma) = (1.297 \pm 0.033) \times 10^{-2}$ .
- 64 Using the 1996 and 1998 data.
- 65  $(2.3 \pm 0.3)\%$  correction for other decay modes of the  $\omega(782)$  applied.
- 66 Not independent of the corresponding  $\Gamma(\omega\pi^0) \times \Gamma(e^+e^-) / \Gamma^2(\text{total})$ .
- 67 Using the 1996 data.
- 68 Using the 1998 data.
- 69 Supersedes AKHMETSHIN 97C.
- 70 For  $E_\gamma > 20$  MeV and assuming that  $B(\phi(1020) \rightarrow f_0(980)\gamma)$  is negligible. Supersedes AKHMETSHIN 97C.
- 71 For  $E_\gamma > 20$  MeV and assuming that  $B(\phi(1020) \rightarrow f_0(980)\gamma)$  is negligible.
- 72 Obtained by the authors taking into account the  $\pi^+\pi^-$  decay mode. Includes a component due to  $\pi\pi$  production via the  $f_0(600)$  meson. Supersedes ALOISIO 02D.
- 73 From the combined fit of the photon spectra in the reactions  $e^+e^- \rightarrow \pi^+\pi^-\gamma$ ,  $\pi^0\pi^0\gamma$ .
- 74 From the negative interference with the  $f_0(600)$  meson of AITALA 01B using the ACHASOV 89 parameterization for the  $f_0(980)$ , a Breit-Wigner for the  $f_0(600)$ , and ACHASOV 01F for the  $\rho\pi$  contribution. Superseded by AMBROSINO 07.
- 75 Assuming that the  $\pi^0\pi^0\gamma$  final state is completely determined by the  $f_0\gamma$  mechanism, neglecting the decay  $B(\phi \rightarrow K\bar{K}\gamma)$  and using  $B(f_0 \rightarrow \pi^+\pi^-) = 2B(f_0 \rightarrow \pi^0\pi^0)$ .
- 76 Using the value  $B(\phi \rightarrow \eta\gamma) = (1.338 \pm 0.053) \times 10^{-2}$ .
- 77 For  $E_\gamma > 20$  MeV. Supersedes AKHMETSHIN 97C.
- 78 Neglecting other intermediate mechanisms ( $\rho\pi$ ,  $\sigma\gamma$ ).
- 79 A narrow pole fit taking into account  $f_0(980)$  and  $f_0(1200)$  intermediate mechanisms.
- 80 For destructive interference with the Bremsstrahlung process
- 81 For constructive interference with the Bremsstrahlung process
- 82 Supersedes ALOISIO 02D.
- 83 Supersedes ACHASOV 98I. Excluding  $\omega\pi^0$ .
- 84 Using various branching ratios from the 2000 Edition of this Review (PDG 00).
- 85 Using  $B(\pi^0 \rightarrow \gamma\gamma) = 0.98798 \pm 0.00032$ ,  $B(\phi \rightarrow \eta\gamma) = (1.297 \pm 0.033) \times 10^{-2}$ , and  $B(\eta \rightarrow \pi^+\pi^-\gamma) = (4.75 \pm 0.11) \times 10^{-2}$ .
- 86 From the decay mode  $\eta \rightarrow \gamma\gamma$ .
- 87 From the decay mode  $\eta \rightarrow \pi^+\pi^-\pi^0$ .
- 88 Supersedes ACHASOV 98B.
- 89 Using  $M_{a_0(980)} = 984.8$  MeV and assuming  $a_0(980)\gamma$  dominance.
- 90 Assuming  $a_0(980)\gamma$  dominance in the  $\eta\pi^0\gamma$  final state.
- 91 Using data of ACHASOV 00F.

- <sup>92</sup> Using results of ALOISIO 02D and assuming that  $f_0(980)$  decays into  $\pi\pi$  only and  $a_0(980)$  into  $\eta\pi$  only.
- <sup>93</sup> AMBROSINO 07A reports  $[\Gamma(\phi(1020) \rightarrow \eta'(958)\gamma)/\Gamma_{\text{total}}] / [B(\phi(1020) \rightarrow \eta\gamma)] = (4.77 \pm 0.09 \pm 0.19) \times 10^{-3}$ . We multiply by our best value  $B(\phi(1020) \rightarrow \eta\gamma) = (1.309 \pm 0.024) \times 10^{-2}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value.
- <sup>94</sup> Averaging AULCHENKO 03B with AULCHENKO 99.
- <sup>95</sup> Using  $B(\phi \rightarrow \eta\gamma) = (1.297 \pm 0.033)\%$ .
- <sup>96</sup> Using the value  $B(\phi \rightarrow \eta\gamma) = (1.26 \pm 0.06) \times 10^{-2}$ .
- <sup>97</sup> Using  $B(\phi \rightarrow K_L^0 K_S^0) = (33.8 \pm 0.6)\%$ .
- <sup>98</sup> Averaging AKHMETSHIN 00B with AKHMETSHIN 00F.
- <sup>99</sup> Using the value  $B(\eta' \rightarrow \eta\pi^+\pi^-) = (43.7 \pm 1.5) \times 10^{-2}$  and  $B(\eta \rightarrow \gamma\gamma) = (39.25 \pm 0.31) \times 10^{-2}$ .
- <sup>100</sup> Using various branching ratios of  $K_S^0$ ,  $K_L^0$ ,  $\eta$ ,  $\eta'$  from the 2000 edition (The European Physical Journal **C15** 1 (2000)) of this Review.
- <sup>101</sup> From the decay mode  $\eta' \rightarrow \eta\pi^+\pi^-$ ,  $\eta \rightarrow \gamma\gamma$ .
- <sup>102</sup> Superseded by AKHMETSHIN 00B.
- <sup>103</sup> For  $E_\gamma > 20$  MeV.

### $\pi^+\pi^-\pi^0 / \rho\pi$ AMPLITUDE RATIO $a_1$ IN DECAY OF $\phi \rightarrow \pi^+\pi^-\pi^0$

VALUE (units $10^{-2}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>9.1±1.2 OUR AVERAGE</b>					
10.1±4.4±1.7		80k	<sup>104</sup> AKHMETSHIN 06	CMD2	1.017–1.021 $e^+e^- \rightarrow \pi^+\pi^-\pi^0$
9.0±1.1±0.6		1.98M	<sup>105,106</sup> ALOISIO	03 KLOE	1.02 $e^+e^- \rightarrow \pi^+\pi^-\pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
$-6 < a_1 < 6$		500k	<sup>106</sup> ACHASOV	02 SND	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
$-16 < a_1 < 11$	90	9.8k	<sup>104,107</sup> AKHMETSHIN 98	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma\gamma$
<sup>104</sup> Dalitz plot analysis taking into account interference between the contact and $\rho\pi$ amplitudes.					
<sup>105</sup> From a fit without limitations on charged and neutral $\rho$ masses and widths.					
<sup>106</sup> Recalculated by us to match the notations of AKHMETSHIN 98.					
<sup>107</sup> Assuming zero phase for the contact term.					

### $\phi(1020)$ REFERENCES

AKHMETSHIN 08	PL B669 217	R.R. Akhmetshin <i>et al.</i>	(CMD-2 Collab.)
AMBROSINO 08G	PL B669 223	F. Ambrosino <i>et al.</i>	(KLOE Collab.)
AULCHENKO 08	JETPL 88 85	V. Aulchenko <i>et al.</i>	(CMD-2 Collab.)
Translated from ZETFP 88 93.			
FLOREZ-BAEZ 08	PR D78 077301	F.V. Florez-Baez, G. Lopez Castro	
ACHASOV 07B	PR D76 077101	M.N. Achasov <i>et al.</i>	(SND Collab.)
AMBROSINO 07	EPJ C49 473	F. Ambrosino <i>et al.</i>	(KLOE Collab.)
AMBROSINO 07A	PL B648 267	F. Ambrosino <i>et al.</i>	(KLOE Collab.)
DUBYNSKIY 07	PR D75 113001	S. Dubynskiy <i>et al.</i>	
ACHASOV 06A	PR D74 014016	M.N. Achasov <i>et al.</i>	(SND Collab.)
AKHMETSHIN 06	PL B642 203	R.R. Akhmetshin <i>et al.</i>	(CMD-2 Collab.)
AKHMETSHIN 05	PL B605 26	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AMBROSINO 05	PL B608 199	F. Ambrosino <i>et al.</i>	(KLOE Collab.)
AUBERT,B 05J	PR D72 052008	B. Aubert <i>et al.</i>	(BABAR Collab.)
AKHMETSHIN 04	PL B578 285	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AUBERT,B 04N	PR D70 072004	B. Aubert <i>et al.</i>	(BABAR Collab.)
ALOISIO 03	PL B561 55	A. Aloisio <i>et al.</i>	(KLOE Collab.)
AULCHENKO 03B	JETP 97 24	V.M. Aulchenko <i>et al.</i>	(Novosibirsk SND Collab.)
Translated from ZETF 124 28.			

ACHASOV	02	PR D65 032002	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	02D	JETPL 75 449	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETFP 75 539.		
ALOISIO	02C	PL B536 209	A. Aloisio <i>et al.</i>	(KLOE Collab.)
ALOISIO	02D	PL B537 21	A. Aloisio <i>et al.</i>	(KLOE Collab.)
ALOISIO	02E	PL B541 45	A. Aloisio <i>et al.</i>	(KLOE Collab.)
FISCHBACH	02	PL B526 355	E. Fischbach, A.W. Overhauser, B. Woodahl	
GOKALP	02	JPG 28 2783	A. Gokalp <i>et al.</i>	
ACHASOV	01B	PL B504 275	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	01E	PR D63 072002	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	01F	PR D63 094007	N.N. Achasov, V.V. Gubin	(Novosibirsk SND Collab.)
ACHASOV	01G	PRL 86 1698	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AITALA	01B	PRL 86 770	E.M. Aitala <i>et al.</i>	(FNAL E791 Collab.)
AKHMETSHIN	01	PL B501 191	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	01B	PL B509 217	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	01C	PL B503 237	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
BENAYOUN	01	EPJ C22 503	M. Benayoun, H.B. O'Connell	
ACHASOV	00	EPJ C12 25	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00B	JETP 90 17	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETF 117 22.		
ACHASOV	00C	PL B474 188	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00D	JETPL 72 282	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETFP 72 411.		
ACHASOV	00E	NP B569 158	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00F	PL B479 53	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00H	PL B485 349	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AKHMETSHIN	00B	PL B473 337	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	00E	PL B491 81	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	00F	PL B494 26	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AULCHENKO	00A	JETP 90 927	V.M. Aulchenko <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETF 117 1067.		
BRAMON	00	PL B486 406	A. Bramon <i>et al.</i>	
PDG	00	EPJ C15 1	D.E. Groom <i>et al.</i>	
ACHASOV	99	PL B449 122	M.N. Achasov <i>et al.</i>	
ACHASOV	99C	PL B456 304	M.N. Achasov <i>et al.</i>	
AKHMETSHIN	99B	PL B462 371	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	99C	PL B462 380	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	99D	PL B466 385	R.R. Akhmetshin <i>et al.</i>	
	Also	PL B508 217 (erratum)	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	99F	PL B460 242	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AULCHENKO	99	JETPL 69 97	V.M. Aulchenko <i>et al.</i>	
		Translated from ZETFP 69 87.		
ACHASOV	98B	PL B438 441	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	98F	JETPL 68 573	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	98I	PL B440 442	M.N. Achasov <i>et al.</i>	
AKHMETSHIN	98	PL B434 426	R.R. Akhmetshin <i>et al.</i>	(CMD-2 Collab.)
AULCHENKO	98	PL B436 199	V.M. Aulchenko <i>et al.</i>	(Novosibirsk SND Collab.)
BARBERIS	98	PL B432 436	D. Barberis <i>et al.</i>	(Omega Expt.)
AKHMETSHIN	97B	PL B415 445	R.R. Akhmetshin <i>et al.</i>	(NOVO, BOST, PITT+)
AKHMETSHIN	97C	PL B415 452	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
BENAYOUN	96	ZPHY C72 221	M. Benayoun <i>et al.</i>	(IPNP, NOVO)
AKHMETSHIN	95	PL B364 199	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
DOLINSKY	91	PRPL 202 99	S.I. Dolinsky <i>et al.</i>	(NOVO)
ACHASOV	89	NP B315 465	N.N. Achasov, V.N. Ivanchenko	
DOLINSKY	89	ZPHY C42 511	S.I. Dolinsky <i>et al.</i>	(NOVO)
BARKOV	88	SJNP 47 248	L.M. Barkov <i>et al.</i>	(NOVO)
		Translated from YAF 47 393.		
DOLINSKY	88	SJNP 48 277	S.I. Dolinsky <i>et al.</i>	(NOVO)
		Translated from YAF 48 442.		
DRUZHININ	87	ZPHY C37 1	V.P. Druzhinin <i>et al.</i>	(NOVO)
ARMSTRONG	86	PL 166B 245	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
ATKINSON	86	ZPHY C30 521	M. Atkinson <i>et al.</i>	(BONN, CERN, GLAS+)
BEBEK	86	PRL 56 1893	C. Bebek <i>et al.</i>	(CLEO Collab.)
DAVENPORT	86	PR D33 2519	T.F. Davenport (TUFTS, ARIZ, FNAL, FSU, NDAM+)	
DIJKSTRA	86	ZPHY C31 375	H. Dijkstra <i>et al.</i>	(ANIK, BRIS, CERN+)
FRAME	86	NP B276 667	D. Frame <i>et al.</i>	(GLAS)
GOLUBEV	86	SJNP 44 409	V.B. Golubev <i>et al.</i>	(NOVO)
		Translated from YAF 44 633.		
ALBRECHT	85D	PL 153B 343	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
GOLUBEV	85	SJNP 41 756	V.B. Golubev <i>et al.</i>	(NOVO)
		Translated from YAF 41 1183.		

DRUZHININ	84	PL 144B 136	V.P. Druzhinin <i>et al.</i>	(NOVO)
ARMSTRONG	83B	NP B224 193	T.A. Armstrong <i>et al.</i>	(BARI, BIRM, CERN+)
BARATE	83	PL 121B 449	R. Barate <i>et al.</i>	(SACL, LOIC, SHMP, IND)
KURDADZE	83C	JETPL 38 366	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 38 306.		
ARENTON	82	PR D25 2241	M.W. Arenton <i>et al.</i>	(ANL, ILL)
PELLINEN	82	PS 25 599	A. Pellinen, M. Roos	(HELS)
DAUM	81	PL 100B 439	C. Daum <i>et al.</i>	(AMST, BRIS, CERN, CRAC+)
IVANOV	81	PL 107B 297	P.M. Ivanov <i>et al.</i>	(NOVO)
Also		Private Comm.	S.I. Eidelman	(NOVO)
VASSERMAN	81	PL 99B 62	I.B. Vasserman <i>et al.</i>	(NOVO)
Also		SJNP 35 240	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from YAF 35 352.		
CORDIER	80	NP B172 13	A. Cordier <i>et al.</i>	(LALO)
CORDIER	79	PL 81B 389	A. Cordier <i>et al.</i>	(LALO)
BUKIN	78B	SJNP 27 521	A.D. Bukin <i>et al.</i>	(NOVO)
		Translated from YAF 27 985.		
BUKIN	78C	SJNP 27 516	A.D. Bukin <i>et al.</i>	(NOVO)
		Translated from YAF 27 976.		
COOPER	78B	NP B146 1	A.M. Cooper <i>et al.</i>	(TATA, CERN, CDEF+)
LOSTY	78	NP B133 38	M.J. Losty <i>et al.</i>	(CERN, AMST, NIJM+)
AKERLOF	77	PRL 39 861	C.W. Akerlof <i>et al.</i>	(FNAL, MICH, PURD)
ANDREWS	77	PRL 38 198	D.E. Andrews <i>et al.</i>	(ROCH)
BALDI	77	PL 68B 381	R. Baldi <i>et al.</i>	(GEVA)
CERRADA	77B	NP B126 241	M. Cerrada <i>et al.</i>	(AMST, CERN, NIJM+)
COHEN	77	PRL 38 269	D. Cohen <i>et al.</i>	(ANL)
LAVEN	77	NP B127 43	H. Laven <i>et al.</i>	(AACH3, BERL, CERN, LOIC+)
LYONS	77	NP B125 207	L. Lyons, A.M. Cooper, A.G. Clark	(OXF)
COSME	76	PL 63B 352	G. Cosme <i>et al.</i>	(ORSAY)
KALBFLEISCH	76	PR D13 22	G.R. Kalbfleisch, R.C. Strand, J.W. Chapman	(BNL+)
PARROUR	76	PL 63B 357	G. Parroure <i>et al.</i>	(ORSAY)
PARROUR	76B	PL 63B 362	G. Parroure <i>et al.</i>	(ORSAY)
KALBFLEISCH	75	PR D11 987	G.R. Kalbfleisch, R.C. Strand, J.W. Chapman	(BNL+)
AYRES	74	PRL 32 1463	D.S. Ayres <i>et al.</i>	(ANL)
BESCH	74	NP B70 257	H.J. Besch <i>et al.</i>	(BONN)
COSME	74	PL 48B 155	G. Cosme <i>et al.</i>	(ORSAY)
COSME	74B	PL 48B 159	G. Cosme <i>et al.</i>	(ORSAY)
DEGROOT	74	NP B74 77	A.J. de Groot <i>et al.</i>	(AMST, NIJM)
AUGUSTIN	73	PRL 30 462	J.E. Augustin <i>et al.</i>	(ORSAY)
BALLAM	73	PR D7 3150	J. Ballam <i>et al.</i>	(SLAC, LBL)
BINNIE	73B	PR D8 2789	D.M. Binnie <i>et al.</i>	(LOIC, SHMP)
AGUILAR...	72B	PR D6 29	M. Aguilar-Benitez <i>et al.</i>	(BNL)
ALVENSLEB...	72	PRL 28 66	H. Alvensleben <i>et al.</i>	(MIT, DESY)
BORENSTEIN	72	PR D5 1559	S.R. Borenstein <i>et al.</i>	(BNL, MICH)
COLLEY	72	NP B50 1	D.C. Colley <i>et al.</i>	(BIRM, GLAS)
BALAKIN	71	PL 34B 328	V.E. Balakin <i>et al.</i>	(NOVO)
CHATELUS	71	Thesis LAL 1247	Y. Chatelus	(STRB)
Also		PL 32B 416	J.C. Bizot <i>et al.</i>	(ORSAY)
HAYES	71	PR D4 899	S. Hayes <i>et al.</i>	(CORN)
STOTTLE...	71	Thesis ORO 2504 170	A.R. Stottlemyer	(UMD)
BIZOT	70	PL 32B 416	J.C. Bizot <i>et al.</i>	(ORSAY)
Also		Liverpool Sym. 69	J.P. Perez-y-Jorba	
EARLES	70	PRL 25 1312	D.R. Earles <i>et al.</i>	(NEAS)
LINDSEY	66	PR 147 913	J.S. Lindsey, G. Smith	(LRL)
LONDON	66	PR 143 1034	G.W. London <i>et al.</i>	(BNL, SYRA) IGJPC
BADIER	65B	PL 17 337	J. Badier <i>et al.</i>	(EPOL, SACL, AMST)
LINDSEY	65	PRL 15 221	J.S. Lindsey, G.A. Smith	(LRL)
LINDSEY	65 data	included in LINDSEY 66.		
SCHLEIN	63	PRL 10 368	P.E. Schlein <i>et al.</i>	(UCLA) IGJP

### OTHER RELATED PAPERS

GOKALP	09	PL B671 369	A. Gokalp, F. Ozturk, O. Yilmaz	
AMBROSINO	06B	PL B634 148	F. Ambrosino <i>et al.</i>	(KLOE Collab.)
AMBROSINO	06G	PL B642 315	F. Ambrosino <i>et al.</i>	(KLOE Collab.)
ANISOVICH	05B	PAN 68 1554	A.V. Anisovich, V.V. Anisovich, V.N. Markov	
		Translated from YAF 68 1614.		
KALASHNIK...	05	EPJ A24 437	Yu.S. Kalashnikova, A.E. Kudryavtsev, A.V. Nefediev	
VOLOSHIN	05A	PAN 68 771	M.B. Voloshin	
		Translated from YAF 68 804.		

ACHASOV	03B	PR D68 014006	N.N. Achsaov, A.V. Kiselev	
BOGLIONE	03	EPJ C30 503	M. Boglione, M.R. Pennington	
ACHASOV	02L	PAN 65 1887	N.N. Achasov <i>et al.</i>	
		Translated from YAF 65	1939.	
ANISOVICH	02C	PAN 65 497	A.V. Anisovich <i>et al.</i>	
		Translated from YAF 65	523.	
BRAMON	02	EPJ C26 253	A. Bramon <i>et al.</i>	
ACHASOV	01F	PR D63 094007	N.N. Achasov, V.V. Gubin	(Novosibirsk SND Collab.)
BENAYOUN	01	EPJ C22 503	M. Benayoun, H.B. O'Connell	
CLOSE	01	PL B515 13	F.E. Close, A. Kirk	
GOKALP	01	PR D64 053017	A. Gokalp, O. Yilmaz	
MARKUSHIN	00	EPJ A8 389	V.E. Markushin	
ACHASOV	99B	PAN 62 442	M.N. Achasov <i>et al.</i>	
		Translated from YAF 62	484.	
MARCO	99	PL B470 20	E. Marco <i>et al.</i>	
OLLER	98B	PL B426 7	J.A. Oller	
ACHASOV	95	PL B363 106	N.N. Achasov, V.V. Gubin	(NOVM)
KAMAL	92	PL B284 421	A.N. Kamal, Q.P. Xu	(ALBE)
GEORGIO...	85	PL 152B 428	C. Georgiopoulos <i>et al.</i>	(TUFTS, ARIZ, FNAL+)
GELFAND	63B	PRL 11 438	N. Gelfand <i>et al.</i>	(COLU, RUTG)
BERTANZA	62	PRL 9 180	L. Bertanza <i>et al.</i>	(BNL, SYRA)

---