

**$\Delta(1600) P_{33}$**

$I(J^P) = \frac{3}{2}(\frac{3}{2}^+)$  Status: \*\*\*

Most of the results published before 1975 are now obsolete and have been omitted. They may be found in our 1982 edition, Physics Letters **111B** 1 (1982). Some further obsolete results published before 1984 were last included in our 2006 edition, Journal of Physics, G **33** 1 (2006).

The various analyses are not in good agreement.

### $\Delta(1600)$ BREIT-WIGNER MASS

| VALUE (MeV)   | DOCUMENT ID           | TECN | COMMENT                                    |
|---|-----------------------|------|--|
| <b>1550 to 1700 (<math>\approx 1600</math>) OUR ESTIMATE</b>                  |                       |      |  |
| 1706 $\pm$ 10   | MANLEY                | 92   | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |
| 1600 $\pm$ 50   | CUTKOSKY              | 80   | IPWA $\pi N \rightarrow \pi N$             |
| 1522 $\pm$ 13   | HOEHLER               | 79   | IPWA $\pi N \rightarrow \pi N$             |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |                       |      |  |
| 1650 $\pm$ 40   | HORN                  | 08A  | DPWA Multichannel                          |
| 1667 $\pm$ 1  | PENNER                | 02C  | DPWA Multichannel                          |
| 1687 $\pm$ 44   | VRANA                 | 00   | DPWA Multichannel                          |
| 1672 $\pm$ 15   | ARNDT                 | 96   | IPWA $\gamma N \rightarrow \pi N$          |
| 1706  | LI                    | 93   | IPWA $\gamma N \rightarrow \pi N$          |
| 1690  | BARNHAM               | 80   | IPWA $\pi N \rightarrow N\pi\pi$           |
| 1560  | <sup>1</sup> LONGACRE | 77   | IPWA $\pi N \rightarrow N\pi\pi$           |
| 1640  | <sup>2</sup> LONGACRE | 75   | IPWA $\pi N \rightarrow N\pi\pi$           |

### $\Delta(1600)$ BREIT-WIGNER WIDTH

| VALUE (MeV)   | DOCUMENT ID           | TECN | COMMENT                                    |
|---|-----------------------|------|--|
| <b>250 to 450 (<math>\approx 350</math>) OUR ESTIMATE</b>                     |                       |      |  |
| 430 $\pm$ 73  | MANLEY                | 92   | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |
| 300 $\pm$ 100   | CUTKOSKY              | 80   | IPWA $\pi N \rightarrow \pi N$             |
| 220 $\pm$ 40  | HOEHLER               | 79   | IPWA $\pi N \rightarrow \pi N$             |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |                       |      |  |
| 530 $\pm$ 60  | HORN                  | 08A  | DPWA Multichannel                          |
| 397 $\pm$ 10  | PENNER                | 02C  | DPWA Multichannel                          |
| 493 $\pm$ 75  | VRANA                 | 00   | DPWA Multichannel                          |
| 315 $\pm$ 20  | ARNDT                 | 96   | IPWA $\gamma N \rightarrow \pi N$          |
| 215   | LI                    | 93   | IPWA $\gamma N \rightarrow \pi N$          |
| 250   | BARNHAM               | 80   | IPWA $\pi N \rightarrow N\pi\pi$           |
| 180   | <sup>1</sup> LONGACRE | 77   | IPWA $\pi N \rightarrow N\pi\pi$           |
| 300   | <sup>2</sup> LONGACRE | 75   | IPWA $\pi N \rightarrow N\pi\pi$           |

## $\Delta(1600)$ POLE POSITION

### REAL PART

| <u>VALUE (MeV)</u>  | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>                           |
|---|-----------------------|-------------|--|
| <b>1500 to 1700 (<math>\approx 1600</math>) OUR ESTIMATE</b>                  |                       |             |  |
| 1457  | ARNDT                 | 06          | DPWA $\pi N \rightarrow \pi N, \eta N$   |
| 1550  | <sup>3</sup> HOEHLER  | 93          | SPED $\pi N \rightarrow \pi N$           |
| 1550 $\pm$ 40   | CUTKOSKY              | 80          | IPWA $\pi N \rightarrow \pi N$           |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |                       |             |  |
| 1510 <sup>+20</sup> <sub>-50</sub>  | HORN                  | 08A         | DPWA Multichannel                        |
| 1599  | VRANA                 | 00          | DPWA Multichannel                        |
| 1675  | ARNDT                 | 95          | DPWA $\pi N \rightarrow N\pi$            |
| 1612  | ARNDT                 | 91          | DPWA $\pi N \rightarrow \pi N$ Soln SM90 |
| 1609 or 1610  | <sup>4</sup> LONGACRE | 78          | IPWA $\pi N \rightarrow N\pi\pi$         |
| 1541 or 1542  | <sup>1</sup> LONGACRE | 77          | IPWA $\pi N \rightarrow N\pi\pi$         |

### -2xIMAGINARY PART

| <u>VALUE (MeV)</u>  | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>                           |
|---|-----------------------|-------------|--|
| <b>200 to 400 (<math>\approx 300</math>) OUR ESTIMATE</b>                     |                       |             |  |
| 400   | ARNDT                 | 06          | DPWA $\pi N \rightarrow \pi N, \eta N$   |
| 200 $\pm$ 60  | CUTKOSKY              | 80          | IPWA $\pi N \rightarrow \pi N$           |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |                       |             |  |
| 230 $\pm$ 40  | HORN                  | 08A         | DPWA Multichannel                        |
| 312   | VRANA                 | 00          | DPWA Multichannel                        |
| 386   | ARNDT                 | 95          | DPWA $\pi N \rightarrow N\pi$            |
| 230   | ARNDT                 | 91          | DPWA $\pi N \rightarrow \pi N$ Soln SM90 |
| 323 or 325  | <sup>4</sup> LONGACRE | 78          | IPWA $\pi N \rightarrow N\pi\pi$         |
| 178 or 178  | <sup>1</sup> LONGACRE | 77          | IPWA $\pi N \rightarrow N\pi\pi$         |

## $\Delta(1600)$ ELASTIC POLE RESIDUE

### MODULUS $|r|$

| <u>VALUE (MeV)</u>  | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                           |
|---|--------------------|-------------|--|
| 44  | ARNDT              | 06          | DPWA $\pi N \rightarrow \pi N, \eta N$   |
| 17 $\pm$ 4  | CUTKOSKY           | 80          | IPWA $\pi N \rightarrow \pi N$           |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |                    |             |  |
| 52  | ARNDT              | 95          | DPWA $\pi N \rightarrow N\pi$            |
| 16  | ARNDT              | 91          | DPWA $\pi N \rightarrow \pi N$ Soln SM90 |

### PHASE $\theta$

| <u>VALUE (<math>^\circ</math>)</u>  | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                           |
|---|--------------------|-------------|--|
| +147  | ARNDT              | 06          | DPWA $\pi N \rightarrow \pi N, \eta N$   |
| -150 $\pm$ 30   | CUTKOSKY           | 80          | IPWA $\pi N \rightarrow \pi N$           |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |                    |             |  |
| + 14  | ARNDT              | 95          | DPWA $\pi N \rightarrow N\pi$            |
| - 73  | ARNDT              | 91          | DPWA $\pi N \rightarrow \pi N$ Soln SM90 |

## $\Delta(1600)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

| Mode   | Fraction ( $\Gamma_i/\Gamma$ ) |
|--|--------------------------------|
| $\Gamma_1$ $N\pi$                                | 10–25 %                        |
| $\Gamma_2$ $\Sigma K$                            |                                |
| $\Gamma_3$ $N\pi\pi$                             | 75–90 %                        |
| $\Gamma_4$ $\Delta\pi$                           | 40–70 %                        |
| $\Gamma_5$ $\Delta(1232)\pi$ , <i>P</i> -wave    |                                |
| $\Gamma_6$ $\Delta(1232)\pi$ , <i>F</i> -wave    |                                |
| $\Gamma_7$ $N\rho$                               | <25 %                          |
| $\Gamma_8$ $N\rho$ , $S=1/2$ , <i>P</i> -wave    |                                |
| $\Gamma_9$ $N\rho$ , $S=3/2$ , <i>P</i> -wave    |                                |
| $\Gamma_{10}$ $N\rho$ , $S=3/2$ , <i>F</i> -wave |                                |
| $\Gamma_{11}$ $N(1440)\pi$                       | 10–35 %                        |
| $\Gamma_{12}$ $N(1440)\pi$ , <i>P</i> -wave      |                                |
| $\Gamma_{13}$ $N\gamma$                          | 0.001–0.02 %                   |
| $\Gamma_{14}$ $N\gamma$ , helicity=1/2           | 0.0–0.02 %                     |
| $\Gamma_{15}$ $N\gamma$ , helicity=3/2           | 0.001–0.005 %                  |

## $\Delta(1600)$ BRANCHING RATIOS

| $\Gamma(N\pi)/\Gamma_{\text{total}}$  | $\Gamma_1/\Gamma$  |
|---|--|
| <u>VALUE</u>  | <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>              |
| <b>0.10 to 0.25 OUR ESTIMATE</b>  |  |
| 0.12±0.02   | MANLEY    92    IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |
| 0.18±0.04   | CUTKOSKY    80    IPWA $\pi N \rightarrow \pi N$           |
| 0.21±0.06   | HOEHLER    79    IPWA $\pi N \rightarrow \pi N$            |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |  |
| 0.10±0.03   | HORN    08A    DPWA    Multichannel                        |
| 0.13±0.01   | PENNER    02C    DPWA    Multichannel                      |
| 0.28±0.05   | VRANA    00    DPWA    Multichannel                        |

| $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow \Delta(1600) \rightarrow \Sigma K$ | $(\Gamma_1\Gamma_2)^{1/2}/\Gamma$                             |
|--|---|
| <u>VALUE</u>   | <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>                 |
| <b>–0.36 to –0.28 OUR ESTIMATE</b>   |   |
| • • • We do not use the following data for averages, fits, limits, etc. • • •                            |   |
| 0.006 to 0.042   | <sup>5</sup> DEANS    75    DPWA $\pi N \rightarrow \Sigma K$ |

Note: Signs of couplings from  $\pi N \rightarrow N\pi\pi$  analyses were changed in the 1986 edition to agree with the baryon-first convention; the overall phase

ambiguity is resolved by choosing a negative sign for the  $\Delta(1620) S_{31}$  coupling to  $\Delta(1232)\pi$ .

**$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$  in  $N\pi \rightarrow \Delta(1600) \rightarrow \Delta(1232)\pi$ , *P*-wave  $(\Gamma_1 \Gamma_5)^{1/2} / \Gamma$**

| <u>VALUE</u>                       | <u>DOCUMENT ID</u>         | <u>TECN</u> | <u>COMMENT</u>                        |
|------------------------------------|----------------------------|-------------|---------------------------------------|
| <b>+0.27 to +0.33 OUR ESTIMATE</b> |                            |             |                                       |
| +0.29±0.02                         | MANLEY 92                  | IPWA        | $\pi N \rightarrow \pi N$ & $N\pi\pi$ |
| +0.24±0.05                         | BARNHAM 80                 | IPWA        | $\pi N \rightarrow N\pi\pi$           |
| +0.34                              | <sup>1,6</sup> LONGACRE 77 | IPWA        | $\pi N \rightarrow N\pi\pi$           |
| +0.30                              | <sup>2</sup> LONGACRE 75   | IPWA        | $\pi N \rightarrow N\pi\pi$           |

**$\Gamma(\Delta(1232)\pi) / \Gamma_{\text{total}}$   $\Gamma_5 / \Gamma$**

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------|--------------------|-------------|----------------|
| 0.59±0.10    | VRANA 00           | DPWA        | Multichannel   |

**$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$  in  $N\pi \rightarrow \Delta(1600) \rightarrow \Delta(1232)\pi$ , *F*-wave  $(\Gamma_1 \Gamma_6)^{1/2} / \Gamma$**

| <u>VALUE</u>                       | <u>DOCUMENT ID</u>         | <u>TECN</u> | <u>COMMENT</u>              |
|------------------------------------|----------------------------|-------------|-----------------------------|
| <b>-0.15 to -0.03 OUR ESTIMATE</b> |                            |             |                             |
| -0.07                              | <sup>1,6</sup> LONGACRE 77 | IPWA        | $\pi N \rightarrow N\pi\pi$ |

**$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$  in  $N\pi \rightarrow \Delta(1600) \rightarrow N\rho$ , *S*=1/2, *P*-wave  $(\Gamma_1 \Gamma_8)^{1/2} / \Gamma$**

| <u>VALUE</u> | <u>DOCUMENT ID</u>         | <u>TECN</u> | <u>COMMENT</u>              |
|--------------|----------------------------|-------------|-----------------------------|
| +0.10        | <sup>1,6</sup> LONGACRE 77 | IPWA        | $\pi N \rightarrow N\pi\pi$ |

**$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$  in  $N\pi \rightarrow \Delta(1600) \rightarrow N\rho$ , *S*=3/2, *P*-wave  $(\Gamma_1 \Gamma_9)^{1/2} / \Gamma$**

| <u>VALUE</u> | <u>DOCUMENT ID</u>         | <u>TECN</u> | <u>COMMENT</u>              |
|--------------|----------------------------|-------------|-----------------------------|
| +0.10        | <sup>1,6</sup> LONGACRE 77 | IPWA        | $\pi N \rightarrow N\pi\pi$ |

**$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$  in  $N\pi \rightarrow \Delta(1600) \rightarrow N(1440)\pi$ , *P*-wave  $(\Gamma_1 \Gamma_{12})^{1/2} / \Gamma$**

| <u>VALUE</u>                       | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                        |
|------------------------------------|--------------------|-------------|---------------------------------------|
| <b>+0.15 to +0.23 OUR ESTIMATE</b> |                    |             |                                       |
| +0.16±0.02                         | MANLEY 92          | IPWA        | $\pi N \rightarrow \pi N$ & $N\pi\pi$ |
| +0.23±0.04                         | BARNHAM 80         | IPWA        | $\pi N \rightarrow N\pi\pi$           |

**$\Gamma(N(1440)\pi) / \Gamma_{\text{total}}$   $\Gamma_{11} / \Gamma$**

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------|--------------------|-------------|----------------|
| 0.13±0.04    | VRANA 00           | DPWA        | Multichannel   |

**$\Delta(1600)$  PHOTON DECAY AMPLITUDES**

Papers on  $\gamma N$  amplitudes predating 1981 may be found in our 2006 edition, Journal of Physics, G **33** 1 (2006).

**$\Delta(1600) \rightarrow N\gamma$ , helicity-1/2 amplitude  $A_{1/2}$**

| <u>VALUE (GeV<sup>-1/2</sup>)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>               |
|-----------------------------------|--------------------|-------------|------------------------------|
| <b>-0.023±0.020 OUR ESTIMATE</b>  |                    |             |                              |
| -0.018±0.015                      | ARNDT 96           | IPWA        | $\gamma N \rightarrow \pi N$ |
| -0.039±0.030                      | CRAWFORD 83        | IPWA        | $\gamma N \rightarrow \pi N$ |
| -0.046±0.013                      | AWAJI 81           | DPWA        | $\gamma N \rightarrow \pi N$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|                    |                   |     |      |                              |
|--------------------|-------------------|-----|------|------------------------------|
| 0.0                | PENNER            | 02D | DPWA | Multichannel                 |
| $-0.026 \pm 0.002$ | LI                | 93  | IPWA | $\gamma N \rightarrow \pi N$ |
| -0.200             | <sup>7</sup> WADA | 84  | DPWA | Compton scattering           |
| $0.000 \pm 0.030$  | BARBOUR           | 78  | DPWA | $\gamma N \rightarrow \pi N$ |

### $\Delta(1600) \rightarrow N\gamma$ , helicity-3/2 amplitude $A_{3/2}$

| VALUE ( $\text{GeV}^{-1/2}$ )   | DOCUMENT ID | TECN | COMMENT                           |
|---|-------------|------|-----------------------------------|
| <b>-0.009 ± 0.021 OUR ESTIMATE</b>  |             |      |                                   |
| $-0.025 \pm 0.015$  | ARNDT       | 96   | IPWA $\gamma N \rightarrow \pi N$ |
| $-0.013 \pm 0.014$  | CRAWFORD    | 83   | IPWA $\gamma N \rightarrow \pi N$ |
| $0.025 \pm 0.031$   | AWAJI       | 81   | DPWA $\gamma N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |             |      |                                   |
| -0.024  | PENNER      | 02D  | DPWA Multichannel                 |
| $-0.016 \pm 0.002$  | LI          | 93   | IPWA $\gamma N \rightarrow \pi N$ |
| 0.023   | WADA        | 84   | DPWA Compton scattering           |
| $0.000 \pm 0.045$   | BARBOUR     | 78   | DPWA $\gamma N \rightarrow \pi N$ |

### $\Delta(1600)$ FOOTNOTES

- <sup>1</sup> LONGACRE 77 pole positions are from a search for poles in the unitarized T-matrix; the first (second) value uses, in addition to  $\pi N \rightarrow N\pi\pi$  data, elastic amplitudes from a Saclay (CERN) partial-wave analysis. The other LONGACRE 77 values are from eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.
- <sup>2</sup> From method II of LONGACRE 75: eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.
- <sup>3</sup> See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of  $N$  and  $\Delta$  resonances as determined from Argand diagrams of  $\pi N$  elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.
- <sup>4</sup> LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to  $\pi N \rightarrow N\pi\pi$  data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.
- <sup>5</sup> The range given is from the four best solutions. DEANS 75 disagrees with  $\pi^+ p \rightarrow \Sigma^+ K^+$  data of WINNIK 77 around 1920 MeV.
- <sup>6</sup> LONGACRE 77 considers this coupling to be well determined.
- <sup>7</sup> WADA 84 is inconsistent with other analyses — see the Note on  $N$  and  $\Delta$  Resonances.

### $\Delta(1600)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

|         |     |                        |   |                   |
|---------|-----|------------------------|---|-------------------|
| HORN    | 08A | EPJ A38 173            | I. Horn <i>et al.</i>                     | (CB-ELSA Collab.) |
| Also    |     | PRL 101 202002         | I. Horn <i>et al.</i>                     | (CB-ELSA Collab.) |
| ARNDT   | 06  | PR C74 045205          | R.A. Arndt <i>et al.</i>                  | (GWU)             |
| PDG     | 06  | JPG 33 1               | W.-M. Yao <i>et al.</i>                   | (PDG Collab.)     |
| PENNER  | 02C | PR C66 055211          | G. Penner, U. Mosel                       | (GIES)            |
| PENNER  | 02D | PR C66 055212          | G. Penner, U. Mosel                       | (GIES)            |
| VRANA   | 00  | PRPL 328 181           | T.P. Vrana, S.A. Dytman, T.-S.H. Lee      | (PITT+)           |
| ARNDT   | 96  | PR C53 430             | R.A. Arndt, I.I. Strakovsky, R.L. Workman | (VPI)             |
| ARNDT   | 95  | PR C52 2120            | R.A. Arndt <i>et al.</i>                  | (VPI, BRCO)       |
| HOEHLER | 93  | $\pi N$ Newsletter 9 1 | G. Hohler                                 | (KARL)            |
| LI      | 93  | PR C47 2759            | Z.J. Li <i>et al.</i>                     | (VPI)             |
| MANLEY  | 92  | PR D45 4002            | D.M. Manley, E.M. Saleski                 | (KENT) IJP        |
| Also    |     | PR D30 904             | D.M. Manley <i>et al.</i>                 | (VPI)             |
| ARNDT   | 91  | PR D43 2131            | R.A. Arndt <i>et al.</i>                  | (VPI, TELE) IJP   |
| WADA    | 84  | NP B247 313            | Y. Wada <i>et al.</i>                     | (INUS)            |

|          |    |                  |   |                   |
|----------|----|------------------|---|-------------------|
| CRAWFORD | 83 | NP B211 1        | R.L. Crawford, W.T. Morton                | (GLAS)            |
| PDG      | 82 | PL 111B 1        | M. Roos <i>et al.</i>                     | (HELS, CIT, CERN) |
| AWAJI    | 81 | Bonn Conf. 352   | N. Awaji, R. Kajikawa                     | (NAGO)            |
| Also     |    | NP B197 365      | K. Fujii <i>et al.</i>                    | (NAGO)            |
| BARNHAM  | 80 | NP B168 243      | K.W.J. Barnham <i>et al.</i>              | (LOIC)            |
| CUTKOSKY | 80 | Toronto Conf. 19 | R.E. Cutkosky <i>et al.</i>               | (CMU, LBL) IJP    |
| Also     |    | PR D20 2839      | R.E. Cutkosky <i>et al.</i>               | (CMU, LBL) IJP    |
| HOEHLER  | 79 | PDAT 12-1        | G. Hohler <i>et al.</i>                   | (KARLT) IJP       |
| Also     |    | Toronto Conf. 3  | R. Koch                                   | (KARLT) IJP       |
| BARBOUR  | 78 | NP B141 253      | I.M. Barbour, R.L. Crawford, N.H. Parsons | (GLAS)            |
| LONGACRE | 78 | PR D17 1795      | R.S. Longacre <i>et al.</i>               | (LBL, SLAC)       |
| LONGACRE | 77 | NP B122 493      | R.S. Longacre, J. Dolbeau                 | (SACL) IJP        |
| Also     |    | NP B108 365      | J. Dolbeau <i>et al.</i>                  | (SACL) IJP        |
| WINNIK   | 77 | NP B128 66       | M. Winnik <i>et al.</i>                   | (HAIF) I          |
| DEANS    | 75 | NP B96 90        | S.R. Deans <i>et al.</i>                  | (SFLA, ALAH) IJP  |
| LONGACRE | 75 | PL 55B 415       | R.S. Longacre <i>et al.</i>               | (LBL, SLAC) IJP   |

---