

**$D_{s1}(2536)^\pm$**

$I(J^P) = 0(1^+)$   
 $J, P$  need confirmation.

Seen in  $D^*(2010)^+ K^0$ ,  $D^*(2007)^0 K^+$ , and  $D_s^+ \pi^+ \pi^-$ . Not seen in  $D^+ K^0$  or  $D^0 K^+$ .  $J^P = 1^+$  assignment strongly favored.

**$D_{s1}(2536)^\pm$  MASS**

The fit includes  $D^\pm, D^0, D_s^\pm, D^{*\pm}, D^{*0}, D_s^{*\pm}, D_1(2420)^0, D_2^*(2460)^0$ , and  $D_{s1}(2536)^\pm$  mass and mass difference measurements.

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2535.28 ± 0.20 OUR FIT</b>				
<b>2535.18 ± 0.24 OUR AVERAGE</b>				
2535.7 ± 0.6 ± 0.5	46 ± 9	<sup>1</sup> ABAZOV	09G D0	$B_s^0 \rightarrow D_{s1}^- \mu^+ \nu_\mu X$
2534.78 ± 0.31 ± 0.40	182	AUBERT	08B BABR	$B \rightarrow \bar{D}^{(*)} D^* K$
2534.6 ± 0.3 ± 0.7	193	AUBERT	06P BABR	$10.6 e^+ e^- \rightarrow D_s^+ \pi^+ \pi^- X$
2535.3 ± 0.7	92	<sup>2</sup> HEISTER	02B ALEP	$e^+ e^- \rightarrow D^{*+} K^0 X, D^{*0} K^+ X$
2534.2 ± 1.2	9	ASRATYAN	94 BEBC	$\nu N \rightarrow D^* K^0 X, D^{*0} K^\pm X$
2535 ± 0.6 ± 1	75	FRABETTI	94B E687	$\gamma Be \rightarrow D^{*+} K^0 X, D^{*0} K^+ X$
2535.3 ± 0.2 ± 0.5	134	ALEXANDER	93 CLE2	$e^+ e^- \rightarrow D^{*0} K^+ X$
2534.8 ± 0.6 ± 0.6	44	ALEXANDER	93 CLE2	$e^+ e^- \rightarrow D^{*+} K^0 X$
2535.2 ± 0.5 ± 1.5	28	ALBRECHT	92R ARG	$10.4 e^+ e^- \rightarrow D^{*0} K^+ X$
2536.6 ± 0.7 ± 0.4		AVERY	90 CLEO	$e^+ e^- \rightarrow D^{*+} K^0 X$
2535.9 ± 0.6 ± 2.0		ALBRECHT	89E ARG	$D_{s1}^* \rightarrow D^*(2010) K^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2535.57 <sup>+0.44</sup> <sub>-0.41</sub> ± 0.10	236 ± 30	<sup>3</sup> CHEKANOV	09 ZEUS	$e^\pm p \rightarrow D^{*+} K_S^0 X, D^{*0} K^+ X$
2535 ± 28		<sup>4</sup> ASRATYAN	88 HLBC	$\nu N \rightarrow D_s \gamma \gamma X$

<sup>1</sup> Using the  $D^*(2010)^\pm$  mass of  $2010.0 \pm 0.4$  MeV from PDG 06.

<sup>2</sup> Calculated using  $m_{D^*(2010)^\pm} = 2010.0 \pm 0.5$  MeV,  $m_{D^*(2007)^0} = 2006.7 \pm 0.5$  MeV, and the mass difference below.

<sup>3</sup> Calculated using the mass difference  $m(D_{s1}^+) - m(D^{*+})_{PDG}$  reported below and  $m(D^{*+})_{PDG} = 2010.27 \pm 0.17$  MeV.

<sup>4</sup> Not seen in  $D^* K$ .

### $m_{D_{s1}(2536)^\pm} - m_{D_s^*(2111)}$

The fit includes  $D^\pm, D^0, D_s^\pm, D^{*\pm}, D^{*0}, D_s^{*\pm}, D_1(2420)^0, D_2^*(2460)^0$ , and  $D_{s1}(2536)^\pm$  mass and mass difference measurements.

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>423.0 ± 0.5 OUR FIT</b>	Error includes scale factor of 1.1.		
<b>424 ± 28</b>	ASRATYAN	88	HLBC $D_s^{*\pm} \gamma$

### $m_{D_{s1}(2536)^\pm} - m_{D^*(2010)^\pm}$

The fit includes  $D^\pm, D^0, D_s^\pm, D^{*\pm}, D^{*0}, D_s^{*\pm}, D_1(2420)^0, D_2^*(2460)^0$ , and  $D_{s1}(2536)^\pm$  mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>525.06 ± 0.22 OUR FIT</b>				
<b>525.30 ± 0.35 OUR AVERAGE</b>				
525.30 <sup>+0.44</sup> <sub>-0.41</sub> ± 0.10	236 ± 30	CHEKANOV	09	ZEUS $e^\pm p \rightarrow D^{*+} K_S^0 X,$ $D^{*0} K^+ X$
525.3 ± 0.6 ± 0.1	41	HEISTER	02B	ALEP $e^+ e^- \rightarrow D^{*+} K^0 X$

### $m_{D_{s1}(2536)^\pm} - m_{D^*(2007)^0}$

The fit includes  $D^\pm, D^0, D_s^\pm, D^{*\pm}, D^{*0}, D_s^{*\pm}, D_1(2420)^0, D_2^*(2460)^0$ , and  $D_{s1}(2536)^\pm$  mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>528.36 ± 0.23 OUR FIT</b>				
<b>528.1 ± 1.5 OUR AVERAGE</b>				
528.7 ± 1.9 ± 0.5	51	HEISTER	02B	ALEP $e^+ e^- \rightarrow D^{*0} K^+ X$
527.3 ± 2.2	29	ACKERSTAFF	97W	OPAL $e^+ e^- \rightarrow D^{*0} K^+ X$

### $D_{s1}(2536)^\pm$ WIDTH

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>&lt;2.3</b>	90		ALEXANDER	93	CLEO $e^+ e^- \rightarrow D^{*0} K^+ X$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<2.5	95	193	AUBERT	06P	BABR $10.6 e^+ e^- \rightarrow D_s^+ \pi^+ \pi^- X$
<3.2	90	75	FRABETTI	94B	E687 $\gamma Be \rightarrow D^{*+} K^0 X, D^{*0} K^+ X$
<3.9	90		ALBRECHT	92R	ARG $10.4 e^+ e^- \rightarrow D^{*0} K^+ X$
<5.44	90		AVERY	90	CLEO $e^+ e^- \rightarrow D^{*+} K^0 X$
<4.6	90		ALBRECHT	89E	ARG $D_{s1}^* \rightarrow D^*(2010) K^0$

## $D_{s1}(2536)^+$ DECAY MODES

$D_{s1}(2536)^-$  modes are charge conjugates of the modes below.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $D^*(2010)^+ K^0$	seen
$\Gamma_2$ $(D^*(2010)^+ K^0)_{S-wave}$	
$\Gamma_3$ $(D^*(2010)^+ K^0)_{D-wave}$	
$\Gamma_4$ $D^+ \pi^- K^+$	
$\Gamma_5$ $D^*(2007)^0 K^+$	seen
$\Gamma_6$ $D^+ K^0$	not seen
$\Gamma_7$ $D^0 K^+$	not seen
$\Gamma_8$ $D_s^{*+} \gamma$	possibly seen
$\Gamma_9$ $D_s^+ \pi^+ \pi^-$	seen

## $D_{s1}(2536)^+$ BRANCHING RATIOS

$\Gamma(D^*(2007)^0 K^+)/\Gamma(D^*(2010)^+ K^0)$					$\Gamma_5/\Gamma_1$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>1.36 ± 0.20 OUR AVERAGE</b>					
2.3 ± 0.6 ± 0.3	236 ± 30	CHEKANOV	09 ZEUS	$e^\pm p \rightarrow D^{*+} K_S^0 X,$ $D^{*0} K^+ X$	
1.32 ± 0.47 ± 0.23	92	<sup>5</sup> HEISTER	02B ALEP	$e^+ e^- \rightarrow D^{*+} K^0 X,$ $D^{*0} K^+ X$	
1.9 $^{+1.1}_{-0.9}$ ± 0.4	35	<sup>5</sup> ACKERSTAFF	97W OPAL	$e^+ e^- \rightarrow D^{*0} K^+ X,$ $D^{*+} K^0 X$	
1.1 ± 0.3		ALEXANDER	93 CLEO	$e^+ e^- \rightarrow$ $D^{*0} K^+ X, D^{*+} K^0 X$	
1.4 ± 0.3 ± 0.2		<sup>6</sup> ALBRECHT	92R ARG	10.4 $e^+ e^- \rightarrow$ $D^{*0} K^+ X, D^{*+} K^0 X$	

<sup>5</sup> Ratio of the production rates measured in  $Z^0$  decays.

<sup>6</sup> Evaluated by us from published inclusive cross-sections.

$\Gamma((D^*(2010)^+ K^0)_{S-wave})/\Gamma(D^*(2010)^+ K^0)$					$\Gamma_2/\Gamma_1$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.72 ± 0.05 ± 0.01</b>	5485	BALAGURA	08 BELL	10.6 $e^+ e^- \rightarrow D^{*+} K^0 X$	

$\Gamma(D^+ \pi^- K^+)/\Gamma(D^*(2010)^+ K^0)$					$\Gamma_4/\Gamma_1$
<u>VALUE (units <math>10^{-2}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>3.27 ± 0.18 ± 0.37</b>	1264	BALAGURA	08 BELL	10.6 $e^+ e^- \rightarrow D^+ \pi^- K^+ X$	

$\Gamma(D^+ K^0)/\Gamma(D^*(2010)^+ K^0)$					$\Gamma_6/\Gamma_1$
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>&lt;0.40</b>	90	ALEXANDER	93 CLEO	$e^+ e^- \rightarrow D^{*+} K^0 X$	
<0.43	90	ALBRECHT	89E ARG	$D_{s1}^* \rightarrow D^*(2010) K^0$	

$\Gamma(D^0 K^+)/\Gamma(D^*(2007)^0 K^+)$			$\Gamma_7/\Gamma_5$		
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.12	90	ALEXANDER 93	CLEO	$e^+ e^- \rightarrow D^{*0} K^+ X$	

$\Gamma(D_s^{*+} \gamma)/\Gamma_{\text{total}}$			$\Gamma_8/\Gamma$		
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
possibly seen		ASRATYAN 88	HLBC	$\nu N \rightarrow D_s \gamma \gamma X$	

$\Gamma(D_s^{*+} \gamma)/\Gamma(D^*(2007)^0 K^+)$			$\Gamma_8/\Gamma_5$		
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.42	90	ALEXANDER 93	CLEO	$e^+ e^- \rightarrow D^{*0} K^+ X$	

$\Gamma(D_s^+ \pi^+ \pi^-)/\Gamma_{\text{total}}$			$\Gamma_9/\Gamma$		
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
seen		AUBERT 06P BABR	10.6	$e^+ e^- \rightarrow D_s^+ \pi^+ \pi^- X$	

### $D_{s1}(2536)^\pm$ REFERENCES

ABAZOV	09G	PRL 102 051801	V.M. Abazov <i>et al.</i>	(D0 Collab.)
CHEKANOV	09	EPJ C60 25	S. Chekanov <i>et al.</i>	(ZEUS Collab.)
AUBERT	08B	PR D77 011102R	B. Aubert <i>et al.</i>	(BABAR Collab.)
BALAGURA	08	PR D77 032001	V. Balagura <i>et al.</i>	(BELLE Collab.)
AUBERT	06P	PR D74 032007	B. Aubert <i>et al.</i>	(BABAR Collab.)
PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
HEISTER	02B	PL B526 34	A. Heister <i>et al.</i>	(ALEPH Collab.)
ACKERSTAFF	97W	ZPHY C76 425	K. Ackerstaff <i>et al.</i>	(OPAL Collab.)
ASRATYAN	94	ZPHY C61 563	A.E. Asratyan <i>et al.</i>	(BIRM, BELG, CERN+)
FRABETTI	94B	PRL 72 324	P.L. Frabetti <i>et al.</i>	(FNAL E687 Collab.)
ALEXANDER	93	PL B303 377	J. Alexander <i>et al.</i>	(CLEO Collab.)
ALBRECHT	92R	PL B297 425	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
AVERY	90	PR D41 774	P. Avery, D. Besson	(CLEO Collab.)
ALBRECHT	89E	PL B230 162	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ASRATYAN	88	ZPHY C40 483	A.E. Asratyan <i>et al.</i>	(ITEP, SERP)