


**$f_4(2050)$**  $I^G(J^{PC}) = 0^+(4^{++})$  **$f_4(2050)$  MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>2018±11 OUR AVERAGE</b>				Error includes scale factor of 2.1. See the ideogram below.
1960±15		AMELIN	06	VES $36 \pi^- p \rightarrow \omega\omega n$
2005±10		<sup>1</sup> BINON	05	GAMS $33 \pi^- p \rightarrow \eta\eta n$
1998±15		ALDE	98	GAM4 $100 \pi^- p \rightarrow \pi^0\pi^0 n$
2060±20		ALDE	90	GAM2 $38 \pi^- p \rightarrow \omega\omega n$
2038±30		AUGUSTIN	87	DM2 $J/\psi \rightarrow \gamma\pi^+\pi^-$
2086±15		BALTRUSAIT..	87	MRK3 $J/\psi \rightarrow \gamma\pi^+\pi^-$
2000±60		ALDE	86D	GAM4 $100 \pi^- p \rightarrow n2\eta$
2020±20	40k	<sup>2</sup> BINON	84B	GAM2 $38 \pi^- p \rightarrow n2\pi^0$
2015±28		<sup>3</sup> CASON	82	STRC $8 \pi^+ p \rightarrow \Delta^{++}\pi^0\pi^0$
$2031^{+25}_{-36}$		ETKIN	82B	MPS $23 \pi^- p \rightarrow n2K_S^0$
2020±30	700	APEL	75	NICE $40 \pi^- p \rightarrow n2\pi^0$
2050±25		BLUM	75	ASPK $18.4 \pi^- p \rightarrow nK^+K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1966±25		<sup>4</sup> ANISOVICH	09	RVUE $0.0 \bar{p}p, \pi N$
$1885^{+14}_{-13}{}^{+218}_{-25}$		<sup>5</sup> UEHARA	09	BELL $10.6 e^+e^- \rightarrow e^+e^-\pi^0\pi^0$
2018± 6		ANISOVICH	00J	SPEC $2.0 \bar{p}p \rightarrow \eta\pi^0\pi^0, \pi^0\pi^0,$ $\eta\eta, \eta\eta', \pi\pi$
~2000		<sup>6</sup> MARTIN	98	RVUE $N\bar{N} \rightarrow \pi\pi$
~2010		<sup>7</sup> MARTIN	97	RVUE $\bar{N}N \rightarrow \pi\pi$
~2040		<sup>8</sup> OAKDEN	94	RVUE $0.36\text{--}1.55 \bar{p}p \rightarrow \pi\pi$
~1990		<sup>9</sup> OAKDEN	94	RVUE $0.36\text{--}1.55 \bar{p}p \rightarrow \pi\pi$
1978± 5		<sup>10</sup> ALPER	80	CNTR $62 \pi^- p \rightarrow K^+K^-n$
2040±10		<sup>10</sup> ROZANSKA	80	SPRK $18 \pi^- p \rightarrow p\bar{p}n$
1935±13		<sup>10</sup> CORDEN	79	OMEG $12\text{--}15 \pi^- p \rightarrow n2\pi$
1988± 7		EVANGELIS...	79B	OMEG $10 \pi^- p \rightarrow K^+K^-n$
1922±14		<sup>11</sup> ANTIPOV	77	CIBS $25 \pi^- p \rightarrow p3\pi$

<sup>1</sup> From the first PWA solution.<sup>2</sup> From a partial-wave analysis of the data.<sup>3</sup> From an amplitude analysis of the reaction  $\pi^+\pi^- \rightarrow 2\pi^0$ .<sup>4</sup>  $K$  matrix pole.<sup>5</sup> Taking into account the  $f_2(1950)$ . Helicity-2 production favored.<sup>6</sup> Energy-dependent analysis.<sup>7</sup> Single energy analysis.<sup>8</sup> From solution A of amplitude analysis of data on  $\bar{p}p \rightarrow \pi\pi$ . See however KLOET 96 who fit  $\pi^+\pi^-$  only and find waves only up to  $J=3$  to be important but not significantly resonant.<sup>9</sup> From solution B of amplitude analysis of data on  $\bar{p}p \rightarrow \pi\pi$ . See however KLOET 96 who fit  $\pi^+\pi^-$  only and find waves only up to  $J=3$  to be important but not significantly resonant.<sup>10</sup>  $I(J^P) = 0(4^+)$  from amplitude analysis assuming one-pion exchange.<sup>11</sup> Width errors enlarged by us to  $4\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.




### $f_4(2050)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>237± 18 OUR AVERAGE</b>				Error includes scale factor of 1.9. See the ideogram below.
290± 20		AMELIN	06	$36 \pi^- p \rightarrow \omega \omega n$
340± 80	12	BINON	05	$33 \pi^- p \rightarrow \eta \eta n$
395± 40		ALDE	98	$100 \pi^- p \rightarrow \pi^0 \pi^0 n$
170± 60		ALDE	90	$38 \pi^- p \rightarrow \omega \omega n$
304± 60		AUGUSTIN	87	$J/\psi \rightarrow \gamma \pi^+ \pi^-$
210± 63		BALTRUSAIT...	87	$J/\psi \rightarrow \gamma \pi^+ \pi^-$
400±100		ALDE	86D	$100 \pi^- p \rightarrow n 2\eta$
240± 40	40k	13 BINON	84B	$38 \pi^- p \rightarrow n 2\pi^0$
190± 14		DENNEY	83	$10 \pi^+ n / \pi^+ p$
186 <sup>+103</sup> <sub>-58</sub>		14 CASON	82	$8 \pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$
305 <sup>+36</sup> <sub>-119</sub>		ETKIN	82B	$23 \pi^- p \rightarrow n 2 K_S^0$
180± 60	700	APEL	75	$40 \pi^- p \rightarrow n 2\pi^0$
225 <sup>+120</sup> <sub>-70</sub>		BLUM	75	$18.4 \pi^- p \rightarrow n K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

260± 40	<sup>15</sup> ANISOVICH	09	RVUE	$0.0 \bar{p}p, \pi N$
453± 20 <sup>+31</sup> <sub>-129</sub>	<sup>16</sup> UEHARA	09	BELL	$10.6 e^+ e^- \rightarrow e^+ e^- \pi^0 \pi^0$
182± 7	ANISOVICH	00J	SPEC	$2.0 \bar{p}p \rightarrow \eta \pi^0 \pi^0, \pi^0 \pi^0,$ $\eta \eta, \eta \eta', \pi \pi$
~ 170	<sup>17</sup> MARTIN	98	RVUE	$N \bar{N} \rightarrow \pi \pi$

~ 200	<sup>18</sup> MARTIN	97	RVUE	$\bar{N}N \rightarrow \pi\pi$
~ 60	<sup>19</sup> OAKDEN	94	RVUE	0.36–1.55 $\bar{p}p \rightarrow \pi\pi$
~ 80	<sup>20</sup> OAKDEN	94	RVUE	0.36–1.55 $\bar{p}p \rightarrow \pi\pi$
243 ± 16	<sup>21</sup> ALPER	80	CNTR	62 $\pi^- p \rightarrow K^+ K^- n$
140 ± 15	<sup>21</sup> ROZANSKA	80	SPRK	18 $\pi^- p \rightarrow p\bar{p}n$
263 ± 57	<sup>21</sup> CORDEN	79	OMEG	12–15 $\pi^- p \rightarrow n2\pi$
100 ± 28	EVANGELIS...	79B	OMEG	10 $\pi^- p \rightarrow K^+ K^- n$
107 ± 56	<sup>22</sup> ANTIPOV	77	CIBS	25 $\pi^- p \rightarrow p3\pi$

<sup>12</sup> From the first PWA solution.<sup>13</sup> From a partial-wave analysis of the data.<sup>14</sup> From an amplitude analysis of the reaction  $\pi^+ \pi^- \rightarrow 2\pi^0$ .<sup>15</sup> K matrix pole.<sup>16</sup> Taking into account the  $f_2(1950)$ . Helicity-2 production favored.<sup>17</sup> Energy-dependent analysis.<sup>18</sup> Single energy analysis.<sup>19</sup> From solution A of amplitude analysis of data on  $\bar{p}p \rightarrow \pi\pi$ . See however KLOET 96 who fit  $\pi^+ \pi^-$  only and find waves only up to  $J = 3$  to be important but not significantly resonant.<sup>20</sup> From solution B of amplitude analysis of data on  $\bar{p}p \rightarrow \pi\pi$ . See however KLOET 96 who fit  $\pi^+ \pi^-$  only and find waves only up to  $J = 3$  to be important but not significantly resonant.<sup>21</sup>  $I(J^P) = 0(4^+)$  from amplitude analysis assuming one-pion exchange.<sup>22</sup> Width errors enlarged by us to  $4\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.

**$f_4(2050)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 \omega\omega$	seen
$\Gamma_2 \pi\pi$	$(17.0 \pm 1.5)\%$
$\Gamma_3 K\bar{K}$	$(6.8^{+3.4}_{-1.8}) \times 10^{-3}$
$\Gamma_4 \eta\eta$	$(2.1 \pm 0.8) \times 10^{-3}$
$\Gamma_5 4\pi^0$	< 1.2 %
$\Gamma_6 \gamma\gamma$	
$\Gamma_7 a_2(1320)\pi$	seen

 **$f_4(2050) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$** 

$$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}} \quad \Gamma_3\Gamma_6/\Gamma$$

VALUE (keV)	CL%	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
<0.29	95	ALTHOFF	85B TASS	$\gamma\gamma \rightarrow K\bar{K}\pi$

$$\Gamma(\pi\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}} \quad \Gamma_2\Gamma_6/\Gamma$$

VALUE (eV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					

$23.1^{+3.6+70.5}_{-3.3-15.6}$	23	UEHARA	09	BELL	$10.6 e^+ e^- \rightarrow e^+ e^- \pi^0 \pi^0$
<1100	95	13 ± 4	OEST	90	JADE $e^+ e^- \rightarrow e^+ e^- \pi^0 \pi^0$

<sup>23</sup> Taking into account the  $f_2(1950)$ . Helicity-2 production favored.

 **$f_4(2050)$  BRANCHING RATIOS**

$$\Gamma(\omega\omega)/\Gamma_{\text{total}} \quad \Gamma_1/\Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
seen	AMELIN	06	VES $36 \pi^- p \rightarrow \omega\omega n$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
not seen	BARBERIS	00F	$450 pp \rightarrow p_f \omega\omega p_s$

$$\Gamma(\omega\omega)/\Gamma(\pi\pi) \quad \Gamma_1/\Gamma_2$$

VALUE	DOCUMENT ID	TECN	COMMENT
<b><math>1.5 \pm 0.3</math></b>	ALDE	90	GAM2 $38 \pi^- p \rightarrow \omega\omega n$

$$\Gamma(\pi\pi)/\Gamma_{\text{total}} \quad \Gamma_2/\Gamma$$

VALUE	DOCUMENT ID	TECN	COMMENT
<b><math>0.170 \pm 0.015</math> OUR AVERAGE</b>			
0.18 ± 0.03	24 BINON	83C GAM2	$38 \pi^- p \rightarrow n4\gamma$
0.16 ± 0.03	24 CASON	82 STRC	$8 \pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$
0.17 ± 0.02	24 CORDEN	79 OMEG	$12-15 \pi^- p \rightarrow n2\pi$

<sup>24</sup> Assuming one pion exchange.

$\Gamma(K\bar{K})/\Gamma(\pi\pi)$ 

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.04<sup>+0.02</sup><sub>-0.01</sub></b>	ETKIN	82B	MPS $23 \pi^- p \rightarrow n 2K_S^0$

 $\Gamma_3/\Gamma_2$  $\Gamma(\eta\eta)/\Gamma_{\text{total}}$ 

VALUE (units $10^{-3}$ )	DOCUMENT ID	TECN	COMMENT
<b>2.1<math>\pm</math>0.8</b>	ALDE	86D	GAM4 $100 \pi^- p \rightarrow n 4\gamma$

 $\Gamma_4/\Gamma$  $\Gamma(4\pi^0)/\Gamma_{\text{total}}$ 

VALUE	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.012</b>	ALDE	87	GAM4 $100 \pi^- p \rightarrow 4\pi^0 n$

 $\Gamma_5/\Gamma$  $\Gamma(a_2(1320)\pi)/\Gamma_{\text{total}}$ 

VALUE	DOCUMENT ID	TECN	COMMENT
<b>seen</b>	AMELIN	00	VES $37 \pi^- p \rightarrow \eta\pi^+\pi^- n$

 $\Gamma_7/\Gamma$ **f<sub>4</sub>(2050) REFERENCES**

ANISOVICH	09	IJMP A24 2481	V.V. Anisovich, A.V. Sarantsev	
UEHARA	09	PR D79 052009	S. Uehara <i>et al.</i>	(BELLE Collab.)
AMELIN	06	PAN 69 690	D.V. Amelin <i>et al.</i>	(VES Collab.)
		Translated from YAF 69 715.		
BINON	05	PAN 68 960	F. Binon <i>et al.</i>	
		Translated from YAF 68 998.		
AMELIN	00	NP A668 83	D. Amelin <i>et al.</i>	(VES Collab.)
ANISOVICH	00J	PL B491 47	A.V. Anisovich <i>et al.</i>	
BARBERIS	00F	PL B484 198	D. Barberis <i>et al.</i>	(WA 102 Collab.)
ALDE	98	EPJ A3 361	D. Alde <i>et al.</i>	(GAM4 Collab.)
Also		PAN 62 405	D. Alde <i>et al.</i>	(GAMS Collab.)
		Translated from YAF 62 446.		
MARTIN	98	PR C57 3492	B.R. Martin <i>et al.</i>	
MARTIN	97	PR C56 1114	B.R. Martin, G.C. Oades	(LOUC, AARH)
KLOET	96	PR D53 6120	W.M. Kloet, F. Myhrer	(RUTG, NORD)
OAKDEN	94	NP A574 731	M.N. Oakden, M.R. Pennington	(DURH)
ALDE	90	PL B241 600	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
OEST	90	ZPHY C47 343	T. Oest <i>et al.</i>	(JADE Collab.)
ALDE	87	PL B198 286	D.M. Alde <i>et al.</i>	(LANL, BRUX, SERP, LAPP)
AUGUSTIN	87	ZPHY C36 369	J.E. Augustin <i>et al.</i>	(LAJO, CLER, FRAS+)
BALTRUSAIT...	87	PR D35 2077	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
ALDE	86D	NP B269 485	D.M. Alde <i>et al.</i>	(BELG, LAPP, SERP, CERN+)
ALTHOFF	85B	ZPHY C29 189	M. Althoff <i>et al.</i>	(TASSO Collab.)
BINON	84B	LNC 39 41	F.G. Binon <i>et al.</i>	(SERP, BELG, LAPP)
BINON	83C	SJNP 38 723	F.G. Binon <i>et al.</i>	(SERP, BRUX+)
		Translated from YAF 38 1199.		
DENNEY	83	PR D28 2726	D.L. Denney <i>et al.</i>	(IOWA, MICH)
CASON	82	PRL 48 1316	N.M. Cason <i>et al.</i>	(NDAM, ANL)
ETKIN	82B	PR D25 1786	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
ALPER	80	PL 94B 422	B. Alper <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)
ROZANSKA	80	NP B162 505	M. Rozanska <i>et al.</i>	(MPIM, CERN)
CORDEN	79	NP B157 250	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+) JP
EVANGELIS...	79B	NP B154 381	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+) JP
ANTIPOV	77	NP B119 45	Y.M. Antipov <i>et al.</i>	(SERP, GEVA)
APEL	75	PL 57B 398	W.D. Apel <i>et al.</i>	(KARLK, KARLE, PISA, SERP+) JP
BLUM	75	PL 57B 403	W. Blum <i>et al.</i>	(CERN, MPIM) JP